

Index

A

- ABSS (Agent-based social simulation), 2, 3, 101, 102
- Advanced driver assistance systems (ADAS), 143
- Agent-based social simulations (ABSS), 2–3
- AgriPoliS, 190
- Air pollution, 122
- ANEMAS (Agent-based eNErgy Management in Smart grids)
 - consumption agent algorithm, 238–240
 - grid agent algorithms, 236
 - performance evaluation
 - consumer bills, 242, 243
 - Conventional-case, 242
 - resources use, 242, 243
 - simulation parameters, 242
 - simulation test, 242
 - problem formulation, 234
 - producer agent algorithm, 240–241
 - proposed multi-agent model, 235
 - scenarios, 241
 - storage agent algorithms, 236–238
- Apache Web Server, 177

B

- Battery electric vehicles (BEVs), 7, 8
- Belief Desires Intention model (BDI), 28, 29, 105, 155, 158
- Bio-altruist cluster, 66
- Bottom-up approach, 3, 82
- Business drivers, 174
- Buyer Agent (BAG), 230
- Buying price (BP0), 230

C

- C4.5 algorithm, 54, 63, 72
- Car manufacturers, 124
- Car park database, 178
- CFDs. *See* Contracts for difference (CFDs)
- Characterisation factors, 197
- Charter of Fundamental Rights of the European Union*, 100
- City managers, 168, 170, 178, 184, 203
- City parking allocations
 - automated negotiation approach, 168
 - DA-best, 178–181
 - DA model, 173–174
 - dynamic attribute, 171
 - geographical location, 171
 - JADE framework, 177
 - PMA and DA, 171–172
 - PMA-best, 178–181
 - PMA strategy, 172–173
 - PostGIS, 178
 - PostgreSQL, 178
 - static attribute, 171
 - users classes, 177
 - challenging problem, 168
 - coordinated parking system, 170
 - DAs and PMA utilities and allocation percentage, 179
 - dynamic pricing scheme, 169–170
 - on-line reservation process, 169
 - optimal allocation, 169
 - PGI, 167, 169
 - smart parking, 167, 169, 170, 184
 - social welfare evaluation, 175–176
 - social welfare values
 - SW*, 175, 178–181, 183, 184

- City parking allocations (*cont.*)
 - SW_+ , 175, 176, 178–180
 - SW_{DA} , 175, 178–182, 184
 - Classification and Regression Trees (CARTs), 54
 - Clustering, 62, 65–68
 - Cognitive Multi-Agent System Supporting Marketing Strategies of Environmental-Friendly Energy Products (CogMAS), 15, 18
 - Combinatorial auction (CA), 125, 126
 - Combinatorial traffic assignment (CTA), 126
 - Companion Modelling approach, 29
 - Consequential life cycle assessment (CLCA), 187–188
 - Consumat model
 - consumer behavior
 - artificial world, 10–11
 - diffusion of electric cars, 7–8
 - farmer behaviour and land use, 8–10
 - LED-lamps, household lighting, 6–7
 - existence, 4
 - human behaviour, 11
 - overview of, 4, 5
 - personality, 4
 - repetition, imitation, deliberation and inquiring, 4
 - social decision-making, 4
 - Contracts for difference (CFDs), 208, 210, 212, 217–218, 221, 223
 - Coordinated Parking System, 170
 - Correlation-based Feature Selection (CFS), 31, 61, 64, 65, 69–71, 73
 - Council Directive 2000/78/EC*, 100
 - Counter-intuitive emergent phenomena, 3
- D**
- Davies-Bouldin criterion, 66
 - Day-ahead market (DAM), 211
 - Decision trees
 - CFS-DT, 69, 71
 - CFS-MDL-DT method, 71
 - cluster 2, 72
 - data structure, 54
 - feature selection algorithm, 63–65
 - inductive learning, 62
 - MDL-DT, 69–71
 - norm transmission
 - BW.6, 32, 33, 39
 - CFS, 31
 - concepts, 35
 - descriptive norms, 33
 - determine behaviours, 34, 37
 - DT, 31
 - entities, state variables and scales, 34
 - injunctive norms, 34
 - input data, 37
 - LOCAW questionnaire, 34
 - MDL, 31
 - NetLogo code, 32, 33
 - transmit norms, 34, 37–38
 - WERC-M Q, 32, 34
 - workplace social network implementing, 36
 - preprocessing techniques
 - clustering, 62, 65–68
 - decision making procedure, 62
 - discretization, 60, 68
 - feature selection, 60, 63–65
 - psychological foundations, 56
 - questionnaire data, 57–59
 - Romanian case study, 70, 71
 - SVM-DT, 69, 71
 - UDC, 55
- Descriptive norms, 30, 33
- Driver Agents (DAs), 17, 171, 177–180, 185
- E**
- Edification manager, 109
 - Ego-hedonic, 67, 68
 - Electricity markets (EMs)
 - aggregators, 219
 - bilateral contracts, 208
 - benefits, 210
 - CFDs, 208, 210, 212, 217–218
 - forward contracts, 208, 212
 - bilateral negotiation, 215–218
 - centralized markets, 208
 - Electro_Center, 221–223
 - financial risk management, 209
 - GenCos, 208
 - graphical user interface, 219
 - hypo-generation, 209
 - inconsistent-generation, 209
 - ISO, 208
 - large consumers, 219
 - marginal pricing, 211
 - MO, 208
 - multilateral negotiation, 218–219
 - N2K_Power, 221–223
 - over-generation, 209
 - pool trading, 211
 - renewable/variable generation, 209
 - RetailCos, 208, 219
 - risk-preference concession making strategy, 222

simulations, 219–223
 small consumers, 219
 software agents, 209, 213–215
European Disability Strategy, 100
 Evolutionary Game Theory, 127

F

Feature selection (FS), 60, 63–65
 First-come first-served policy (FCFS), 125, 126
 Fixed-time controller with the longest cycle length (FXL), 135–139
 Flexible drivers, 174
 Foundation for Intelligent Physical Agents (FIPA), 127, 177, 242
 ‘French School’ of agent-based modelling, 29

G

Generating companies (GenCos), 208, 218, 219
 Generator Agent (GAG), 230
 Generator Company agents (GC), 230
 Google Map server, 178
 GPS (Global Positioning System), 101, 155, 173
Great Smog, 121–122
 Green consciousness, 188, 199–202, 204, 205
 Grid Agent (GridAG), 230

H

Hamill and Gilbert’s social circles model, 36

I

Independent system operator (ISO), 208
 Initial Time-Slot Auction (ITSA), 126
 Injunctive norms, 13, 16, 17, 20, 30–32, 34, 35, 37, 40–42, 45, 57, 58, 82, 89
 Intelligent cars
 ADAS, 143
 architecture, 146–148
 coordination mechanism, 146, 147
 agent-environment interface layers, 151–152
 environment representation, 149–150
 scalability, 146
 visualisation, 152
 driving simulator, 144–148, 151, 152
 iTetris, 145
 jMonkeyEngine (jME), 145
 MATSim, 144

OpenDS, 145
 realistic car physics, 146
 SUMO, 144–147, 149
 traffic simulation, 147, 148
 traffic simulators, 144–149
 TraNS, 145
 Veins, 146
 VSimRTI, 146
 V2V, 143, 152
 V2X, 145, 146

J

JADE framework, 105, 177, 219, 242, 247
 jMonkeyEngine (jME), 145

K

KNMI’06 climate change scenario, 9
 Kruskal-Wallis test, 38, 40, 42

L

Lane change coordination for road vehicles
 agent deliberation algorithms
 agent’s interactions, 155, 156
 communication link, for behavior, 156, 157
 communication range, 159
 cruise behavior, 157
 deliberation, 156
 intention consistency check, 158
 internal state, beliefs and intentions, 155
 UPDATE message, 158, 159
 experiments
 active driver, 160
 cooperative (CA) mode, 160, 161
 non-cooperative (NCA) mode, 160
 passive driver, 160
 results, 160, 162–164
 simulated artificial *n*-lane highway, 159
 modelling framework
 maneuvers, 154
 multi-lane driving, 153, 154
 velocity-offset grid projection, 154
 quality metrics
 active drivers ratio parameter, 164
 density parameter, 163
 number of lanes parameter, 162
 LARMA model, 191
 LED-lamps, 6–7
 Life cycle assessment (LCA), 187, 189
 experiments, 201–203

- Life cycle assessment (LCA) (*cont.*)
 functional unit, 196, 197
 LCI, 197
 LCIA, 196–197
 midpoint characterisation factors, 197
 model structure, 194–196
 SysML, 197–198
 technosphere matrix, 196
- Life Cycle Impact Assessment (LCIA)
 methodology, 196–200, 205
- Life Cycle Inventory (LCI), 197
- Linear programming (LP), 189
- Load Agent (LAG), 230
- Local norms, 30, 32, 57, 59
- Locational marginal pricing (LMP), 211
- Loss aversion, 87
- Low Carbon at Work (LOCAW), 28, 30, 32, 34, 54, 55, 57–59
- M**
- Market-based mechanisms, 124
- Market operator (MO), 208, 219
- MAS. *See* Multi-agent system (MAS)
- Material Recovery Facility (MRF), 79
- MATSim, 144
- Mixed Integer Linear Program, 169
- Multi-agent auction based traffic signalling
 intersection agents
 auction period, 130
 traffic signal timing, 128, 129
 traffic signal agents
 induction-loop sensors, 131
 legal vehicle movements, 128, 130
 multi agent intersection controller, 128, 129
 phase plan, 129
 road sensors, 130
 SATQ, 132
 saturation, 132
 signal phase, 129–130
- MULTI agent Simulation for consequential LCA of Agro-systems (MUSA), 188–189
- Multi-agent system (MAS), 100, 101, 103–105, 112, 117, 118, 124, 125, 229–231, 233
- Multi-interval Discretisation (MDL), 31, 42, 61, 69–71, 73
- Multi-Robot Routing (MRR), 124
- N**
- Nash Social Welfare, 176, 180
- Netlogo Code, 32, 46–50
- New Human Interdependence Paradigm scale, 57
- Non-Fossil Fuel Order (NFFO), 209
- Non-linear programming (NLP), 189
- Norm transmission
 BW.22/recycle plastic, 39–44
 BW.19/turn on air conditioning, 40–42
 BW.17/turn on heating, 39–42
 cognitive models, 29
 decision tree
 BW.6, 32, 33, 39
 CFS, 31
 concepts, 35
 descriptive norms, 33
 determine behaviours, 34, 37
 DT, 31
 entities, state variables and scales, 34
 injunctive norms, 34
 input data, 37
 LOCAW questionnaire, 34
 MDL, 31
 NetLogo code, 32, 33
 transmit norms, 34, 37–38
 WERC-M Q, 32, 34
 workplace social network
 implementing, 36
 diffusion models, 29
 environmental models, 28
 game theory models, 29
 questionnaire survey, 30–31
 social influence and learning models, 29
 socially cohesive communities, 28
- O**
- OpenDS, 145, 151, 152
- OpenStreetMaps, 147, 149, 178
- P**
- Pampas model, 190, 191
- Parking choice behavior model, 173
- Parking Guidance and Information (PGI), 167, 169
- Parking Manager Agent (PMA), 170–181, 184
- Planned Recycling Agent Behavior (PRB), 89, 94
 coefficients, 88–90
 garbage transportation system and landfills, 92
 neighborhood agent, 90–92
 parameters, 90
- Plug-in hybrid vehicles (PHEVs), 7, 8

- Positive mathematical programming (PMP), 189
- PostGIS, 178
- PostgreSQL, 178
- PRB. *See* Planned Recycling Agent Behavior (PRB)
- Probabilistic Mental Models theory, 56
- Pro-environmental norm transmission. *See* Norm transmission
- Psychologically plausible models
- ABSS, 2–3
 - Consumat model
 - consumer behavior, 6–11
 - existence, 4
 - human behaviour, 11
 - overview of, 4, 5
 - personality, 4
 - repetition, imitation, deliberation and inquiring, 4
 - social decision-making, 4
 - SiMA-C (*see* Simulation of the Mental Apparatus and Applications (SiMA))
- R**
- Real-time market (RTM), 211
- ReCiPe methodology, 197, 199, 200
- Recursive Feature Elimination for Support Vector Machines (SVM-RFE), 61, 63–65, 69, 73
- Renewables Obligation (RO), 209
- Request for proposal (RFP), 218
- Reservation-based traffic management system, 125, 126
- Retailers (RetailCos), 208, 218–219
- Road sensors, 130, 132
- S**
- Saturation (SAT), 131, 132, 135, 136
- Saturation with Queuing (SATQ), 132, 135–137
- Seller Agent (SAG), 230
- Selling price (SP0), 230
- SiMA. *See* Simulation of the Mental Apparatus and Applications (SiMA)
- SiMA-Compressed (SiMA-C)
- demands and affordances, 13, 14
 - environmental-friendly behavior agent parametrization, 15–17
 - CogMAS, 15
 - social media scenario, 19–22
 - survey's experiment, 17–19
 - neutralized intensity, 15
 - normative and reality conflicts, 14
 - psychological assumption, 13
- Simulation approach, 209
- Simulation of the Mental Apparatus and Applications (SiMA)
- defense mechanisms, 13
 - functional model, 12
 - SiMA-C model
 - demands and affordances, 13, 14
 - environmental-friendly behavior, 15–22
 - neutralized intensity, 15
 - normative and reality conflicts, 14
 - psychological assumption, 13
- Simulation of Urban MOBility (SUMO), 132–134, 144–147, 149
- Smart Grid Control Agent (SGC), 230
- Smart grid energy management
- BAG, 230
 - BP0, 230
 - consumer agent, 230, 231
 - day-ahead predicted data, 232
 - definition, smart grid, 228
 - electrical grid, 230
 - fossil fuel, 229
 - GAG, 230
 - GC, 231
 - GridAG, 230
 - intelligent storage system
 - ANEMAS (*see* ANEMAS (Agent-based eNErgy MAnagement in Smart grids))
 - benefits, 233–234
 - LAG, 230
 - MAS, 230, 231
 - characteristics, 233
 - definition, 233
 - demand side management, 232
 - grid-connected mode, 232
 - islanded mode, 232
 - negotiation, 233
 - model predictive control, 231
 - neural network learning architecture, 232
 - observer agent, 230
 - optimization strategies, 232
 - predicted data, 229–232
 - producer agent, 230
 - prosumer agent, 228, 231
 - real-time optimization process, 232
 - renewable sources, 231
 - SAG, 230
 - SOM, 232–233

- Smart grid energy management (*cont.*)
 - SPO, 230
 - two-way communication, 228
 - UMM, 231
 - Smart parking applications, 167, 169, 170, 184
 - Smog, 121–122
 - Social simulations
 - ABSS, 101, 102
 - agents description, 105–106
 - architecture, 103
 - basic infrastructure, 103–104
 - 3D environment, 102
 - 3D editor, 104, 109–111
 - 3D viewer, 104, 107–109
 - optimization techniques, 106
 - dependent people, case study
 - blue zone, 112, 113
 - 3D virtual space, 114, 115
 - location service in real time, 113
 - modeling a human organization, 113–114
 - “*Residencial La Vega*”, 112, 113
 - validation of alerts, 114
 - disabled people, 99
 - emergency situation, case study
 - alert management, 115
 - 3D virtual environment construction, 114, 117
 - evacuation systems, 116
 - fire station drill tower, 114, 116
 - location service in real time, 114–115
 - locating infrastructure, 104–105
 - results, case study, 116–118
 - Standard Rules on the Equalization of Opportunities for Persons with Disabilities*, 100
 - STECCAR, 7
 - Strict drivers, 174
 - Structural equation model (SEM), 85–87, 93, 94
 - SUMO. *See* Simulation of Urban MObility (SUMO)
 - Sum of Others’ plus Max (SOM), 232–233
 - Support Vector Machine—Recursive Feature Elimination (SVM-RFE), 61
 - Sustainable farming behaviours
 - AgriPoliS, 190
 - behaviours, 199–200
 - CEPS/INSTEAD, 189
 - CLCA, 187–188
 - CONVIS, 189
 - data, 191–194
 - environmental inventory, 188
 - farm based LP models, 190
 - global simulation, 198–199
 - LARMA Model, 191
 - LCA, 187, 189
 - experiments, 201–203
 - functional unit, 196, 197
 - LCI, 197
 - LCIA, 196–197
 - midpoint characterisation factors, 197
 - model structure, 194–196
 - SysML, 197–198
 - technosphere matrix, 196
 - mid-point and end-point levels, 189
 - MUSA, 188–189
 - Pampas model, 190
 - scheduling, 200
 - software, 198
 - System marginal pricing (SMP), 211
 - Systems Modelling Language (SysML), 197–198
- T**
- Theory of Planned Behavior (TPB), 80, 84–86, 88, 93
 - 3D environment
 - case studies
 - dependent people, 113, 114
 - emergency situation, 114–115, 117
 - optimization techniques, 106
 - 3D editor, 104
 - edification manager, 109
 - enclosures module, 111
 - furniture manager, 111
 - location sensors module, 111
 - monitored environment creation, 109, 110
 - steps for generating building, 109, 110
 - 3D viewer, 104
 - alerts module, 109
 - location subsystem, 107
 - static collision avoidance, 108
 - survey manager, 108, 109
 - Tourist drivers, 174
 - TPB. *See* Theory of Planned Behavior (TPB)
 - Traffic Control Interface (TraCI), 132
 - Traffic control mechanisms
 - air pollution, 122
 - average travel time, 135–139
 - average weighted waiting time, 127
 - CFA, 126
 - combinatorial auction, 125–126
 - Evolutionary Game Theory, 127
 - FIFO, 126

- Free Choice and Clocked, 127
 - ITSA, 127
 - MAS paradigm, 124
 - multi-agent auction based traffic signalling
 - (see Multi-agent auction based traffic signalling)
 - policy, 123
 - reservation-based system, 125
 - SUMO (see Simulation of Urban MObility (SUMO))
 - system agent, 126
 - traffic signals/lights, 122–124
 - valuation-aware, 127
 - vehicle queue length, 137–138, 140
 - V2I communication, 124–126
 - wallet agent, 126
 - Traffic managers, 122
 - Traffic signals, 122–125, 128–133, 135, 138
 - TraNS, 145
 - Treaty on the Functioning of the European Union*, 100
- U**
- Unit management module (UMM), 231
 - University of A Coruña (UDC), 54, 55, 58, 61, 64, 65, 67
 - Unstructured traffic, 135, 138, 139
 - Urban Traffic Controllers (UTCs), 123
- V**
- Valuation-aware traffic control mechanisms, 127
 - Values-beliefs-norms (VBN) theory, 57
 - VANET (vehicular ad-hoc network), 145
 - Variance ratio criterion (VRC), 66
 - Vehicles in Network Simulation (Veins), 146
 - Vehicle-to-infrastructure (V2I), 124–136
 - Vehicle-to-vehicle (V2V), 132, 143, 152
 - Vehicular communication (V2X), 145, 146
 - Velocity-offset grid projection, 153–155, 160, 161
 - V2X Simulation Runtime Infrastructure (VSimRTI), 146
- W**
- Waste recycling behaviors
 - agent-based simulation, 80
 - consumer compliance, 79
 - empirical model, 85–87
 - macro-behavior, 80
 - micro-behavior, 80
 - MRFs, 78
 - OpenABM Consortium, 94
 - PRB, 89, 94
 - coefficients, 88–90
 - garbage transportation system and landfills, 92
 - neighborhood agent, 90–92
 - parameters, 90
 - public policy and efforts, 79
 - SEM, 93, 94
 - simulation, aim and hypotheses of, 87–88
 - social norms theory, 80–81
 - anti-littering norms, 82
 - bottom-up approach, 82
 - descriptive norms, 81–82
 - injunctive social norms, 82, 94
 - social impact theory, 83–84
 - social network, 83
 - TPB, 84–85, 93
 - sociological factors, 78
 - sustainable development, 78
 - waste management systems, 78
 - waste-to-energy process, 78
 - Wireless sensor network, 102, 118
 - Worker-Environment Reinforcement Choice Model: Questionnaire (WERC-MQ), 32, 34, 36