

Index

Numeral

3D face recognition, 9

A

Accidental biometric library, 362
Acquisition techniques, 20, 22, 24, 26, 32
Administration of justice, 354, 358, 360
Advanced technology, 4
Age, 200–204
Atered fingerprint detection, 86, 87, 90, 120
Analysis tool, 330, 344, 348
Anticipation of crime, 358
Antispoofing, 63, 65, 67, 69, 82
Automated Fingerprint Identification System (AFIS), 37–40, 49, 51, 56, 58

B

Bayesian interpretation framework, 222, 228, 235, 236
Behavioral biometrics, 362
Benchmark, 208–210, 212, 213, 215
Biometric evidence, 222–224, 236, 237
Biometrics, 5–7, 9, 10, 177, 178, 188, 330
Blood oxygenation, 70
Burden of proof, 359, 363, 364

C

Calibrated LR, 233, 235, 236
Calibration, 307, 316, 323–325
Conclusion scale, 205, 206
Confidence interval, 356
Contact-free measurement, 291, 293
Court cases, 1, 3, 10
Covariance discriminative learning, 157
Covert operation, 154
Criminal investigation, 354, 358, 361, 362

D

Data-driven, 127, 128, 130–132, 145

Daubert criteria, 357

Deep convolutional neural networks, 160
Digital biometrics, 355–357, 361
Direct method, 225, 229, 230, 236
Dynamic model-based approach, 149, 150, 170, 172
Dynamic signature recognition, 336

E

Electrical properties, 69
Environmental effects, 63
Equal proportion probability (EPP), 231, 232, 234–236
Evidence, 354, 357, 359, 361, 363
Expert, 196, 197, 199, 203–206, 208, 209, 215

F

Face Inversion, 201, 208
Face recognition, 5, 8, 149–151, 154, 160, 163–167, 170–172, 177–190
Face recognition by computer, 196, 201, 214
Face recognition from videos, 177
Face recognition systems, 197, 201, 209
Face sketch recognition, 144
Face sketch synthesis, 128, 130, 132, 133, 138, 139, 144, 145
Facial expression, 200, 213
Facial image comparison, 205, 206, 208, 209
Facial images, 290, 291, 293, 296
False acceptance, 362
False negative, 206
False positive, 206
False rejection, 356, 362
Familiar face, 197–200, 202, 213, 214
Fingermarks, 24, 25, 27, 37, 44, 45, 50, 51, 54, 56, 57
Fingerprint, 20–23, 26, 30, 32, 37, 38, 40, 41, 43–51, 53, 54, 56, 57, 63–67, 69, 71–74, 79–82, 310, 313, 317, 319–322, 354, 362

- Fingerprint mutilation, 87
 Fingerprint recognition, 99, 102
 Forensic, 306–309, 313, 315–320, 322, 325, 330–332, 335, 338, 339
 Forensic automatic speaker recognition (FASR), 222–224, 231, 234, 236, 237
 Forensic evaluation, 51, 53, 56, 57
 Forensic expert, 357
 Forensic face recognition, 178
 Forensic gait analysis, 247, 252
 Forensic identification, 202, 206, 207, 215
 Forensic image analysis, 242
 Forensic intelligence, 50
 Forensic investigation, 39, 51, 52, 56, 57, 241, 242
 Forensic science, 2–9
 Forensic signature analysis, 329, 336, 339
 Forensic speaker recognition (FSR), 221
 Forgery detection, 21
 Fusion, 207, 212, 213
- G**
 Geometrical model-based methods, 150, 168, 172
- H**
 Handwriting, 330
 Heartbeat, 289–293, 296–299
 Hidden Markov models, 166
 Human, 196, 197, 199–202, 207–215
 Human identification, 177
- I**
 Identification accuracy, 39
 Identity management, 49, 50
 Image quality, 204–206, 215
 Image resolution, 201
- J**
 Jurisdiction, 354, 357, 363
- L**
 Latent fingerprints, 20–22, 25–30, 33
 Law enforcement, 354, 355, 358, 360–362
 Legal requirements, 33
 Legal truth, 359
 Likelihood ratio (LR), 222, 223, 225–237, 306, 307, 309, 311, 313, 314, 318, 320–322, 325
 Liveness detection, 65, 81
 Logistic regression, 314, 322–324
- M**
 Manifold-based methods, 150, 154, 172
 Manifold discriminant analysis, 156
 Minutia cylinder code (MCC), 42, 44, 45
 Minutiae, 22–24, 29, 30
 Minutiae analysis, 96
 Minutiae points, 96, 114, 115
 Missing persons, 49, 50
 Model-based approach, 149, 150, 168, 172
- N**
 National Institute of Standards and Technology (NIST), 209, 211–213
 Novel biometrics, 289, 290
- O**
 On-line signature recognition, 330
 Orientation field, 89–92, 94, 95, 103, 105, 107, 111, 120
 Other race effect, 200, 202, 211
- P**
 Passport, 197, 204, 205
 Performance, 198–201, 204–214
 Performance characteristics, 231, 235, 236
 Performance evaluation, 222, 236
 Performance metrics, 231, 232, 236
 Person search, 269, 270
 Photogrammetry, 242, 247
 Photo sketches, 5
 Poincaré index, 103, 105, 107
 Pool adjacent violators (PAV), 315, 316, 322
 Pores, 22, 24
 Pre-crime, 358
 Presentation attack detection, 86
 Presumption of innocence, 359–361, 363
 Probabilistic graphical model, 136
 Probabilistic methods, 150, 163, 172
 Probability of misleading evidence, 231–233, 235
 Professional, 196, 203, 205
 Projective metric learning, 159, 160, 163
 Psychology, 201, 215
- R**
 Rare minutiae, 318–320, 322, 325
 Representation, 197, 199, 201, 211, 214
- S**
 Scalability, 56
 Score, 306, 311–318, 320–325
 Scoring method, 225, 227–230, 236
 Security camera, 150, 279
 Semantic description, 268
 Sensor, 356, 362
 Signal detection analysis, 197
 Similarity score, 360, 361

Singular points, [89](#), [95](#), [99](#), [103](#), [105](#), [107](#)
Skin disease, [63](#), [72](#), [81](#)
Skin model, [66](#), [81](#)
Soft-biometric, [267](#), [268](#), [290](#), [298](#), [299](#)
Software platform, [241](#), [242](#), [247](#), [248](#), [264](#)
Source, [199](#), [205](#), [214](#)
Sparse-coding, [149](#), [150](#), [172](#)
Sparse representation, [130](#), [132](#), [134](#), [135](#)
Spoofing, [63](#)
Statistical analysis, [53](#), [54](#), [57](#)
Strength of evidence, [222](#), [226](#), [227](#), [231](#), [234](#),
[236](#)
Surveillance, [267–270](#)
Suspect identification, [128](#)

T

Temperature properties, [67](#), [79](#)
Tenprints, [28](#)
Trace age estimation, [20](#)

Training, [196](#), [197](#), [204–208](#), [210](#), [212](#), [214](#),
[215](#)
Training set, [210](#)

U

Unconstrained face recognition, [188–190](#)
Uncontrolled environment, [182](#)
Unfamiliar face, [198–203](#), [209](#), [214](#)

V

Video analysis, [149](#)
Video-based face recognition, [149–151](#), [153](#),
[163–168](#), [170](#), [172](#), [189](#)
Video traces, [177](#), [178](#), [182](#)

W

Within-identity variation, [198](#)