

# Index

## A

Acidification, 217, 221, 423, 431, 782  
*Acrostichum* sp., 86, 89–92, 105, 576, 592  
Aerial photography, 50, 55, 60–62, 64, 67,  
70–73, 84, 109, 125, 714, 733, 737  
Aesthetic landscape, 456–466, 471, 474, 476  
Aesthetics, 455–476  
Agricultural activities, 48, 49, 55, 58, 60, 72,  
73, 160, 558, 655  
Agriculture, 16, 21, 25, 34–40, 104, 109–111,  
124, 125, 136, 147, 170, 172, 179, 196,  
199, 244, 246, 250, 265, 375, 395,  
398–404, 407, 413, 415, 416, 447, 456,  
506, 514, 518, 522, 523, 549, 563, 567,  
576, 644, 645, 655, 656, 688, 692, 708,  
769, 791  
Agri-environmental policies, 567  
Agrochemicals, 448, 558, 559, 567  
Algae, 9, 15, 16, 24, 35, 40, 258, 369, 371,  
388, 389, 391, 396, 404, 408, 421, 423,  
450, 466, 480, 506, 574, 581, 592, 597,  
635, 739, 816, 847, 852  
Allochthonous sources, 48, 57  
Amphibians, 18, 20, 220, 245, 442, 575,  
754, 792  
Animal protection, 21, 22, 28, 193, 557, 789  
Anoxia, 87, 216, 231, 491, 506, 567, 575  
Anthropogenic alteration, 8–11, 651  
Anthropogenic stress, 450, 607, 608,  
612–614, 618  
Aquaculture, 109, 196, 199, 364, 368, 395,  
399–404, 407, 430, 447, 498, 506, 576,  
603, 613, 644, 645, 647, 650, 655, 688,  
692, 769, 783, 788, 789, 791, 811,  
812, 847

Aquatic bird population, 247  
Aquatic food web, 216, 813  
Artificial reef, 450, 451  
Artisanal fisheries, 494, 496, 498, 558,  
559, 635, 650, 652, 653, 656,  
669, 670, 676, 677, 679, 681,  
685, 691, 791  
Astronomic tide, 296–297, 300  
Autochthonous sources, 48  
*Avicennia* sp., 86, 87, 89–92, 104,  
105, 108, 110, 118, 397, 576,  
578, 589, 590, 592, 593, 604,  
615, 664, 790, 816, 821, 832,  
834, 836  
AWiFS, 580, 582, 583, 603

## B

Bacteria, 16, 24, 221, 225, 422, 424–426, 431,  
575, 753, 805, 811, 812, 816, 819, 820,  
836, 847, 852  
Bartlett's test, 380  
Beaches, 6–8, 21, 51, 139–141, 144, 160,  
163, 170, 174, 182, 193, 219, 245,  
246, 264, 266, 278–280, 308–310,  
347, 369, 391, 424, 518, 635, 659,  
661, 662, 667, 668, 670, 681,  
785, 786  
Bengal tigers, 358, 575, 754  
Benthic community structures, 801  
Benthic invertebrates, 739, 752, 805  
Bioavailability, 217, 221, 224, 480,  
490–492  
Bioconversion, 837–848  
Biodilution, 481, 491, 493, 498

- Biodiversity, 26, 32, 82–84, 121, 126, 134, 136, 170, 178, 179, 192–196, 201, 204–206, 208, 210, 216, 229, 236, 247, 248, 250, 264–266, 279, 394, 412–414, 421, 431, 449, 453, 465, 495, 501, 505, 514–516, 529, 530, 535, 557, 562, 567, 575, 633, 635, 637, 640, 653, 655, 751, 754, 756, 769, 778–785, 788, 791–793, 796, 797, 820, 837, 848, 850–852
- Bio-ecological function, 412
- Biological communities, 689, 731–742
- Biological corridor, 557
- Biological monitoring, 23, 28, 444, 680
- Biomass, 95, 196, 202, 223, 226, 229, 231, 232, 235, 449, 482, 484, 486, 488, 494, 495, 506, 535, 540, 546, 548, 549, 607, 632, 671, 673, 678, 681, 684–686, 688, 689, 691, 782, 785, 792, 799, 805, 818, 824
- Biotools, 223–227, 230, 233
- Biotransformation, 803, 836–838, 841–848
- Bioturbation, 65, 783–784, 812, 816–818, 820, 821, 831, 832, 852
- Birds, 8, 9, 11, 16, 18–20, 22, 95, 101–103, 142, 144, 147, 148, 153, 216, 220, 229, 245–247, 258, 265, 394, 397, 404, 405, 408, 412, 413, 417, 429, 430, 444, 446, 449, 456, 464, 521, 529–531, 533, 535, 557, 567, 575, 580, 584, 642, 683, 711, 731, 740, 745, 753–756, 786, 789, 792
- Black-box testing, 281, 282
- Brackish water, 88, 109, 142, 164, 358, 359, 395, 414, 415, 418, 443, 446, 464, 574, 754, 770, 785
- Breach design, dike, 709, 712–722, 726, 741
- Buffer areas, 264, 364, 368, 371, 377, 389, 391
- Buffering capacity, 221
- Burrows, 70, 391, 668, 784, 796, 801, 814–830, 852
- C**
- Canals, 6–9, 11, 14, 17, 21, 22, 24, 26, 29, 416, 418, 446, 448, 519–522, 529, 530, 533, 589, 592, 610, 615, 618
- Carbon sequestration, 87, 178, 223, 226, 790, 852
- Catchment area, 137, 138, 141, 142, 144–146, 153–156, 396, 408, 439, 443, 518, 575, 754, 755
- Cattle grazing, 377, 396, 406–407, 845
- Cesium-137, 58–59
- Chemical ripening, 86
- Chimney, 825, 826, 828
- Climate change, 82, 83, 87, 104, 193, 203–208, 217, 243–266, 278, 415, 416, 427, 431, 432, 456, 577, 693, 709, 743–744, 812
- Climate dynamics, 766–767
- Coastal bar, 276, 277, 279, 280, 284, 286, 292, 307, 308, 310, 311
- Coastal dunes, 220, 245, 246, 248, 257, 259–261, 264, 265, 283, 286, 640, 641
- Coastal ecosystem, 48, 82–84, 193, 194, 204, 427, 438, 439, 441–442, 452, 481, 501, 502, 567, 576, 580, 581, 633, 634, 655, 690, 691, 769, 778, 785, 788, 789, 813, 818, 851
- Coastal environment, 49, 144, 174, 193, 208, 209, 278, 311, 438, 491, 578, 640, 691, 778–780, 784, 785, 788, 796, 821
- Coastal erosion, 74, 82, 83, 104, 173, 216, 279, 292, 312, 415, 575, 654, 788
- Coastal lagoon, 165, 168, 220, 246–248, 251, 256, 257, 259, 261, 266, 276, 279–287, 312, 411–432, 506, 561, 633, 791
- Coastal management, 208, 493, 556, 655, 791
- Coastal wetland resources management strategies, 198–206
- Coastal wetlands, 5, 13, 28, 30, 31, 35, 39, 40, 48, 50, 134, 135, 141–144, 153, 159–162, 164, 170–173, 177, 179–181, 187–209, 249–266, 277–279, 286, 287, 294, 297, 299, 309, 311–313, 359–361, 364, 366, 370–373, 387–389, 391, 393–432, 437–453, 455–476, 513–550, 634, 679, 691–693, 708, 751–771, 852, 853
- Coastal zone (CZ), 95, 160, 170–174, 188, 192, 193, 195, 199, 202, 203, 206, 208, 250, 258, 266, 278–280, 284, 286, 289, 300, 311, 359, 368, 389, 391, 412, 442, 452, 493, 501, 556, 562, 568, 580, 584, 594, 653, 655, 659, 752, 778, 785, 786
- Coastline, 12, 160, 163, 165, 166, 168, 170–172, 174, 183, 190–192, 199, 277–280, 283–287, 304, 307–313, 363, 442, 449, 529, 531, 575, 587, 659, 706, 743, 785, 786, 789, 790
- Cognition, 462, 465, 469, 471
- Co-management, 502, 560, 562–566, 635, 679–681, 689, 690, 692
- Community-level changes, 15
- Component matrix, 385–388
- Comprehensive Everglades Restoration Plan (CERP), 27, 28, 31
- Confusion matrix, 542, 545–547
- Conservation, 7, 8, 10, 11, 13, 21, 27–29, 49, 83, 111, 117, 155, 156, 195, 197, 206, 208, 209, 216, 220, 230, 232, 245, 359, 360, 373, 388, 391, 394, 395, 405, 412,

- 416, 425, 428–430, 432, 440, 441, 444, 446, 447, 453, 455–476, 479–508, 517, 535, 556, 557, 560–562, 564–566, 569, 570, 576, 582, 598, 632–634, 637, 644, 650, 681–683, 690–692, 778, 779, 848, 851
- Conservation and sustainable use strategies, 566
- Convention on Biological Diversity (CBD), 515, 633, 778
- Coral coasts, 578
- Cordgrass, 221, 223, 225, 227, 230, 231, 233, 236, 706, 732, 733
- Crabs, 95, 97, 126, 370, 377, 444, 445, 494–496, 575, 615, 632, 634, 635, 642, 644, 647, 656–658, 662, 668, 672, 673, 676, 677, 684, 685, 687, 691, 752, 753, 783, 784, 790, 792, 793, 798–801, 803, 814–817, 819–823, 825–831, 833, 837, 841, 843, 845
- Crab species, 96, 97, 126, 647, 816, 841, 845
- Crocodiles, 9, 18, 101, 196, 555–569, 575, 754, 758
- D**
- Danube delta, 513–550
- Danube delta biosphere reserve, 517, 522, 530–533
- Dating, 64–65, 67–69, 72, 73
- Death spiral, 32–34
- Decision making, 207, 209, 440, 480, 504, 505, 514, 556, 567, 568, 679
- Deforestation, 74, 82, 83, 90, 104, 105, 109, 126, 154, 179, 194, 204, 205, 277, 498, 502, 632, 644, 645, 650, 652, 655, 688, 791
- Deltaic system, 530, 578
- Delta lakes, 418, 426, 427, 429
- Demographic pressure, 83, 104, 109, 121, 126
- Deposit-feeders, 784, 801, 813, 816, 817
- Digital elevation model (DEM), 285, 714, 726, 727
- Dikes, 6, 7, 24, 136, 219, 708–722, 725–733, 736, 741–744
- Dissolved oxygen (DO), 15, 16, 23, 251, 399, 421–425, 427, 431, 432, 447, 466, 480, 484, 487, 490, 491, 493, 495, 634, 639, 739, 740, 759, 760, 765, 766, 796
- Ditch-and-drain, 22, 28, 40
- Diurnal tides, 297, 321, 615
- Drainage canal, 6, 7, 29, 416, 522
- Dredging, 86, 108, 443, 481, 487, 489, 498, 499, 501, 502, 598, 612, 614, 616, 618, 620, 634, 644, 645, 647, 651, 652, 692
- Driving Force-Pressure-State-Impact response model (DPSIR), 557, 558, 567, 568
- Drought, 7, 8, 15, 121, 218, 253, 334, 416, 427, 654, 655, 689, 757
- E**
- Earthquakes, 244–246, 258–261, 265, 266
- Ecocline, 479–507, 639, 641, 686, 689, 690, 692, 693
- Ecological corridors, 178, 246
- Ecological restoration, 24, 32, 218, 231, 235, 245, 263–264, 514–516, 533, 534, 549, 851
- Economic development, 136, 206, 514, 529, 557, 562, 567, 655
- Ecosystem, 4, 48, 81–126, 134, 161, 187–210, 216–217, 245, 276, 358, 394, 412, 437, 456, 479–507, 513–550, 556, 574, 633, 708, 751–772, 778
- Edaphic parameters, 86
- Effects of poverty, 121–123
- El Niño, 253–256, 264, 493, 757
- El Niño southern oscillation (ENSO) phenomenon, 243, 245, 264
- Emergent wetlands, 463, 464
- Environmental conservation, 428–429, 432, 461, 494, 632, 691
- Environmental indicators, 421–424, 431, 517, 606–609, 616
- Environmental permits, 531
- Environmental regeneration, 47–74
- Environmental stress, 416, 425–428, 431, 432, 604, 778, 783, 797
- Escoffier diagram, 325, 327, 328, 333, 334, 337, 341, 342, 344
- Estuarine habitats, 329, 490, 503, 574, 639, 682, 689, 692
- Estuarine hydraulics, 317–353
- Estuarine macrophytes, 329
- Estuary, 29, 49, 82, 137, 181, 187, 215, 276, 318, 365, 393, 442, 480, 490, 555, 592, 635, 710, 783
- Euryhaline, 480, 483, 488, 489, 753
- Eutrophic lake, 29, 419, 429
- Everglades, 3–40
- Everglades Agricultural Area (EAA), 10, 11, 16, 21–25, 28, 29, 34–37, 39
- Everglades Construction Project (ECP), 23–24, 28, 31
- Everglades Drainage District (EDD), 6, 7
- Everglades National Park (ENP), 10, 19, 21, 24, 25, 36
- Everglades Nutrient Removal Project (ENRP), 25–26, 28, 31
- Evolution-based theories, 474

**F**

- False color composite (FCC), 176, 580, 586, 593, 594  
 FAO. *See* Food and Agricultural Organization (FAO)  
 FEFA. *See* Florida Everglades Forever Act (FEFA)  
 Field evidence, 387–388  
 Fisheries management, 631–693, 805  
 Fisheries resources, 196, 497, 499, 500, 504, 575, 635, 636, 639, 644, 645, 647, 656–680, 682, 684–686, 689–692  
 Fishery development, 368, 375, 377–379, 381–384, 387, 388, 391, 489, 522, 524, 529, 533, 788  
 Fishing techniques, 453, 661, 662, 676, 677, 680  
 Flood, 7–9, 16, 21–25, 27–29, 48, 50, 72, 86, 90, 92, 93, 109, 137, 141, 154–156, 164, 173, 196, 198, 201, 202, 206, 216, 221, 226, 250, 253, 258, 259, 263, 266, 277, 279, 318, 319, 329, 332, 334, 339, 341, 342, 344–348, 351–353, 358, 362, 368, 370, 371, 376, 389, 391, 396, 397, 412, 446, 463, 489, 490, 494, 507, 517, 518, 525, 533, 537, 559, 633, 636, 638, 640, 641, 648, 662, 681, 691, 712, 714, 715, 726, 743, 744, 754, 755, 767, 770, 790, 848, 850–852  
 Flood conveyance, 352  
 Flooding frequency, 48, 216  
 Florida Everglades, 3–40  
 Florida Everglades Forever Act (FEFA), 28, 31  
 Food and Agricultural Organization (FAO), 575–577, 632, 633, 679, 683, 753–756  
 Foraminifera, 51, 54–56, 61–68, 70, 71, 73, 74, 792, 805, 806, 810, 813

**G**

- Geological archives, 50  
 Geomorphological zones, 591, 592, 786  
 Geomorphology, 50–51, 88, 277, 278, 352, 371, 463, 481, 489, 517, 582, 587, 709, 755, 788  
 Global warming, 201, 203, 217, 233, 250, 253, 456, 788  
 Green technology, 235  
 Grey-box testing, 281, 282

**H**

- Health assessment, 573–626  
 Healthy wetland ecosystem, 462  
 Holocene marine transgression, 50

- Hood, 584, 821, 824–826, 828–829  
 Human-induced threats, 415, 576  
 Human interference, 38, 182, 183  
 Hydrodynamic equilibria, 246  
 Hydrographic basin, 639  
 Hydroids, 480  
 Hydromorphological modeling, 306–308  
 Hyperaccumulator plants, 235  
 Hypersalinity, 357, 358, 367, 368, 375, 379–384, 387, 388, 391

**I**

- Ice, 59, 137, 200, 254, 521, 539, 668, 705, 706, 715–717, 723, 737, 744  
 Ichthyofaunal diversity, 397  
 Indian Remote Sensing Satellites (IRS), 452, 584, 587, 593, 615  
 Industrial effluents, 59, 419, 420, 437, 490, 634  
 Information-processing theory, 457  
 Infrastructure developments, 147, 285, 395, 580  
 Inlets, 317, 318, 320, 321, 323–329, 332–335, 337–339, 344–346, 351–353, 790, 820  
 Inlet stability theory, 323–330  
 International Union for the Conservation of Nature (IUCN), 101, 393–395, 405, 495  
 Intertidal zones, 90, 134, 216, 360, 449, 464, 604, 777, 786, 788  
 Invasive exotic species, 37  
 Invasive flora and fauna, 3, 37, 345  
 IRS. *See* Indian Remote Sensing Satellites (IRS)  
 Iterative Self-Organizing Data Analysis (ISODATA), 586  
 IUCN. *See* International Union for the Conservation of Nature (IUCN)

**J**

- Jetty, 317–321, 324, 332, 333, 335, 342, 344, 345, 347, 349, 352, 353, 519

**K**

- Kaiser-Meyer-Olkin (KMO) test, 380

**L**

- Lagoon, 13, 36, 164, 165, 168, 170, 220, 245–251, 256–261, 263–266, 276–284, 286–288, 292, 299, 302, 304, 307–309, 312, 313, 318, 319, 352, 359, 398, 411–432, 443, 447, 506, 517, 530, 531, 557, 558, 560, 561, 574, 578, 620, 633, 636, 640–643, 655–657, 676–678, 686, 785, 791

- Land Cover and Land Use Program (LCLUC), 577
- Landing stats, 631–693
- Land reclamation, 55, 64, 136, 151, 153, 154, 365, 368, 371, 388, 427, 428, 430, 446
- Landsat TM images, 176, 577, 584
- Landscape, 15, 29, 32, 89, 90, 92, 105, 109, 134, 135, 160, 161, 168, 173, 174, 192, 204, 232, 258, 396, 412, 416, 430, 438, 449, 456–466, 469, 471, 474–476, 516, 519, 522, 530, 535, 547, 549, 642, 643, 655–657
- Landscape perception, 463–465
- Land use and occupation maps, 176
- La Niña, 253, 255, 757
- Lead, 4, 16, 36, 58, 59, 105, 109, 121, 126, 136, 138, 147, 153, 154, 173, 179, 192, 194, 196, 206, 216, 219, 221, 225, 235, 285, 288, 342, 347, 348, 364, 398, 399, 404, 407, 415, 427, 428, 450, 458, 462, 463, 481, 491, 503, 506, 525, 529, 563, 567, 575, 576, 603, 604, 633, 639, 676, 680, 688, 692, 707, 708, 735, 745, 767, 769, 782, 784, 793, 796, 797, 799, 837, 838, 846
- Leaf litter, 95, 783, 816, 821, 843
- LIDAR, 535, 537, 579, 714, 718, 726, 727
- Limnetic conditions, 641
- Littoral drift shores, 318
- Littoral energy, 244
- Logging activities, 104–107
- Low moors, 17
- M**
- Managerial plans, 493, 503, 636, 686
- Mangal, 96, 99, 574, 575
- Mangrove community zonation, 585, 591, 593–595, 609, 617
- Mangrove degradation, 82, 84, 104–126, 357–391, 605
- Mangroves, 9, 81, 133, 163, 187, 276, 317, 357–391, 394, 413, 451, 458, 489, 559, 573–626, 632, 751, 777
- Marine islands, 413
- Marine transgressions, 50, 249
- Marsh habitat, 219, 708, 710, 744
- Mean sea level (MSL), 254–256, 266, 318, 324, 331, 446, 715
- Meiobenthos, 785, 792, 805, 811, 852
- Mercury levels, 498, 647
- Meroplankton, 782, 852
- Microfaunal data, 63
- Microplastics, 488, 491–493, 499, 644, 648
- MODIS, 580
- Mollusks, 182, 615, 639, 651, 667, 680, 681, 752–756, 760
- Monitoring, 23, 25, 28, 182, 208, 226, 232, 244, 245, 275, 286, 311, 317, 360, 364, 371, 408, 411, 421–425, 429–432, 443, 444, 531, 533, 535–537, 539, 550, 563, 573–626, 631, 670, 679–681, 683–687, 690, 692, 705, 706, 709, 711, 712, 740, 742–744, 766, 767, 811–813, 816
- Morphological evolution, 261, 262, 309
- Mortality, 145, 399, 448, 567, 681, 682, 684, 813
- Mudball, 825, 826, 828, 830
- Mudflat, 105, 154, 164, 220, 227, 233, 397, 412, 413, 418, 461, 474, 578, 580, 592, 597, 604, 733, 740, 744, 755, 792, 815
- Multidimensional approach, 783
- Multiple-value systems, 136
- Multi-Species Recovery Plan (MSRP), 26–27, 31
- N**
- Native species, 20, 37, 40, 219, 229, 234–236, 244, 264
- Natural shoreline, 466, 469, 471
- Nekton, 711, 740, 745, 778
- Net present value (NPV), 791
- Nile delta lagoons, 416, 427
- Nitrogen, 29, 233, 422, 449, 450, 506, 575, 753, 818, 819, 836, 837
- Non-sustainable fisheries, 642
- Numerical model, 254, 298–301
- Nursery grounds, 9, 448, 575
- O**
- Ocean ecosystem, 441
- Oil spills, 115, 116, 201, 231, 598, 612, 769, 770
- Oligohaline, 485, 641
- Openness, 461, 463, 464, 466, 474, 475
- Orbital images, 176
- Osmoregulatory abilities, 816
- Over-fishing, 415, 428, 432
- Overland flow, 34
- Oxygenation, 232, 812, 815
- P**
- Paleoclimatic studies, 249
- Paleoenvironmental interpretation, 55, 61, 65–67, 70–72

- Passive restoration, 708, 709  
 PCA. *See* Principal component analysis (PCA)  
 Pellets, 826–830  
 Periphyton, 15  
 Petroleum activities, 115–117  
 Phosphorus, 14–16, 23–26, 28, 29, 35, 422, 450, 818, 837  
 Photosynthesis, 421, 450, 491, 850  
 Phytoextraction, 223, 226, 230–236  
 Phytostabilization, 223, 224, 228, 230–236  
 Pioneer vegetation, 89, 90  
 Plankton, 101, 404, 491, 778, 811, 838, 839, 841, 847–849  
 Planning programs, 83  
 Plantations, 29, 111, 179–181, 230–236, 249, 265, 443, 452, 498, 529, 576, 585, 636, 638, 644, 645, 647, 650, 652, 692  
 Pneumatophores, 86, 165, 574, 604, 605  
 Pollutant loads, 16, 481, 490  
 Pollution, 11, 20, 28, 34, 37, 38, 47, 55, 59–60, 82, 83, 101, 109, 123, 124, 133, 155, 201, 202, 204, 215–236, 375, 411, 415, 418, 424, 425, 427, 429–432, 439, 443, 448–450, 453, 481, 491, 493, 496, 499, 503, 555, 613, 616, 618, 634, 643, 688, 755, 769, 778, 788, 791, 811–813, 816  
 Ports, 86, 89, 105, 111, 115, 120, 137, 170, 172, 190, 193, 201, 202, 246, 256, 259, 265, 276, 283, 285, 287, 311, 313, 413, 414, 417, 428, 431, 446, 486, 499, 501, 506, 564, 565, 573, 576, 634, 658, 662, 673, 684, 687, 688, 758, 783, 785  
 Potential natural environments, 13, 33, 40  
 Pre-disturbance stage, 438, 453  
 Preservation, 49, 170, 172, 181, 183, 514, 516, 529, 531, 549, 555, 556, 562, 564, 566, 568, 569, 851  
 Principal component analysis (PCA), 357, 358, 362, 363, 373–378, 381–384, 387, 388, 391, 759, 763, 770  
 Pro-gradational sequence, 754  
 Protection, 6, 8, 11, 21–24, 27–29, 31, 47, 83, 122, 126, 141, 173, 187–190, 193, 207, 209, 210, 215, 220, 244, 265, 281, 285, 304, 317, 320, 335, 349, 352, 353, 358, 360, 407, 428–430, 438, 440, 441, 451, 456, 457, 469, 476, 489, 502, 514, 517, 519, 531, 555–557, 560, 561, 564, 567, 576, 597, 623, 633, 634, 641, 644, 645, 656, 658, 687, 709, 713, 741, 788–790, 814, 826, 851, 852
- R**  
 Radar, 513, 535–537, 539–541, 543, 544, 546–550, 579  
 Ramsar Convention, 220, 276, 394, 407, 412, 413, 430, 446, 447, 503, 530  
 Real-Time Kinematic and Differential GPS (RTK DGPS), 722–726  
 Reclamation, 3, 47, 55, 64, 66, 70, 73, 136, 151, 153, 154, 351, 365, 368, 371, 375, 388, 418, 419, 427–430, 446, 573, 576, 612, 613, 616, 618, 708, 791  
 Reed, 16, 17, 67, 227, 229, 396, 398, 407, 413, 517, 519, 521, 529, 530, 533, 542–550  
 Remote sensing, 109, 177, 357, 358, 361–363, 377, 389, 452, 513–550, 573, 579–582, 584, 587, 595, 607, 617, 624, 625  
*Rhizophora* spp., 86, 89–92, 104, 105, 110, 126  
 Rhizosphere, 217, 224, 225  
 River ecosystem, 154, 439  
 RTK DGPS. *See* Real-Time Kinematic and Differential GPS (RTK DGPS)
- S**  
 Salinity, 54, 88, 89, 142, 170, 188–190, 192, 194–199, 201–206, 208, 209, 216, 221, 232, 249, 250, 277, 358, 363, 369, 387, 389, 391, 398, 399, 412, 417, 419, 423–426, 428, 431, 437, 442–444, 446, 453, 479–488, 491, 503, 506, 529, 575, 576, 586–590, 634, 636, 637, 639–641, 670, 708, 735, 739, 740, 753, 759, 760, 765–768, 786, 788, 790, 792, 793, 796, 801, 815  
 Salinity gradient, 89, 398, 443, 483, 485, 487, 488, 491, 636, 640, 759  
 Salinity regimes, 480, 575  
 Salt marsh restoration, 74, 705, 708–710, 715, 738, 741–744  
 Salt pan, 225–227, 362, 369, 398–401, 405, 407, 581, 597, 598, 612, 613  
 Salt pools, 705, 709, 711, 731, 732, 738–741  
 Salt tolerant shrubs, 573, 574  
 Sand, 12, 14, 47, 51, 55–58, 62–64, 66–68, 71–74, 81, 84, 104, 107–111, 118, 122, 124, 125, 142–144, 163, 191, 193, 201, 219, 220, 244–247, 261, 280, 282, 283, 288, 290, 317, 322, 323, 341, 342, 344, 347, 348, 351, 360, 365–367, 369, 376, 387, 391, 397, 404, 415, 423, 430, 437, 443, 453, 463, 464, 498, 529, 578, 592,

- 597, 603–605, 615, 645–647, 651–653, 662, 665, 667, 672, 673, 685, 710, 712, 754, 768, 783, 785, 786, 788, 816, 821, 825–827, 829–831
- Sand pyramids, 821, 825, 827
- Sand quarries, 107–109
- Sandy beaches, 166, 174, 182
- SAR. *See* Synthetic aperture radar (SAR)
- Sawgrass, 4, 8, 14–18
- Scanning electron microscope (SEM), 56
- Seagrass, 9, 82, 317, 329, 330, 350, 351, 592, 633, 641, 791, 851
- Sea level, 12, 51, 82, 134, 137, 160, 194, 200, 244, 245, 248, 251, 252, 254, 256, 258, 264–266, 279, 292, 296, 297, 300, 318, 324, 331, 349, 370, 371, 376, 391, 416, 417, 420, 427, 442, 443, 446, 709, 715, 741–743, 752, 755, 786, 788, 796
- Sea-level rise, 47, 48, 50, 74, 82, 83, 104, 203, 209, 265, 358
- Sea surface temperature (SST), 244, 245, 252–254, 264
- Sedimentary record, 50–55, 59, 64–65, 67–69, 71–72, 74
- Sedimentary shorelines, 576, 604, 706
- Sediment cores, 51, 249, 250
- Sediment deposition, 244, 357, 358, 360, 369, 370, 372, 375–384, 387, 391, 603–605, 705, 712–715, 722, 725, 726, 741, 744
- Sediment platform, 715
- Sediment sampling, 288, 360
- Seeds, 101, 228, 370, 377, 451–453, 574, 705, 738, 742
- Semi-diurnal tides, 297, 321, 324, 706, 710
- Semidome, 821, 825, 828
- Sensitive environments, 411, 412, 430
- SER. *See* Society for Ecological Restoration (SER)
- Sewage, 59, 202, 420, 428, 437, 447, 448, 450, 480, 490, 493, 496, 498, 499, 501, 506, 576, 634, 647, 650, 782, 788
- SFWMD. *See* South Florida Water Management District (SFWMD)
- Sheet flow, 8, 21, 24
- Shell beds, 400
- Shell-fishing, 219
- Shoreline, 50, 134, 220, 279, 281, 311–313, 325, 353, 358, 360, 363, 364, 366, 367, 370, 374, 376, 387, 394, 412, 414, 449, 463, 466, 469–471, 576, 578, 604, 616, 706, 712, 786, 789, 791
- Shrimp, 99, 109, 126, 192–194, 197, 202, 205, 216, 364, 397–399, 404, 407, 445, 447, 575, 576, 635, 642, 644–646, 648, 656–658, 660, 662, 668, 671–673, 675–677, 683, 685, 686, 688, 752, 753, 769, 784, 791, 793, 817
- Shrubland, 86
- Society for Ecological Restoration (SER), 32, 440, 515
- Socioeconomic development, 189, 428–429, 432
- Soft-sediment habitats, 706
- Soil contamination, 217–218, 229, 235, 236
- Soil maturation, 216
- Soil nutrient pools, 450–453
- Soil water, 89, 156
- Sorption process, 225
- South Florida Water Management District (SFWMD), 11, 16, 22, 23, 25–28
- Species diversity, 475, 535, 575, 577, 579, 589, 769, 799, 802, 811
- SPOT-7, 580, 584
- SST. *See* Sea surface temperature (SST)
- STA. *See* Stormwater Treatment Area (STA)
- Static equilibrium, 279, 308, 310
- Storm effects, 357, 358, 370, 375, 377, 379, 387–389, 391
- Storm surge, 188, 192, 376, 575, 590, 790
- Stormwater Treatment Area (STA), 11, 16, 23–26, 28
- Stream ecosystem, 151, 440–441
- Subsistence fisheries, 483, 668, 851
- Sugarcane, 6, 29, 35, 180, 498, 644, 645, 647, 650, 652, 692
- Sulphide deposit, 219
- Sundarbans, 136, 189, 190, 192–195, 197, 201, 203, 204, 209, 357–391, 751–772, 777, 786, 787, 790, 792, 821
- Supra-tidal zones, 358
- Susceptible species, 569
- Sustainability, 202, 206–208, 266, 429, 432, 440, 441, 456, 463, 561, 569, 606, 632, 633, 635, 679, 681, 682, 686, 687, 691, 793
- Swamp, 4–6, 8, 9, 12, 14, 17, 31, 92, 111, 117, 121, 123, 134, 135, 137, 139, 140, 148, 149, 154, 164, 196, 276, 358, 360, 362, 366, 367, 369, 371, 377, 391, 412, 413, 456, 458, 459, 461, 465, 471, 474, 546, 578, 589, 740, 755
- Synthetic aperture radar (SAR), 535–537, 540
- T**
- Tectonic activity, 202, 249, 755
- Terrestrial vegetation, 82, 465, 466, 469, 471–474, 574, 580, 586

- Thematic maps, 608, 609, 621
- Tidal constituents, 318, 321–322, 329–333, 336, 340, 342, 343
- Tidal flat, plains, 8, 66, 69, 73, 74, 232, 367–370, 388, 587, 706, 786
- Tidal waves, 143, 144, 192, 202, 319, 330, 333, 369, 370, 376, 788, 789
- TM bands, 363, 657
- Trace elements, 215–236
- Training walls, 317–353
- Tree islands, 15, 17, 18, 20, 34
- Tsunami, 216, 243–266, 360, 451, 453, 615, 790
- Two-dimensional wetting-drying model, 714, 719, 721
- U**
- United Nations Convention on the Law of the Sea (UNCLOS), 633
- United Nations Environment Program (UNEP), 83, 514, 549, 577, 851–853
- Urban sprawl, 29
- V**
- Variance, 279, 380–386, 732, 759, 765
- View distance, 466, 474, 475
- W**
- Wastewater, 27, 35, 83, 111, 398, 404, 415, 420, 424, 427, 428, 437, 495, 498, 505, 506, 634, 647, 652, 653, 655, 656, 684, 688
- Water bodies, 182, 245, 247, 248, 251, 259, 277, 286, 371, 396, 417, 421, 422, 426, 437, 438, 447, 449–453, 461, 487, 502, 556, 611, 620, 640, 788, 791, 805
- Water clarity, 466, 469
- Water color, 466, 469, 615
- Water conservation, 7, 8, 10, 11, 13, 21, 27, 430
- Waterfowl habitat, 447, 449, 530
- Water quality, 11, 14–16, 22, 25, 28, 35, 38, 194, 195, 201, 202, 206, 208, 216, 353, 404, 416, 421, 422, 424, 425, 428, 429, 431, 432, 445, 462, 463, 466, 469, 481, 490–493, 495, 498, 499, 502, 503, 634, 647, 653, 655, 813, 851
- Water regime, 168, 178, 533, 546, 652
- Water samples, 424, 731, 739, 759
- Waterscape, 447
- Water temperature, 252, 421, 423, 425, 427, 431, 484, 491, 493, 636, 639, 759, 760, 793
- Wave climate analysis, 280, 292–297
- Wave size, 466, 469
- Weed infestation, 445
- Wetlands, 4, 48, 133–156, 159–184, 187–210, 217, 243–266, 275–313, 318, 358, 393–408, 412, 437–453, 455–476, 481, 513–550, 575, 633, 708, 751–772, 777–853
- White-box testing, 281–282
- Wildlife sanctuary, 589, 590, 595, 600–603, 754
- Wounded landscape, 515