

# Index

## A

Abberrometry, intraoperative, 66  
Aberrated corneas, topography-guided laser for, 146  
Aberration  
  coefficient, 99  
  corneal, 94  
Ablation  
  cylindrical, 131  
  hyperopic, 130, 131  
  pattern, design and planning, 146  
  spherical, 131  
  surface, 132  
  topography-guided, 143  
    vs. wavefront-guided ablation, 145  
  toric, 131  
  wavefront-guided, 126  
  wavefront-optimized, 126  
Acrylic intraocular lenses, 39  
Acrylic single-piece open-loop toric intraocular lenses, 57–58  
Actual corneal astigmatism, 37  
Admonition, 58  
Against-the-rule (ATR) astigmatism, 8–9, 37, 38  
Against-the-wound (ATW)  
  vs. WTW astigmatic change, 14–15  
  calculation method, 18–19  
AK. *See* Arcuate keratotomy (AK)  
Alcon toric intraocular lenses, 39  
Allegretto Wave Eye-Q, 145  
AMO  
  LRI calculator, 64  
  toric intraocular lenses, 39

Arcuate keratotomy (AK)  
  femtosecond laser, 28  
  manual, 27–28  
Astigmatic correction, surgical planning for, 37  
Astigmatic effects of surgical incision, 14  
Astigmatic excimer laser surgery, 132  
Astigmatic hyperopic laser treatment, 128  
Astigmatic incisions, 27, 28  
Astigmatic keratotomy, 67  
Astigmatism  
  and clinical implications, 24–25  
  precise correction of, 24  
  preoperative evaluation of, 21–22  
  regularity and symmetry of, 23  
Asymmetric keratoconus, 103–104  
  expression of, 105  
ATW. *See* Against-the-wound (ATW)  
Automated keratoconus, 80  
Automated keratometry, 36  
Automated Placido videotopography, 104  
Axial myopia, 44  
Axial Placido topography, 121

## B

Baylor toric intraocular lenses nomogram, 24, 38, 39  
BCDVA, 147, 148, 151  
Belin Ambrósio Enhanced Ectasia Display (BAD), 99  
Biometry, optical, 21  
Bowman's membrane, 120, 121

**C**

Cassini color LED topographer, 38  
 Cataract incisions, and surgically induced astigmatism, 23–24  
 Cataract surgery, advances in modern, 35  
 CDVA, 150, 151  
 Center/surround index (CSI), 91, 92  
 Central keratometry, 88–89  
 CES. *See* Corneal eccentricity index (CES)  
 Cipta Max, 145  
 CLMI. *See* Cone location and magnitude index (CLMI)  
 Collagen cross-linking (CXL), 146, 147  
   for keratoconus, 149–150  
 Color LCD topographer, 24  
 Coma-like aberrations, 95  
 Composite indices, 94  
 Compound hyperopic astigmatism  
   ablation, 130  
 Compound hyperopic photoablation, 128  
 Compound myopic astigmatism, 128  
 Cone location and magnitude index (CLMI), 92–94  
 Contemporary topography-guided laser, 146  
 Cornea  
   aberrations, 94  
   progression of, 82  
 Corneal astigmatism, 22, 36, 50  
   actual, 37  
   magnitude of, 23  
   measurement, 36–37  
   posterior, 24, 37–38  
   preoperative measurements of, 21  
   reducing, 61  
 Corneal eccentricity index (CES), 92  
 Corneal ectasia  
   iatrogenic, 77  
   post-LASIK, 77  
 Corneal elevation topography, 97–101  
 Corneal epithelium, 147  
 Corneal incisions, 27  
 Corneal navigator, 94  
 Corneal relaxing incision (CRI), 162–163  
   femtosecond, 173–175  
   postoperative care, 167–169  
   surgical planning, 163–164  
   surgical technique, 165–167  
 Corneal surface, degree of toricity of, 91  
 Corneal tomography, 101  
 Corneal topography, 21–22, 103, 105, 122  
 Corneal toricity, 116  
 Corneal trauma, topoguided PRK for, 144

Corneal wedge resection (block resection), 170–173  
 Coupling effect, 162  
 CRI. *See* Corneal relaxing incision (CRI)  
 Cross-linking, keratoconus and, 149–151  
 CSI. *See* Center/surround index (CSI)  
 Customized aspheric transition zone (CATZ-Nidek), 145  
 Cyclotorsional movement, 132  
   marking devices to compensate for, 25–27  
 Cylindrical ablation, 131

**D**

DALK, 69, 155  
 Differential sector index (DSI), 92  
 Discriminant function analysis, 106–109  
 DMEK, 23  
 Donor factors, 156  
 DSAEK, 23

**E**

Ectasia  
   corneal  
     iatrogenic, 77  
     post-LASIK, 77  
     post-LASIK, 151–152  
     risk of, 77  
 EK. *See* Endothelial keratoplasty (EK)  
 Elevation topography, 101  
 Endothelial keratoplasty (EK), 155  
 Excimer laser, 126, 175  
   photorefractive keratectomy, 125  
   surgery, 132  
   treatments for mixed astigmatism, 130  
 EyeMap topographer (Alcon), 90

**F**

Femtosecond astigmatic keratotomy (FSAK), 67  
   complications, 70  
   evaluation, 71–72  
   incision types, 68  
   intraström, 68  
   outcomes, 70  
   surgical planning, 68–69  
   surgical technique, 69  
 Femtosecond corneal relaxing incision, 173–175  
 Femtosecond laser, 67  
 Femtosecond laser arcuate keratotomy, 28

Femtosecond laser-assisted cataract surgery (FLACS), 28, 65  
 FFKC. *See* Forme fruste keratoconus (FFKC)  
 Fibronectin, 39  
 FLACS. *See* Femtosecond laser-assisted cataract surgery (FLACS)  
 Forme fruste keratoconus (FFKC), 81–83  
   defined, 103  
   detection of, 97–101  
   eyes with, 106, 107  
   Quad Map of the right cornea with, 106  
   receiver operating characteristic curves, 109  
   score, 110–111  
   topographic characteristics of eyes with, 103  
 FSAK. *See* Femtosecond astigmatic keratotomy (FSAK)

## G

Galilei Dual Scheimpflug Analyzer, 38  
 Galilei topographer, 100–101  
 Gaussian optics thick lens formula, 37  
 Graft  
   re-suturing, 161–162  
   size, 157

## H

HIC. *See* Holladay IOL calculator (HIC)  
 HICSOAP program, 30  
 Higher-order aberrations (HOAs), 95, 126  
 Holladay 2 Consultant Program, 38  
 Holladay IOL calculator (HIC), 58  
 Host factors, 156  
 Hydrophobic acrylic intraocular lenses, 39  
 Hyperopia, 128  
 Hyperopic ablation, 130, 131  
 Hyperopic astigmatism, 128–130  
   clinical results, 135, 138

## I

Iatrogenic corneal ectasia, 77  
 Index of height asymmetry (IHA), 98  
 Index of height decentration (IHD), 98  
 Index of surface variance (ISV), 97  
 Index of vertical asymmetry (IVA), 97  
 Intraocular lenses (IOLs), 30. *See also specific types of intraocular lenses*  
   calculators, 25  
   design, 43

  hydrophobic acrylic, 39  
   polymethyl methacrylate, 39  
   silicone, 39  
 Intraocular lidocaine, 59  
 Intraoperative aberrometry, 66  
 Intrastromal arcuate keratotomy (ISAK), 28  
 Intrastromal femtosecond astigmatic keratotomy, 68  
 Intrinsic factors, 36  
 Irregular astigmatism, 147, 151  
 ISAK. *See* Intrastromal arcuate keratotomy (ISAK)  
 I–S index, 89, 95  
 IVA. *See* Index of vertical asymmetry (IVA)

## J

Jackson cross cylinder (JCC) refractive surfaces, 12

## K

KC. *See* Keratoconus (KC)  
 KCI. *See* Keratoconus index (KCI)  
 KCS. *See* Keratoconus-suspect (KCS)  
 Keratoconus (KC), 77, 103  
   and cross-linking, 149–151  
   asymmetric, 103–104  
   expression of, 105  
   automated, 80  
   collagen cross-linking for, 149–150  
   corneas at risk of subclinical, 88  
   detection of early forms of, 84  
   diagnosis of, 77–78  
   forme fruste (*see* Forme fruste keratoconus (FFKC))  
   history and terminology, 79–83  
   left eye, 104, 113  
   progression of, 119  
   screening indices, positive, 98  
   stage of, 78  
   subclinical (*see* Subclinical keratoconus)  
 Keratoconus index (KCI), 94  
 Keratoconus prediction index (KPI), 94  
 Keratoconus screening indices, 95, 98  
 Keratoconus-suspect (KCS), 104  
   cornea diagnosed as, 115  
   criteria and screening tests for, 87–96  
 Keratometric power, 91  
 Keratometry, 21  
   automated, 36  
   manual, 36  
   simulated, 61

Keratoplasty, 23  
 Keratotomy, manual arcuate, 27–28  
 Keratron topographer, 95  
 KISA% index, 90  
 Klyce/Maeda topographic indices, 96  
 KPI. *See* Keratoconus prediction index (KPI)

## L

Laser. *See also* Excimer laser  
     contemporary topography-guided, 146  
     femtosecond, 67  
     photorefractive keratectomy, 125  
     SA1050, 146  
     ultrashort pulse, 67  
 Laser in situ keratomileusis (LASIK), 77, 87,  
     106, 126, 132, 135, 176  
     for correction of compound myopic  
     astigmatism, 116  
     myopic, 108  
     patient selection, 132  
     post-LASIK  
         corneal ectasia, 77, 79  
         ectasia, 151–152  
         wavefront-guided, 143  
 Laser vision correction (LVC), 30  
 LASIK. *See* Laser in situ keratomileusis  
     (LASIK)  
 Lenses. *See specific types of lenses*  
 Lidocaine, intraocular, 59  
 Limbal relaxing incisions (LRIs), 61, 63,  
     64, 66  
 LVC. *See* Laser vision correction (LVC)

## M

Macrodehiscence, 166  
 Manual arcuate keratotomy, 27–28  
 Manual keratometry, 36  
 Microdehiscence, 166  
 Micrometer, 163–164, 166  
 Mitomycin C (MMC), 126, 132, 147  
 Mixed astigmatism, 130–132  
     clinical results, 138  
 MMC. *See* Mitomycin C (MMC)  
 Monofocal toric intraocular lenses, 35, 39–41  
 Multifocal toric intraocular lenses, 35, 36, 42  
 Myopia  
     axial, 44  
     PRK for, 120  
 Myopic astigmatism, 126–128  
     clinical results, 132–138  
 Myopic LASIK, 108

## N

Neural network, 85, 104, 121  
     Smolek/Klyce, 94  
 Newer devices, 38  
 Nomogram, 27, 28, 63, 69, 132  
 Normal Placido indices, 107  
 NSAID, 65

## O

Ocular residual astigmatism (ORA), 134, 135  
 Ocular surface disease, 29  
 Opposite sector index (OSI), 92, 94  
 Optical biometry, 21  
 Optical correction of astigmatism, 50  
 Optical pachymetry, 97–101  
 ORA. *See* Ocular residual astigmatism  
     (ORA)  
 Orbscan topography, 103, 105  
     acquisition, 112, 113  
     left eye, 116  
     Quad Map display, 110  
     right eye, 116  
 Osher-Fenzl intraocular lens, 5  
 OSI. *See* Opposite sector index (OSI)

## P

Pachymetry, 111  
     pachymetric curves, 112, 113  
 PARK. *See* Photoastigmatic refractive  
     keratectomy (PARK)  
 PCRI. *See* Peripheral corneal relaxing  
     incisions (PCRIs)  
 Penetrating keratoplasty (PKP)  
     astigmatism, 155  
     corneal wedge resection (block resection),  
         170–173  
     donor factors, 156  
     etiology, 156  
     excimer laser, 175  
     host factors, 156  
     intacs for astigmatism correction, 175  
     LASIK, 176  
     photorefractive keratectomy, 176  
     postoperative factors, 158  
     postoperative management, 158  
         optical management, 159  
         suture addition, 160–161  
         suture adjustment, 160  
         suture manipulation, 159  
     surgical factors, 156  
     surgical procedures, 161

- corneal relaxing incisions, 162–173
    - graft re-suturing, 161–162
    - suturing technique and wound apposition, 157–158
    - toric intraocular lenses, 176–177
  - Pentacam topography screening indices, 97–100
  - Percent probability of keratoconus (PPK), 93, 94
  - Perfect postoperative vision, 35
  - Peripheral corneal relaxing incisions (PCRIs), 27, 30, 66
  - Phacoemulsification (PKE), 5
  - Phakic toric intraocular lenses, 36
  - Photoablation, 121
    - compound hyperopic, 128
    - myopic astigmatic, 126
  - Photoastigmatic ablation, 126
  - Photoastigmatic laser surgery, 132
  - Photoastigmatic refractive keratectomy (PARK), 125, 133
  - Photoionization, 67
  - Photorefractive keratectomy (PRK), 132, 135, 176
    - for corneal trauma, 144
    - with cross-linking
      - for keratoconus, 150
      - for post-LASIK ectasia, 152
    - excimer laser, 125
    - for myopia, 120
    - for optical zone enlargement, 144
    - for post-keratoplasty astigmatism, 149
    - for post-radial keratotomy, 148
    - surface, 133
    - topography-guided, 146, 147
    - transepithelial, 146–147
  - PKE. *See* Phacoemulsification (PKE)
  - PKP. *See* Penetrating keratoplasty (PKP)
  - Placido disk-based topography, 36–37
  - Placido indices, 106
  - Placido normal cornea, 106
  - Placido topography, 21, 81, 82, 87, 91, 100, 101, 115, 122
    - axial, 121
    - videotopography, automated, 104
  - Polymethyl methacrylate (PMMA)
    - intraocular lenses, 39
    - lens implantation, 5
  - Positive keratoconus screening indices, 98
  - Posterior astigmatism, and clinical implications, 24–25
  - Posterior corneal astigmatism, 37–38
  - Post-keratoplasty astigmatism, 148–149
    - topoguided PRK for, 149
  - Post-op care, 65
  - Postoperative astigmatism, residual, 35
  - Post-penetrating keratoplasty, 68–70
  - Post-radial keratotomy (RK), 148
  - Post-refractive surgery complications (non-ectatic), 147
  - Potential visual acuity index (PVA), 92
  - PPK. *See* Percent probability of keratoconus (PPK)
  - Predictive discriminant analysis, 85
  - Preoperative astigmatism, 8
  - PRK. *See* Photorefractive keratectomy (PRK)
  - Pseudophakic eyes, 37
  - Pulse laser, ultrashort, 67
  - PVA. *See* Potential visual acuity index (PVA)
- Q**
- Qualitative analysis, of surgically induced astigmatism, 8–10
- R**
- Rabinowitz's indices, 79
  - Radar map, 111–113, 116
  - Refractive cataract surgery (RCS), 61
  - Refractive error, 30, 147
  - Refractive surgery, 134
  - Residual postoperative astigmatism, 35
- S**
- SAI. *See* Surface asymmetry index (SAI)
  - SA1050 laser, 146
  - Satisfactory correction of astigmatism, 36
  - Scheimpflug device, 21, 22, 121
  - Scheimpflug rotating camera, 97, 145
  - SCORE analyzer, 108
    - algorithm, 121
  - SCORE software, 103, 109–110
    - examples of use for, 112–119
    - value of, 120–122
  - Screening corneal objective risk of ectasia (SCORE), 108
  - Screening test, sensitivity and specificity of, 84–86
  - SIA. *See* Surgically induced astigmatism (SIA)
  - Silicone intraocular lenses, 39
  - Simulated keratometry (SimK), 83, 85, 91
  - Single-piece toric intraocular lenses, 57–58

- SIRC. *See* Surgically induced refractive change (SIRC)
- Skewed radial axis (SRAX), 88, 90
- Slightly irregular oblique astigmatism, 116
- Small incision lenticule extraction (SMILE), 126, 135
- Smolek/Klyce neural network, 94
- Specificity, screening test, 86–87
- Spectacles, 49
- Spherical ablation, 131
- SRAX. *See* Skewed radial axis (SRAX)
- SRI. *See* Surface regularity index (SRI)
- Stable keratoconus, 36
- Subclinical keratoconus, 79, 85
  - bilateral early, 114
  - clinical model, 103–105
- Surface ablation, 132
- Surface asymmetry index (SAI), 92
- Surface photoastigmatic keratectomy, 133
- Surface regularity index (SRI), 92
- Surgical factors, 156
- Surgically induced astigmatism (SIA), 51
  - calculation method, 9–12, 15–16
  - cataract incisions and, 23–24
  - of incision, 10
  - magnitude of, 8
  - qualitative analysis of, 8–10
- Surgically induced refractive change (SIRC), 65
  - calculation method, 7, 12–13, 16–18
- Surgical planning, 62–64, 68–69
- Surgical technique, 69
- Suturing technique and wound apposition, 157–158
- T**
- Tear film, 50
- TG. *See* Topography-guided (TG)
- Three dimensions, astigmatism in, 62
- TIOLs. *See* Toric intraocular lenses (TIOLs)
- TMS-1 topographer, 87, 91, 94
- TNT. *See* Topographic neutralization technique (TNT)
- Tomography, corneal, 101
- Topographer, TMS-1, 87, 91, 94
- Topographical mapping and TG lasers, 145
- Topographic indices, 83
  - categories of indices, 84
  - Klyce/Maeda, 96
- Topographic neutralization technique (TNT), 146, 147
- Topography
  - corneal, 21–22, 103, 105
  - elevation, 101
    - corneal, 97–101
    - Pentacam screening indices, 97–100
    - Placido, 101
  - Topography-guided (TG) ablation vs. wavefront-guided ablation, 145
  - Topography-guided customized ablation treatment (T-CAT) planning software, 145
  - Topography-guided laser
    - for aberrated corneas, 146
    - surgery, 152
    - topographical mapping and, 145
  - Topography-guided photorefractive keratectomy, 146, 147
    - for corneal trauma, 144
    - with cross-linking
      - for keratoconus, 150
      - for post-LASIK ectasia, 152
    - for optical zone enlargement, 144
    - for post-keratoplasty astigmatism, 149
    - for post-radial keratotomy, 148
  - Toric ablation, 131
  - Toric implantation, 23
  - Toric intraocular lenses (TIOLs), 176–177
    - acrylic single-piece open-loop, 57
    - advent of, 49
    - Baylor nomogram, 38, 39
    - calculation, 38–39
    - calculators, 38
    - clinical outcomes, 43
    - complications, 44
    - determinant in adoption of, 49
    - evaluation, 50–51
    - for implantation, 38, 39
      - managing refractive error after, 29–30
      - surgical technique, 28–29
    - misaligned, 44
      - repositioning of, 58–59
    - models, 39
    - monofocal, 35, 39–41
    - multifocal, 35, 36, 42
    - operative considerations, 51–57
    - patient selection, 22–23, 36
    - phakic, 36
    - postoperative considerations, 58
    - power determination, 37
    - pseudophakic eyes implanted with, 37
    - relative safety, 49
    - rotational stability, 51

- single-piece, 57–58
- use of, 59
- Torsional movements, 25
- Transepithelial (TE)-guided PRK, 147
- Transepithelial photorefractive keratectomy, 146–147
- Trauma, topoguided PRK for corneal, 144
- Trephine, 156–157

**U**

- UCDVA, 136, 137
- Ultrashort pulse laser, 67
- Uncorrected distance visual acuity (UDVA), 43
- Uncorrected near visual acuity (UNVA), 43
- Uncorrected visual acuity (UCVA), 133

**V**

- Vector analysis
  - graphic representation, 9
  - principle, 8

**W**

- Wallace LRI Kit, 64
- Wavefront-guided (WFG)
  - ablation, 126
  - ablation vs. topography-guided ablation, 145
  - algorithm, 133
  - LASIK, 143
  - treatment, 133
- Wavefront-optimized (WFO) ablation, 126
- With-the-rule (WTR) astigmatism, 8, 37, 38
- With-the-wound (WTW)
  - vs. ATW astigmatic change, 14–15
  - calculation method, 18–19
- Wound apposition, suturing technique and, 157–158
- WTW. *See* With-the-wound (WTW)

**Z**

- Zernike expansion, 145
- Zernike polynomial decomposition, 94–95
- Zonular stability, 58