

Index

A

Absolute pressure, 97, 324
Absorption coefficient
 at an interface, 370
 definition, 229
 relation to dissipative processes, 230, 233, 237, 245
Acceleration, 299, 437
Acoustical energy, 329, 331
Acoustical Society of America, 2
Acoustical tile, 370, 419
Acoustical transmission line, 248
Acoustic impedance, 209, 259, 265, 273
Acoustic perturbation, 97
Acoustic source, *see* Source
Acoustic-structure interaction, 3
Adiabatic assumption, 103
Adiabatic compressibility, 105
Air, properties of, 106, 108, 239
Aliasing, 57
Ambient conditions, 58, 102, 239
Amplitude, 5, 122
Analogy
 electrical circuit, 201
 for an elastic cable, 181
 for a stretched cable, 172
Angle of incidence, 358, 381
Angle of reflection, 359, 381
Angle of transmission, 373, 383
Arrival time, 314
Atmosphere, properties of, 108, 239
Attenuation, 228
Attenuation factor, 155
Averaging, 18, 74, 275
Axisymmetric field, 346, 487

Azimuthal angle, 434
Azimuthal function, 436

B

Backward characteristic, 115, 194
Backward propagating wave, 115, 118, 198
B/A coefficient, 105
Baffle, 275
Barrier, 395, 408
Beating signal, 22
Bessel function
 cylindrical, 88, 276
 spherical, 462
Boundary condition
 for a cable, 173, 181
 for a plane wave, 132, 134
 for a waveguide, 159, 197
 linearization of, 132, 348
 on a vibrating sphere, 439, 440
Boundary layer, 243
Branch cut, 353, 385
Breathing mode, 437, 442
Broadband signal, 74
Broadside array, 490
Bulk modulus, 104, 106

C

Cable, stretched, 170
Causality, principle of, 72, 548
Cavitation, 375
Cavity, acoustic, 273, 444
Cavity modes, 465
C.c., definition, 14

- Center frequency, 37
 - Characteristic curve, 111, 113
 - Characteristic equation, 213, 219, 465
 - Characteristic impedance, 118, 265
 - Coefficient of thermal conduction, 232
 - Coherence, 457
 - Coincidence frequency, 417
 - Compact set, 534
 - Complex amplitude, 10, 243, 249, 257, 316
 - Complex angle, 393
 - Complex exponential, 9–11, 192, 213
 - Complex modulus, 202
 - Complex wavenumber, 228, 235, 245, 265
 - Compliance, 201, 279
 - Condensation, 105
 - Connected waveguides, 257
 - Connectivity matrix, 260
 - Conservation
 - of energy, 395, 412, 413
 - of mass, 92, 249
 - Constitutive nonlinearity, 88
 - Continuity
 - at a barrier, 410
 - at an interface, 381
 - Continuity condition, 249
 - at a boundary, 349
 - at a junction, 251, 257
 - at an interface, 393, 400
 - for a plane wave, 91
 - for a porous barrier, 419
 - of volume velocity, 250
 - Continuity equation, 96, 192, 296
 - continuum model, 298, 324
 - for a cable, 173
 - linearized, 98, 180
 - nonlinear, 97
 - Control volume
 - at a junction, 251
 - at an interface, 394
 - for a porous barrier, 419
 - one-dimensional, 93, 94
 - three-dimensional, 296, 297, 326
 - Convergence
 - of a legendre series, 504
 - of the method of images, 504
 - Coupled equations
 - for a transmission line, 257, 265
 - for layered media, 406
 - Critical damping, 561
 - Critical incidence, 401
 - Cross section transition, 248
 - Cylindrical spreading, 478
- D**
- D'Alembert solution, 113, 316, 331
 - Dashpot model, 134
 - Decay constant, 155
 - Decibel, 28
 - Decomposition, of a harmonic wave, 194
 - Density, 93
 - Dilatation, 105
 - Dilatation viscosity coefficient, 230
 - Dipole, 505, 517, 531
 - Dipole moment, 509
 - Dirac delta function, 45, 470
 - Direction of propagation, 306
 - Directivity, 509, 513, 526
 - Discontinuous function, 57
 - Discrete Fourier transform, 54
 - Dispersion equation, 229, 235, 244
 - Displacement, 296
 - in a surface wave, 355
 - of a bar, 179
 - of a barrier, 409
 - of a cable, 170
 - Dissipation, 228, 265
 - Divergence theorem, 94, 297
 - Doppler effect
 - definition, 538
 - for a moving point source, 544
 - for a source in a moving fluid, 540
 - one-dimensional, 538
 - Drive-point impedance, 211
 - Dyadic, 300
- E**
- Elastic solid, 373
 - Elemental quadrupole, 524
 - End correction, 277
 - End-fire array, 490
 - Energy conservation, 149
 - Energy density, 457
 - Energy reflection coefficient, 370
 - Entropy, 230
 - Equation of state, 97, 98, 102, 105, 231, 234
 - Equations of motion, for a barrier, 409, 414
 - for a vibrating motor, 404
 - Equilibrium, 324
 - Equilibrium phase speed, 236
 - Error for Rayleigh ratio, 118
 - Eulerian description, 299
 - Euler-Lagrange equation, 114
 - Euler's equation, 96, 98, 107, 113, 172, 193, 317, 352

Euler's identity, 10, 194
 Evanescent, wave, 352, 392
 Excitation of a cavity, 273
 Extensional elastic wave, 180

F

Farfield
 definition of, 335, 441, 484
 for a transducer, 339
 of a dipole, 509
 of a quadrupole, 526
 of a spherical wave, 455
 Farfield approximation, 455, 486, 508, 511, 534
 Fast Fourier Transform, 59
 for use with transfer functions, 64
 FFT, *see* Fast Fourier Transform
 First law of thermodynamics, 324, 326, 328
 Fletcher–Munson curves, 33
 Flexural effects, 416
 Flow resistivity, 420
 Force
 acting on a sphere, 515
 analogy to a spring, 329
 Forward and backward waves
 in a transmission line, 252, 257
 one-dimensional, 118, 124, 138, 175
 Forward characteristic, 115, 194
 Fourier series, 43, 241
 for a sequence of impulses, 47
 for a waveguide, 150
 termination of, 44
 Fourier's law of heat conduction, 231
 Frequency
 circular, 5
 cyclical, 4
 Doppler shifted, 544
 of a plane wave, 122
 Frequency bands, 35
 octave, 36
 proportional, 36
 Fundamental frequency, 43, 165
 Fundamental harmonic, 36

G
 Gauss' theorem, 297
 Gibbs phenomenon, 52, 57
 Gradient
 of a Green's function, 494, 508, 533
 of a plane wave, 308
 Graphical construction, 115, 126
 of a spatial profile, 128, 136, 147

of a waveform, 127, 137
 of mode functions, 216
 Grazing incidence, 361, 383
 Green's function
 definition of, 475
 for a half-space, 496
 free space, 475, 508
 one-dimensional, 482
 using images, 493
 with boundary conditions, 479
 Green's theorem, 482

H

Half-space, 348, 373, 390
 Harmonic function
 as a rotating vector, 8
 as complex exponential, 10
 phase of, 6
 Harmonic plane wave, 121, 129, 151, 192, 287, 316
 Hearing, 1, 17, 28, 29, 32, 40
 Helmholtz equation, 193, 472, 479
 inhomogeneous, 473, 479
 in spherical coordinates, 453
 Helmholtz resonance, 279
 Hertz, 4
 High frequency approximation, 447, 455
 Honey, properties of, 246
 Hyperbolic function, 353

I

Ideal gas law, 102, 108, 109, 231
 Images, method of, 493, 498
 Impedance, 202
 acoustic, 209
 characteristic, 111, 118
 drive point, 211
 fluid, 360
 local, 358
 of a cavity, 273
 of a Helmholtz resonator, 278
 of a mass-spring system, 200
 radiation, 276
 relation to reflection coefficient, 70, 135, 203
 specific, 134, 200
 Impedance boundary condition
 for a cable, 173
 for an elastic bar, 181
 Impedance mismatch, 397
 Impedance, surface, 358
 Impedance tube, 223, 368

Impulse-momentum principle, 250
 Incident wave, 135, 358, 373, 409
 Incoherence, 20
 Inertance, 201
 Inertial blanket, 414, 417
 Inhomogeneous Helmholtz equation, 473, 481
 Initial conditions, 124, 146
 Initial value problem, 116, 124
 Insertion loss, 404
 Intensity, 18, 330
 in reflection, 367
 of a spherical wave, 453
 time-averaged, 332, 336
 Interconnected waveguides, 248
 Interference
 between sources, 488
 in reflection, 365, 367, 442
 in transmission, 383
 of plane waves, 115, 318, 336
 Internal energy, 231
 Intonation, 40
 Inverse discrete Fourier transform, 55
 Isothermal speed of sound, 102

J

Jump conditions, 482
 Junction conditions, 248, 257, 258
 Junctions, of a waveguide, 251

K

Kinetic energy, 324, 457

L

Lagrangian description, 299
 Laplacian, 304, 308, 435
 Lateral quadrupole, 524
 Layered media, 390
 Leading edge, 361
 Leakage error, 74
 Limit, at the center of a sphere, 446, 463
 Limp mass, *see* Inertial blanket
 Line array, 488
 Line source, 476
 finite length, 479
 impulsive, 479
 Linearization, 98, 328
 Lithotripter, 452
 Locally reacting surface, 386
 Longitudinal quadrupole, 524
 Loss factor, 370

Low frequency limit, 455
 Lumped parameter model, 209

M

Mach angle, 549
 Mach cone, 549
 Mach number, 549
 Magnification factor, 11, 220
 Mass acceleration, 469, 510
 Mass flow, 297
 Material derivative, 300
 Matrix equation
 for a discrete Fourier transform, 52, 59
 for a transmission line, 257
 for multilayer transmission, 399
 Mean-squared pressure, 17, 28, 73, 195, 223, 336, 367
 band-limited, 36
 from spectral density, 75, 78
 weighting for, 34
 Mechanical oscillator, 326
 Meridian, 433
 Modes
 of a spherical cavity, 462
 planar, 152, 213, 214
 Momentum equation
 including viscosity, 230
 including wall friction, 243
 in terms of a velocity potential, 321
 in three-dimensions, 299
 one-dimensional, 96, 98, 193, *see also*
 Euler's equation
 Momentum-impulse principle, 95, 250, 298
 for a cable, 170
 for an elastic bar, 179
 Monopole, *see* Green's function, Point source
 Monopole amplitude, 484, 533–535, 537
 Moving point source, 541, 548
 Multilayer materials, 399
 Multiple sources, 483
 Multipole expansion, 534
 Music scale, 39
 Mutual scattering, 458

N

Narrow-band signal, 74
 Natural frequency
 of a closed waveguide, 151, 210
 of an oscillator, 151
 of a spherical cavity, 465
 Nearfield, 339, 457
 Neper, 229

- Noise
 definition of, 72
 pink, 78
 white, 78
- Nondispersive wave, 115, 117
- Normal incidence, 358, 373
- Norris-Eyring reverberation time, 156
- Numerical algorithm
 for a transmission line, 257
 for layered media, 402
- Nyquist frequency, 56
- Nyquist sampling criterion, 56
- O**
- Ocean, properties of, 239
- Octave band, 36
- Octupoles, 534
- Open-port model, 274
- P**
- Parseval's theorem, 45
- Particle velocity, 113, 192, 229, 438, 494
 for a point source, 469
 for a set of sources, 487
 in a spherical wave, 438, 446, 453
- Passive boundary condition, 134
- Period, 4, 43, 122
- Periodic excitation, 48, 64, 161, 240
- Phase angle, 6, 9, 15, 45, 47
- Phase speed
 along a stretched cable, 170
 comparison, 181
 for a dissipative fluid, 228, 231, 235, 240
 for a translating fluid, 591
 for a stretched membrane, 415
 for an elastic bar, 181, 418
 of a plane wave, 115, 173
 of surface wave, 348
- Phase variable, 6
 for a moving source, 541
 three-dimensions, 306
- Phon, 33
- Pink noise, 78
- Planar array, 488
- Planar interface, 373
- Plane wave
 boundary excitation, 159
 d'Alembert solution, 111
 due to a surface wave, 348
 harmonic, 121, 192
 in a transmission line, 248
 in three dimensions, 306, 316
 reflection of, 136, 358, 365
 transmission at an interface, 373, 380
- Plane wave approximation, 441
- Point source, 468, 493
 field equation for, 475
 impulsive, 479
 set of, 483, 533
- Polar angle, 433
- Polar axis, 433
- Polar circle, 435
- Porous barrier, 419
- Port pressure, 259, 261, 266
- Potential energy, 324, 328, 457
- Potential function, 321
- Power input, 333
- Power, radiated
 at an interface, 354, 370, 394, 413
 balance of, 330
 for an arbitrary quadropole, 532
 for an array of point sources, 488
 for a quadropole, 530
 for a vibrating sphere, 515
 general, 334
 time-averaged, 386
- Power transport, 339
- Pressure
 d'Alembert solution for, 111
 for a dipole, 506
 for a point source array, 483
- Pressure-release surface, 70, 135, 152, 216
 water-air interface, 383
- Prestress, 329
- Product of harmonic functions, 14
- Progressive wave, 115
- Propagation direction, 317
- Proportional frequency bands, 36
- Pulse
 incident wave, 361
 plane wave, 373
- Q**
- Quadropole, 533
 arbitrary, 527
 relation to dipoles, 522
- Quiver function, 337
- R**
- Radial dependence
 of a dipole, 505, 507, 509

- of a quadrupole, 525
 - of a spherical wave, 438, 444, 452
- Radial symmetry, 438
- Radiation, 347, 439, 454
- Radiation damping, 206, 256
- Radiation impedance, 276
- Ratio of critical damping, 206
- Ray, 362, 369, 496
- Rayl, 118
- Rayleigh length, 339
- Reactance, 201, 203, 273
- Reactive boundary, 216
- Reciprocity, 480
- Reference state, *see* Ambient state
- Reflection, 358, 365
 - from a free surface, 383
 - from planar surface, 359, 365
 - in a finite waveguide, 145, 160
 - in the time domain, 252
 - one-dimensional⁹⁶
 - using the method of images, 493
- Reflection coefficient
 - at a junction, 266
 - at a plane, 135, 183, 225, 360, 366, 382, 384
 - for a cable, 176
 - for a porous barrier, 419
 - for layered media, 393, 402
- Relaxation, 234
- Resistance, 201, 203
- Resonance, 69, 85
 - cavity, 449, 464
 - Helmholtz, 278
 - in a closed waveguide, 165, 168, 209, 267
 - of a motor, 406
 - Rossiter, 80
- Retarded time, 440
- Reverberation time, 155
- Riemann solution, verification of, 301
- Rigid surface, 495
- Root-mean-square, 18

- S**
- Salinity, 240
- Sampling rate, 56
- Sawtooth waveform, 49, 61
- Sediment, 377
- Semi-infinite domain, 117
- Shading, of an array, 492
- Shear strain rate, 244
- Shear stress, 229
- Shear viscosity coefficient, 230
- Sheetrock, 421
- Short branch element, 273
- Side lobes, 491
- Simple wave, 115, 195, 208, 438
- Snell's law
 - at an interface, 369, 374, 381
 - for a surface wave, 349
 - for barriers, 408
 - for layered medium, 390
- Sommerfeld radiation condition
 - for a spherical wave, 439, 452
 - for waves at an interface, 351, 384
- Sonic boom, 551
- Sound beam, 339
- Sound pressure level, 27
- Sound speed
 - according to U. S. Standard Atmosphere, 108
 - for a nonlinear wave, 300
 - in outer space, 111
 - relation to complex wavenumber, 228, 232
- Source, *see* Point source
- Source distribution, 481
- Source strength, *see* Monopole amplitude
- Spatial profile, 122, 125, 195
 - definition, 115
 - in a finite waveguide, 162
 - in a semi-infinite domain, 134
 - of a plane wave, 123, 194, 229
 - of a spherical wave, 463
- Specific heat, 103, 231
- Specific volume, 103
- Spectral density, 73, 78
- Sphere
 - radially vibrating, 515
 - translating, 513
- Spherical Bessel's function, 463
- Spherical cavity, 444, 462
- Spherical coordinates, 433
- Spherical spreading, 335, 439
- Spherical wave, 438
 - from a moving source, 539, 545
 - in a cavity, 445, 462
 - radially symmetric, 436, 437
- Spring-mass system, 205
- Square wave, 57, 241
- Standard Atmosphere, U. S., 108
- Standard 1/3 octave band, 37
- Standing wave, 151, 195, 214
- State vector, 10
- Steady-state response, 48, 163
- Strain, elastic, 180

- Stress-strain law, 180
 - Stretched membrane, 414
 - Structural damping loss factor, 416
 - Structural dynamic system, 205
 - Structural radiation impedance, 206
 - Struve function, 276
 - Subcritical incidence, 382, 390
 - Subsonic
 - point source, 541
 - surface wave, 348, 350
 - Supercritical incidence, 382, 384, 386, 393
 - Superposition, 468, 477, 479
 - Supersonic, 349, 354
 - point source, 548
 - surface wave, 350
 - Surface wave, 348, 354, 410
- T**
- Target identification, 518
 - Taylor series, 507, 508, 522
 - Tensile force, 170, 179
 - Tensor, 300
 - Thermal conduction, 232
 - Thermoviscous effect, 238
 - Three-dimensional waveguide, 306
 - Threshold of hearing, 32
 - Tile, acoustical, 370
 - Time average, 17, 367
 - Time delay, 6, 45, 144, 363, 446
 - Time shift, 5, 123
 - Total derivative, *see* Material derivative
 - Trace velocity, 311, 313
 - at an interface, 373, 375, 379
 - in reflection, 347
 - Trace wavenumber
 - at an interface, 332, 369
 - in layered media, 390
 - of a plane wave, 317
 - Trailing edge, of wave, 143, 144, 253
 - Transfer function
 - definition, 11
 - for multilayer transmission, 402, 411
 - use of, 42, 48, 54, 63
 - Transient response, 161
 - Transmission coefficient
 - at a junction, 251, 267
 - at an interface, 373, 381, 385
 - for a porous barrier, 419
 - in layered media, 393, 394, 403
 - Transmission line, 257
 - Transmission loss, 387, 413
 - Transverse distance, definition, 243
 - Trapped energy, 354
 - Two-microphone technique, 225
 - Two-port acoustic mobility, 259
- U**
- Unbalanced rotor, 404
 - Unit vectors, 435
- V**
- Velocity potential, 320, 439
 - Vibrating motor, 404
 - Vibrating plate, 419
 - Vibration isolation pad, 404
 - Virtual source, 495
 - Viscoelastic material, 191
 - Viscous effects, 228
 - Volume velocity
 - in a multipole expansion, 532
 - in a waveguide, 209, 250
 - of a source, 469, 475, 476, 494
 - per unit length, 476
- W**
- Wall friction, 101, 243
 - Water, standard properties of, 106, 107, 240
 - Wave equation, 107, 172, 305, 321, 438
 - for a relaxing fluid, 237
 - for an elastic bar, 181
 - for a stretched cable, 172
 - for a velocity potential, 320
 - in three dimensions, 306
 - one-dimensional, 99
 - with thermal conduction, 232
 - Wave Images, 156, 447
 - for a spherical cavity, 447
 - for a stretched cable, 174
 - for a waveguide, 124, 131, 138, 145
 - Waveform, 117, 122, 125, 127, 133, 158, 544, 551
 - Wavefront, 136, 295, 311, 361, 379
 - Waveguide
 - definition of, 92
 - end correction, 277
 - one-dimensional, 124, 131, 145
 - Wavelength, 122, 194, 355
 - in outer space, 111
 - trace, 367

Wavenumber, [122](#), [193](#), [233](#)
 complex, [228](#), [233](#)
 Doppler shifted, [544](#)
 vector, [317](#)
Weighting of noise, [35](#)
White noise, [78](#)
Work-energy principle, [326](#)
Wraparound error, [65](#)

Y

Young's modulus, [180](#)

Z

Zero frequency mode, [465](#)
Zero padding, [65](#)