

Index

A

Amides, 4, 14
Ammines, 15, 175
Ammonia, 1, 24, 153, 216
 cobalt catalysts, 230
 iron catalysts, 219
Aryloxide ligands, 62
Azotobacter vinelandii, 198

B

Badger's rule, 73
Benzenesulfonic acid hydrazide, 206
1,3-Bis(2-(di-*tert*-butylphosphino)ethyl)
 imidazol-2-ylidene (Im-PCP[2]), 185
Bis(di-*tert*-butylphosphinoethyl)
 phenylphosphine) pincer ligand
 (PPP), 165
1,3-Bis((di-*tert*-butylphosphino)methyl)
 benzimidazol-2-ylidene (Bim-PCP[1]),
 185
1,3-Bis(2-diphenylphosphanylethyl)imidazol-
 2-ylidene (PCP), 125
Bis(3-(diphenylphosphino)propyl)phosphine
 (prPPHP), 144
Bis(phosphine) molybdenum diazenides, 11
Bond dissociation enthalpies (BDEs), 7, 186
Bond dissociation free energies (BDFEs), 1, 7
Bonding, 71
Borohydride-hydride complex, 221

C

Calix[4]arene, 63
Carbodiimides, 95

Catalysis, mechanism, 171
Catalysts, 153, 215
Chatt cycle, 3, 9, 115, 225
Chromium, 86, 155, 159, 217
Cobalt–dinitrogen complexes, 25, 215, 229
Cobalt hydrazine complexes, 232
Cobalt hydride complexes, 34
Copper dinitrogen complex, 33
Cumulenes, 60, 81
Cyclopentadienides, 78, 89, 100

D

Decamethylchromocene, 3, 174, 185
Decamethylcobaltocene, 165
DFT calculations, 5, 10, 113, 140, 173, 180,
 186, 201, 218, 228
Diarylhydrazines, 208
Diazenides, 1, 4, 9, 73
Diketiminates, 33, 92, 205
Dimethylurea, 95
Dimolybdenum complexes, 90, 161, 171, 175,
 183, 192
Dinitrogen, 153, 197, 215
 activation, 45
 cleavage, 23
 complexes, 45
 fixation, 23
 splitting, 71
Dithiolates, 54

E

Electron-nuclear double resonance (ENDOR),
 175, 199, 206

End-on bridging, 74
Ethyl-bis(3-(diphenylphosphino)propyl)
phosphinate, 118

F

FeMoco, 114, 198–210
FeMo-nitrogenase, 198, 216
Fenske-Hall computations, 74
Ferrocenyldiphosphines, 90

G

Group 4 elements, 31, 81
Group 5 elements, 30, 45, 76, 95, 97
Group 6 elements, 29, 81, 85, 89, 92
Group 7 elements, 28, 85, 91, 102
Group 8 elements, 26, 91, 101

H

Haber-Bosch ammonia synthesis, 2, 24, 72, 91,
172, 216
Heterocumulenes, 95
N-Heterocyclic carbene (NHC), 185
Hydrazides, 4, 9, 73
Hydrazine, cleavage, 208
Hydrides, multimetallic, 23
Hydrogenation, 23
Hydrogen atom transfer (HAT), 5, 8
Hydrosilylation, 59, 87

I

Imidazolylidene/phosphanyl hybrid ligands,
119
Imides, 4, 12
Iron, 197, 215
catalysts, 2
Iron–dinitrogen complexes, 217
S ligands, 201
Iron hydride complexes, 27
Iron-imide-sulfide heterocubanes, 208
Iron–sulfide clusters, 204
Isocyanates, 72, 95, 98

L

LANL2DZ, 177
Lowe–Thorneley model, 199
[LutH]OTf, 185
2,6-Lutidinium tetrakis[3,5-bis
(trifluoromethyl)phenyl]borate, 174

M

Manganese hydride complexes, 28, 29
Molybdenum, 113, 153, 171
Molybdenum–bis(silyl)hydrazido(2–)
complexes, 155
Molybdenum–dinitrogen complexes, 30, 113,
171
Molybdenum hydride complexes, 30
Molybdenum–iron (MoFe) protein, 114
Molybdenum(0)phosphine complexes, 113
Molybdenum triamides, 48, 81, 86
Molybdenum(III)tris(amido)amine, 3

N

Nickel hydride complexes, 34
Niobium, 45
Niobium aryloxide complexes, dinitrogen
cleavage, 62
Niobium–dinitrogen complexes, 53
Niobium tetrahydride complexes, 36
Niobium tris(amide) complexes, 66
Nitrides, 23, 45, 71, 81, 94
N₂-derived, 45
Nitriles, 38, 66, 72, 98
Nitrogenase, 2, 24, 46, 72, 81, 114, 172, 197,
216
Nitrogen atom transfer, 45
Nitrogen fixation, 1, 71, 113, 153, 171, 216

O

Octamethylzirconocene, 80
Osmium, 91, 92

P

PCP ligands, 113, 120, 149, 185
pincer ligands, 185, 194
PEP ligands, 115, 130, 149
Phenylhydrazido species, 206
Phosphanyl hybrid ligands, 119
Phosphine/carbene ligands, 113, 119
Phosphine ligands, multidentate, 113
PNP pincer ligand, 13, 27, 88, 114, 173, 226
Potassium azodicarboxylate, 206
Proton coupled electron transfer (PCET), 4, 17
Protonolysis, 3, 93

R

Reduction, 153, 215
Rhenium, 28, 88, 98, 101

- Rhenium–dinitrogen complexes, 28
Rhenium hydride complexes, 29
Rhodium, 17
Rhodium–dinitrogen complexes, 26
Ruthenium, catalysts, 2
Ruthenium dihydrogen complex, 30
Ruthenium–dinitrogen complexes, 27
- S**
Side-on bridging, 77
Silylamine, 153, 155, 215, 230
Silylation, 87, 98, 153–157
 catalytic, 217, 230
Silylhydride, 54
Sodium amalgam, 137
Stuttgart-Dresden pseudopotentials (SDD), 177
Sulfides, 197, 206
Sulfur, 24, 114, 172, 197
- T**
Tantalum, 45
Tantalum–dinitrogen complexes, 53
Tantalum tetrahydride complexes, 36
Tetrahydrothiophene (THT), 202
Thioether, 201, 202
Thiolates, 197, 203, 222
Titanium, 16, 50, 76, 98, 217
Titanium dinitrogen, 46
Titanium heptahydride complexes, 37
Titanium hydrides, 37, 101
- Titanium trialkyl complexes, 37
Titanocenes, 31
Transition metals, 45
 hydride complexes, 23, 25, 45
 nitrides, 71
Triamides, 81, 86
Triamidoamine, 83
Trimethylpyridinium
 trifluoromethanesulfonate, 165
(Triphosphine)alkyl (TPC), 221
Triphosphineborane (TPB), 219
(Triphosphine)silyl (TPSi), 221
Trisanilide molybdenum(VI) nitrides, 98
Tungsten, 159
Tungsten–dinitrogen complexes, 30
- V**
Vanadium, 14, 45, 76, 95, 159, 205, 216
Vanadium–dinitrogen complexes, 46
Vanadium(III) isocyanate, 95
Vanadium nitride complexes, 50
- Y**
Yandulov–Schrock cycle, 174
- Z**
Zirconium–dinitrogen complex, 35
Zirconocene hydride complexes, 32, 60
Zirconocenes, 32, 80