

Index

A

Adjacency matrix, [22](#), [23](#), [43](#)
Aerial robot, [6](#), [14](#), [134](#), [178](#)

C

Camera

aerial, [14](#), [104](#)
calibration, [3](#), [83](#), [125](#)
catadioptric, [24](#), [89](#)
field of view, [4](#), [6](#), [13](#), [19](#), [74](#), [84](#), [100](#),
[105](#), [118](#), [119](#), [121](#), [122](#)
monocular, [2](#), [3](#)
omnidirectional, [5](#), [6](#), [12](#), [20](#), [21](#), [24](#), [32](#),
[38](#), [45](#), [54](#), [55](#), [71](#), [79–81](#), [84](#), [92](#), [129](#)
perspective, [24](#), [55](#), [89](#), [122](#)

Clique

maximal, [134](#), [152–154](#), [157–159](#), [164–](#)
[168](#)

Collision avoidance, [10](#), [173](#)

Connectivity maintenance, [174](#), [175](#)

Control law

gradient-based, [160](#)
image-based, [106](#)
position-based, [96](#), [100](#)

Cost function, [116](#), [120](#), [121](#), [123](#), [127](#), [133](#),
[134](#), [136](#), [138](#), [149](#), [150](#), [153](#), [156](#),
[158](#), [167](#), [168](#), [177](#)

D

1D Image, [4](#), [24](#), [80](#), [84](#), [85](#), [87](#), [100](#)

Drift, [60](#), [63](#), [66](#), [67](#), [69](#), [75](#)

1D trifocal tensor, [4](#), [12–14](#), [22](#), [23](#), [26](#), [27](#),
[31](#), [37](#), [39](#), [40](#), [43–46](#), [48](#), [49](#), [53–56](#),
[62](#), [63](#), [66](#), [72](#), [73](#), [76](#), [100](#)

E

Epipolar geometry, [20](#), [54](#), [104](#)

Epipole, [22–31](#), [39](#), [47](#), [48](#), [80](#), [87](#), [88](#), [93](#),
[94](#), [100](#)

Experiments with real robots, [124](#), [128](#)

F

Features

detection, [3](#)
matching, [3](#), [4](#), [54](#)

Feedback control, [54](#), [60](#), [63–65](#), [67](#), [69](#)

Formation

aerial, [178](#)
coordinate-free control, [135](#)
distance-based control, [103](#), [105](#), [132](#),
[166](#)
graph, [94](#), [96–99](#), [132–135](#), [139](#), [149](#),
[152](#), [158](#), [159](#), [165–169](#)
ground, [128](#)
relative position-based control, [103](#), [131](#)
rigid, [79](#)
stabilization, [103](#), [117](#), [131–133](#), [135](#),
[152](#), [168](#), [175](#)

G

Gaussian noise, [37](#), [46](#), [67](#), [88](#), [89](#)

Graph

communications graph, [10](#), [141](#)
formation graph, [94](#), [96–99](#), [132–135](#),
[139](#), [149](#), [152](#), [158](#), [159](#), [165–169](#), [178](#)
interaction graph, [9](#), [10](#), [134](#), [184](#)
topology of, [9](#), [133](#), [166](#)

H

Homing

- angle-based, 20
- visual, 19, 21, 45, 48, 53

Homography

- 1D, 4, 13, 14, 24, 79, 80, 84–86, 91, 93, 97, 100
- 2D, 13, 15, 81–86
- decomposition of, 82, 85, 89
- Euclidean, 82, 83, 86, 108
- intrinsic, 20, 24, 25
- non-rigid, 11, 109
- parametrization of, 109
- rigid, 79, 80, 95

Homology, 86, 87

I

Image

- desired, 76, 106, 107, 110, 113, 114, 118
- omnidirectional, 20, 22, 24, 27, 31, 38–40, 43, 48, 74, 87, 89, 91
- perspective, 106
- reference, 12, 20, 22, 30, 31, 37, 42–45, 48, 71, 107, 118, 125
- set of, 91
- target, 5, 44, 49, 112

K

Kinematics

- car-like, 74
- differential-drive, 30, 124, 125
- holonomic, 116
- nonholonomic, 6, 14
- single-integrator, 133, 159, 164, 167
- unicycle, 111, 116, 117, 122, 132, 133, 152, 157, 159, 161, 164

L

Localization, 2, 8, 20, 56, 110, 131

Lyapunov, 33, 65, 115, 120, 121, 123, 124, 127, 133, 141, 147, 150, 151, 159, 164

M

Mobile robot, 5–7, 19, 30, 54, 60, 71, 75, 89, 183

Motion estimation

- planar, 79, 81, 84, 91

Motion planning, 54, 57

Multiple-view geometry, 2, 3, 103

Multirobot system

- centralized, 8–10, 80, 103, 104, 134
- control of, 2, 4, 7, 94
- decentralized, 9, 10, 15, 131, 184
- distributed, 9, 10
- networked, 10, 133, 135, 139
- partially distributed, 13

Multiview geometry, 3, 104

N

Navigation

- visual, 12

O

Odometry

- visual, 100

P

Pose stabilization, 13, 14, 53, 71

Projective reconstruction, 20, 23, 25

R

Random Sample Consensus (RANSAC), 4, 24, 38, 72, 88, 89, 91

Reference frame

- global, 13, 103, 105, 110, 151, 152, 158, 169
- local, 13, 15, 132, 158, 167, 168

Relative position measurements, 13, 143, 178

Robust estimation, 4, 6, 24, 38, 72

Rotation matrix, 27, 81, 85, 88, 135–141, 143, 167, 168, 170–172, 174

S

Scale-Invariant Feature Transform (SIFT), 3, 24, 38, 40, 43, 71, 91

Simulation, 21, 36, 37, 45, 47, 67–69, 75, 81, 88, 89, 93, 94, 97–99, 105, 117, 119–124, 128, 134, 135, 149–152, 166–169, 173, 175, 177, 183

MATLAB, 36, 67, 97, 119, 149, 166, 175

realistic, 122

Singular Value Decomposition (SVD), 24, 95, 107, 170

Sinusoidal inputs, 54, 57, 60, 61, 75

Stability

- analysis, 33, 65, 113, 134, 139, 158, 171
- asymptotic, 33, 66, 113

exponential, 54, 171
global, 33, 132, 134, 142, 164
local, 35, 114, 132
State observer, 80, 92, 93, 97

T

Target enclosing, 14, 134, 170, 171, 178
Three-view geometry, 55
Time delays, 10, 11, 14, 133, 139, 141, 149,
174
Topological map, 20, 22, 47
Transformation
Euclidean, 95, 107

least-squares, 95
optimal, 107
rigid, 95, 98, 99, 118
rotational, 108

U

Unmanned Aerial Vehicle (UAV), 118

V

Vision-based control, 4, 55
Visual control, 3, 5, 20, 54, 55, 76, 100, 112