

Index

- acquisition scheme, 210
- active transformation, 47
- Affine-invariant metric, 91
- anisotropic diffusion, 185
- anisotropy vector field, 17
- atlas-based, 355, 356, 370
- axon dispersion, 218
- axon packing, 222

- ball voting, 156
- basis, 46
- Bayesian, 257, 263, 276
- Bayesian variable selection, 257, 262
- bidirectional anisotropy vectors, 13
- bilateral filtering, 153
- biomarker, 212
- blood vessel, 164
- Brownian motion, 205

- Cayley transform, 133
- Central Wishart distribution, 283, 285, 290–293, 306
- centreline, 169
- CNN, 394
- coefficient of variation, 331, 332
- combustion, 375, 387
- completeness, 46
- computation, 375, 387
- contraction, 44, 47
- contravariant, 47
- covariance matrix, 183
- covariant, 47
- CPU, 383, 388

- critical points, 4, 7
- Crossing fibers, 283, 285, 293–298, 300, 302, 304–306
- CT angiography, 148, 161
- curve structure, 163

- Deep Convolutional Neural Networks, 394
- deep learning, 375, 378, 387
- degenerate points, 4, 11
- degree of a function, 7
- deviator variability index, 30, 38, 40
- Dice similarity coefficient, 333
- diffusion, 257, 259, 278
- diffusion anisotropy, 203, 210
- diffusion tensor, 311
- diffusion tensor imaging, 258, 259, 283–286, 289, 294, 295, 355–357
- diffusion time, 210, 220
- diffusion tractography. *See* tractography
- diffusion-weighted MRI, 203, 210, 230, 258, 393
- Dipy, 331, 335, 348
- double diffusion encoding, 235
- DTI. *See* diffusion tensor imaging
- DW-MRI. *See* diffusion-weighted MRI

- edge detection, 314
- eigendecomposition, 150
- eigenvalue, 150
- eigenvector field, 12
- Einstein notation, 47
- Ensemble Average Propagator, 205
- exponential transform, 134

- failure criterion, 65
- feature detection, 43
- fiber orientation distribution function, 394
- flexibility, 46
- flow field, 55
- fluid dynamics, 55
- fluid flow simulation, 55
- fODF, 394
- Four-shell, 305
- Fourier Transform, 209
- Fractional Anisotropy, 204, 215, 257, 264, 302–305
- Frobenius metric, 86
- FSL, 331, 334

- Gaussian, 258, 260, 275
- Gaussian attenuation, 210
- general matrix field, 115
- generalized fractional anisotropy, 216
- generator approach, 44, 46
- generic voting, 156
- GPU, 383, 388
- gradient of tensor field, 68

- HARDI, 312
- Hermitian matrix, 118
- heteroscedastic, 257–259, 261, 267
- Higher-Order Tensor, 317
- Human Connectome Project, 257, 259

- image processing, 115
- independence, 46
- index of degenerate points, 20
- isotropic encoding, 237
- isotropy index, 30, 37, 38

- kurtosis fractional anisotropy, 216

- Lagrange multipliers, 287
- Laplace transform, 291, 292
- Linear invariant tensor interpolation, 102
- local structure, 154
- Log-Euclidean metric, 92

- machine learning, 376, 387
- matrix field, 56, 60
- MCMC, 257, 263, 279
- mean diffusivity, 257, 268

- microscopic anisotropy, 230
- Mixture models, 283–289, 292, 294, 296, 301
- Mixture of central Wishart distributions, 285, 290, 291, 293–300, 304, 305
- Mixture of Hyper-spherical vMF distributions, 283, 289, 290, 293–295, 299, 300, 306
- Mixture of non-central Wishart distributions, 283, 285, 292–302, 304–306
- moment, 43
- moment invariant, 43, 49, 52
- moment order, 48
- moment tensor, 48, 49
- Multi-compartment model, 283–286, 291, 292
- multi-scale approach, 187

- narrow gradient pulse, 209
- neonates, 355–357
- neural network, 377, 380
- neurodevelopment, 355, 356, 370
- NNLS, 289, 294
- NODDI, 204, 218
- noise level, 156
- Non-centrality parameter, 292, 293, 306
- normal space, 150, 151, 155
- normalization, 44, 46, 50, 52

- order, 48
- orientation dispersion index, 219
- orientation distribution function, 215
- orientation estimation, 167
- orthogonal matrix, 115

- pattern detection, 52, 54–56, 60
- PGSE, 204
- Poincare-Hopf Theorem, 8
- point classification, 175
 - Airborne LiDAR point clouds, 176
 - local geometric descriptors, 176
- point cloud, 149
- pore shape, 249
- positive-semidefinite tensor. *See* symmetric
 - positive definite matrix
- product, 47
- projective line, 12
- propagator anisotropy, 217
- pseudo-infimum, 117
- pseudo-supremum, 117

- q-space, 209

- rank, 47
- reflection, 52
- Relative Anisotropy, 215
- reproducibility, 331, 332
- RF-pulse, 207
- Rician-distributed noise, 283, 296, 298
- robustness, 5, 8, 21, 52
- rotation, 52
- rotation invariance, 43
- Runge-Kutta, 315

- saliency, 155, 162
- scalar field, 54
- schlieren, 375, 378, 380, 387
- segmentation, 355, 370
- Shape-and-rotation curves, 100
- Shape-and-rotation metric, 96
- single diffusion encoding, 231
- single-diffusion tensor, 257, 268, 276
- skew-symmetric matrix, 116
- sparse voting, 152
- Spherical harmonics, 294, 295
- spherical mean technique, 204, 219
- strain tensor, 30, 31, 33, 35, 37, 375, 376, 380
- stress tensor, 30, 31, 33, 35, 37, 38, 69, 376
- stress vector, 69
- structure classification, 162
- superquadric tensor glyphs, 189
- symmetric matrix, 116
- symmetric positive definite matrix, 85, 186
- symmetric tensor fields, 29–31, 39, 186

- tangent space, 150, 151
- tensor, 34–39, 44, 47, 86, 375, 376, 384
- tensor contraction, 47
- tensor field, 43, 56, 60
- tensor field topology, 11
- tensor glyphs, 70
- tensor product, 47
- tensor rank, 47
- tensor shape, 167
- tensor transformation, 47
- tensor voting, 146, 147, 149, 183
 - 4D tensor voting, 156, 162, 168, 169
 - 3D tensor voting, 167
- tensor weight, 47
- test-retest reliability, 331
- third order tensor, 67
- Three-shell, 304
- time-dependent diffusion, 204
- topological data analysis, 4
- tractogram, 360, 362
- tractography, 312, 331, 332, 355, 356, 358, 368
- tractography segmentation, 355
- transformation, 47
- trisectors, 29, 34, 37
- tube candidate, 160, 167
- tube centre, 158
- tube detection, 170
- tubular structure, 148, 155, 161, 169
- Two-shell, 302

- vector field, 55
- vessel detection, 170
- vessels, 162
- visualization, 376, 387, 389
- voting space, 150

- Wasserstein metric, 89
- Watson distribution, 218
- wedges, 29, 34, 37
- weight, 47
- well group, 5, 8