

Index

A

- AAA repair, 233
- Abdominal vascular hemorrhage
 - control, 100, 101
 - interposition graft, proximal superior mesenteric artery, 104
 - laparotomies, 99
 - lateral pelvic, 109–111
 - management, 101, 102
 - midline inframesocolic, 105–108
 - midline supramesocolic, 102–105
 - multiple Intra-abdominal Injuries, 100
 - portal hematoma, 111, 112
 - proximal right common iliac artery, 110
 - right-sided intra-abdominal viscera, 106
 - upper lateral (perirenal), 108, 109
 - variables, 112
 - visceral abdominal aorta, 103
- Abdominal wall collaterals, 132, 133
- Activated clotting time (ACT), 209
- Actively bleeding gastric ulcer, 223
- Allen's test, 208
- American Association for the Surgery of Trauma (AAST), 183
- Anastomotic bleeding, 150
- Angioembolization, 185, 188, 190
- Ankle-brachial indices (ABIs), 208
- Anterolateral Thoracotomy, 84, 85
- Antifibrinolytics, 139
- Aortic arch vessels and thoracic outlet vasculature
 - ascending and transverse aortic arch, 95
 - BTAI, 95
 - contrast-enhanced CT, 95
 - innominate artery, 95
 - structures, 95
- Aortic-enteric fistula, 215
- Argon beam, 139
- Argon plasma coagulation (APC), 226
- Arterial bleeding
 - pseudoaneurysms from chronic pancreatitis, 152–153
- Arterial blood gas (ABG), 184
- Arterial injury
 - extremity hemorrhage
 - ACT, 209
 - heparinization, 209
 - interposition graft, 209
 - intraluminal shunts, 210
 - post-repair arteriogram, 210
 - primary anastomosis, 209
 - primary/lateral repair, 209
 - PTFE grafts, 210
 - vascular injury and subsequent repair, 210
 - hard signs, 208
- Artery injury
 - BTAI (*see* Blunt thoracic aortic injury (BTAI))
- Axillary artery and vein
 - upper extremity exposures and repair, 211

B

- Balloon catheter tamponade
 - vascular damage
 - Blakemore occlusion, 196
 - central hepatic gunshot wound, 198, 199
 - cervical Foley catheter, 197–199
 - controlling hemorrhage, 196
 - insertion, 197

- Balloon catheter tamponade (*cont.*)
 nuanced cycle, 198
 operating theater and emergency department, 197
 penetration, 197
 technical nuances and skill, 197
 types, 197
- Balloons
 Blakemore occlusion, 196
 central hepatic gunshot wound, 198, 199
 cervical Foley catheter, 197, 198
 Foley catheter, 199
 Red rubber/Penrose occlusion, 196
- Bipolar electrothermal vessel, 140
- Bleeding, 253
 external, 245–247
 in ICU (*see* Intensive care unit (ICU))
 inside, 248
 military doctrine of TCCC, 250
 minimizing internal bleeding, 248
- Bleeding control, 115
 hemostasis, 17
 liver (*see* Liver trauma)
- Bleeding heart
 cardiac arrest and ventricular fibrillation, 77, 78
 cardiac injury (*see* Cardiac injury)
 cardiac wound, 72–74
 coronary artery (*see* Coronary artery injuries)
 cross clamp, aorta, 78
 intracardiac defects, 78–79
 median sternotomy vs. anterolateral thoracotomy, 76
 retained pellets and bullet fragments, 79
 surgical access, 69–72
 total inflow occlusion, 76–77
- Blood loss, hepatic surgery
 anticipation, 121
 autologous blood transfusion, 128
 avoidable, 124
 non-transectional phases, 125
 preventable, 129
 unavoidable, 124
- Blood supply, 144
- Blunt thoracic aortic injury (BTAI)
 brain injury, 91
 classification, 90
 diagnostic and angiography, 92
 intramural hematomas, 91
 management, 91
 pseudoaneurysms and ruptures, 91
 repair
 arch aortogram, 92
 blood pressure control, 91
 conduct of, 94
 CPB, 93
 CT images, 92
 delayed, 91
 endovascular, 92
 left heart bypass, 93
 life-threatening injuries, 91
 location, 93
 open repair, 94
 open surgery, 92
 polytrauma patient, 93
 risk, 93
 spinal cord protection, 93
 subclavian artery, 92
 TEVAR, 93
 weight-based heparin protocol, 92
 spectrum of lesions, 90
 TEVAR, 91
 vascular thoracic injury, 90
- Brachial artery and vein
 upper extremity exposures and repair, 212
- BTAI. *See* Blunt thoracic aortic injury (BTAI)
- Budd-Chiari syndrome, 137
- C**
- Carbon dioxide propelling deployment system, 223
- Cardiac arrest
 ventricular fibrillation, 77, 78
- Cardiac injury
 bleeding
 airway, 68
 anaesthesia, 68
 control, 67
 EDT, 68
 surgery, 68
 survival, 67
 thoracotomy tray, 69
 bleeding
 gladiators, ventricles, 67
 EDT, 79
 ER, 79
 incision, 79
 mortality rate, 79
- Cardiac wound
 bleeding, suturing
 circle tapered needle, 72
 haemorrhage control, 73
 horizontal mattress, 73
 needles, 72
 skin staples, 73
 suture placement, 72

teflon pledgets, 72
 traction, 73

Carotid artery injuries
 bleeding control, 51
 sternotomy, 51

Cattell-Braasch maneuver, 166

Caudal pancreatic artery, 144

Central intravenous access, 216

Chest
 gunshot wound, 55, 62
 surgical access
 blood clots, 70
 brachiocephalic vein, 70
 cardiac tamponade, 69
 clamshell incision, 71
 Finochietto retractor placement, 69
 Foley catheter, 72
 left anterolateral thoracotomy, 69
 medial incision, 69
 mid-axillary line, 69
 muscular bleeder, 69
 pectoralis, 69
 small holes digital pressure, 70
 wounds, 71

Chronic pancreatitis
 arterial bleeding to pseudoaneurysms,
 152–153
 SVT, 153

Chronic thrombus, 137

Cirrhotics, 138

Clamshell thoracotomy, 86

Coagulopathy, 131, 132, 134, 138–140, . *See*
also Trauma-associated
 coagulopathy
 ICU, 255–257

Coaptive coagulation, 220, 221

Common and superficial femoral artery
 lower extremity exposures and repair,
 212, 213

Common bile duct (CBD), 147

Compartment syndrome, 210, 211, 214

Coronary artery injuries, 74
 bleeding
 cardiopulmonary bypass, 74
 LAD, 74
 suture, 74

Coronary vein, 132

Cryoprecipitate, 139

D

Damage control, 158, 160, 161

Damage control resuscitation (DCR), 154
 acidosis, correction, 7

cardiac function, 6

DCS, 5

hemostatic, 4

ICU, 5

injury pattern recognition, 2–3

intravascular volume, 6

operating room, 7

permissive hypotension, 3

postoperative, 6

rewarming, 6

stages, 3

surgery, 2

temperature, trauma patients, 4

triad of death, 2

vascular access, 6

ventilation, 5, 6

Damage control surgery (DCS), 4

DCR. *See* Damage control resuscitation
 (DCR)

Denver Health Medical Center (DHMC)
 algorithm, 184

Diagnostic peritoneal aspiration (DPA), 241

Diaphragmatic injury, 179

Dieulafoy's lesion, 215, 227, 228

Direct pressure, 207, 209, 214

Disseminated intravascular coagulopathy
 (DIC), 256

Donor iliac vein, 137

Dorsal pancreatic artery, 144

Drainage, 161

Dreaded coagulopathies
 ICU, 255–257

E

ED triage decision-making, 187

Embolization
 arterial, 29
 coils, 24
 heart failure, 25
 hepatic injury, 33
 injuries, end-organ arterial vessels, 25
 intraparenchymal pseudoaneurysm/
 injury, 33
 IR armamentarium, 24
 pelvic trauma, 38
 post-traumatic arterial pseudoaneurysms,
 25
 renal injuries, 36
 splenic artery, 33
 venous injuries, 29

Emergency department (ED), 183

Emergency surgery, hemostasis. *See* Surgical
 performance, hemostasis

- Endoscopic band ligation (EBL), 225
- Endoscopy
- annual incidence, 215
 - central intravenous access, 216
 - Dieulafoy's lesion, 227, 228
 - GAVE, 224–227
 - intraosseous intravenous access, 216, 217
 - MWT, 228, 229
 - peripheral intravenous access, 216
 - transfusion requirements, 217
 - UGIB (*see* Upper gastrointestinal bleeding (UGIB))
- Endovascular management
- acute care surgery/trauma training
 - programs, 21
 - bleeding control, 41
 - catheter jockeys, 21
 - conventional angiography, 21
 - delays, 41
 - embolic agents, 23–24
 - hemorrhagic blushes, pelvis, 21
 - Interventional Techniques
 - (*see* Interventional radiology)
 - nonoperative, 21
 - radiology, 22
 - requirements, 21
 - right thigh, 42
 - therapy (*see* Endovascular therapy)
- Endovascular repairs, 97, 98
- Endovascular therapy
- acute traumatic, 23
 - AV fistulas, 25
 - embolic material/device, 25
 - embolization, 25
 - exclude vascular injury/pathology, 22
 - inadvertent iatrogenic injury, 28–29
 - intimal flap and dissected artery trauma, 27
 - IR tools, 24
 - partial/complete arterial transection, 25
 - post-traumatic arterial pseudoaneurysms, 25
 - pulmonary injury, 30
 - renal injury, 25, 26
 - skin incision and puncture, 22
 - treatment options, 24
 - typical blunt thoracic aortic injury, 23
 - vascular injury, 23
- End-stage liver disease, 134
- Environmental control, hemostasis, 17
- ER-REBOA™ Catheter, 186
- Expedition medicine, 249
- Exsanguination, 244, 246, 247
- External bleeding
- digital pressure does not stop, 245–246
 - tourniquet, 247
- External hemorrhage, 244, 245
- Extreme environments, 251–252
- Extreme medicine, 249
- Extremity hemorrhage
- exploration, exposure and repair
 - arterial injury, 209–210
 - direct visualization, 209
 - pulsatile vs. nonpulsatile, 209
 - venous injuries, 210, 211
 - initial management, 207
 - lower extremity exposures and repair, 212–213
 - neurologic examination, 209
 - postoperative care, 213, 214
 - upper extremity exposures and repair, 211–212
 - vascular examination, 208, 209
 - vascular injuries, 208
- F**
- Fibrinolysis, 13, 139
- Fibrinolysis and platelet function, 134
- Floor regarding bleeding, 242
- Flush arterial monitoring port, 186
- Foley catheter balloon tamponade (FCBT)
- anaesthesia, 47
 - bleeding control, 47
 - bleeding vessel, 47
 - iatrogenic injury, 47
 - lumen, 47
 - medial left supraclavicular incised wound, 48
 - pictorial management algorithm, 49
 - vertebral artery injury, 52
- Forrest's classification, PU bleeding, 219, 220
- French Pinnacle Precision Access System, 185
- G**
- Gastric antral vascular ectasia (GAVE), 215
- APC, 226
 - argon plasma coagulation, 226, 227
 - blood vessels, 224
 - EBL, 225
 - endoscopic assessment, 225
 - endoscopic cap on the end of the endoscope, 225
 - extensive coagulation, 226, 227
 - follow-up endoscopy, 225, 226
 - painting fashion, 226
 - single endoscopic session, 225
 - superficial aberrant vasculature, 226
 - superficial antral vascular change, 226

- superficial cauterization, mucosa, 226
 - watermelon stomach, 224
- Gastric bypass, 233
- Gastrooduodenal artery (GDA), 147
- Gastroepiploic trunk, 158, 159
- Gastrointestinal bleeding
 - acute, 219
 - UGIB (*see* Upper gastrointestinal bleeding (UGIB))
- Genitourinary trauma
 - AAST grading system, 164
 - anatomy, 165
 - ascending or descending colon, 163
 - bleeding, 164
 - CT, 164
 - emergent nephrectomy, 163
 - evaluation and treatment, 163
 - FAST examination, 164
 - Gerota's fascia, 166
 - grades, 164
 - hemostatic energy instruments, 170
 - incision, 167
 - isolated renal injury, 164
 - left thoracoabdomen, 163
 - macroscopic hematuria, 164
 - midline laparotomy incision, 163
 - missed injury, collecting duct system, 171
 - modified Mattox maneuver, left, 166
 - operative intervention, 165
 - patient position, 163
 - postoperative management, 170–171
 - proximal control, renal arteries, 167
 - renal injury, 164
 - renal repair, partial nephrectomy and nephrectomy, 168–170
 - retroperitoneum, 167
 - right renal artery, 167
 - surgical technique, 166–170
 - suturing, renal parenchyma and capsule, 171
 - urinary leakage, 171
- Great pancreatic artery, 144
- Gunshot wound, 62

H

Head wounds

- carotid artery injuries, 51
- epistaxis, 46
- oropharyngeal bleeding, 46
- scalp lacerations, head, 46
- suturing, facial and scalp lacerations, 46
- vertebral artery, 50, 51

Heart

- bleeding (*see* Bleeding hear)

Helicobacter pylori eradication

- UGIB, 219

Hemoptysis, 254

Hemorrhage

- control, hemostasis (*see* Hemostasis)
- extremity (*see* Extremity hemorrhage)
- in endoscopy (*see* Endoscopy)
- head (*see* Head wounds)
- liver injury (*see* Liver trauma)
- liver transplant (*see* Liver transplant)
- neck (*see* Neck wounds)
- vascular (*see* Vascular damage control)

Hemorrhage control, 244–246, 249, 251, 252

Hemospray, 222–224

Hemostasis

- DCR (*see* Damage control resuscitation (DCR))
- definitive, minimally invasive surgery, 238–239
- endoscopic measures, 218
- endoscopic therapy, 223
- on endoscopy, 224
- ongoing hemorrhage, 1
- post epinephrine injection therapy, 229
- splenic, 178
- TEG (*see* Thromboelastography (TEG))
- visible/feeding vessel, 221

Hemostatic resuscitation, 4

Heparin-bonded motor, 134

Hepatic artery

- pancreatic resection, 148

Hepatic injuries

- arterial blush, 116
- artery trauma, 117, 118
- biliary control and closure, 128, 129
- CT, 119
- CVP, 129
- damage control resuscitation, 119
- devices, 129
- diagnosis and therapy, 119
- experts, 121
- hemorrhage controls, 119
- high-quality rigid retraction system, 129
- hypertrophy response, 119
- inflow/outflow vessels, 124–126
- intrahepatic IVC, 117
- massive left-sided hepatocellular carcinoma, 121
- massive transfusion protocols, 119
- minimal blood loss, 129
- opening and exposure, 123, 124

- Hepatic injuries (*cont.*)
 - outcomes, 121
 - parenchymal
 - division, 127, 128
 - mapping and test clamping, 127
 - preoperative preparation, 122, 123
 - resection, 116, 121
 - suprahepatic IVC, 117
 - technical maneuvers, 119
 - techniques, 129
 - transfusion, 121
 - venous injury, 116
 - Hepatic trauma, 115
 - Hepatobiliary, 157
 - High-voltage Bovie electrocautery, 158
 - Hostile physiology, vascular damage, 199, 201
 - Hypercoagulable, 134
 - Hypocoagulable, 134
 - Hypotension
 - in PACU, 241–242
- I**
- Inferior vena cava (IVC), 145, 146
 - Injection therapy, 219
 - Intensive care unit (ICU)
 - clinical and physiologic status, 253
 - definition, 253
 - Dreaded Coagulopathies, 255–257
 - hemoptysis, 254
 - surgical bleeding, 253–254
 - tracheostomy, 255
 - International Study Group of Pancreatic Surgery (ISGPS), 149
 - Interposition graft, 209, 211–213
 - Interventional radiology
 - arterial-phase CT image, 38
 - arteriovenous fistulas, 33
 - axial and coronal CT images, 39
 - BTAI, 32
 - coronal CT images, 40–41
 - CT, right thigh, 42
 - CTA, 29
 - extremities, 41
 - head and neck, 27–29
 - high-grade splenic injury, 35
 - high-speed MVC, 32
 - liver, 33
 - pancreatic injuries, 36
 - pelvis, 37–41
 - pulmonary vascular injury, 33
 - renal injuries, 36
 - right ICA pseudoaneurysm, 31
 - splenic injury, 37
 - splenic trauma, 33
 - thoracic venous injuries, 33
 - Intra-abdominal abscess, 150
 - Intra-abdominal collaterals, 132, 133
 - Intracavitary hemorrhage, 248
 - Intraluminal shunts, 210
 - Intraoperative hemorrhage control
 - pancreatic resection
 - anesthesiology team and nursing staff, 145
 - bleeding, 145
 - hepatic artery, 148
 - IVC/renal hilum, 145, 146
 - laparoscopic/hybrid approaches, 149
 - pancreatic transection/specimen removal, 145
 - pancreaticoduodenectomy, 145
 - PV, 147, 148
 - SMA, 147
 - SMV, 146, 147
 - splenic vessels, 149
 - venous dissection, 145
 - Intraosseous intravenous access, 216, 217
- L**
- Laparoscopic/hybrid approaches
 - pancreatic resection, 149
 - Laparoscopy
 - bleeding, 234–239
 - minimally invasive surgery, 233, 234
 - Lateral pelvic hematoma, 109–111
 - Limb-specific anatomy, 209
 - Liver transplant
 - anatomic and physiologic conditions, 132
 - coagulopathy, 131, 134
 - description, 131
 - nonspecific bleeding, 138–140
 - pathophysiology, 131
 - portal hypertension, 131–133
 - surgical bleeding, 136–138
 - venous collaterals, 131, 132
 - veno-veno bypass, 134–136
 - Liver trauma
 - arterial blush, 116
 - atrial-caval shunt, 118
 - blunt trauma, 115
 - CT scan, 116
 - damage control, 116
 - damage control option, 117
 - damage control resuscitation techniques, 115
 - diagnostic, 116
 - EFAST examination, 115

- falciform ligament, 116
- hemorrhage control, 116
- hepatic (*see* Hepatic injuries)
- hepatic angiography, 116
- hepatic arterial blush, 116
- hepatic gunshot wounds, 117
- high-grade, 115
- intrahepatic IVC, 117
- initial control, venous hemorrhage, 118
- midline laparotomy, 116
- physiologic extremis, 116
- portal vein injuries, 118
- right upper quadrant, 116
- TIVS, 117, 118
- total vascular occlusion, 117
- TVE, 117
- veno-veno bypass, 117
- Lower extremity exposures and repair
 - common and superficial femoral artery, 212, 213
 - popliteal artery and distal arteries, 213
- Lung injury
 - bleeding
 - anterior thoracotomy, 60, 61
 - anticipation, 57
 - assessment, 58
 - central bleeding control, 59
 - central vascular injury, 58
 - control, 57, 58
 - dissection, 58
 - emergency setting, 59
 - exposure, 57
 - gunshot wound, 62
 - hemi-clamshell incision, 60
 - peripheral lung, 61
 - pneumonectomy, 58
 - Pulmonary Contusion, 64
 - pulmonary vessels/hilum, 62–64
 - right hilum, 60
 - stapled wedge resection, 61
 - surgeon functions, 59
 - surgery, 57
 - thoracoscopy, 64
 - vascular stenting, 64–65
 - and pulmonary hemorrhage
 - challenges, 55
 - surgery, 55
 - technical solutions, 56
- M**
- Mallory-Weiss tear (MWT), 228, 229
- Median Sternotomy, 76, 86
- Medical therapy
 - in non-variceal UGIB, 218, 219
- Mesenteric venous anatomy, 158, 159
- Midline inframesocolic hematoma, 106, 107
 - causes, 105
 - IVC
 - infrarenal, 106, 107
 - suprarenal, 107
 - management, vascular injury, 105
 - mesocolon, 105
- Midline supramesocolic hematoma, 102–105
- Minimally invasive endovascular treatments, 21
- Minimally invasive surgery
 - calm down, 235, 236
 - consciously slow down your breathing, 235
 - decision to open, 239
 - definitive hemostasis, 238–239
 - equipment checklist, 236–237
 - hypotension in PACU, 241
 - initial TEMPORARY control, 234–235
 - laparoscopy, 233, 234
 - Mister Rogers Technique, 235
 - plan of attack, 236–237
 - port-site bleeding, 239–240
 - small fender bender vs. ten-car pileup, 235
 - team checklist, 237
 - vascular injury, 240–241
 - visualize and recognize anatomy, 237
- Minimizing internal bleeding, 248
- Mister Rogers Technique, 235
- Motor vehicle crashes (MVC), 184
- Mucoadhesive barrier, 245
- Mucosal erosive disease, 215
- N**
- Nasogastric (NG) lavage
 - UGIB, 217
- Neck wounds
 - anterior triangle, 48
 - bleeding control, 45
 - exsanguination, 45
 - and facial, 45
 - FCBT (*see* Foley catheter balloon tamponade (FCBT))
 - haematoma, 45
 - management algorithm, 50
 - small-calibre gunshot, 45
 - surgical approach, bleeding, 48
 - surgical cricothyroidotomy, 46
- Neurologic examination
 - extremity hemorrhage, 209
- Noncompressible torso hemorrhage, 248
- Non-compressible torso hemorrhage (NCTH), 185

- Nonoperative management, 173
 - splenic injury (*see* Splenic injury)
- Nonspecific bleeding, liver transplantation
 - antifibrinolytics, 139
 - coagulopathy, 138
 - factors, 139
 - surgical devices, 139–140
 - topical hemostatic agents, 140
 - transfusion, 139
- Non-variceal UGIB
 - medical therapy, 218, 219
 - peptic ulcer disease, 219–224

- O**
- Operative exposure, splenic injury. *See* Splenic injury
- Oral tracheal intubation, 254
- Over-the-scope clip (OTSC) (Ovesco Endoscopy), 222

- P**
- PACU
 - hypotension, 241–242
- Pancreas trauma
 - blood flow, 157
 - damage control, 158, 161
 - drainage, 161
 - energy instrumentation and staplers, 160
 - gastroepiploic trunk, 158
 - hepatic artery, 158
 - and hepatobiliary, 157
 - jejunal venous branch, 158
 - mesenteric venous anatomy, 158, 159
 - mesenteric venous structures, 157
 - pancreatic neck traction sutures, 158, 160
 - postoperative complications, 161
 - retropancreatic portion of portal vein, 158
 - splenic vein, 160, 161
 - superior mesenteric veins, 157
 - TIVS, 160
 - TX-30 linear stapler (Ethicon), 160
 - venous injuries, 158
 - venous tributaries, 158
- Pancreatic debridement
 - bleeding during/after, 153–154
- Pancreatic neck traction sutures, 158, 160
- Pancreatic resection
 - anatomy and relations
 - blood supply, 144
 - body, 144
 - head, 144
 - neck, 144
 - parenchyma, 144
 - retroperitoneum, 144
 - tail, 144
 - uncinate process, 144
 - intraoperative hemorrhage control, 145–149
 - pancreatitis, 151–154
 - postoperative hemorrhage control, 149–151
 - and sequela of pancreatitis, 143
- Pancreaticoduodenectomy, 145
- Pancreatitis
 - bleeding during/after pancreatic debridement, 153–154
 - proteolytic and lipolytic pancreatic enzymes, 152
 - pseudoaneurysm, 151, 152
 - venous bleeding, 153
- Partial splenectomy, 177
- Pelvic fracture, 183–185, 187, 188, 190
- Pelvic packing, 186
- Pelvic trauma
 - AAST, 183
 - assessment and management, 184, 185
 - ED, 183
 - ED triage decision-making, 187
 - pelvic fractures, 183
 - PPP, 183, 187–190
 - REBOA, 183, 185–187
- Peptic ulcer (PU) disease
 - actively bleeding gastric ulcer, 223
 - carbon dioxide propelling deployment system, 223
 - coaptive coagulation, 220, 221
 - depiction of ulcer, 219, 221
 - endoscopic findings, 219, 220
 - Forrest's classification, 219, 220
 - four-quadrant injection, 219, 221
 - hemospray, 222–224
 - injection therapy, 219
 - management, 219
 - mechanical closure, 221, 222
 - OTSC (Ovesco Endoscopy), 222
 - risk of rebleeding, 219
 - submucosal injection therapy, 219
- Peripheral intravenous access, 216
- Peritoneal pelvic packing (PPP), 183, 187
- Permissive hypotension
 - DCR, 3
- Piggyback liver transplantation, 135
- Pneumonecctomy, 58
- Polytetrafluoroethylene (PTFE) grafts, 210
- Popliteal artery and distal arteries
 - lower extremity exposures and repair, 213

- Portal hematoma, 111, 112
 Portal hypertension, 131–134, 137, 138, 140, 141
 Portal vein (PV)
 pancreatic resection, 147, 148
 Portal/superior mesenteric veins, 158
 Portal-caval bypass, 134
 Port-site bleeding
 management, 240
 surgeons at time of surgery, 239
 Positive end-expiratory pressure (PEEP), 254
 Postoperative hemorrhage control
 pancreatic resection
 PPH, 149–150
 Postoperative pancreatic fistula (POPF), 150, 151
 Postpancreatectomy hemorrhage (PPH)
 classification, 149, 150
 management, 150, 151
 Prehospital environment, 249
 Prehospital medicine, 249
 Preoperative planning, hemostasis, 18
 Preparation, hepatic surgery
 anatomic imaging, 122
 control of bleeding, 122
 inflow pedicles, 122
 inflow/outflow vessels, 124–126
 operation process, 122
 placement, Rumel tourniquet, 122
 planning, 122
 position, 122
 skilled assistant, 122
 surgeon functions, 122
 surgical procedures, 123
 Wallerian/Glissonian sheaths, 122
 Preperitoneal pelvic packing (PPP), 187, 189
 Primary anastomosis, 209, 211, 214
 Primary sclerosing cholangitis, 137
 Protamine, 139
 Prothrombin complex concentrate (PCC), 139
 Proton pump inhibitor (PPI) therapy, 218
 Pseudoaneurysms
 in chronic pancreatitis, 151–153
 formation, 151, 152, 154
 visceral vessels and subsequent formation, 150
 Pulmonary artery (PA) rupture, 254
 Pulmonary artery catheter (PAC), 254
 Pulmonary Contusion, 64
 Pulmonary injury
 right hilum, 60
 stapled pulmonary tractotomy, 63
 Pulmonary laceration, 55
- R**
 Radial and ulnar arteries
 upper extremity exposures and repair, 212
 Radiofrequency dissecting sealer, 140
 REBOA catheter, 184
 Red blood cells (RBC), 184
 Renal hilum, 145, 146
 Renal laceration. *See* Genitourinary trauma
 Renal vein, 132
 Resection, hepatic. *See* Resection, Hepatic surgery
 Resection, subclavian artery, 89
 Resuscitative endovascular aortic balloon occlusion (REBOA), 183, 185–187
 Retroperitoneum, 144
 Right common femoral artery (RCFA) catheter, 184
- S**
 Scalp lacerations, 46
 Sentinel bleed, 150
 Sequela of pancreatitis, 143
 Shock, 251
 Shunts, 201
 TIVS (*see* Temporary intravascular shunts (TIVS))
 Skill level, hepatic surgery, 122
 Splenectomy, 176–177
 Splenic injury
 AAST grade system, 173
 complications, 180
 diaphragmatic, 179
 direct blunt impact, 172
 dissection, 179
 emergent splenectomy, 171, 172
 FAST examination, 172
 gastrosplenic ligament, 175
 hemodynamic instability, 173
 hemorrhage control, 176
 high-grade injuries, 175
 hilum, 174
 ligamentous attachments, 173
 location, 173
 midline laparotomy, 174
 mobilization, 174, 175
 NOM, 172
 operating room, 174
 operative intervention, 173
 pain, 172
 partial splenectomy, 177
 persistent hemorrhage, 180
 risk, 173

Splenic injury (*cont.*)
 risks and benefits, 176
 splenectomy, 176–177
 splenorrhaphy, 177
 step-by-step instructions, 171, 172
 topical energy application, 179
 topical hemostasis, 178
 vein, 174

Splenic laceration. *See* Splenic injury

Splenic vein, 132, 160, 161

Splenic vein thrombosis (SVT), 149, 151–154

Splenic vessels
 pancreatic resection, 149

Splenorrhaphy, 177

Spongostan™, 51

Standard Bovie electrocautery, 139

"Stop the Bleeding"
 environments, 249–250
 external hemorrhage, 244, 245
 extremity hemorrhage, 243
 immediate concern, 244
 injured person, 243
 non-therapeutics, 244
 prevent unnecessary death, 243

Submucosal injection therapy, 219

Superior mesenteric artery (SMA)
 pancreatic resection, 147

Superior mesenteric vein (SMV), 146, 147, 149

Surgical approach, neck bleeding, 48

Surgical bleeding, liver transplant
 vascular structures
 abdomen, 136
 argon beam coagulator and topical hemostatic agents, 138
 Budd-Chiari syndrome, 137
 cava, 138
 cirrhotics, 138
 description, 136
 hepatic veins and inferior vena cava, 137
 portal vein, 136, 137
 primary sclerosing cholangitis, 137
 SMV, 137
 splenic vein, 136
 trifurcation, 136
 venous injury, 137
 venous laceration, 137

Surgical cricothyroidotomy, 46

Surgical performance, hemostasis
 bleeding control, 17
 bleeding types, 19
 blood loss, 18
 catastrophic ongoing hemorrhage, 17
 electrocautery/Bovie usage, 19

excess blood interferes, 19
 incision, 18
 pool of blood, 18
 preoperative planning, 18
 pressure control, 18
 repair, 17
 responsibility, 18
 small incision, 17

Surgicel®, 51

T

Tactical Combat Casualty Care (TCCC)
 guidelines, 246, 250, 251

Tactical environments, 249, 250

Tactical Field Care phase of care, 250

Tactical medicine, 249

Temporary intravascular shunt (TIVS)
 amputation, 201
 arterial inflow and/or venous outflow, 199
 Gustilo IIIC injury, 201
 iliac artery and ureterostomy intubation, 200
 iliac artery and vein, 200
 indications, 200
 Javid vascular shunts, 202
 paraffin-coated silver tubes, 199
 patient physiology, 199
 penetrating mechanisms, 201
 prehospital transport, 202
 Pruitt vascular shunts, 202
 reconstruction, 202
 sizes and types of tubes, 201
 superior mesenteric artery, 201

10-Minute Toughness: The Mental Training Program for Winning Before the Game Begins, 235

Therapies
 vessel hemorrhage (*see* Thoracic vascular trauma)

Thoracic endovascular aortic repair (TEVAR), 91

Thoracic vascular trauma
 anterolateral thoracotomy, 84–85
 aortic arch vessels (*see* Aortic arch vessels and thoracic outlet vasculature)
 blunt and penetrating, 81
 challenging entities, 98
 chest radiograph, 83
 clamshell thoracotomy, 86
 classification, 90
 endovascular capabilities, 98
 endovascular repairs, 97–98
 imaging, 82, 83
 incisions, 85
 indications, emergent operation, 84

- initial evaluation, 82
 - innominate artery bypass, 96
 - median sternotomy, 86
 - mortality, 81
 - open surgical exposure/incisions, 84
 - operative treatment, 82
 - periclavicular incisions, 86–89
 - proximal left carotid artery, 96
 - subclavian vessels, 97
 - supraclavicular approach, subclavian artery, 88
 - TEVAR, 94, 95
 - tube thoracostomy, 81
 - Thoracoscopy, lung injury, 64
 - Thrombocytopenia, 134
 - Thromboelastogram (TEG)
 - detection, 9
 - fibrinolysis, 13
 - goal-directed therapy, 9
 - massive transfusion protocol, 13
 - mechanisms and pathophysiology, 9
 - sample processing, 9
 - tracings, 10
 - values, 10
 - values and interpretation, 11, 12
 - VCA, 9, 10, 13
 - viscoelastic properties, 9
 - TIVS. *See* Temporary intravascular shunts (TIVS)
 - Topical hemostatic agents, 140
 - Topical hemostatics, 244
 - Tourniquet, 245–247, 249–252
 - Trachea-innominate fistula, 255
 - Tracheostomy, 255
 - Tractotomy
 - pulmonary, 62, 63
 - Trauma, 255
 - pancreas, 157–161
 - Trauma laparotomies, 99
 - Trauma-associated coagulopathy
 - acute, 8
 - classic model, 8
 - mechanisms, 7
 - morbidity and mortality, 7
 - standard measurements, 8
 - uncontrollable hemorrhage, 7
 - TX-30 linear stapler (Ethicon), 160
- U**
- Upper extremity exposures and repair
 - axillary artery and vein, 211
 - brachial artery and vein, 212
 - radial and ulnar arteries, 212
 - Upper gastrointestinal bleeding (UGIB)
 - assessment and resuscitation, 215–217
 - endoscopic evaluation in non-variceal, 219–224
 - Helicobacter pylori* eradication, 219
 - medical therapy in non-variceal, 218, 219
 - mucosal erosive disease, 215
 - NG lavage, 217
 - non-variceal, 215
 - other causes, 224
 - Upper lateral (perirenal) hematoma, 108, 109
- V**
- Vascular damage control
 - balloon catheter tamponade, 196–199
 - DCS
 - fundamental tenants, 194
 - intensive care unit, 195
 - multiple injured patients, 195
 - physiologic deficits, 195
 - TIVS, 199, 202
 - traumatic vascular and solid organ injuries, 195
 - vessel ligation, 195
 - Vascular damage control techniques
 - DCR
 - structured intervention, 193
 - DCS
 - development, 193
 - massive transfusion and permissive hypotension, 194
 - single large-caliber gunshot wound, 193
 - Vascular examination
 - extremity hemorrhage, 208, 209
 - Vascular injury
 - lower extremity exposures and repair, 212–213
 - minimally invasive surgery, 240–241
 - upper extremity exposures and repair, 211–212
 - Vascular stenting, lung, 64–65
 - Venous bleeding
 - SVT from chronic pancreatitis, 153
 - Venous collaterals, 131, 132, 141
 - Venous injuries, 158
 - extremity hemorrhage, 211
 - Venous interposition graft, 137
 - Venous tributaries, 158
 - Veno-veno bypass, 134–136
 - Vertebral artery injuries
 - angiographic embolisation, 51

- Vertebral artery injuries (*cont.*)
 - angiography, 51
 - bleeding control, 50
 - C2 transverse process, 51
 - gauze swabs, 51
 - haemostatic agents, 51
 - regions, 50
 - Video-assisted retroperitoneal debridement (VARD), 154
 - Viscoelastic coagulation assays (VCA), 9
 - Viscoelastic hemostatic assay (TEG or ROTEM), 184
 - Visualize and recognize anatomy
 - minimally invasive surgery, 237
 - Visualized culprit vessel, 238
 - Von Willebrand factor, 134
- W**
- Watermelon stomach, 224
 - Wedge lobectomy, 58
 - Wedge resection, 58, 61, 65
 - Whipple procedure, 233
 - Wilderness medicine, 249
 - Wound
 - gunshot wound, chest, 62
 - hepatic surgery, 125, 126, 129
 - Wound clamp, 245–247, 250–252