

Index

- A**
Abdominal fat, 38
Abducens nerve, 90
Acellular grafts, 37
Acromegaly, 48, 50, 52
Agger nasi cell, 22
Anterior clinoidectomy, 144
aneurysms
 ACoA, 144
 basilar bifurcation, 145
 CSF opening, 144
 ICA bifurcation and ICA-PCoA, 145
 middle cerebral artery, 144, 145
meningiomas
 anterior clinoid, 146
 CSF release, 145
 dissecting location, 146
 olfactory groove, 146–147
 tuberculum sellae, 146
 tumor devascularization, 145
 ultrasonic aspirator, 146
Anterior clinoid (AC) meningiomas, 146, 225
Anterior communicating artery aneurysms, 376–378
Anterior petrosectomy
 clival chordomas, 324
 petrous apex cholesterol granulomas
 indications, 275
 operative anatomy, 275, 276
 surgical approaches, 275, 277
Anterior petrosectomy approach, 288
Anterior skull base meningiomas, EEA
 anatomy, 72–75
 complication, 78–79
 contraindications, 72, 73
 indications, 72
 pathologies, 72, 74
 patient selection, 72
 postoperative care, 77–79
 rationale, 71–72
 surgical technique
 Hadad-Bassagasteguy vascularized nasoseptal flap, 76
 instrumentation, 75–76
 operative setup, 75
 patient positioning, 76
 sandwich technique, 76
 skull base defect reconstruction, 76, 78
 sphenoidotomy, 76
 transtuberculum transplanum approach, 77
 tuberculum sellae meningioma, 77
 tumor dissection, 76, 78
Anterior/transventricular keyhole approach, 307–308
Anterolateral approaches, 319–320, 322
Artery of Bernasconi and Cassinari, 90
Awake sealant technique, 79
- B**
BAEPs (brainstem auditory evoked potentials), 7
BAERs (brainstem auditory evoked responses), 316
Basilar bifurcation aneurysms, 145
Bifrontal craniotomy
 clival chordomas, 324
 with naso-orbital osteotomy, 230–231
Bilateral subfrontal approach, 207
Bolstering technique, 37
BrainPath system, 176
Brainstem auditory evoked potentials (BAEPs), 7
Brainstem auditory evoked responses (BAERs), 316
Burr hole-type craniectomy, 126
- C**
Calcar avis, 186
Cavernous sinus, EEA
 complications, 98–99
 differential diagnosis, 81
 instrumentation, 97
 medial-to-lateral surgical corridor, 81
 operative setup, 97
 pathologies for, 81, 82
 patient selection, 81
 perioperative care, 97–98
 surgical anatomy, 30–32
 inferior and lateral compartment, 91–93
 internal carotid artery, 84, 86, 87
 posterior compartment, 89–91
 superior compartment, 87–89
 surgical triangles and middle cranial fossa, 83, 85
 transcranial skull base approaches, 83
 surgical technique, 95–96
Cellular grafts, 37
Cerebellopontine angle (CPA), 125
 anatomy, 150–152
 complications, 160–161
 indications/contraindications, 150
 mortality, 149
 postoperative care, 160
 rationale, 149–150
 surgical technique
 arachnoid plane exposure, 158–159
 closure, 160
 endoscopic approach vs. microscope approach, 159

- Cerebellopontine angle (*cont.*)
- Karl Storz Hopkins endoscope collection, 158
 - neurophysiological monitoring, 157
 - operating room equipment and staff positioning, 154–155
 - operative setup, 152, 154
 - patient positioning, 155–157
 - right retrosigmoid keyhole craniectomy, 158
 - skin incision, 157–158
 - triangulation of instrumentation, 159–160
- Cerebrospinal fluid (CSF) leaks, 15
- case study, 35
 - endoscopic sinus surgery, 35
 - endoscopic skull base reconstruction
 - abdominal fat in, 38
 - Bolstering technique, 37
 - complications, 43–44
 - flaps, 38–43
 - general anesthesia, 36
 - grafts, 37–38
 - imaging studies, 36
 - pathology, 36
 - patient positioning, 37
 - patient selection for, 35–36
 - postoperative care, 43, 44
 - presurgical planning and preparation, 36
 - rationale, 35
- Cerebrovascular surgery, 374, 381
- Choanae, 9, 20
- Cholesterol granulomas (CG) of petrous apex, *see* Petrous apex cholesterol granulomas
- Chondrosarcomas, 103
- Chordomas, 68, 103
- Choroid plexus coagulation, 360
- Clival chordomas
- aggressive tumors, clinical, 313
 - cranial base, 335
 - diplopia, 313
 - endonasal approaches to midline chordomas, 335
 - endoscopic endonasal approach, 324–335
 - endoscopic endonasal transsphenoidal approach, 335
 - intradural extension, 335–337
 - invasion and recurrence, 313
 - low-grade neoplasms, 314
 - neuroradiological imaging, 335
 - neurovascular structures, 335
 - open cranial base approaches, 314
 - open transcranial approaches, 314–324
 - postoperative CSF leakage, 335
 - progression-free survival, 314
 - specimen anatomical view, 335
 - surgical procedures, 314
 - transfacial approach, 335
 - tumor resection, 335
- Clivus and craniocervical junction (CCJ) pathologies
- chondrosarcomas, 103
 - chordomas, 103
 - complications
 - carotid injury, 115–116
 - craniocervical junction instability, 116
 - degenerative diseases and malformations, 103–104
 - differential diagnosis, 103
 - indications/contraindications, 104–105
 - keyhole craniotomy, 102
 - neurophysiology, 114
 - postoperative care, 114–115
 - risk of CSF leak, 102
 - surgical anatomy
 - endonasal landmarks, 106–107
 - neurovascular structures, 107–108
 - osteology, 105–106
 - surgical technique
 - bony landmarks, 114
 - chordoma resection, 110, 111
 - endoscopic endonasal approach, 108
 - endoscopic odontoidectomy, 113
 - hockey stick incision, 114
 - instrumentation, 109
 - keyhole concept in posterolateral approaches, 113–114
 - operative setup and patient positioning, 108–109
 - posterolateral transcondylar approach, 114
 - reconstruction, 113
 - retrocondylar fossa exposure, 114, 115
 - septostomy and sphenoidotomy, 109
 - skin incision, 114
 - surgical corridor inferiorly, 113
 - transpterygoid approach, 112–113
 - two-surgeon, four-hand technique, 109
- transoral approaches, 102
- Colloid cysts
- benign intraventricular lesions, 341
 - cyst decompression, 360
 - developmental cysts, 341
 - endoscopic resection, 359
 - endoscopic techniques, 359, 360
 - endoscopic transventricular approach, 354–359
 - memory deficits, 359
 - microsurgical techniques, 360
 - nondelivery of, 353
 - non-visualization of, 352
 - open surgical removal, 353
 - open transcranial approaches, 342–354
 - restrictive working channel, 360
 - small bleeding, 353
 - surgical intervention, 341
 - transcortical-transventricular approach, 359
- Computed tomography (CT)
- anterior cranial base meningiomas, 78
 - clival chordomas, 314, 325
 - colloid cysts, 342, 360
 - olfactory groove meningiomas, 216
 - petrous apex cholesterol granulomas, 274, 282, 286, 287
 - pineal region, 165
 - planum/tuberculum sella meningiomas, 240, 241
- Computed tomography angiography (CTA), 258, 363, 374
- Construction Interference in Steady State (CISS)
- sequences, 240–241
- Cosmetic blepharoplasty, 130
- Cosmetic outcomes, 121, 122, 130, 217, 317, 320, 368, 372
- CPA, *see* Cerebellopontine angle (CPA)
- Cranial nerve, 83
- Craniocervical junction instability, 116
- Craniofacial procedures
- clival chordomas, 322
 - anatomic target, 318
 - midline anterior approaches, 318
 - surgical technique, 318
 - endoscopic resection, 23, 24
- Cranio-orbito-zygomatic (COZ) approach, 319–320
- Craniopharyngiomas, 66, 131
- Cribriform plate, 15

- CT, *see* Computed tomography (CT)
- Cushing's disease, 48–49
- Cyst wall resection, 277, 278, 309, 354, 359, 360
- D**
- Dexamethasone, 49, 56, 97–98, 259, 261, 264, 267
- Diaphragma sella (DS) meningiomas, 225
- Diffusion tensor imaging (DTI), 127, 173–174, 178
- Digital subtraction angiography (DSA), 6
- Diplopia, 313
- Doppler ultrasound
- cavernous sinus and Meckel's cave, 97
 - clival chordomas, 316
 - ICA, 96
 - occipital transtentorial approach, 297
 - paraclival carotids, 95
- E**
- EEA, *see* Endoscopic endonasal approach (EEA)
- Electroencephalography (EEG), 6
- Electromyographic (EMG) monitoring, of cranial nerves, 114
- Endonasal endoscopic transclival approach, clival chordomas
- bacterial meningitis, 332
 - biostrial approach, 326
 - brain stem/cranial nerves injury, 332
 - case studies, 334–335
 - complications, 331
 - craniocervical instability, 332
 - CSF leaks, 332
 - drilling of, 328
 - endoscopes types, 326
 - Eustachian tubes, 328
 - exophytic growth pattern, 333
 - external lumbar drain, 332
 - function-sparing surgery, 333
 - gross total removal, 324
 - hypopituitarism (temporary/permanent), 332
 - image guidance, 326, 329
 - intradural extension, 325–327
 - major vessels injury, 331–332
 - metastasis, 332
 - micro-Doppler, 329
 - microsurgical principles, 329
 - nasal complications, 332
 - nerve/vascular encasement, 329, 330
 - neuroimaging studies, 325
 - neurophysiological monitoring, 326
 - palliative management, 334
 - posterior fixation, 333
 - postoperative care, 331
 - postoperative studies, 333
 - preoperative evaluation, 324–326
 - radiation therapy, 333–334
 - reconstruction technique, 330–331
 - recurrence management, 334
 - right abducens palsy, 330
 - sixth nerve palsy, 329
 - surgery, 334
 - surgical outcomes, 333
 - surgical technique, 326–330
 - tracheostomy, 330
 - transsphenoidal approach, 324
 - venous sinuses, 331–332
- Endoscope-assisted microscopy, 149
- Endoscopic-assisted microsurgery (EAM), 366, 370
- Endoscopic-assisted pericranial flap
- imaging studies, 40
 - option for reconstruction, 39–40
 - technique, 41, 42
- Endoscopic endonasal approach (EEA)
- advantages, 7
 - anatomy, 3
 - variations, 32
 - equipment and instrumentation, 5
 - imaging studies, 6, 7
 - intracranial aneurysm clipping
 - aneurysmorrhaphy, 372
 - anterior circulation aneurysms, 384
 - anterior communicating artery aneurysms, 376–378
 - case studies, 383–384
 - complication avoidance and management, 381
 - endonasal corridor, 373
 - initial exposure, 375
 - intraoperative rupture, 381
 - multilayer reconstruction, 375
 - open transcranial approaches for cerebrovascular lesions, 374
 - paraclinoidal aneurysms, 375–376, 384
 - patient selection, 381–382
 - posterior circulation aneurysms, 378–380
 - postoperative management, 381
 - preoperative management, 374
 - skull base exposure, 374
 - skull base techniques, 375
 - surgical outcomes, 382
 - intraoperative monitoring, 6–7
 - navigation, 7
 - OGMs, 216–219
 - patient positioning, 3–4
 - petrous apex CG
 - advantages, 280, 286
 - bimanual dissection, 281
 - case studies, 286, 287
 - complication avoidance and management, 283–284
 - medial approach, ICA lateralization, 282
 - patient selection, 284
 - postoperative care, 282–283
 - preoperative evaluation, 282–283
 - skull base reconstruction, 286
 - surgical outcomes, 284–286
 - transclival approach, 280–281
 - transclival transpetrous approach, 286
 - transpterygoid infrapetrous approach, 282
 - transsphenoidal approach, 280
 - transsphenoidal transclival, medial approach, 281
- PS/TS meningiomas
- anatomical limitations, 242–243
 - case studies, 245
 - complications and visual outcomes, 244–245
 - Doppler ultrasound, 241
 - endocrinopathies, 239
 - intracranial approach, 241–242
 - middle and inferior turbinates, 241
 - natural history, 245
 - patient selection process, 239
 - postoperative care, 244
 - preoperative planning and patient selection, 240–241
 - radiation therapy/radiosurgery, 239
 - radiological and anatomical considerations, 245
 - surgical outcomes, 244
 - surgical resection, 239

- Endoscopic endonasal approach (*cont.*)
 - tumor devascularization, 241, 245
 - tumor resection, 242
 - suprasellar craniopharyngiomas
 - anterolateral approaches, 270
 - case studies, 267–268
 - cystic craniopharyngioma with intratumoral calcifications, 270
 - neuronavigation, 263
 - open cranial base approaches, 270
 - patient selection, 263–264
 - posterolateral approaches, 270
 - preoperative evaluation, 263–264
 - retrochiasmatic suprasellar cistern, 270
 - skull base reconstruction materials and techniques, 263
 - surgical gross-total resection, 269
 - surgical outcomes, 267
 - transcranial approaches, 269
 - transtuberulum approach, 264–267
 - tumor resection, 267
 - visual and endocrinological outcomes, 267
 - surgical planning, 3–4
 - Endoscopic skull base surgery, 35
 - CSF leaks, reconstruction technique
 - abdominal fat in, 38
 - Bolstering technique, 37
 - complications, 43–44
 - flaps, 38–43
 - general anesthesia, 36
 - grafts, 37–38
 - imaging studies, 36
 - pathology, 36
 - patient positioning, 37
 - patient selection for, 35–36
 - postoperative care, 43, 44
 - presurgical planning and preparation, 36
 - rationale, 35
 - parasellar anatomy
 - cavernous sinus, 30, 32
 - pituitary gland, 30, 31
 - sinonasal anatomy
 - ethmoidal sinus, 15–23
 - frontal sinus, 15
 - maxillary sinus, 29, 30
 - nose, 9–15
 - sphenoidal sinus, 23–30
 - suprasellar anatomy, 31–33
 - Endoscopic third ventriculostomy (ETV), 165
 - Endoscopic transventricular approach, third ventricular colloid cysts, 354–359
 - Ethmoidal cells, 22
 - Ethmoidal labyrinths, 22
 - Ethmoid bone anatomy, 15, 17–23
 - Expanded endonasal approach, 3, 71, 239
 - Extended middle fossa/anterior petrosectomy approach, 288
 - Extended middle fossa approaches, clival chordomas, 320–321
 - Eyebrow supraorbital keyhole approach, 233
 - eyelid and
 - cadaver dissection, 134, 136
 - complications, 136–137
 - cosmetic considerations, 133
 - eyebrow incision, 134, 136
 - facial anatomy, 132–133
 - historical perspectives, 130
 - indications, 130–131
 - limitations, 133
 - outcomes, 136
 - patient positioning, 133
 - skull with fronto-orbital bony cuts, 134, 135
 - PS/TS meningiomas
 - case studies, 238–239
 - characteristics, 234
 - clinoidectomy and optic nerve decompression, 237–238
 - closure and reconstruction, 235–236
 - complications and avoidance, 237
 - CSF relaxation, 235
 - dural opening, 234–235
 - endoscope-assisted tumor removal, 235
 - eyelid approach, 237
 - microsurgical approach, 235
 - patient selection, 234
 - postoperative care, 238
 - skin incision, 234–235
 - supraorbital craniotomy, 234–235
 - surgical outcomes, 236–237
 - vascular encasement, 238
 - suprasellar craniopharyngiomas
 - bimanual microsurgical dissection, 258
 - case studies, 257–258
 - complication avoidance, 262–263
 - endocrinological treatment, 262
 - long-term follow-up, 261–262
 - neuroendoscopy, 258
 - patient age and comorbidities, 258
 - patient selection, 257
 - postoperative care, 261
 - superior hypophyseal arteries, 257
 - surgical approach selection, 256–257
 - surgical outcomes, 263
 - surgical technique, 258–261
 - Eyebrow supraorbital subfrontal approach, 236
- F**
- Facial translocation approaches, clival chordomas, 319
 - Far-lateral suboccipital craniotomy, 101
 - Foraminotomy, foramen, 351
 - Foster-Kennedy syndrome with anosmia, 199
 - Fovea ethmoidalis, 15
 - Free mucosal graft, 37–38
 - Frontal bulla cells, 22
 - Frontal sinus anatomy, 15, 16
 - Frontotemporal pterional approach, 253
 - Frontotemporal/pterional craniotomy with orbital osteotomy (FTOO) approach, 225, 227
 - advantages, 227
 - clinoid process, 228, 229
 - full orbitotomy, 227, 228
 - intradural decompression
 - of contralateral optic nerve, 229
 - of ipsilateral optic nerve, 229
 - ipsilateral optic nerve, 228
 - optic canal decompression, 228
 - optic canal involvement, 227
 - posterolateral orbitotomy, 227
 - sellar tumor extension resection, 229
 - for small-and medium-sized tumors, 225
 - superior hypophyseal arteries, 229, 230
 - Sylvian fissure, 229
 - vascular encasement, 227
 - Functional pituitary adenomas (FPAs)
 - endoscopic transsphenoidal surgery, 53
 - symptoms, 47, 48

G

Gait ataxia, 291
 Germ cell tumors (GCTs), 292, 293
 Germinomas, 299
 Giant pituitary adenomas, 56

H

Hadad-Bassagasteguy flap, 101
 Hydrocephalus, 66, 185, 186, 192
 obstructive, 164, 165, 254, 296, 358, 359
 preoperative, 308
 Hypopituitarism, 47, 53, 57, 65–68, 82, 258, 259, 262, 332

I

Inferior semilunar hiatus, 13, 18, 19, 21
 Inferior turbinate flap (ITF), 43
 Infratentorial/supracerebellar keyhole approach, 302–304
 Interformical approach, colloid cysts, 350
 Interhemispheric keyhole approach (IHKA)
 intracranial aneurysms, 366
 pineal region tumors, 304–307
 Interhemispheric transcalsal approach, 297–298
 colloid cysts
 advantages and limitations, 347
 complications, 346–347
 craniotomy position, 344, 345
 patient positioning, 344
 scalp flap placement, 344
 selection of, 347
 septum pellucidum, 346
 suprasellar craniopharyngiomas, 254
 Internal carotid artery, 84, 86, 87
 Internal maxillary artery (IMA), 41
 Intracerebral hemorrhage (ICH), 177
 Intracranial aneurysms
 endoscopic endonasal approach, 372–384
 keyhole transcranial approaches, 364–372
 patient selection, 384
 prevalence, 363
 supraclinoid aneurysm, 385
 Intraventricular lesions, endoscopic approach
 complications, 191–192
 indications/contraindications, 185–186
 lateral ventricles, 186–187
 patient selection, 185
 postoperative care, 191
 rationale, 185
 in small ventricles, 192
 surgical technique
 avoidance and management of injury, 190–191
 burr hole placement, 189–190
 instrumentation, 189
 operative setup, 187–189
 patient positioning, 189
 third ventricle, 187

K

Keros classification, 15
 Keyhole craniotomy
 OGMs
 case studies, 216
 complications avoidance, 214
 management, 214

 patient positioning and OR setup, 209–210
 patient selection, 214–215
 postoperative care, 213–214
 preoperative evaluation, 208–209
 preservation of olfaction, 215
 resection, recurrence and complications, 215
 supraorbital approach, 210–213
 surgical outcomes, 215
 technical capabilities, 208
 pineal region tumors
 anterior/transventricular keyhole approach, 307–308
 case studies, 309–310
 complications, 300
 functional brain tissue, 301
 gross total resection vs. subtotal resection, 309
 infratentorial/supracerebellar keyhole
 approach, 302–304
 neurovascular structures, 301
 occipital/supratentorial/interhemispheric
 keyhole approach, 304–307
 outcomes, 309
 preoperative hydrocephalus management, 308
 Keyhole transcranial approaches
 intracranial aneurysms
 angiography, 369, 370
 approach-related morbidity, 364
 case studies, 372
 cerebrospinal fluid, 365
 diagnostic studies, 365
 extracranial dissection, ICA, 372
 full-endoscopic technique, 366
 intraoperative premature rupture, 366
 ischemic events, 364
 keyhole principle, 364
 minimally invasive cerebrovascular procedures, 366, 368
 MIN strategies, 364
 paraophthalmic aneurysm clipping, 366, 367
 patient selection, 368, 369
 postoperative care, 366
 premature intraoperative rupture, 364
 proximal and distal vascular control, 366
 surgical instruments, 366
 surgical outcome, 370–372
 surgical treatment, 364

L

Lacrimal crest, 19
 Lamina papyracea, 9
 Lateral supracerebellar infratentorial approach, 296
 Lateral supraorbital approach (LSO), 141
 complications, 147
 extracranial landmarks, 142
 patient selection, 141–142
 rationale, 141
 surgical technique
 anterior clinoidectomy (*see* Anterior clinoidectomy)
 closure, 143, 144
 curved frontotemporal skin incision, 143
 dura opening, 143, 144
 hot drilling, 143, 144
 instrumentation, 143
 lateral sphenoid ridge drilling, 143, 144
 operative setup, 142
 patient positioning, 142–143
 Lumbar drainage (LD)/fluorescein, OGMs, 217–218

M

- Macroadenomas, 55–56
- Magnetic resonance imaging (MRI), 363
 - clival chordomas, 314, 325
 - colloid cysts, 360
 - nonfunctional pituitary adenomas, 50
 - olfactory groove meningiomas, 216
 - petrous apex cholesterol granulomas, 282–283
 - pineal region, 165
 - pituitary adenoma, 47, 49, 56
 - planum/tuberculum sella meningiomas, 240–241
- Maxillary sinus anatomy, 29, 30
- Meckel's cave, endoscopic transpterygoid approach
 - complications, 98–99
 - differential diagnosis, 81
 - medial-to-lateral surgical corridor, 81
 - operative setup and instrumentation, 97
 - pathologies for, 81, 82
 - patient selection, 81
 - perioperative care, 97–98
 - surgical nuances related to, 96–97
 - and trigeminal nerve, 91, 94–95
- Medial approach with internal carotid artery (ICA)
 - lateralization, 288
- Medial transsphenoidal approach, 288
- Median inferior suboccipital keyhole approach (MISKA),
 - intracranial aneurysms, 366
- Meningiomas, 66–67
- Meningohypophyseal trunk, 90
- Microneurosurgery, 173
- Microsurgical transcranial approach, 66
- Microvascular decompression (MVD), 150
- Middle cerebral artery (MCA), 145
- Middle turbinate flap (MTF), 43
- Minimally invasive keyhole surgery
 - advantages, 121
 - disadvantage, 121
 - eyelid and eyebrow approaches (*see* Supraorbital keyhole approach)
 - vs. frontotemporal “pterional” approach, 121
 - less exposure-related injury, 121
 - mini-pterional keyhole approach (*see* Mini-Pterional Craniotomy)
 - morbidity, 121
 - rationale of, 127
 - successful, 127–128
- Minimally invasive neurosurgery (MIN), 71, 149, 364
- Minimally invasive skull base surgery, 130
- Mini-pterional craniotomy
 - advantage, 124–125
 - incision, 124
 - indications, 124
 - lateral supraorbital approach
 - complications, 147
 - extracranial landmarks, 142
 - patient selection, 141–142
 - rationale, 141
 - surgical technique, 142–147
 - location, 124
 - for MCA bifurcation aneurysms, 124
 - purpose of, 124
- Motor evoked potentials (MEP), 227
- MRI, *see* Magnetic resonance imaging (MRI)

N

- Nasal cavity
 - bony anatomy, 9, 11
 - structure and relationships of, 9, 10
 - vascularization, 12
- Nasal septum, 9
- Nasoseptal flap (NSF), 39, 40, 44, 63, 97, 101
- Nasoseptal “rescue” flap technique, 39, 40
- Neoplasms, 177–178
- Neuroendoscopy, 310
- Neurophysiology
 - cavernous sinus and Meckel's cave, 97
 - clivus and CCJ, 114
- Nonfunctional pituitary adenomas (NFPAs)
 - diagnosis, 50
 - endoscopic transsphenoidal surgery, 53
 - gender predilections, 49
 - invasive, 50
 - MRI, 50
 - surgical resection, 50
 - symptoms, 47, 48
- Nongerminomatous malignant germ cell tumors, 299
- Nose
 - bony anatomy, 9–11
 - cartilaginous anatomy, 9, 12–13
 - endoscopic anatomy, 12, 14–15
 - uncinate process, 12

O

- Obstructive hydrocephalus, 293
- Occipital/supratentorial/interhemispheric keyhole approach, 304–307
- Occipital transtentorial (OTT) approach, 297
- Oculomotor nerve, 88
- Olfactory groove meningiomas (OGMs), 146–147, 198, 224
 - advantages and disadvantages, 219, 220
 - anatomic factors, 220
 - anosmia, 219
 - arachnoid cap cells, 197
 - bilateral/unilateral subfrontal approach, 197
 - endoscopic endonasal approach, 216–219
 - keyhole craniotomy, 208–216
 - open transcranial approaches, 197–208
 - quality of life, 220–221
 - surgical approaches, 220
 - unilateral approach, 220
- Onodi cells, 23
- Open transcranial approaches
 - clival chordomas
 - adjuvant treatment, 323
 - anterior approaches, 316–319
 - anterior petrosectomy, 324
 - anterolateral approaches, 319–320, 322
 - bifrontal craniotomy, 324
 - case studies, 323–324
 - complication avoidance, 321–322
 - craniofacial procedures, 322
 - history and physical examination, 314
 - intraoperative considerations, 316
 - intraoperative imaging, 324
 - lateral approaches, 320–321
 - patient selection, 314, 316
 - perioperative antibiotics, 322–323

- postoperative care, 322–323
 - preoperative evaluation, 314
 - proton-beam radiation therapy, 323, 324
 - radical surgical treatment, 314
 - skull base techniques, 314
 - surgery goals, 314, 316
 - surgical approaches, 316
 - surgical outcomes, 323
 - transbasal approach, 322
 - transcondylar approach, 322
 - colloid cysts
 - case studies, 353–354
 - cyst removal, 342, 351–353
 - lateral ventricle entry, 342–347
 - neural structures, 342
 - open surgical removal, 353
 - preoperative assessment, 342
 - preoperative evaluation, 342
 - skin incision and craniotomy, 343, 344
 - surgical technique, 342
 - symptomatic relief, 342
 - third ventricle entry, 342, 347–351
 - OGMs
 - angiogram, 199, 200
 - case studies, 208
 - cosmesis, 206
 - frontal approaches, 205
 - frontal lobe edema, 199
 - frontal lobe irritation, 199
 - frontolateral approach, 205
 - interhemispheric approach, 205
 - morbidity, surgical, 206–207
 - mortality, surgical, 207
 - postoperative management, 206
 - recurrence of, 207
 - Simpson resection, 199
 - surgical technique, 201
 - transbasal approach, 205
 - U-shaped dural incision, 205
 - petrous apex CG
 - air cell system, 274
 - anterior petrosectomy, 275, 276
 - case studies, 280
 - drainage and stent placement, 275
 - lesion resection, 278
 - patient selection, 279
 - preoperative evaluation, 275
 - recurrence, 278
 - retrosigmoid inframeatal approach, 276–277
 - stenting, 278
 - surgical outcomes, 279
 - transcanal infracochlear, 277–278
 - transmastoid infralabyrinthine, 277
 - pineal region tumors
 - astrocytomas, 299
 - benign pineal region tumors, 299
 - biopsy *vs.* resection, 293–294
 - case studies, 300
 - germinomas, 299
 - interhemispheric transcallosal approach, 297–298
 - lateral SCIT, 296
 - neurosurgical intervention, 292
 - nongerminomatous malignant germ cell tumors, 299
 - obstructive hydrocephalus, 293
 - operative approaches, 294
 - OTT approach, 297
 - patient positioning, 294
 - pineal parenchymal tumors, 299
 - postoperative care, 298
 - preoperative considerations, 292–293
 - SCIT approach, 294–296
 - serum and CSF germ cell tumor markers, 293
 - surgical outcomes, 298–299
 - transcortical transventricular approach, 298
 - treatment algorithm, 300, 301
 - suprasellar craniopharyngiomas
 - case studies, 256
 - craniopharyngioma removal, 252–253
 - frontotemporal pterional approach, 253
 - gross total *vs.* subtotal resection and adjuvant radiotherapy, 254
 - interhemispheric transcallosal/transcortical transventricular approach, 254
 - neurovascular structures, 252
 - pituitary stalk preservation *vs.* sacrifice, 255
 - pterional/orbitozygomatic, 252
 - pterional/orbitozygomatic approach, 253
 - skull base modifications, 252
 - subfrontal/transbasal, 252
 - subfrontal/transbasal approach, 253
 - subtemporal approach, 252
 - subtemporal/transpetrosal approach, 253–254
 - surgical technique, 252
 - transcallosal/transcortical transventricular approaches, 252
 - transcranial approach outcomes, 255
 - transcranial *vs.* endoscopic endonasal transsphenoidal approaches, 255
 - transpetrosal approach, 252
 - tumor dissection, 252–253
 - Optic nerve (Onodi cell), 13, 23
 - Optic nerves, 32
 - Orbital rim osteotomy, 121
 - Orbital/zygomatic osteotomy, 246
 - Orbitozygomatic/orbitocranial approach, 124
- P**
- PACGs, *see* Petrous apex cholesterol granulomas (PACGs)
 - Paraclinoidal aneurysms, 375–376, 384
 - Paraclinoidal internal carotid artery, 87
 - Paranasal sinuses, 9
 - Parasellar anatomy
 - cavernous sinus, 30–32
 - pituitary gland, 30
 - Parasympathetic fiber, 15
 - Parinaud's syndrome with upgaze palsy, 291
 - Pericranial flap (PCF), 39–41, 44
 - Petrous apex cholesterol granulomas (PACGs)
 - asymptomatic lesions, 273
 - endoscopic endonasal approaches, 280–287
 - open transcranial approaches, 274–280
 - Pineal parenchymal tumors, 292, 299
 - Pineal region
 - anatomy, 163, 165, 166
 - clinical features, 164
 - cyst, 164
 - diagnosis, 164–165
 - disorders of, 163
 - location, 163
 - neuroendoscopic keyhole approaches, 126
 - advantages, 171
 - anterior approach, 165–167
 - complications, 171

- Pineal region (*cont.*)
- endoscopic pineal region biopsy, 167
 - instrumentation, 168
 - operative setup, 168
 - pathologies, 164
 - patient positioning, 168
 - posterior approaches, 167–168
 - postoperative care, 171
 - technique, 168–170
 - patient selection, 163–164
 - rationale, 163
 - tumors
 - decision-making, 310
 - differential diagnoses of lesions, 291
 - endoscopic-assisted technique, 310
 - frozen section and adherence, 310
 - headache, 291
 - intermittent endoscopic-controlled dissection, 310
 - keyhole craniotomy, 300–310
 - open transcranial approaches, 292–300
 - WHO classification, 292
- Pineoblastoma, 292, 299, 309
- Pineocytoma, 292, 299, 301
- Pituitary adenomas, 65–66
- acromegaly, 48, 50, 52
 - anatomy, 50–53
 - associated symptoms, 47, 48
 - classification, 47
 - Cushing's disease, 48–49
 - endoscopic transsphenoidal surgery
 - complications, 57
 - giant pituitary adenomas, 56
 - instrumentation, 53, 55
 - macroadenomas, 55–56
 - nasal phase, 53–54
 - operative setup, 53, 54
 - postoperative care, 56–57
 - sellar phase, 54–55
 - sphenoid phase, 54
 - functional, 47
 - MRI, 47, 49, 56
 - nonfunctional, 47, 50
 - pathologies and prevalence, 47, 49
 - prolactinomas, 47–48, 50, 51
- Pituitary gland, anatomy of, 30
- Planum meningiomas, 61
- Planum sphenoidale meningiomas, 71, 76, 233, 234, 237
- Planum sphenoidale (PS) meningiomas, 224–225
- Planum sphenoidale (PS)/tuberculum sellae (TS) meningiomas
- bifrontal/unilateral craniotomy, 223
 - bilateral medial optic canal involvement, 247
 - classification scheme, 224
 - cranial base defect, 247
 - endoscopic endonasal approaches, 239–246
 - extra-axial brain tumors, 223
 - open approaches
 - case studies, 233
 - classification system, 225
 - frontotemporal or pterional craniotomy with orbital osteotomy, 225–230
 - for large- and giant-sized meningiomas, 230–231
 - operative approach, 225–227
 - outcomes, 231–233
 - patient selection, 225
 - perioperative considerations, 227
 - postoperative considerations, 231
 - skull base reconstruction, 231
 - vision-related outcomes, 232
 - optic apparatus decompression, 223
 - sphenoid sinus, 224, 241
 - steep learning curve, 246
 - supraorbital approach, 247
 - supraorbital keyhole approach, 233–239
 - surgical approaches, 223, 224
 - tumor extension, 246
 - tumor size, 246
 - vascular considerations, 247
- Posterior communicating artery (PCoA), 145
- Prolactinomas, 47–48, 50, 51
- Proton-beam radiation therapy, 323, 324
- Pseudo-Cushing's syndrome, 49
- Pterional/frontotemporal craniotomies, 246
- Pterional keyhole approach (PTKA), 366
- Pterional/orbitozygomatic approach, 253
- Pterional transsylvian approaches, 71
- R**
- Rathke's cleft cysts (RCCs), 67
- Rescue flap technique, 39, 40
- Resection technique, 356–357
- Retrosigmoid inframeatal approach, 276–277, 288
- Retrosigmoid keyhole approach (RSKA), 149
- cerebellopontine angle, 125
 - complications, 160–161
 - indications/contraindications, 150
 - mortality, 149
 - postoperative care, 160
 - rationale, 149–150
 - surgical anatomy, 150–152
 - surgical technique, 152–160
- complications, 126
- curvilinear retroauricular incision, 126
- indications, 125
- instrumentation, 125
- intracranial aneurysms, 366
- pathology, 150
- for vascular compression syndromes, 125
- S**
- Second-generation cephalosporin, 63, 381
- Sekhar-Mortazavi classification system for planum sphenoidale and tuberculum sellae meningiomas, 225, 226
- Sellar and parasellar regions
- cavernous sinus, 30–32
 - pituitary gland, 30
- Silastic stents, 282, 284, 288
- Single-shaft instruments, 121
- Skullbase meningioma, 71, 236, 244
- Skull base reconstruction
- cerebrospinal fluid leaks
 - abdominal fat in, 38
 - Bolstering technique, 37
 - complications, 43–44
 - flaps, 38–43
 - general anesthesia, 36
 - grafts, 37–38
 - imaging studies, 36
 - pathology, 36
 - patient positioning, 37
 - patient selection for, 35–36

- postoperative care, 43, 44
 - presurgical planning and preparation, 36
 - rationale, 35
 - OGMs, 217
 - SOKA, *see* Supraorbital keyhole approach (SOKA)
 - Somatosensory evoked potentials (SSEPs), 6, 227, 316
 - Sphenoethmoidal cells, 23
 - Sphenoethmoidal recess, 23
 - Sphenoid sinus anatomy
 - bone and related structures, 23, 28
 - inferior wall, 27
 - pneumatization of, 23, 27
 - posterior wall, 27
 - sellar type of, 23
 - transsphenoidal approach, 23, 25–26
 - trigeminal nerve divisions, 27, 30
 - Sphenopalatine artery (SPA), 41
 - Subchiasmatic space, 74
 - Subchoroidal approach, colloid cysts, 350–351
 - Subfrontal and pterional transcranial approaches, 67
 - Subfrontal/transbasal approach, 253
 - Subtemporal keyhole approach (STKA), 125, 366
 - Subtemporal/transpetrosal approach, 253–254
 - Superficial temporal artery (STA), 41
 - Suprabullar cells, 22
 - Supracerebellar infratentorial (SCIT) approach, 163, 294–296
 - Suprachiasmatic region, 74
 - Supraciliary keyhole approach, 130
 - Supraorbital keyhole approach (SOKA)
 - advantages, 122
 - complications, 124
 - craniotomy placement, 122
 - eyelid and eyebrow, MIS craniotomy approach
 - cadaver dissection, 134, 136
 - complications, 136–137
 - cosmetic considerations, 133
 - eyebrow incision, 134, 136
 - facial anatomy, 132–133
 - historical perspectives, 130
 - indications, 130–131
 - limitations, 133
 - outcomes, 136
 - patient positioning, 133
 - skull with fronto-orbital bony cuts, 134, 135
 - illustration, 121, 122
 - intracranial aneurysms, 366, 368
 - OGMs, 210–213
 - patient positioning, 122
 - transciliary, 122, 123
 - transpalpebral orbitofrontal craniotomy, 122, 123
 - Suprasellar anatomy, 31–33
 - Suprasellar craniopharyngiomas
 - advantages, 251
 - in childhood, 251
 - disadvantages, 251
 - endoscopic endonasal approach, 263–269
 - “eyebrow” supraorbital craniotomy approach, 256–263
 - multimodal treatment, 251
 - open transcranial approaches, 252–256
 - Suprasellar space, 61
 - contraindications, 62–63
 - definition, 61
 - indications, 62
 - lesions of, 61
 - chordomas, 68
 - craniopharyngiomas, 66, 67
 - meningiomas, 66–67
 - pituitary adenomas, 65–66
 - Rathke’s cleft cysts, 67
 - pathology, 61, 62
 - planum meningiomas, 61
 - postoperative care, 68
 - surgical technique
 - closure, 65
 - endonasal endoscopic approach, 63–64
 - instrumentation, 63
 - intradural surgery, 64–65
 - variation, 61, 62
 - Supratentorial approaches, 294
 - Sympathetic nerve(s), 91
 - Sympathetic postganglionic vasomotor fiber, 15
- T**
- Temporoparietal fascia flap (TPFF)
 - advantage, 41
 - in head and neck cancer reconstructions, 41
 - patient selection, 41
 - technique, 41, 43
 - Terminal recess, 18
 - Third-generation cephalosporin, 4, 98, 375, 381
 - Third ventricular colloid cysts, 354–359
 - Transbasal approach, clival chordomas, 322
 - anatomic target, 316–317
 - bifrontal craniotomy, 317
 - reconstruction, 317
 - surgical technique, 317
 - Transcanal infracochlear approach, 277–278, 286
 - Transciliary supraorbital keyhole approach, 130
 - Transcondylar approach, clival chordomas, 321, 322
 - Transcortical corridors
 - deep-seated neoplasms, 177–178
 - deep surgical targets, 175–176
 - diffusion tensor imaging, 173–174
 - intracerebral hemorrhage, 177–178
 - preoperative imaging, 178
 - sort-based approaches, 176–177
 - surgical technique
 - anterior corridor, 178
 - craniotomy, 181
 - lateral corridor, 178
 - operative setup, 178, 180
 - patient positioning, 181
 - port positioning, 181
 - posterior corridor, 178
 - target location, 178, 180
 - white matter anatomy, 174–175
 - Transcortical keyhole approach, 126–128
 - Transcortical-transventricular approach, 298, 343–344, 359
 - Transcranial electrical motor evoked potentials (MEPs), 6
 - Transforaminal approach, colloid cysts, 347–350
 - Transfrontal approach, 359
 - Transfrontal approach to lateral ventricles, 355
 - Translabyrinthine approach, 288
 - Transmastoid infralabyrinthine approach, 277, 288
 - Transmaxillary approaches, clival chordomas, 318–319
 - Transoral approach, clival chordomas
 - anatomic target, 317
 - primary dural closure, 318
 - reconstruction, 318
 - surgical technique, 317–318
 - Transpalpebral eyelid keyhole approach, 130

Transpterygoid infrapetrous approach, 288
Transtuberculum transplanum approach, 77
Transventricular-transchoroidal and transventricular-transforaminal approaches, 355–356
Trigeminal nerve, 15, 126
Tuberculum sellae (TS) meningiomas, 61, 71, 146, 225
Turbinate flaps, 43
Two-part bifrontal craniotomy with tailored nasofrontal osteotomy, OGMs, 203–205

U

Uncinate process, 18
Unilateral cranio-orbital approach, OGMs, 201–203
UPMC Neuroendoport®, 176

U-shaped nasopharyngeal mucosa flap, 113

V

Vascular pedicled nasoseptal flaps, 282
Vision preservation, , 258j, 233, 267
Vycor retractor system, 176

W

White matter anatomy, 174–175

Z

Zygomatic osteotomy, 125