

# Index

## A

- AANS Endovascular Task Force, 52
- Access site hematoma, 274
- Accreditation Council for Graduate Medical Education (ACGME), 19, 51
- ACGME-accredited neurosurgery training program, 58
- Acrylates
  - angiography, 338, 339
  - cerebral vascular anatomy, 338
  - embolization, 338
  - n*-BCA preparation, 339, 340
  - optimal multimodality treatment plan, 338
  - posttreatment care, 340
  - tight blood pressure control, 339
  - venous patency, 340
- Acute ischemic stroke, 72
- Adverse event
  - breach, 12
  - causation, 12
  - damages, 12
  - definition, 12
  - legal/proximate cause, 12
  - physician's duty, 12
  - preventable adverse event, 12
- Affordable Care Act, 25, 44
- Air embolism, 102
- Alternative payment models (APMs), 25
- American Association of Neurological Surgeons (AANS), 50
- American Board of Medical Specialties (ABMS), 53
- American Board of Neurological Surgery (ABNS), 53
- American Society of Interventional and Therapeutic Neuroradiology (ASITN), 50
- American Society of Neuroradiology (ASNR), 50
- Anesthesia, 231
- Angioblastic meningiomas, *see* Hemangiopericytomas
- Angiography suite
  - biplane, 97, 98
  - comprehensive intraoperative electrophysiologic monitoring, 99
  - equipment, 97
  - equipment table, 99, 100
  - hemodynamic and neuromonitoring, 99
  - medications, 97, 98
- Angio-seal vascular closure device, 246, 247, 273–274
- Anterior circulation aneurysm
  - anterior communicating artery aneurysms, 134
  - brain relaxation
    - CSF drainage, 128
    - hyperventilation, 127
    - Sylvian fissure dissection, 128, 129
  - carotid terminus aneurysms, 133
  - cavernous and clinoidal ICA segment aneurysms, 131
  - cerebral edema, management, 121, 127
  - cerebral protection, 129
  - communicating segment aneurysms, 133
  - complications, 122
  - cranial fixation and intraoperative angiography, 124
  - craniotomy
    - parasagittal craniotomy, 131
    - pterional, 130–131
  - DACA, 134
  - dorsal carotid wall aneurysms, 132
  - electrophysiological monitoring, 130
  - historical perspective, 122–123
  - intraoperative rupture, 120, 125
  - MCA, 134
  - microinstruments, 126

- Anterior circulation aneurysm (*cont.*)  
 microscope, 125  
 ophthalmic artery aneurysms, 132  
 pharmacological adjuncts, 126  
 retractor setup, 124  
 superior hypophyseal artery aneurysms, 132
- Anterior communicating artery aneurysms, 134
- Anterior fossa AVMs  
 cerebral proliferative angiopathy, 165–166  
 complication avoidance  
 chart, 157  
 hemorrhage risk, 160  
 pretreatment evaluation, 159  
 ruptured, 159  
 unruptured, 160  
 hemorrhagic complication management, 156  
 intra and post surgical complications  
 bleeding, 167–168  
 brain swelling, 168  
 cerebral edema, 170  
 epilepsy, 171  
 NPPB, 169, 170  
 obstructive hydrocephalous, 169  
 occlusive hyperemia, 170  
 occult bleeding, 169  
 and outcomes, 166  
 postoperative hemorrhage, 170  
 regrowth, 171  
 residual, 168  
 vascular thrombosis, 171  
 venous/retraction injury, 167  
 management, 157, 158  
 pre treatment functional evaluation, 165  
 subarachnoid hemorrhage, 158  
 timing  
 ruptured, 161  
 unruptured, 163
- Anterior inferior cerebellar artery (AICA), 402
- Antihypertensive therapy, 115
- Apollo microcatheter, 362, 403
- Arterial stenting, 393
- Arterial tortuosity, 282
- Arteriotomy  
 access, 244–246  
 closure, 242, 246  
 complication avoidance flowchart, 243  
 complications  
 dissection, 248  
 hematomas, 247  
 limb ischemia, 249  
 pseudoaneurysms, 248  
 retroperitoneal hemorrhages, 248  
 vasospasm, 247
- Arteriovenous malformation rupture, 369, 370
- Arteriovenous malformations (AVMs), 71  
 with acrylates  
 angiography, 338, 339  
 cerebral vascular anatomy, 338  
 checklist, 336  
 complication avoidance, 337, 340–345  
 complication management, 345–348  
 embolization, 338  
 n-BCA preparation, 339, 340  
 optimal multimodality treatment plan, 338  
 posttreatment care, 340  
 tight blood pressure control, 339  
 venous patency, 340  
 conus medullaris, 234  
 extradural-intradural, 233  
 intramedullary, 233  
 SRS, 440, 453  
 radiation physics (*see* Radiation physics)  
 radiobiology (*see* Radiobiology)
- ARUBA trial, 160
- Ascending pharyngeal artery (APA), 402
- Aspirin, 346
- Aspirin effect (platelet function) assay, 274
- Automated power injections, 103
- AVMs, *see* Arteriovenous malformations
- B**
- Balloon remodeling technique  
 advantages, 297  
 ATENA and CLARITY prospective trials, 298  
 high-compliance latex balloons, 297  
 low-compliance nondetachable balloons, 297  
 modifications, 298  
 temporary inflation, 297
- Balloon-expandable coronary stents (BECS), 299
- Biplane digital subtraction angiography systems, 99
- Bleeding  
 during AVM resection, 167  
 CM, 202
- Blood-oxygen-level-dependent functional magnetic resonance imaging (BOLD-fMRI), 441

- Borden classification system, 229
- Brain relaxation
- CSF drainage, 128
  - hyperventilation, 127
  - Sylvian fissure dissection, 128, 129
- Brain swelling, 168
- Burst suppression, 129
- C**
- Cardiopulmonary resuscitation, 91
- Carotid artery stenting (CAS), 54, 67, 71, 267, 270
- Carotid endarterectomy (CEA), 67
- CCA, 112
  - complication avoidance
    - arterial leak or disruption, 113
    - cerebral hyperperfusion state, 115
    - cerebral ischemia, 113
    - clinical and radiographic follow-up, 116
    - durability and recurrence rate, 115–116
    - flow chart, 110, 113
    - neurological complications, 113
    - postoperative cranial nerve palsy, 115
    - preoperative nerve evaluation, 115
    - systemic complications, 113
    - wound-related complications, 113
  - dissection, 112
  - ECA, 112
  - ICA, 112
  - intraoperative monitoring, 110
  - intraoperative neuroprotective agents, 110
  - local/general anesthesia, 110
  - patient position, 111
- Carotid terminus aneurysms, 133
- CAST certification, 54
- Catheter-related complications, 102
- Cavernous malformations (CM)
- checklist, 187
  - clinical outcomes, 189
  - complication avoidance flowchart, 188
  - complication management
    - excessive bleeding, 202
    - incomplete resection, 201
    - neurologic deficits, 201
    - persistent epilepsy, 202
    - postoperative aspiration, 203
    - postoperative hematoma, 201
    - venous infarction, 202
  - complication statistics, 188
  - deep-seated and brainstem, 199
  - endoscopes, 197
  - exophytic pontine cavernoma, 192
  - hemorrhagic events, 189
  - homonymous hemianopsia, 191
  - hydrocephalus, 194
  - intraoperative ultrasound, 197
  - lighted micro-instruments, 197
  - lobar, 197
  - MEPs, 194
  - neurophysiological monitoring, 196
  - postoperative management, 199
  - preoperative permanent neurological deficits, 196
  - SLA, 200
  - SRS, 200
  - SSEPs, 194
  - stereotactic image guidance, 196
  - suboccipital far-lateral approach, 192
  - supracerebellar infratentorial approach, 194
- Cell cycle progression, 458
- Cerebral aneurysms, coiling of
- checklist, 280
  - coil migration, 281, 288
  - coil prolapse, 281, 288
  - contrast induced encephalopathy, 281
  - intraoperative perforation, 281
    - coil, 283
    - DynaCT, 283
    - EVD, 283
    - incidence, 282
    - microcatheter, 283
    - microcatheter perforations, 283
    - microguidewire, 283
    - outcomes, 282
    - risk factors, 282
  - intraoperative thromboembolic complications
    - contrast-induced encephalopathy, 289
    - incidence, 285
    - management, 285–288
    - risk factors, 285
    - thromboembolism, 281
- Cerebral edema, 121, 127
- Cerebral hyperperfusion, 115
- Cerebral ischemia, 113
- Cerebral proliferative angiopathy (CPA), 165
- Cerebral protection
- burst suppression, 129
  - hypothermia, 129
- Cerebral revascularization, 207
- Cerebrovascular quality initiatives
- Comprehensive Stroke Center status, 46
  - qualities outcomes database, 45

- Checklist
  - advanced safety culture, 90–91
  - after-landing, 81
  - arteriovenous malformation, 86
  - beneficial effect, 87
  - Boeing Model 299, 80, 81
  - “checklist-championing” studies, 89
  - Columbia Capsule, 81
  - CRM, 91
  - emergency, 87
  - emergency management, 86
  - flight, 81
  - immediate communication, 83
  - implementation science, 87
  - interventional cerebral/spinal angiography, 99
  - lean management philosophy, 91–92
  - logical, 83
  - memorized elements, 83
  - pit-crew model, 92–93
  - practical, 83
  - pre-landing, 81
  - simple, 89
  - standardized protocol, 83
  - success, 85–86
  - takeoff, 81
  - uses, 89
  - WHO surgical safety checklist, 84
- Clip placement
  - basilar artery, 150
  - basilar trunk, 150
  - lower basilar, 150
  - vertebral artery branches, 150
- Cockpit resource management (CRM), 91
- Coil embolization, 296
- Coil migration, 288
- Coil prolapse, 288
- Committee on Advanced Subspecialty Training (CAST), 52
- Common carotid artery (CCA), 112, 269
- Communicating segment aneurysms, 133
- Complication avoidance
  - aneurysm persistence
    - anatomic factors, 316
    - treatment failure, 315
  - anterior fossa AVMs
    - hemorrhage risk, 160–161
    - pretreatment evaluation, 159
    - ruptured, 159
    - unruptured, 160
  - arteriotomy, 243
  - AVMs
    - chart, 157
    - hemorrhage risk, 160
  - CEA
    - arterial leak or disruption, 113
    - cerebral hyperperfusion state, 115
    - cerebral ischemia, 113
    - clinical and radiographic follow-up, 116
    - durability and recurrence rate, 115
    - flow chart, 110, 113
    - neurological complications, 113
    - postoperative cranial nerve palsy, 115
    - preoperative nerve evaluation, 115
    - systemic complications, 113
    - wound-related complications, 113
  - cerebrovascular and endovascular
    - neurosurgery
      - aviation models, 31
      - checklists, 30, 31
      - CQI, 27
      - CRM, 29, 30
      - Formula 1 pit stops, 31
      - history, 26
      - lean, 29
      - M&M conferences, 26
      - patient experience of care, 25
      - PDSA and PDCA cycles, 28
      - per capita cost of health, 25
      - population health, 25
      - six sigma, 28, 29
      - SPC, 28
      - SQC, 28
      - TQM, 27
  - CM, 188
  - definition, 67
  - direct bypass surgery, 206
    - flow augmentation, 211
    - flow replacement, 209
  - error of commission, 67
  - errors of omission, 67
  - EVT
    - distal embolization, 388
    - ICH, 382
    - IPH, 383, 384
    - revascularization failure, 391
    - SAH, 385
    - stent detachment, 390
    - vasospasm, 386
    - vessel dissection, 386
  - flowchart, 138, 266
  - follow up, 73
  - head and neck tumors
    - DMSO-compatible microcatheter, 408
    - dual-lumen balloon catheters, 408
    - embolic progression, 408
    - preoperative tumor embolization, 408
    - pressure cooker technique, 408
    - surgical timing, 408

- transient facial nerve injury, 409
- transient/permanent neurologic deficits, 409
- hemorrhagic events
  - distal parenchymal hemorrhage, 314, 315
  - target aneurysm rupture, 313
- iatrogenic large vessel injuries, 252
- indirect bypass surgery, 217, 221
- ischemic complications, 72
- ischemic events
  - branch vessel occlusion, 312, 313
  - thromboembolism, 310
- patient care, 67
- pAVMs, 176, 182, 183
- periprocedural complications, 72
- posterior circulation aneurysms
  - cranial nerve injury, 152
  - intraoperative edema, 152
  - intraoperative rupture, 151
  - parent or daughter vessel occlusion, 152
- research types, 69
- screening and patient selection
  - acute stroke, 72
  - AVMs, 70
  - carotid stenosis, 71
  - intracranial aneurysms, 70
  - occlusion disease, 71
- spinal vascular malformation surgery, 227
- 3D printer, 74
- virtual reality neurosurgical simulator, 74
- wide-necked bifurcation aneurysms, 73
- Complication management
  - cerebrovascular and endovascular neurosurgery
    - aviation models, 31
    - checklists, 30, 31
    - CQI, 27
    - CRM, 29, 30
    - history, 26
    - lean, 29
    - M&M conferences, 26
    - patient experience of care, 25
    - PDSA and PDCA cycles, 28
    - per capita cost of health, 25
    - population health, 25
    - six sigma, 28, 29
    - SPC, 28
    - SQC, 28
    - TQM, 27
  - Comprehensive Stroke Center status, 46
  - Congress of Neurological Surgeons (CNS), 50
  - Continuous professional development (CPD), 55
  - Continuous quality improvement (CQI), 27
  - Contrast-induced encephalopathy, 289
  - Contrast-induced nephropathy (CIN), 96
  - Conus medullaris, treatment of, 234
  - Cranial nerve (CN) injury, 152
  - Craniotomy, 209
    - far-lateral, 148
    - modified orbitozygomatic, 144
    - parasagittal craniotomy, 131
    - pterional, 130
    - retrosigmoid, 148
    - suboccipital, 149
  - Crew resource management (CRM), 29, 30, 91–92
- D**
  - Define, measure, analyze, improve, and control (DMAIC) analysis, 93
  - Delayed cyst formation
    - complication avoidance, 466
    - complication management, 467
  - Diffuse nidus type AVM, *see* Cerebral proliferative angiopathy
  - Diffusion tensor imaging (DTI), 441
  - Digital subtraction angiography (DSA), 159, 271
  - Direct aspiration first-pass technique, 392
  - Direct bypass surgery
    - advantages, 217
    - cerebral revascularization, 207
    - checklist, 206
    - complication avoidance flowchart, 206
    - complication management, 213
    - disadvantages, 217
    - flow augmentation, 211–212
    - flow replacement, 209–211
    - graft occlusion, 208
    - perioperative ischemia, 208
    - preoperative imaging studies, 207–208
    - treatment options, 217
    - variations, 207
  - Distal anterior cerebral artery aneurysms (DACA), 134
  - Distal aspiration-assisted stent retriever technique, 388
  - Distal embolization
    - complication avoidance
      - balloon guiding catheter with aspiration thrombectomy, 388
      - distal aspiration-assisted stent retriever technique, 388
    - complication management, 389
  - Distal vessel embolism, 275
  - DMSO-compatible microcatheters, 362

- Dorsal carotid wall aneurysms, 132
- Double-arterial catheterization technique, 366
- Double-balloon remodeling technique, 298
- Dual antiplatelet therapy (DAPT), 301
- Dural arteriovenous fistulas, 233
- E**
- Electroencephalographic burst suppression, 210
- Embolization techniques, 158, 326, 338
- Apollo microcatheter, 362
  - case series, 371
  - DMSO-compatible microcatheters, 362
  - double-arterial catheterization technique, 366
  - interpretation results, 371
  - microcatheter preparation, 363
  - neurointerventional procedures, 361
  - plug-and-push technique, 363–365
  - postembolization hospital care and follow-up, 366
  - preoperative or preradiosurgical Onyx embolization, 371
  - preprocedural superselective angiography, 363
  - pressure-cooker technique, 366
  - primary end point, 371
  - secondary end point, 371
  - SONIC microcatheter, 362
  - stage I, 364, 367
  - stage II, 365, 368
  - stage III, 369
  - systemic heparinization, 361
  - triaxial system, 362
- Emergency checklists, 87
- Encephalo-duro-arterio-myo-synangiosis (EDAMS), 217
- Encephalo-myo-synangiosis (EMS), 217
- Endovascular embolization, *see* Intractable epistaxis
- Endovascular proximal occlusion, 211
- Endovascular quality assurance, 37
- Endovascular thrombectomy (EVT)
- aspiration device, 381
  - checklist, 375, 376
  - coil retriever device, 380
  - complication avoidance
    - distal embolization, 388
    - flowchart, 376
    - ICH, 382
    - IPH, 383, 384
    - revascularization failure, 391, 392
    - SAH, 385
    - stent detachment, 390, 391
    - vasospasm, 386
    - vessel dissection, 386
  - complication management
    - distal embolization, 389
    - ICH, 382, 384
    - revascularization failure, 392
    - SAH, 385
    - stent detachment, 391
    - vasospasm, 386
    - vessel dissection, 387
  - femoral artery, 379
  - LVO, 379
  - patient position, 379
  - RCTs, 378
  - stent retriever device, 380
- Enterprise system, 299
- Epilepsy, 171
- Epistaxis, *see* Intractable epistaxis
- Error of commission, 67
- Errors of omission, 67
- Ethylene vinyl alcohol copolymer (EVOH)
- checklist, 356, 357
  - complication avoidance and management
    - arteriovenous malformation rupture, 369, 370
    - intraoperative complications, 368
    - ischemic complications, 370
    - preoperative complications, 367
    - retained microcatheter, 370, 371
  - complication avoidance chart, 358
  - embolization techniques
    - Apollo microcatheter, 362
    - case series, 371
    - DMSO-compatible microcatheters, 362
    - double-arterial catheterization technique, 366
    - interpretation results, 371
    - microcatheter preparation, 363
    - neurointerventional procedures, 361
    - plug-and-push technique, 363–365
    - postembolization hospital care and follow-up, 366
    - preoperative or preradiosurgical Onyx embolization, 371
    - preprocedural superselective angiography, 363
    - pressure-cooker technique, 366
    - primary end point, 371
    - secondary end point, 371
    - SONIC microcatheter, 362
    - stage I, 364, 367
    - stage II, 365, 368
    - stage III, 369

- systemic heparinization, 361
- triaxial system, 362
- history, 360–361
- Onyx properties, 361
- External carotid artery (ECA), 112
- External ventricular drain (EVD), 283
- Extracranial artery dissection, 267

**F**

- Far-lateral craniotomy, 148
- Feedback loop, 91
- Flash ostial dual balloon angioplasty, 271
- Flow augmentation, 211
- Flow diversion
  - checklist, 308
  - complication avoidance
    - anatomic factors, 316
    - branch vessel occlusion, 312–313
    - distal parenchymal hemorrhage, 314, 315
  - flowchart, 309
  - target aneurysm rupture, 313
  - thromboembolism, 310–312
  - treatment failure, 315
- procedural workflow, 310
- Flow replacement, 209
- <sup>18</sup>Fluorodeoxyglucose-positron emission tomography (FDG-PET), 445
- Foix-Alajouanine syndrome, 227
- Formula 1 pit stops, 31

**G**

- Gelfoam, 399
- Graft occlusion, 208
- Great vessels, 274–276
  - anatomical variants, 267
  - brachiocephalic angioplasty, 267
  - CAS, 267, 270
  - CCA, 269
  - checklist, 266
  - complication avoidance, 266, 267, 273–274
  - complication management
    - access site hematoma, 274
    - anterograde access difficulty, 275
    - dissection, 275
    - embolism, 275
    - in-stent thrombosis, 276
  - diagnostic angiogram, 269
  - digital subtraction angiogram, 271–273
  - distal protection device, 270
  - extracranial artery dissection, 267

- Flash Ostial Dual Balloon Angioplasty, 271
  - gold standard role, 267
  - pathology, 267
  - stent procedures, 267
  - subclavian and innominate injuries, 268
  - subclavian artery angioplasty, 267
  - three-dimensional reconstructions, 269
  - trauma, 268
  - vascular access site, 269
  - vascular anatomy, 267
  - with vertebral artery injuries, 268
- Guglielmi detachable coil (GDC), 296, 302

**H**

- Hand injections, 103
- Head and neck tumors
  - checklist, 397
  - complication avoidance
    - DMSO-compatible microcatheter, 408
    - dual-lumen balloon catheters, 408
    - embolic progression, 408
    - flowchart, 398
    - preoperative tumor embolization, 408
    - pressure cooker technique, 408
    - surgerical timing, 408
    - transient facial nerve injury, 409
    - transient/permanent neurologic deficits, 409
  - direct puncture embolization, 403
  - embolic agents
    - coils, 399
    - EVOH, 400
    - Gelfoam, 399
    - NBCA, 399
    - and properties, 399
    - PVA, 399
  - guide catheters, 403
  - hypervascular neoplasms
    - hemangioblastomas, 406
    - hemangiopericytomas, 405
    - JNAs, 406
    - meningiomas, 404
    - paragangliomas, 406
  - microcatheter, 403
  - vascular supply
    - AICA, 402
    - anastomosis, 400
    - APA, 402
    - injury, risk of, 400
    - lower cranial nerves, 401
- Hemangioblastomas, 406
- Hemangiopericytomas, 405

- Hematomas, 247
- Hemorrhage
  - complication avoidance, 463–464
  - complication management, 104, 467
  - postoperative complication, 182, 183
  - risk, 160
- Hemostasis, 232
- Heparin, 346
- High-flow vascular malformations (HFVM)
  - catheter angiography, 430
  - diagnosis, 430
  - embolic agents, 431, 432
  - transarterial access, 431
  - treatment, 432
- Holohemispheric giant AVM, *see* Cerebral proliferative angiopathy
- Human placenta model, 58
- Hypercapnia, 223
- Hypertension, 3
- Hypervascular neoplasms
  - hemangioblastomas, 406
  - hemangiopericytomas, 405
  - JNAs, 406
  - meningiomas, 404
  - paragangliomas, 406
- Hypotension, 223
- Hypothermia, 129
- I**
- Intrinsic large vessel injuries
  - aortic dissection, 258
  - central venous catheter insertion, 260
  - cerebral angiography, 258–259
  - chiropractic injury, 261
  - complication avoidance flowchart, 252
  - cranial surgery, 261
  - distal right cervical ICA, 255
  - FlowGate balloon guide catheter, 255
  - GooseNeck Microsnare, 253, 255
  - left internal carotid artery, 256, 257
  - metallic fragment, 254
  - needle fragment, 253, 254
  - radiation induced injury, 260–261
  - spinal surgery, 258–260
- Indirect bypass surgery
  - checklist, 216
  - complication avoidance, 217–222
  - complication management
    - hypercapnia, 223
    - hypotension, 223
    - STA, 222–223
  - procedure, 217–221
    - treatment options, 217
- Indocyanine green fluorescent technology, 231
- Informed consent, 9, 96
- Informedness, 90
- In-stent thrombosis, 276
- Institute for Healthcare Improvement (IHI)
  - formulation, 25
- Internal carotid artery (ICA), 112
- International subarachnoid aneurysm trial (ISAT), 296
- Interventional cerebral/spinal angiography
  - angiography suite
    - biplane, 97, 98
    - comprehensive intraoperative
      - electrophysiologic monitoring, 99
    - equipment, 97
    - equipment table, 99, 100
    - hemodynamic and neuromonitoring, 99
    - medications, 97, 98
  - checklist, 99
  - contrast-related complications, 103
  - hemorrhagic complications, 104
  - intra-procedural technical precautions
    - automated power injections, 103
    - catheter selection, 101
    - catheter-related complications, 102
    - hand injections, 103
    - thromboembolic complications, 102, 103
      - vessel selection, 101
  - ischemic complications, 104
  - medical clearance, 95
  - neurologic complications, 104
  - preoperative preparation, 95–96
  - radiation protection, 100–101
- Intracerebral hemorrhage, *see* Intraparenchymal hemorrhage
- Intracranial aneurysms, 70
  - balloon remodeling technique
    - advantages, 297
    - ATENA and CLARITY prospective trials, 298
    - high-compliance latex balloons, 297
    - low-compliance nondetachable balloons, 297
    - modifications, 298
    - temporary inflation, 297
  - coil embolization, 296
  - complications
    - coil herniation, 295, 302
    - coil migration/malposition, 295
    - intraprocedural aneurysmal rupture, 295, 302



- stent misplacement/migration, 295, 302
- thromboembolism, 296, 301
- free coils/detachable balloons, 296
- GDC, 296
- stent-assisted endovascular occlusion, 294, 298–301
- Intracranial arterial dissection (IAD), 386
  - complication avoidance, 386
  - complication management, 387
- Intracranial hemorrhage (ICH), 382
- Intracranial-to-intracranial bypass, 207, 208
- Intractable epistaxis
  - checklist, 414
  - complications
    - avoidance, 415, 419
    - clinical rates, 418
    - intraprocedural thrombosis, 420–421
      - major, 418
      - minor, 418
      - statistics, 418
    - vascular supply, 419, 420
  - conservative treatment options, 415
  - etiology, 415
  - procedure, 416–417
- Intraoperative perforation
  - coil, 283
  - DynaCT, 283
  - EVD, 283
  - incidence, 282
  - microcatheter, 283
  - microguidewire, 283
  - outcomes, 282
  - risk factors, 282
- Intraoperative rupture, 151
- Intraparenchymal hemorrhage (IPH)
  - complication avoidance, 383, 384
  - complication management, 384
- Intraprocedural thromboembolic
  - complications
    - contrast-induced encephalopathy, 289
    - incidence, 285
    - risk factors, 285
- Intraprocedural thrombosis, 420
- Ischemic complications, 72, 104, 115, 315, 370
- Ischemic infarction, 370, 371

## J

- Juvenile nasopharyngeal angiofibromas (JNAs), 406

## L

- Large vessel occlusion (LVO), 379
- Lean management philosophy, 92
- Lean methodology, 29
- Limb ischemia, 249
- Linear accelerator (LINAC), 440
- Liquid embolics
  - balloon inflation, 326
  - checklist, 321
  - complication avoidance
    - adjunct devices, 328
    - aneurysm occlusion, 331
    - flowchart, 323
    - long-term angiographic results, 330
    - managing Onyx leakage, 332
    - Onyx grading scheme, 328, 329
    - preventing Onyx leakage, 331–332
  - conscious sedation, 327
  - cyclic balloon technique, 327
  - embolization, 326
  - femoral arterial access, 326
  - neurological assessment, 327
  - Onyx HD-500, 325
  - patient selection, 325
  - postoperative patients, 328
  - refining Onyx lamination, 327
  - standard and 3D rotational angiography, 326
- “Live” cadaver model, 57
- Lobar cavernous malformations, 197–199
- Localized intravascular coagulopathy (LIC), 429
- Low-flow vascular malformations
  - direct puncture, 427
  - lymphatic malformations, 430
  - venous malformations, 427
- Lymphatic malformations, 430

## M

- Maintenance of certification (MOC), 54, 55
- Malpractice claims, 13
- Mechanical thrombectomy, 93
- Medical complications
  - adverse event, 5
  - cause of death, 5
  - definition, 5
  - due to physician negligence, 5
  - facial palsy, 6
  - hearing loss, 6
  - historical perspective, 4–5
  - philosophical aspects, 6–7
  - psychological aspects, 7

- Medical errors  
 burnout, 19, 20  
 fatigue, 19  
 impact, 18  
 legal implication, 20–21  
 performance deficits, 19  
 resident/fellow participation and complications, 18, 19  
 work hour restrictions, 19, 20
- Medicare Access and CHIP Reauthorization Act (MACRA), 25
- Medicolegal aspects  
 adverse event, 12  
 disclosure, 13–15  
 documentation, 13  
 informed consent, 9–12  
 malpractice claims, 13
- Meningiomas, 404
- Merit-based incentive payment systems (MIPS), 25
- Microcatheter angiography, 363
- Microsurgical resection  
 intraoperative adjuncts, 180  
 preoperative evaluation, 180  
 technique, 180
- Middle cerebral artery aneurysms (MCA), 134
- Modified orbitozygomatic craniotomy, 144
- Modified Spetzler classification system, 228
- Modified Spetzler-Martin scale (mSM), 441, 442
- Morbidity and mortality (M&M) conferences, 26–27, 43
- Motor-evoked potentials (MEPs), 231
- Moyamoya disease (MMD), 260  
 incidence, 217  
 prevalence, 217
- N**
- National Surgical Quality Improvement Program (NSQIP), 27
- N*-butyl cyanoacrylate (NBCA), 399
- Neuroendovascular surgery  
 clinical background, 49  
 simulation-based training, 91  
 standards  
 ACGME, 54  
 CAS, 54  
 hospital privileges, 54  
 MOC, 55  
 stroke-specific continuing medical education, 54  
 thrombectomy, 54  
 training  
 AANS Endovascular Task Force, 52  
 accreditation effort, 52  
 ACGME, 51  
 advanced aneurysm treatment, 53  
 advanced diagnostic angiography, 53  
 CAST, 52  
 certification, 53  
 core diagnostic angiography, 53  
 early training guideline efforts, 50  
 features, 51  
 guide catheter delivery, 53  
 guidelines, 52, 53  
 joint society guidelines, 51  
 Practice Track, 53  
 simple aneurysm embolization, 53  
 simulation training, 54
- Neuroform EZ stent system, 299
- Neuronavigation systems, 231
- NeuroPoint Alliance (NPA), 55
- Neurosurgical quality assurance, 36, 37
- NeuroVascular Quality Initiative (NVQI), 55
- Normal perfusion pressure breakthrough (NPPB), 169, 170, 182
- Northwestern Objective Assessment Tool (NOMAT), 74
- O**
- Obstructive hydrocephalous, 169
- Occlusion disease, 71
- Occlusive hyperemia, 170
- Occult bleeding, 169
- Open cerebrovascular neurosurgery  
 ACGME-accredited neurosurgery training program., 58  
 advantages, 56  
 competence, 58  
 fewer, 56, 57  
 human placenta model, 58  
 ISAT trial, 56  
 “live” cadaver model, 57  
 simulators, 57  
 3D print patient-specific aneurysm models, 57
- Ophthalmic artery aneurysms, 132
- Ophthalmic segment aneurysms  
 dorsal carotid wall aneurysms, 132  
 ophthalmic artery aneurysms, 132  
 superior hypophyseal artery aneurysms, 132
- P**
- Paragangliomas, 406
- Parasagittal craniotomy, 131
- Percutaneous access site closure systems, 273

- Physician Quality Reporting System (PQRS), 44
- Pit-crew model, 92
- Plan-do-check-act (PDCA) cycles, 28
- Plan-do-study-act (PDSA) cycles, 28
- Plug-and-push technique, 363–365
- Polyvinyl alcohol (PVA), 399
- Posterior circulation aneurysms
- clip placement
    - basilar artery, 150
    - basilar trunk, 150
    - lower basilar, 150
    - vertebral artery branches, 150
  - complete obliteration, 141
  - complex skull base approaches, 139
  - complication avoidance and management
    - cranial nerve injury, 152
    - flowchart, 138
    - intraoperative edema, 152
    - intraoperative rupture, 151
    - parent/daughter vessel occlusion, 152
  - cranial approaches, 142
  - craniotomy
    - far-lateral, 148
    - modified orbitozygomatic, 144
    - retrosigmoid, 148
    - suboccipital, 149
  - dissection
    - far-lateral, 150
    - modified orbitozygomatic approach, 149
    - retrosigmoid approach, 150
  - intraoperative and postoperative complications, 139
  - microsurgical treatment, 139–140
  - outcomes, 140–141
  - posterior fossa aneurysm, 138
  - retreatment, 141
  - transclival approaches, 140
- Posterior communicating artery (PCOM) aneurysms, 316
- Posterior fossa arteriovenous malformations (pAVMs)
- brainstem, 176
  - cerebellar, 176
  - classification, 176, 177
  - clinical presentation, 177
  - complication avoidance, 176, 182, 183
  - complication management, 183
  - endovascular embolization, 182
  - hemorrhage, 178
  - microsurgical resection
    - intraoperative adjuncts, 180
    - preoperative evaluation, 180
    - technique, 180–181
  - outcome, 179
  - radiosurgery, 181
  - risk factors, 178
  - surgical treatment, 175
  - treatment strategy, 178
- Postoperative ischemic events, 183
- Pressure cooker technique, 366, 408
- Pressure distension angioplasty, 209
- Proliferative angiopathy, 159, 166
- Prophylactic antibiotics, 126
- Prophylactic anticoagulation, 72
- Protamine sulfate, 346
- Pseudoaneurysms, 248
- Pterional craniotomy, 130
- Pulsation artifacts, 229
- ## Q
- Qualities outcomes database (QOD), 45
- Quality assurance
- challenges, 36
  - endovascular, 37
  - neurosurgical, 36, 37
  - rational, 36
- Quality improvement, 43, 45, 46
- Affordable Care Act of 2010, 44
  - cerebrovascular quality initiatives
    - Comprehensive Stroke Center status, 46
    - qualities outcomes database, 45
  - CQI, 27
  - government and insurance companies, 44
  - history, 26
  - Hospital Compare, 46
  - lean, 29
  - M&M conference, 43
  - one-size-fits-all approach, 44
  - origin, 42
  - PDSA and PDCA cycles, 28
  - public data
    - UHC, 43
    - US News and World Report, 43
  - public demand, 43
  - six sigma, 28, 29
  - SPC, 28
  - SQC, 28
  - TQM, 27
- Quality Outcomes Database for Neurovascular (QOD-Neurovascular), 55
- ## R
- Radial artery graft, 210
- Radiation injury
- complication avoidance, 464
  - complication management, 467

- Radiation necrosis, 447, 448
  - Radiation physics
    - advantageous, 440
    - complications
      - cerebrovascular complications, 446
      - failure of, 444
      - hemorrhage, 444
      - late-onset complications, 447
      - radiation necrosis, 445
    - disadvantage, 440
    - dose planning, 441
    - dose selection, 443
    - Gamma Knife, 440
    - linear accelerator, 440
    - management
      - radiation necrosis, 447, 448
      - treatment failure, 447
    - obliteration, 443, 444
    - patient selection, 441–443
  - Radiation protection, 100
  - Radiobiology
    - irradiation effect, 453
    - redistribution, 457, 458
    - reoxygenation, 454, 455
    - repair, 456, 457
    - repopulation, 459
  - Radiosurgery-based AVM scale (RBAS), 442
  - Real-time sensory haptic feedback virtual
    - reality aneurysm clipping simulator, 57
  - Redistribution, 457, 458
  - Reoxygenation process, 454, 455
  - Repopulation, 459
  - Retroperitoneal hemorrhages, 248
  - Retrosigmoid craniotomy, 148
  - Revascularization failure
    - complication avoidance
      - ADAPT technique, 392
      - bridging thrombolysis, 391
    - complication management
      - antiplatelet therapy, 392
      - arterial stenting, 393
      - intra-arterial thrombolysis, 392
  - Revascularization techniques, 150
  
  - S**
  - Seizure prophylaxis, 126–127
  - Self-assessment in neurological surgery (SANS), 55
  - Self-expandable intracranial stents (SEIS), 299
  - Six sigma process, 28, 29, 92
  - Sodium tetradecyl sulfate (STS), 429
  - Somatosensory-evoked potentials (SSEPs), 231
  - SONIC microcatheter, 362
  - Spetzler-Martin scale, 441, 442
  - Spinal angiogram, 229
  - Spinal vascular malformation surgery
    - arteriovenous malformations
      - conus medullaris, 234
      - extradural-intradural, 233
      - intramedullary, 233
    - Borden classification system, 229
    - checklist, 226
    - clinical presentation, 227
    - complication avoidance flowchart, 227
    - complications
      - CSF leak and infection, 236
      - intraoperative hemorrhage, 235
      - loss of function, 235
      - spinal stability, 236
    - dural arteriovenous fistulas, 233
    - intraoperative tools and techniques
      - anesthesia, 231
      - angiogram, 232
      - indocyanine green fluorescent, 231
      - neuromonitoring, 231
      - neuronavigation systems, 231
      - ultrasonography and color Doppler, 232
    - modified Spetzler classification system, 228
  - MRI, 229
  - outcomes, 234
  - spinal angiogram, 229
  - spinal dural AV fistula, 234
- SRS, *see* Stereotactic radiosurgery
- Statistical process control (SPC), 28
- Statistical quality control (SQC), 28
- Steal phenomenon, 163
- Stent detachment
  - complication avoidance, 391
    - correct stent sizing, 390
    - proximal stents, 390
    - proximal zone protection, 390
  - complication management, 391
- Stent-assisted endovascular occlusion, 298
- Stereotactic laser ablation (SLA) techniques, 200
- Stereotactic radiosurgery (SRS), 200
  - antiepileptics, 463
  - checklist, 461
  - complication avoidance
    - delayed cyst formation, 466
    - flowchart, 462
    - hemorrhage, 463
    - radiation injury, 464–466
  - complication management
    - delayed cyst formation, 467
    - hemorrhages, 467
    - radiation injury, 467

- definition, 440, 453
  - dose selection, 463
  - general anesthesia, 462
  - imaging modalities, 462, 463
  - radiation physics, 447
    - advantageous, 440
    - cerebrovascular, 446
    - disadvantage, 440
    - dose planning, 441
    - dose selection, 443
    - failure of, 444
    - Gamma Knife, 440
    - hemorrhage, 444
    - late-onset complications, 447
    - linear accelerator, 440
    - management
      - radiation necrosis, 447
      - obliteration, 443, 444
      - patient selection, 441
      - radiation necrosis, 445, 447, 448
      - treatment failure, 447
  - radiobiology
    - irradiation effect, 453–454
    - redistribution, 457, 458
    - reoxygenation, 454, 455
    - repair, 456, 457
    - repopulation, 459
  - Subarachnoid hemorrhage (SAH)
    - complication avoidance, 385
    - complication management, 385
  - Suboccipital craniotomy, 149
  - Suboccipital far-lateral approach, 192
  - Superficial temporal artery (STA), indirect
    - bypass surgery, 222
  - Superficial temporal artery-to-middle cerebral artery bypass, 211, 212
  - Superior hypophyseal artery aneurysms, 132
  - Supracerebellar infratentorial approach, 194
  - Surgical safety checklist (SSC), 31
  - Sylvian fissure dissection, 128, 129
  - Systemic heparinization, 361
- T**
- TeamSTEPPS, 91
  - The New England Journal of Medicine*, 5
  - 3D print patient-specific aneurysm models, 57
  - Thromboembolic complications
    - air embolism, 102
    - chemical/mechanical thrombectomy, 103
    - vessel-to-vessel atherosclerotic plaque embolism, 102
  - Thrombolysis in Cerebral Infarction (TICI) score, 380
  - Total intravenous anesthesia (TIVA), 231
  - Total quality management (TQM), 27
  - Toyota Production System, 29
  - Triaxial system, 362
  - Type II diabetes mellitus, 3
- U**
- University Health System Consortium (UHC), 43
- V**
- Value-based modifier (VM), 44
  - Vascular complications
    - catheter-related complications, 102
    - thromboembolic, 102, 103
  - Vascular malformations
    - checklist, 426
    - complication treatment and avoidance, 425
  - HFVM
    - catheter angiography, 430
    - diagnosis, 430
    - embolic agents, 431, 432
    - transarterial access, 431
    - treatment, 432
  - low-flow lesions
    - direct puncture, 427
    - lymphatic malformations, 430
    - venous malformations, 427–429
  - sclerotherapy, 424
  - Vascular thrombosis, 171
  - Vasospasm, 102, 247
    - complication avoidance, 386
    - complication management, 386
  - Venous infarction, 202
  - Venous malformations
    - bleomycin, 429
    - ethanol, 427, 428
    - LIC, 429
    - STS, 429
  - Venous thrombosis (VT), 429
  - Vessel dissection, 102, 248
    - complication avoidance, 386
    - complication management, 387
  - Vessel injuries, 368–369
  - Vessel perforation, 368
  - Vessel sacrifice, 207
  - Vessel-to-vessel atherosclerotic plaque embolism, 102
  - Vicarious liability, 21
- W**
- WHO surgical safety checklist, 84
  - Wide-necked bifurcation aneurysms, 73