
Index

A

- Abduction and external rotation (ABER), 123, 124
- Abnormal muscle patterning, 580
 - core stability, assessment of, 582
 - involuntary posterior positional instability, 581, 582
 - LD dominance, clinical observation, 581
 - pectoralis major dominance, clinical observation, 581
- Acetabulisation, 589
- Acromial fracture, RSA, 314, 315
 - conservative measures, 316, 318
 - Crosby's classification, 315
 - displaced, 316
 - Levy's classification, 317
- Acromioclavicular joint (ACJ) injuries, 557
 - allograft, 49, 50
 - anatomy, 457
 - anterior-posterior plane stability, 45
 - axillary view, 47
 - bilateral zanca view, 47
 - biological healing window, 49
 - classification, 46
 - clinical evaluation, 458
 - clinical presentation, 47
 - complications, 51, 52
 - coracoacromial (CA) ligament, 49
 - coraco-clavicular fixation, 48
 - coracoid process transfer, 49
 - deltotrapezial fascia, 49, 51
 - distal clavicle resection, 49, 51
 - epidemiology, 46
 - high-grade dislocations, 49
 - imaging and classification, 48, 458, 459
 - intrinsic and extrinsic ligaments, 45
 - ligament reconstruction, 48
 - mechanism of injury, 458
 - medial and lateral clavicle tunnels, 49, 50
 - meniscus, 45
 - non-surgical treatment, 459
 - paediatric, treatment principles, 462
 - passive and active restraints, 45
 - postoperative management, 49, 51
 - post traumatic osteoarthritis, 38
 - primary fixation, 48
 - soft tissue repair/reconstruction, 51
 - superior-inferior stability, 46
 - surgical treatment, 459, 461
 - test, 560, 561
 - type I and II sprains, 48
 - type III dislocations, 48
- Acromioclavicular joint osteoarthritis, 589
- Acromio-clavicular ligaments, 46
- Acromion, 462
- Acromion fractures, 66
- Acromioplasty, 152
- Active Movement Scale (AMS), 474, 475
- Acupuncture, 184
- Adhesive capsulitis (AC), 592–593
 - clinical conditions, 178
 - definition, 174
 - demographics, 174
 - diagnosis
 - arthrography, 183
 - arthroscopy, 183
 - laboratory studies, 182
 - MRI, 182
 - ultrasound, 182
 - epidemiology, 174
 - functional impairment, 180
 - histochemical studies, 178
 - histology, 177
 - natural history
 - duration of symptom, 181
 - prognostic factors, 181
 - recovery phase, 181
 - resolution of pain, 181
 - non-operative and operative treatment, 189
 - pathology
 - cytokines, 175, 176
 - fibrotic changes, 177
 - ICAM-1, 176
 - TIMP's, 176, 177
 - physical signs, 180
 - primary, 175
 - secondary, 175

- Adhesive capsulitis (AC) (*Cont.*)
- stages, 180
 - surgical interventions
 - 'ELM POPI' non-operative approach, 188
 - manipulation under anesthesia, 186
 - selective capsular release, 187, 188
 - treatment
 - acupuncture, 184
 - anti-inflammatories (NSAIDs), 183
 - corticosteroids injection, 183, 184
 - flow chart, 189
 - hydrodilatation, 185
 - intra-articular corticosteroids, 185
 - LLLT, 184
 - mobilisation, 184
 - oral steroid therapy, 184
 - prophylaxis, 183
 - suprascapular nerve block, 185
 - therapeutic exercise, 184
- Adson's test, 583
- Alfa-defensin 1, 548
- Allograft prosthetic composite (APC), 537
- Allograft reconstruction, 537
- Alpha (α) angles, 475
- Amyloplasia, 473, 490
- Anaesthesia, 522, 523
- Anatomical neck fractures, 63
- Anatomical shoulder arthroplasty
- age, 236
 - Charnley's low friction arthroplasty, 234
 - comorbidities, 237
 - complications, 240
 - design-related outcome factors, 240–241
 - fatty infiltration, 239
 - gender, 237
 - glenoid design
 - Aequalis multicentre group, 248
 - cemented glenoid component, 242, 243
 - clinical results, 244
 - failure rates, 244
 - Mayo experience, 244
 - metal-backed glenoid component, 243, 244
 - glenoid morphology, 239
 - hemi vs. total arthroplasty, 241
 - implant survival, 235
 - indication, 237
 - muscular atrophy, 239
 - osteoarthritis, 237
 - outcome measures, 235, 236
 - partial defects and small tears, 239
 - radiolucency lines, 235
 - registries, 235
 - rheumatoid arthritis, 237
 - surgeon-related outcome factors, 240
- Anatomic shoulder replacement
- age, 255
 - complication rate, 254
 - complications, 265
 - diabetes, 255
 - fractures and fracture sequelae, 256
 - glenoid, 256
 - glenoid component loosening, 257
 - glenoid erosion, 260, 261
 - hemi vs. total arthroplasty, 265
 - hepatitis C, 256
 - humeral component, loosening of, 263
 - implants, 256
 - infection, 264
 - instability, 261
 - medical comorbidities, 254
 - neurologic complications, 263, 264
 - obesity, 255
 - outcome, 254
 - perioperative transfusion, 256
 - periprosthetic fractures, 262, 263
 - rotator cuff failure, 261, 262
 - smoking, 255
 - uncemented glenoid components, 258
- Anatomic stemless humeral prosthesis, 407
- complications, 418
 - indications and contraindications, 408
 - postoperative management
 - phase 1, 416, 417
 - phase 2, 417
 - phase 3, 417
 - phase 4, 417
 - phase 5, 418
 - preoperative planning
 - biomechanical principles, 408
 - clinical findings, 409
 - instrument-based diagnostics, 409
 - medical history, 409
 - pathomechanics, 408
 - primary humeral osteoarthritis, course of, 408, 409
 - surgical technique
 - biceps tendon, tenodesis of long head, 410, 411
 - deltpectoral approach, 410
 - glenohumeral joint capsule, preparation of, 411
 - humeral component, implantation, 413–415
 - humeral head, preparation of, 411, 412
 - humeral head, resection, 412, 413
 - patient positioning, 410
 - subscapularis muscle, preparation of, 411
- Anatomic total shoulder arthroplasty
- addressing glenoid bone loss, techniques for, 338, 339
 - with asymmetric glenoid bone loss, 337
 - polyethylene augmented glenoid
 - biomechanical and computational data, 344
 - clinical outcomes, 343, 344
 - history and modern biomechanics, 339, 341–343
 - preoperative planning, 3D CT imaging for, 344, 345
- Anchor peg' design, 215
- Angulation, 61
- Anterior humeral circumflex artery, 158

- Anterior instability
 - augmentation, 574
 - release, 575
 - relocation, 575
 - Anterior labroligamentous periosteal sleeve avulsion (ALPSA) Lesion, 497
 - Anterior-posterior plane stability, 45
 - Anti-injury mechanism, 123
 - Apprehension-Relocation test, 123
 - Apprehensive Sulcus sign, 123
 - Arthrex Eclipse™, 256
 - Arthritis
 - crystals, 590
 - inflammatory arthritides, 590
 - osteoarthritis, 590
 - septic arthritis, 590
 - Arthrographic distension, 592
 - Arthrography, 389
 - Arthrogyrosis, 490
 - Arthroscopic capsular plications, 501
 - Arthroscopic capsular shift, 501
 - Arthroscopic capsulolabral repair, 498
 - Arthroscopic capsuloplasty, 125
 - Arthroscopic Latarjet procedure, 128, 522
 - Arthroscopic superior labrum anterior to posterior repair
 - complications, 169
 - failure of, 167
 - outcomes, 167
 - rehabilitation, 166
 - treatment, 163, 165
 - Arthroscopic surgery, nerve injuries, 521, 522
 - Articular surface geometry, 213
 - Atraumatic hyperlaxity instability
 - EDS (*see* Ehlers-Danlos syndrome (EDS))
 - epidemiology, 500, 501
 - Marfan's syndrome (*see* Marfan's syndrome)
 - non-operative management, 500
 - open capsular shift, 501
 - operative management, 500, 501
 - arthroscopic capsular plications, 501
 - arthroscopic capsular shift, 501
 - capsular shrinkage, 501
 - open capsular shift, 501
 - osteogenesis imperfecta (*see* Osteogenesis imperfecta (OI))
 - pathology, 500
 - Atraumatic instability, 496, 578, 579
 - active scapular shrug, 579
 - corrected position, 579
 - SAT, 579
 - SRT, 580
 - thoracic kyphosis, correction of, 580
 - thoracic posture and scapula, 579
 - Atypical lipomata, 527
 - Autografts, 197
 - Avascular necrosis, 591, 592
 - Axillary crease incision, 479
 - Axillary nerve, 465, 479
 - Axillary nerve palsy, 517, 518
- B**
- Bankart lesion, 124, 125, 497
 - Baseplate design, 279
 - Bear hug test (BHT), 565
 - Beighton hypermobility score, 571
 - Belly press test (BPT), 565, 566
 - Benign neoplastic process, 590
 - Biceps tendon pathology, 599
 - Biceps tendon, tenodesis of long head, 410, 411
 - Biconcave glenoid, 354, 357
 - Biconcave glenoid deformity, 353
 - Bigliani-Flatow anatomic shoulder arthroplasty system, 354
 - Biomechanical body, 57
 - Biomechanical cadaveric study, 136
 - Biomet TESS™, 256
 - Biotenodesis screw technique, 165
 - Bisphosphonates, 502
 - Bone augmentation, shoulder arthroplasty in, 323
 - assessing glenoid bone loss, 323–325
 - bespoke options, 332, 333
 - bone graft, source of, 327, 328
 - bone grafting techniques, 326, 327
 - iliac crest, 328
 - iliac wing, 328–331
 - non bone grafting option, 331, 332
 - proposed algorithm, 333
 - standard anatomic glenoid, limits of, 325, 326
 - standard reverse glenoid, limits of, 326
 - Bone cysts, 465
 - Bone grafting techniques, 326, 327
 - Bone marrow transplant, 502
 - Bone preservation, 230
 - Bony avulsion, 199
 - Bony Bankart fracture, 588
 - Bony increased-offset reverse shoulder arthroplasty (BIO-RSA), 396
 - Botox, 478
 - Botulinum injections, 478, 479
 - Botulinum toxin, 12, 13, 478, 508
 - Brachial plexus, 19, 24, 37, 179, 367, 454, 455, 465, 469, 515, 516, 525, 527
 - Brachial plexus birth palsy, 473
 - aetiology and pathoanatomy, 474
 - botulinum injections with shoulder and spica casting
 - closed reduction, 478, 479
 - botulinum toxin, 478
 - clinical assessment, 474, 475
 - clinical presentation, 474
 - glenohumeral joint reduction and rebalancing, 479
 - glenoid osteotomy, 481, 482
 - imaging, 475, 476
 - non-operative intervention, 477
 - open reduction and tendon transfers, 479–481
 - reinnervation, 477, 478
 - salvage procedures, 484
 - humeral external rotation osteotomy, 483, 484
 - humeral osteotomy, 483
 - splinting, 477

- Brachial plexus injuries, 37, 469
 Bristow-Latarjet technique, 127
 British Elbow and Shoulder Society (BESS), 375
 Buford complex, 600
- C**
- Calcific tendinitis, 591, 595, 601
 acromioplasty, 152
 adhesive capsulitis, 152
 aetiology, 145
 associated medical conditions, 146
 clinical presentation, 146
 conservative management, 148
 ESWT, 149
 formative phase, 146
 greater tuberosity osteolysis, 153
 imaging, 147
 incidence, 145
 investigations, 147
 non-operative treatment, 150, 151
 ossifying tendinitis, 153
 pathogenesis, 145
 pathology, 146
 post-calcific phase, 146
 pre-calcific phase, 146
 radiographic classification, 147
 resorptive phase, 146
 resting phase, 146
 rotator cuff tears, 152
 rotator cuff tendon repair, 152
 subacromial injections, 148
 surgical technique, 151
 UGNB, 149
- Calcium pyrophosphate deposition disease, 590
 Campbell type D fracture, RSA, 312
 Capsular arthrotomy, 187
 Capsular shrinkage, 501
 Capsule laxity, 126
 Capsulitis, 568, 570
 Cemented glenoid component, 242, 243
 Cementing techniques, 216
 Cementless metal-backed components, 216
 Cephalic vein, 483
 Cerebral palsy, 488–490
 Cervical spine, 582
 Adson's test, 583
 Lhermitte's sign/phenomenon, 582
 Roos' test, 583
 Spurling's sign/test, 582
 Charcot joint, *see* Neuropathic arthropathy
 Charcot neuroarthropathy, *see* Neuropathic osteoarthropathy
 Charnley's low friction arthroplasty, 234
 Chlorhexidine, 551
 Chondrosarcoma, 539
 Chronic regional pain syndrome, 198
 Circumflex scapular artery, 57
 Clavicle fracture, 68, 453
 Allman classification, 20
 anatomy, 18, 19, 453
 clinical assessment, 455
 clinical evaluation, 454, 455
 clinical investigations, 25
 clinical presentation, 23–25
 complications, 457
 infection, 38
 intramedullary fixation, 39
 malunion, 35, 36
 neurovascular injuries, 37–38
 nonunion, 34
 plate fixation, 38, 39
 post traumatic osteoarthritis, 38
 refracture, 38
 Craig classification, 21
 displacement forces on, 454
 Edinburgh classification, 22–23
 embryology, 17, 18
 epidemiology, 20
 floating shoulder, 32
 function, 19
 history, 17
 imaging, 455
 lateral, 456
 lateral end
 coracoclavicular screws, 31
 Kirschner wiring or K-wire fixation, 31
 plate fixation, 29
 suture and sling techniques, 30
 mechanism of injury, 454
 medial clavicle fractures, 456
 medial end, 31
 mid shaft, 456, 457
 intramedullary fixation, 28, 29
 non-operative treatment, 25–26
 operative treatment, 26–27
 plate fixation, 27
 nerve injuries, 515, 516
 non-surgical treatment, 456
 relative indications, 27, 33
 superior approach plating, 33
 surgical treatment, 456, 457
 treatment rationale, 33
 Cobb elevator, 392
 Codman's point, 557
 Compression technique, 483
 Computed tomography (CT)
 anatomic shoulder replacement, 607
 anatomic stemless humeral prosthesis, 409
 bony erosion or invasion, 605
 fatty infiltration, 605
 fractures, 603
 infection, 607
 instability, 605
 nuclear medicine techniques, 605
 osteoarthritis, 603
 periprosthetic fracture, 607
 preoperative considerations, 606
 primary glenohumeral osteoarthritis, 604
 radiostereometric analysis, 607

- reverse total shoulder replacement, 607
 - rotator cuff muscle atrophy, 605
 - rotator cuff tears, 605
 - scapula fractures, 463
 - Computerized planning software, 421, 427
 - Constant score, 235, 236
 - Continuous Passive Motion (CPM), 71
 - Conventional double-row technique, 135
 - Convex-backed glenoid component, 214
 - Coracoacromial (CA) ligament, 49
 - Coracobrachialis
 - anatomy, 206
 - associated injuries, 207
 - clinical background, 206
 - clinical features, 207
 - investigations, 207
 - non-operative treatment, 207
 - operative treatment, 207
 - site of rupture, 206
 - Coraco-clavicular ligaments, 45
 - Coracoglenoidal notch, 56
 - Coracohumeral ligament (CHL), 159
 - Coracoid process fractures, 65
 - Coracoid process transfer, 49
 - Core Outcome Measures in Effectiveness Trials (COMET), 102
 - Core stability, assessment of, 582
 - Corticancellous bone graft, 482
 - COSMIN checklist, 102
 - Crescent sign, 592
 - Crystal arthritis, 590
 - Cuff tear arthropathy (CTA), 288–290, 356
 - Cytokines, 175, 176
- D**
- Da Vinci System, 81
 - Degenerative theory, 146
 - Delta design, 281
 - Delta prosthesis, 276
 - Deltoid
 - acute rupture, 203
 - anatomy, 202
 - anterior deltoid ruptures, 203
 - associated injury, 204
 - clinical features, 204
 - imaging modality, 204
 - non-operative management, 204
 - operative treatment, 204
 - partial or full thickness, 202–203
 - posterior deltoid ruptures, 203
 - spontaneous ruptures, 203
 - Deltoid tuberosity index (DTI), 77
 - Deltopectoral approach, 67
 - Deltopectoral interval, 483
 - DEXA method, 77
 - Dislocation, shoulder arthroplasty, 371
 - Displaced extraarticular fractures, 66
 - Displaced intraarticular fractures, 66
 - Distal clavicle resections, 49, 51
 - Distal musculature, 488
 - Drawer test, 124
 - Dysplastic retroverted glenoid, 357
 - Dystrophic calcification, 145
- E**
- Eccentric humeral head component, 228
 - Ecchymosis, 199
 - Education, shoulder arthroplasty, 445
 - Ehlers-Danlos syndrome (EDS), 5
 - diagnosis, 503
 - pathology, 502
 - presentation, 502, 503
 - shoulder instability, relevance to, 503
 - underlying disorder, treatment of, 503
 - Elevated arm stress test (EAST), 583
 - Empty can test, 562
 - Endoprosthetic replacement, proximal humerus, 538
 - Entire glenoid fractures, 62
 - Entrapment neuropathy, nerve injuries, 524
 - LTN, 526, 527
 - quadrangular space syndrome, 526
 - suprascapular nerve, 525, 526
 - thoracic outlet syndrome, 524, 525
 - tumours, 527
 - Erb's palsy, 474
 - Ethibond, 481
 - Excessive humeral anteversion, 384
 - Extrinsic shoulder muscles, 507
- F**
- Facioscapulothoracic muscular dystrophy (FSHD), 484, 523–524
 - non-operative intervention, 485
 - operative intervention, 485
 - presentation and investigation, 484, 485
 - scapulothoracic fusion, 485–489
 - Fatty infiltration, 605
 - FiberTape (Arthrex), 135
 - Fibrillin, 504
 - Fibrocartilaginous metaplasia, 146
 - Finite element analysis (FEA), 229, 281, 340
 - Floating Shoulder, 24, 32, 65
 - Foley catheter, 485
 - Formative phase, 146
 - Fracture fixation, 551
 - Fractures, shoulder arthroplasty, 369
 - Friedman method, 423
 - Frozen shoulder, *see* Adhesive capsulitis
 - Full-thickness rotator cuff tears, 594
 - Functional internal rotation, 559
- G**
- Gagey's hyperabduction test, 572, 573
 - Generalised joint laxity, 500
 - Genetic testing, 485
 - Glenohumeral arthritis, treatment of, 337

- Glenohumeral joint (GHJ), 373
 arthroplasty, 383
 capsule, preparation of, 411
 reduction and rebalancing, 479, 480
 stability, 570
- Glenohumeral osteoarthritis, 233, 337, 354, 604, 605
- Glenoid arthrosis, 386, 390, 399, 400
- Glenoid bone deficiency, 122, 124, 340
- Glenoid bone loss, anatomic TSA, 337
 asymmetric, 337
 techniques for, 338, 339
- Glenoid component, rules for, 422
- Glenoid component failure, 385, 386
- Glenoid component loosening, shoulder arthroplasty, 375–377
- Glenoid design
 Aequalis multicentre group, 248
 cemented glenoid component, 242, 243
 clinical results, 244
 failure rates, 244
 Mayo experience, 244
 metal-backed glenoid component, 243, 244
- Glenoid erosion, 260, 261, 377, 378, 386
- Glenoid fractures, 62, 63, 67, 69, 70, 311, 369
- Glenoid morphology, 239
- Glenoid osteotomy, 481–483
- Glenosphere, 280, 281
 inferior tilt of, 305
 overhang of, 304
- Global advantage modular prosthesis, 224
- Gouty arthritis, 590
- Grammont concept, 276, 277
- H**
- Habermeyer stemless prosthesis, 225
- Haematoma, 318
- Haemophilic arthropathy, 591
- Hands Up test, 583
- Hawkins' test, 561
- Hemiarthroplasty, 81, 87, 88
 glenoid arthrosis, RSA, 399, 400
 native glenoid arthrosis after, 386, 390
 proximal humeral fractures
 complications, 93
 outcomes, 90
- Heterotopic ossification (HO), 179, 374
- High-grade dislocations, 49
- Hill-Sachs defect, 588
- Horizontal glenoid deficiency, 352
- Hornblower's sign, 563
- Horner's syndrome, 474
- Horwitz manoeuvre, 485
- Humeral avulsion of the glenohumeral ligament (HAGL)
 Lesion, 497
- Humeral bone loss, revision shoulder arthroplasty, 396
- Humeral component, anterior dislocation of, 308
- Humeral external rotation osteotomy, 483, 484
- Humeral fracture, 309, 310, 312, 313
- Humeral head
 anatomic replacement, 224, 230
 anatomical considerations, 225
 cemented and uncemented humeral stems, 229
 clinical outcome, 230
 eccentric humeral head component, 228
 finite element analysis, 229
 glenoid access, 230
 global advantage modular prosthesis, 224
 global AP with increased variability, 224
 Habermeyer stemless prosthesis, 225
 head-shaft angle or inclination, 225, 227
 humeral tray positioning, 229
 inlay Grammont design and onlay design, 229
 modularity, 228
 Neer prosthesis, 223, 225
 offset, 225, 227
 preparation of, 411, 412
 radius of curvature and shape, 225, 226
 resection, 412, 413
 resurfacing systems, 224, 225
 reverse design prosthesis, 229
 reverse shoulder replacement, 230
 short stem, 224
 shoulder prostheses, 225
 soft-tissue balance, 230
 stem length, 229
 surgical consideration, 227
 version of, 225, 226
- Humeral osteotomy, 393, 483
- Humeral shaft, 520
- Humeral-sided capsular release, 391
- Humeral stem loosening
 from infected reverse arthroplasty, 370
 shoulder arthroplasty, 377, 378
- Hydrodilatation (HD), 185, 592
- Hylamer ultra-high molecular weight polyethylene
 implant, 215
- I**
- Iatrogenic injuries
 brachial plexus, 37
 vascular injury, 37, 38
- Iatrogenous nerve injury, 520, 521
- Iliac crest, 34, 295, 296, 326, 328, 394, 395, 485, 487
- Iliac wing
 baseplate, implantation of, 329
 Bateman technique, 330
 bone healing, 330
 cancellous graft, quantity of, 331
 defect, 329
 femoral canal, reamer in, 330
 K wire insertion and reaming of outer table, 329
 novel technique, 330
 procedure, 328
 quality bone, thick column of, 328
 swabs/retractors, 328
- Impingement, 589
- Inclination angle, 281

Infection

- revision shoulder arthroplasty, 384, 387, 388
- RSA, 318, 319, 397, 398
- shoulder arthroplasty, 369, 370
- shoulder joint, 545
 - complications, 546
 - diagnosis, 545, 546
 - after fracture fixation, 551
 - long term sequel, 545
 - management, 546, 549
 - native joint infection, 545
 - post arthroscopy septic arthritis, 551
 - PSI, 547–549
 - shoulder surgery, prevention, 551, 552
 - after surgery, 547

Inferior glenoid fractures, 62

Inflammatory arthritis, 293, 294

Infraclavicular plexus injuries, patterns of, 517

Infraspinatus, 563, 564

Inhibitors of matrix metalloproteases (TIMP's), 176

Instability

- and Labral Tears, 600–601
- revision shoulder arthroplasty, 384, 388
- RSA, 398

Intercellular adhesion molecule 1 (ICAM-1), 176

Interclavicular ligament, 3

Interleukin-6 (IL-6), 548

Internal rotation contracture, 475, 483

Interscalene block, 523

Intraarticular biceps tendon, 157

Intra-articular corticosteroids, 185

Intramedullary fixation

- advantages, 28
- clinical results, 29
- complications, 39
- disadvantages, 28
- methods, 28
- mid shaft clavicle fracture, 28

Intra-operative fracture, 311

Intrinsic shoulder muscles, 507

Involuntary posterior positional instability, 581, 582

Irreparable massive cuff tear without
osteoarthritis, 293

Irreparable tears

- conventional double-row technique, 135
- latissimus dorsi tendon transfer, 137
- partial repair, 137
- reverse total shoulder arthroplasty, 136
- superior capsule reconstruction, 135, 136
- suture-bridge technique, 135
- teres major transfer, 137
- trapezius tendon transfer, 137

J

Jerk test, 574, 576

Jobe's apprehension-relocation test, 573

Jobe's test, 562

Joint arthrosis, 22, 36, 441–443

Judet posterior approach, 67

K

Kim's test, 575, 577, 578

Kinesiophobia, 443

Kinetic chain, 447

Knotless technique, 164, 165

L

Lateral clavicle fractures, 29, 456, 520

Lateral end clavicle fracture

- coracoclavicular screws, 31
- Kirschner wiring or K-wire fixation, 31
- plate fixation, 29
- suture and sling techniques, 30

Lateralized glenoid (LG) design, 279

Lateral pillar fractures, 65

Latissimus and teres tendons, 481

Latissimus dorsi (LD)

- advantages, 201
- associated injury, 199
- clinical features, 199
- complete tears, 199
- dominance, 581
- investigations, 199
- non-operative treatment, 200
- operative treatment, 200
- site of rupture, 199
- for shoulder abduction, 490

Laxity, 571

Lazurus method, 215

Lift off test (LOT), 565, 566

Light bulb sign, 588

Limb-salvage surgery, 535

Load and shift test, 123, 124, 573, 574

Locking plate open reduction and internal fixation

- blunt Eva retractor, 85
- Browne Deltoid Retractor, 85
- deltpectoral approach, 85
- Hohman retractor, 85
- patient position, 85
- reduction and fixation technique, 85

Long head of the biceps tendon (LHBT)

- anatomy, 157
- anterior humeral circumflex artery, 158
- arthroscopic SLAP repair
 - complications, 169
 - failure of, 167
 - outcomes, 167
 - rehabilitation, 166
 - treatment, 163, 165
- arthroscopy, 163
- biomechanical studies, 160
- electromyography studies, 160
- function, 159, 160
- history, 160
- intraarticular biceps tendon, 157
- MRI, 162
- origin, 157, 158
- osseous anatomy, 159
- physical examination, 160, 161

Long head of the biceps tendon (LHBT) (*Cont.*)
 SLAP tear, 157
 soft tissue restraints, 159
 sub-pectoral biceps tenodesis
 complications, 169
 fixation method, 165, 168
 location, 168
 outcomes, 168
 pectoralis major, 164
 rehabilitation, 167
 unicortical button technique, 165, 166
 superior labrum, 157
 superior vs. inferior glenoid labrum, 158
 sympathetic fibers, 158
 tenotomy
 complications, 169
 outcomes, 167
 rehabilitation, 166
 treatment, 163, 164
 ultrasound, 161, 162
 x-ray, 161
 Long thoracic nerve (LTN) entrapment, 526, 527
 Lower motor neuron lesions, 179
 Low-level laser therapy (LLLT), 184

M

Magnetic resonance imaging (MRI)
 adhesive capsulitis/frozen shoulder, 601
 advantages, 597
 anatomic stemless humeral prosthesis, 409
 arthritis, 601
 avascular necrosis, 601
 brachial plexus birth palsy, 476
 calcifying tendonitis, 601
 disadvantages, 597–598
 impingement, 598
 infection, 601
 instability and labral tears, 600–601
 metal artefact reducing sequences, 597
 MRI arthrograph, 597
 pigmented villonodular synovitis, 603
 principles, 596
 rotator cuff muscle atrophy, 598
 rotator cuff tears, 598
 scanning technique, 598
 synovial chondromatosis, 603
 tumours, 601
 Mallet score, 475
 Malunited clavicle fracture, 35, 36
 Marfan's syndrome
 diagnosis, 504
 pathology, 503, 504
 treatment, 505
 Marginal dog-ear deformity, 135
 Mason-Allen suture technique, 411
 Matrix metalloproteases (MMPs), 176
 Medial clavicle fractures, 456
 Medial clavicular epiphysis, 453
 Medial cord injury, 519

Medial end clavicle fractures, 31
 Medialized glenoid (MG) design, 279
 Medialized humerus (MH), 279
 Medio-lateral displacement, 61
 Metal artefact reducing sequences (MARS), 597
 Metal augments, shoulder arthroplasty
 anatomic, 354
 bone loss assessment, 349, 350
 horizontal glenoid deficiency, 352
 indications, 352
 limitations/complications, 361
 metal-backed glenoid component, 352
 PMA, 350, 351
 primary anatomic, 351, 352
 primary RSA, 356, 357
 revision anatomic and RSA, 358–360
 rheumatoid arthritis, 352
 RSA, 356–358
 surgical technique, 353, 354
 Metalback convertible socket, 407
 Metal-backed glenoid component, 215, 243, 244
 Mid shaft clavicle fracture, 455–457
 intramedullary fixation, 28, 29
 non-operative treatment, 25–26
 operative treatment, 26–27
 plate fixation, 27
 Milwaukee shoulder, 590
 Minimal invasive plate osteosynthesis (MIPO) technique
 complications, 92
 locking plates, 87
 outcomes, 89, 90
 Modified Walch classification, 423
 Modularity, 228
 MRI, *see* Magnetic resonance imaging (MRI)
 Multidirectional instability (MDI), 122, 123
 Multi-disciplinary communication, 442
 Multidisciplinary teams, 444, 445
 Multiphasic theory, 145
 Murley score, 236
 Muscle patterning instability, 505
 extrinsic shoulder muscles, 507
 intrinsic shoulder muscles, 507
 management, 507, 508
 pathology, 505
 psychosocial factors, 506, 507
 scapula spine, position of, 506
 scapular winging, 506
 scapulothoracic dyskinesia, 505, 506
 snapping scapula, 506
 Musculocutaneous nerve, 518
 Musculoskeletal soft tissue tumours, 596
 Myofibroblasts, 177

N

National Surgical Quality Improvement Program (NSQIP), 265
 Neer monoblock prosthesis, 223
 Neer's sign, 560
 Neer-Horowitz type IV fracture, 469

- Neer-Horwitz classification, 467
- Nerve injuries
- clavicle fractures, 515, 516
 - entrapment neuropathy, 524
 - LTN, 526, 527
 - quadrangular space syndrome, 526
 - suprascapular nerve, 525, 526
 - thoracic outlet syndrome, 524, 525
 - tumours, 527
 - following anaesthesia, 522, 523
 - following surgery, 520
 - arthroscopic surgery, 521, 522
 - open surgery, 520
 - posterior triangle neck surgery and SAN, 522
 - management of, 517–519
 - neuralgic amyotrophy/Parsonage-Turner syndrome, 523, 524
 - proximal humerus fracture, 519, 520
 - scapular fracture, 519
 - shoulder arthroplasty, 367, 368
 - shoulder dislocation/fracture-dislocation, 516, 517
- Neuralgic amyotrophy (NA), 523, 524
- Neurapraxic injury, 518
- Neurologic recovery, 477
- Neurological injury, 316, 318
- Neuromuscular shoulder reconstruction, 473
- arthrogryposis, 490
 - brachial plexus birth palsy, 473
 - aetiology and pathoanatomy, 474
 - botulinum injections with shoulder and spica casting closed reduction, 478, 479
 - botulinum toxin, 478
 - clinical assessment, 474, 475
 - clinical presentation, 474
 - glenohumeral joint reduction and rebalancing, 479
 - glenoid osteotomy, 481, 482
 - humeral external rotation osteotomy, 483, 484
 - imaging, 475, 476
 - internal rotation contracture, humeral osteotomy for, 483
 - non-operative intervention, 477
 - open reduction and tendon transfers, 479–481
 - reinnervation, 477, 478
 - salvage procedures, 484
 - splinting, 477
 - cerebral palsy, 488–490
 - FSHD, 484
 - non-operative intervention, 485
 - operative intervention, 485
 - presentation and investigation, 484, 485
 - scapulothoracic fusion, 485–489
- Neuropathic arthropathy, 591
- Neuropathic osteoarthropathy, 179
- Neurovascular injuries
- acute injury, 37
 - delayed injury, 37
 - iatrogenic injury, 37
- Noncemented metal-back glenoids, 216
- Non-standard glenoid components, 215
- Non-traumatic shoulder instability, 580
- Notching, shoulder arthroplasty, 373
- Nuclear medicine techniques, 605
- O**
- O'Brien's test, 161, 567
- Obesity, 255
- Olecranon avulsion fracture, 501
- Open capsular shift, 501
- Open capsuloplasty, 125
- Oral steroid therapy, 184
- Osseointegration, 215
- Osteoarthritis, 13, 14, 237, 568, 570
- Osteogenesis imperfecta (OI)
- diagnosis, 502
 - management, 502
 - pathology, 501
 - presentations, 501
 - systemic treatment, 502
- Osteopure, 396
- Osteotomy, 412
- Outcome measurement
- COMET, 102
 - COSMIN checklist, 102
 - orthopaedic research and audit, 101
 - PROMS, 101–103
 - PROQOLID, 102
 - QALY, 103
- P**
- Paediatric acromioclavicular injuries, 459, 460
- Paediatric clavicle fractures, patterns of, 454
- Paediatric shoulder instability
- anatomy and science
 - healing potential and relative weakness, 494
 - physis, 493
 - skeletal maturity, 493, 494
 - assessment, 496
 - atraumatic hyperlaxity instability
 - epidemiology, 500
 - non-operative management, 500
 - open capsular shift, 501
 - operative management, 500, 501
 - pathology, 500
 - classification, 494, 495
- EDS
- diagnosis, 503
 - pathology, 502
 - presentation, 502, 503
 - relevance to, 503
 - underlying disorder, treatment of, 503
- epidemiology, 495, 496
- Marfan's syndrome
- diagnosis, 504
 - pathology, 503, 504
 - treatment, 505
- muscle patterning instability, 505
- management, 507, 508

- Paediatric shoulder instability (*Cont.*)
- pathology, 505
 - psychosocial factors, 506, 507
 - scapula spine, position of, 506
 - scapular winging, 506
 - scapulothoracic dyskinesia, 505, 506
 - snapping scapula, 506
 - osteogenesis imperfecta
 - diagnosis, 502
 - management, 502
 - pathology, 501
 - presentations, 501
 - systemic treatment, 502
 - presentation, 496
 - signs and symptoms, 496
 - traumatic instability, 497
 - ALPSA lesions, 497
 - Bankart's lesions, 497
 - HAGL lesions, 497
 - non-operative treatment, outcomes of, 497, 498
 - surgery, outcomes of, 498, 499
- Paediatric trauma
- AC joint injuries, 457
 - anatomy, 457
 - clinical evaluation, 458
 - imaging and classification, 458, 459
 - mechanism of injury, 458
 - non-surgical treatment, 459
 - paediatric, treatment principles, 462
 - surgical treatment, 459, 461
 - clavicle fractures, 453
 - anatomy, 453
 - clinical assessment, 455
 - clinical evaluation, 454, 455
 - complications, 457
 - imaging, 455
 - lateral, 456
 - mechanism of injury, 454
 - medial clavicle fractures, 456
 - midshaft, 456, 457
 - non-surgical treatment, 456
 - surgical treatment, 456
 - surgical treatment, indications of, 457
 - proximal humerus fracture, 464
 - anatomy, 464, 465
 - clinical evaluation, 465
 - complications, 469
 - imaging and classification, 466
 - mechanism of injury, 465
 - Neer-Horwitz classification, 466
 - non-surgical treatment, 467, 468
 - paediatric, clinical assessment, 465
 - surgical treatment, 468
 - scapula fracture, 462
 - anatomy, 462
 - clinical evaluation, 462, 463
 - imaging and classification, 463
 - mechanism of injury, 462
 - non-surgical treatment, 463
 - paediatric, treatment principles, 464
 - surgical treatment, 463, 464
- Pain management, 446
- Palpation, 557
- Parsonage Turner syndrome, *see* Neuralgic amyotrophy (NA)
- Partial-thickness tears, 594
- Passive external rotation, 559
- Patient Reported Outcome and Quality of Life Instruments Database (PROQOLID), 102
- Patient reported outcome measurement systems (PROMS), 101–103, 236
- Patient Reported Outcome (PRO), 102
- Patient specific planning, 427, 431–435
 - Michaelangelos David's Scapula, 432
 - and patient-specific instrumentation, 427, 432–435
 - reverse shoulder arthroplasty, 429–431
 - total shoulder arthroplasty, 427–429
- Patient-specific instrumentation, 421
 - assessment and plan, 432
 - history and physical exam, 431, 432
 - patient specific planning and, 427, 432–435
 - reverse shoulder arthroplasty, 429–431
 - total shoulder arthroplasty, 427–429
 - post-operative evaluation, 437
 - preoperative counseling, 435
 - reverse shoulder arthroplasty, 426, 427
 - total shoulder arthroplasty
 - CT retroversion, 425
 - Friedman method, 423
 - glenoid component, malpositioning of, 422–424
 - glenoid component positioning, 426
 - glenoid retroversion, 425
 - guidewire, 425
 - value, 431
- Pectoralis major (PM) muscle
 - advantages, 199
 - anatomy, 195
 - associated injury, 197
 - clinical feature, 196
 - elderly patient group, 196
 - imaging modalities, 197
 - incidence, 196
 - incomplete rupture, 196
 - mechanism of rupture, 196
 - non-operative treatment, 197
 - operative treatment, 197, 198
 - young active, 196
- Pectoralis major dominance, clinical observation, 581
- Pectoralis major release, 490
- Pegged polyethylene components, 216
- Peripheral nerve tumours, 527
- Periprosthetic fracture, 262, 263, 387, 607
 - revision shoulder arthroplasty, 390, 400
- Periprosthetic radiolucent lines, 386
- Periprosthetic shoulder infection (PSI), 547, 548
- Physiotherapy, 443, 448, 505, 525, 526
- Physis, 493
- Pigmented villonodular synovitis, 591, 603
- Platelet derived growth factor (PDGF), 175–176
- Polar Type 1 (structural) instability, 496
- Polyethylene augmented glenoid
 - biomechanical and computational data, 344
 - clinical outcomes, 343, 344

- history and modern biomechanics, 339, 341–343
- preoperative planning, 3D CT imaging for, 344, 345
- Polyethylene glenoid components
 - alignment, 217
 - anchor peg design, 215
 - articular surface geometry, 213
 - cementing techniques, 216
 - convex-backed glenoid component, 214
 - humeral head positioning, 217
 - ‘in-line’ peg design, 215
 - keel or pegs, 214
 - local factors, 213
 - metal-backed, 215
 - non-conforming, 213
 - non-standard, 215
 - osseointegration, 215
 - pegged prosthesis, 216
 - porous tantalum-backed, 216
 - positioning, 217
 - preparation, 216
 - radiolucencies, 215
 - radiostereographic analysis, 218
 - shape, 214
 - surgical technique, 218
 - in total shoulder arthroplasty, 213
- Porous metal augments (PMA), 349–351
- Porous tantalum-backed glenoid component, 216
- Post arthroscopy septic arthritis, 551
- Posterior cord dysfunction, 518
- Posterior dislocation, 587
- Posterior glenoid rim fractures, 62
- Posterior humeral head displacement (PHHD), 475, 476
- Posterior iliac crest graft, 487
- Posterior triangle neck surgery, 522
- Posterosuperior approach, 67
- Post-surgical/post-traumatic stiffness (PTS), 173, 174, 178
- Post-traumatic osteolysis, 588
- Primary adhesive capsulitis, 175
- Primary glenohumeral osteoarthritis, 604
- Primary humeral osteoarthritis, course of, 408, 409
- Primary shoulder osteoarthritis, 352
- Primary synovial chondromatosis, 590
- Processes fractures, 68
- Proliferative acromial spurs, 131
- Prophylaxis, 183
- Propionibacterium acnes, 319, 384, 547
- Protease inhibitors, 174
- Proximal biceps
 - abnormal muscle patterning, 580
 - core stability, assessment of, 582
 - involuntary posterior positional instability, 581, 582
 - LD dominance, clinical observation, 581
 - pectoralis major dominance, clinical observation, 581
 - atraumatic instability, 578, 579
 - humeral head and scapula, 580
 - thoracic posture and scapula, 579, 580
 - capsulitis and osteoarthritis, 568, 570
 - cervical spine, 582
 - Adson’s test, 583
 - Lhermitte’s sign/phenomenon, 582
 - Roos’ test, 583
 - Spurling’s sign/test, 582
- instability, 570
 - Jerk test, 574
 - Jobe’s apprehension-relocation test, 573, 574
 - Kim’s test, 575–578
 - load and shift test, 572
 - Stanmore classification, 570
 - structural causes, assessment of, 571
 - traumatic instability, 571
- O’Brien’s active compression test, 567
- speed’s test, 568
- Yergason’s test, 568
- Proximal humeral allograft, 396, 397, 535, 537, 538
- Proximal humeral deformity, 229
- Proximal humeral fractures, 102, 292
 - AO/ASIF classification system, 78
 - bone quality, 77
 - clinical examination, 76
 - Codman/Neer classification, 78
 - conservative treatment
 - in elderly patients, 79, 80
 - protocol, 80
 - in young(er) and active patients, 80
 - epidemiology, 76
 - hemiarthroplasty, 87, 88
 - complications, 93
 - outcomes, 90
 - Hertel classification, 78
 - locking plate ORIF
 - blunt Eva retractor, 85
 - Browne Deltoid Retractor, 85
 - deltpectoral approach, 85
 - Hohman retractor, 85
 - patient position, 85
 - reduction and fixation technique, 85
 - mechanism of injury, 76
- MIPO
 - complications, 92
 - locking plates, 87
 - outcomes, 89, 90
- nonoperative treatment, 92
- percutaneous fixation technique, 87
- postoperative rehabilitation, 88
- quantitative CT, 77
- radiographic examination, 76
- reverse total shoulder arthroplasty, 88
 - complications, 93, 94
 - outcomes, 90, 91
 - surgical treatment, 81, 82
- surgical treatment
 - Da Vinci System, 81
 - hemiarthroplasty, 81
 - intramedullary nail, 81
 - locking plate, 81
 - non-locking plate, 80
 - percutaneous fixation, 81
- treatment algorithm, 91
- treatment strategy
 - for elderly patients, 83, 84
 - for younger and active patients, 82, 83

- Proximal humerus, 534
- Proximal humerus allograft
preparation, 396
secured with nice loops, 397
step-cut, 396
- Proximal humerus fracture, 169, 464, 588
anatomy, 464, 465
clinical evaluation, 465
complications, 469
imaging and classification, 466
mechanism of injury, 465
Neer-Horowitz type IV left, 467
Neer-Horowitz classification, 466, 467
nerve injuries, 519, 520
non-surgical treatment, 467, 468
paediatric, clinical assessment, 465
surgical treatment, 468
well-reduced and well-healed, 521
- Putti sign, 475, 484
- Q**
- Quadrangular space syndrome, 526
- Quality Adjusted Life Years (QALY), 103
- R**
- Radial nerve, left shoulder, 519
- Radiological evaluation
adhesive capsulitis, 592–593
arthritis
crystals, 590
inflammatory arthritides, 590
osteoarthritis, 590
septic arthritis, 590
arthrographic distension, 592
calcifying tendonitis, 591
computed tomography
anatomic shoulder replacement, 607
bony erosion or invasion, 605
fractures, 603
infection, 607
instability, 605
nuclear medicine techniques, 605
osteoarthritis, 603
periprosthetic fracture, 607
preoperative considerations, 606
primary glenohumeral osteoarthritis, 604
radiostereometric analysis, 607
reverse total shoulder replacement, 607
rotator cuff muscle atrophy, 605
rotator cuff tears, 605
dislocation, 587
distal clavicle, 588
haemophilic arthropathy, 591
Hill-Sachs defect, 588
hydrodilatation, 592
impingement, 589
magnetic resonance imaging
adhesive capsulitis/frozen shoulder, 601
advantages, 597
arthritis, 601
avascular necrosis, 601
calcifying tendonitis, 601
disadvantages, 597–598
impingement, 598
infection, 601
metal artefact reducing sequences, 597
MRI arthrograph, 597
pigmented villonodular synovitis, 603
principles, 596
rotator cuff muscle atrophy, 598
rotator cuff tears, 598
scanning technique, 598
synovial chondromatosis, 603
tumours, 601
neuropathic arthropathy, 591
pigmented villonodular synovitis, 591
plain x-ray, 587
primary synovial chondromatosis, 590
rotator cuff arthropathy, 589
trauma, 587
ultrasound
advantages, 596
biceps tendon pathology, 595
calcifying tendonitis, 595
Doppler effect, 593
elastography, 593
fluid collections and effusions, 594
full-thickness rotator cuff tears, 594
impingement, 594
infection, 596
inflammatory arthritis, 596
injections, 595
instability and labral tear, 596
musculoskeletal soft tissue tumours, 596
partial-thickness tears, 594
principles, 593
shoulder pathology, 593
- Radiolucency lines (RLL), 235
- Radio Stereographic Analysis (RSA), 258
- Radiostereometric analysis (RSA), 607
- Range of motion (ROM), 557, 558
- Reactive calcification, 145
- Regional anaesthetic blocks, 522
- Rehabilitation, shoulder arthroplasty, 441
balances protection and enhancement, 441
education, 445
extrinsic factors, 443, 444
factors affecting, 442
intrinsic factors, 443
movement and strength, 446
multi-disciplinary communication, 442
pain management, 446
phases of, 444, 445
pre-operative assessment, 442, 443
return to function, recreational activities and sport,
447, 448
surgeon/surgical considerations, 445, 446
- Reinnervation, 477
- Reparable tears
arthroscopic vs. mini-open rotator cuff repair, 134
clinical and anatomic outcomes, 133
cyclic loading, 134

- double-row vs. suture-bridge (transosseous-equivalent) repairs, 134
- factors, 133
- healing elements, 135
- healing rate, 133
- marginal dog-ear deformity, 135
- margin-convergence and interval-slide techniques, 135
- medial mattress stitches, 134
- medial-row fixation, 134
- single-row vs. double-row repairs, 134
- suture-bridge procedure, 135
- Resection arthroplasty, 319, 549
- Resorptive phase, 146
- Resting phase, 146
- Resurfacing systems, 224, 225
- Reverse geometry shoulder replacements, 371
- Reverse shoulder arthroplasty (RSA), 421
 - metal augments, 357, 358
 - patient specific implants, 358
 - pre-operative planning, 359–360
 - primary indications, 356, 357
 - patient-specific instrumentation, 426, 427, 429–431
 - patient specific planning, 429–431
 - revision shoulder arthroplasty, 394–396
- Reverse shoulder replacements (RSA), 301
 - acromial fracture, 314, 315
 - conservative measures, 316, 318
 - Crosby's classification, 315
 - displaced, 316
 - Levy's classification, 317
 - dislocation, 306–309
 - glenoid complications
 - disassembly, 312–314
 - glenoid fracture, 311
 - glenoid loosening, 312, 314
 - haematoma, 318
 - humeral fracture, 309, 310, 312, 313
 - indications, 301
 - infection, 318, 319
 - neurological injury, 316–318
 - procedure, 301
 - scapular notching, 302
 - anterior and posterior, 302
 - centre of rotation, lateralisation of, 303
 - glenoid erosion, Favard classification of, 302, 303
 - glensphere, overhang of, 305
 - inferior overhang, 305
 - inferior tilt, 305
 - scapular neck, lateralisation, 304
 - Sirveaux classification of, 302
- Reverse total shoulder arthroplasty (RTSA), 88, 136
 - clinical results, 297
 - cuff tear arthropathy, 288–290
 - fracture sequelae, 291–293
 - humeral stem, 291
 - inflammatory arthritis, 293, 294
 - irreparable massive cuff tear without osteoarthritis, 293
 - outcomes, 298
 - proximal humeral fractures
 - complications, 93, 94
 - outcomes, 90, 91
 - revision surgery, 295
 - shoulder hemi-arthroplasty or reverse prosthesis, 290
 - surgical treatment, 81, 82
 - unreconstructable or severe fracture dislocation, 290
 - upper humerus, 290
- Reverse total shoulder replacement, 607
- Revision shoulder arthroplasty, 383
 - complications, 400, 401
 - etiology, 384
 - glenoid component failure, 385, 386
 - hemiarthroplasty, native glenoid arthrosis after, 386
 - humeral component, 386
 - infection, 384
 - instability, 384
 - periprosthetic fractures, 387
 - rotator cuff insufficiency, 385
 - glenoid component, 399
 - hemiarthroplasty, glenoid arthrosis of, 399, 400
 - humeral component, 399
 - infection, 397, 398
 - instability, 398
 - periprosthetic fracture, 400
 - presentation, investigations and treatment options
 - glenoid component, 389
 - hemiarthroplasty, native glenoid arthrosis after, 390
 - humeral component, 390
 - implant loosening, 389
 - infection, 387, 388
 - instability, 388
 - periprosthetic fractures, 390
 - rotator cuff insufficiency, 388, 389
 - rotator cuff insufficiency, 398, 399
 - surgical technique
 - glenoid component, removal of, 393
 - humeral bone loss, 396
 - humeral component, removal of, 392, 393
 - pre-operative planning, 390, 391
 - surgical exposure, 391
 - to anatomic, 393, 394
 - to RSA, 394–396
- Revision surgery, 295
- Rheumatoid arthritis, 237, 352, 354, 357
- Rhomboids, 486
- Rocking horse phenomenon, 372, 375, 385, 422
- Rockwood classification, 458–460
- Roos' test, 583
- Rotator cuff
 - arthropathy, 589
 - injury, shoulder arthroplasty, 368
 - shoulder
 - BHT, 565
 - BPT, 565, 566
 - empty can test/Jobe's test, 562
 - infraspinatus, 563
 - LOT, 565
 - Teres minor, 563
 - test, 561

- Rotator cuff deficiency, 371, 372
 - Rotator cuff insufficiency
 - revision shoulder arthroplasty, 388, 389
 - RSA, 398, 399
 - Rotator cuff muscle atrophy, 598, 605
 - Rotator cuff tears
 - causes, 131
 - conservative treatment
 - natural history, 132
 - occupational therapy, 132
 - physical therapy, 132, 133
 - subacromial injection, 132
 - epidemiologic study, 131
 - imaging, 131
 - irreparable tears
 - conventional double-row technique, 135
 - latissimus dorsi tendon transfer, 137
 - partial repair, 137
 - reverse total shoulder arthroplasty, 136
 - superior capsule reconstruction, 135, 136
 - suture-bridge technique, 135
 - teres major transfer, 137
 - trapezius tendon transfer, 137
 - muscle degeneration, 137, 138
 - reparable tears
 - arthroscopic vs. mini-open rotator cuff repair, 134
 - clinical and anatomic outcomes, 133
 - cyclic loading, 134
 - double-row vs. suture-bridge (transosseous-equivalent) repairs, 134
 - factors, 133
 - healing elements, 135
 - healing rate, 133
 - margin-convergence and interval-slide techniques, 135
 - medial mattress stitches, 134
 - medial-row fixation, 134
 - single-row vs. double-row repairs, 134
 - suture-bridge procedure, 135
 - SEVERE degeneration/retraction, 137, 138
 - signs, 131
 - tendon degeneration, 137, 138
 - tendon retraction, 137, 138
 - Rotator cuff tendon repair, 152
- S**
- Salter-Harris II fracture, 4
 - Scapula assistance test (SAT), 579
 - Scapula fractures, 65, 462
 - anatomy, 462
 - clinical evaluation, 462, 463
 - imaging and classification, 463
 - mechanism of injury, 462
 - non-surgical treatment, 463
 - paediatric, treatment principles, 464
 - surgical treatment, 463, 464
 - Scapular assistance test, 579, 580
 - Scapular body fractures, 64, 65, 68
 - Scapula retraction test (SRT), 580
 - Scapular fractures
 - anatomy
 - bone, 56, 57
 - muscles, 57
 - nerves and blood vessels, 57
 - classifications
 - anatomical neck fractures, 63
 - anterior glenoid rim, 62
 - combined fractures, 66
 - coracoid process fractures, 65
 - entire glenoid, 62
 - glenoid fractures, 62, 63
 - inferior angle of scapula, 66
 - inferior glenoid, 62
 - lateral pillar fractures, 65
 - posterior glenoid rim, 62
 - scapula, 65
 - scapular body fractures, 64, 65
 - scapular neck fractures, 62, 64
 - scapular spine, 65
 - spinal pillar fractures, 64, 65
 - superior angle of scapula, 66
 - superior glenoid fractures, 62
 - surgical neck fractures, 63
 - trans-spinous neck fractures, 64
 - clinical examination
 - palpation, 59
 - patient medical history, 59
 - peripheral innervation and vascularity, 59
 - range of motion, 59
 - visual assessment, 59
 - complications
 - non-operative treatment, 71
 - operative treatment, 71
 - epidemiology, 57, 58
 - imaging method
 - angulation, 61
 - CT examination, 60, 61
 - fragment displacement, 61
 - GPA angle, 61
 - medio-lateral displacement, 61
 - radiology, 59
 - translation, 61
 - indication, 66
 - injury mechanism, 58
 - nerve injuries, 519
 - non-operative management, 67
 - operative treatment
 - clavicular fractures, 68
 - deltpectoral approach, 67
 - glenoid fractures, 69, 70
 - implants, 67
 - Judet posterior approach, 67
 - posterosuperior approach, 67
 - processes fractures, 68
 - scapular body fractures, 68
 - scapular neck fractures, 68
 - postoperative treatment, 68
 - treatment, 66
 - Scapular neck fractures, 62, 64, 68

- Scapular notching, 302
 - anterior and posterior, 302
 - centre of rotation, lateralisation of, 303
 - glenoid erosion, Farnsworth classification of, 302, 303
 - glenosphere, overhang of, 305
 - inferior overhang, 305
 - inferior tilt, 305
 - scapular neck, lateralisation, 304
 - Sirveaux classification of, 302
- Scapular retraction test, 581
- Scapular spine fractures, 65
- Scapular winging, 506
- Scapula spine, position of, 506
- Scapuloaxial system, 57
- Scapulobrachial system, 57
- Scapulothoracic dynamics, 45
- Scapulothoracic dyskinesia, 132, 505, 506
- Scapulothoracic fusion, 485–488
- Scarf test, 561, 562
- Secondary adhesive capsulitis, 175
- Septic arthritis, 590
- Serratus anterior (SA) muscle
 - anatomy, 205
 - associated injury, 205
 - clinical features, 205
 - investigation, 205
 - non-operative treatment, 206
 - operative treatment, 206
 - site of rupture, 205
 - in young active patients, 205
- Shoulder
 - assessment of, 555
 - patient history, 555, 556
 - inspection, 556, 557
 - pain, 556
 - palpation, 557
 - physical examination, 556
 - ROM, 557, 558
 - symptoms, 556
 - test, 559
 - treatment, 556
 - proximal biceps
 - capsulitis and osteoarthritis, 568, 570
 - instability (*see* Proximal biceps, instability)
 - O'Brien's active compression test, 567
 - speed's test, 568
 - Yergason's test, 568
 - rotator cuff, 561
 - BHT, 565
 - BPT, 565, 566
 - empty can test/Jobe's test, 562
 - infraspinatus, 563
 - LOT, 565
 - Teres minor, 563
 - test, 559
 - Hawkins' test, 561
 - Neer's sign and, 560
 - scarf test, 561
 - bone augmentation in, 323
 - assessing glenoid bone loss, 323–325
 - bespoke options, 332, 333
 - bone grafting techniques, 326, 327
 - bone graft, source of, 327, 328
 - iliac crest, 328
 - iliac wing, 328–331
 - non bone grafting option, 331, 332
 - proposed algorithm, 333
 - standard anatomic glenoid, limits of, 325, 326
 - standard reverse glenoid, limits of, 326
 - glenoid component loosening, 375–377
 - glenoid erosion, 377, 378
 - heterotopic ossification, 374
 - humeral stem loosening, 377, 378
 - implant specific complications
 - notching, 373
 - rotator cuff deficiency, 371, 372
 - stiffness, 373, 374
 - intraoperative complications
 - fractures, 369
 - implant malpositioning, 368, 369
 - nerve injuries, 367, 368
 - rotator cuff injury, 368
 - metal augments
 - anatomic, 354
 - bone loss assessment, 349, 350
 - horizontal glenoid deficiency, 352
 - indications, 352
 - limitations/complications, 361
 - metal-backed glenoid component, 352
 - PMA, 350, 351
 - primary anatomic, 351, 352
 - primary RSA, 356, 357
 - revision anatomic and RSA, 358–360
 - rheumatoid arthritis, 352
 - RSA, 356–358
 - surgical technique, 353, 354
 - postoperative complications
 - dislocation, 371
 - infection, 369, 370
 - rehabilitation, 441
 - balances protection and enhancement, 441
 - education, 445
 - extrinsic factors, 443, 444
 - factors affecting, 442
 - intrinsic factors, 443
 - movement and strength, 446
 - multi-disciplinary communication, 442
 - pain management, 446
 - phases of, 444, 445
 - pre-operative assessment, 442, 443
 - return to function, recreational activities and sport, 447, 448
 - surgeon/surgical considerations, 445, 446
 - VTE, 374, 375
- Shoulder dislocation/fracture-dislocation, 516, 517
- Shoulder dysfunction, 485
- Shoulder flexion, 558
- Shoulder girdle, 534
- Shoulder abduction, 490, 558
- Shoulder arthroplasty (SA), 367, 421, 422, 441

- Shoulder instability
 - arthroscopic capsuloplasty, 125
 - biomechanics, 122
 - Bristow-Latarjet technique, 127, 128
 - clinical evaluation, 123, 124
 - conservative treatment, 124, 125
 - imaging, 124
 - multidirectional instability, 122, 123
 - Stanmore classification of, 570
 - treatment, 124
 - unidirectional, 122
- Shoulder joint infection, 545
 - complications, 546
 - diagnosis, 545, 546
 - after fracture fixation, 551
 - long term sequel, 545
 - management, 546, 549
 - native joint infection, 545
 - post arthroscopy septic arthritis, 551
 - PSI, 547–549
 - shoulder surgery, prevention, 551, 552
 - after surgery, 547
- Shoulders reverse arthroplasty
 - baseplate design, 279
 - glensphere, 280, 281
 - Grammont concept, 276–278
 - humeral component, 283
 - inclination angle, 281
 - lateralized centre of rotation, 280, 281
 - principles, 276
 - rotator cuff-deficient shoulder, 275
- Shoulder stiffness, *see* Stiff shoulder
- Significant nerve injury, 523
- Simple Shoulder Score, 236
- Simple Shoulder Test (SST), 236
- Single Assessment Numeric Evaluation (SANE)
 - rating, 162
- Single stage revision, 549
- Skeletal maturity, 493, 494
- Snapping scapula, 506
- Soft tissue contractures, 446
- Sonography, 409
- Speed's test, 160, 161, 568, 569
- SpeedBridg, 135
- Spica cast, 478, 484
- Spinal accessory nerve (SAN), 522
- Spinal pillar fractures, 64, 65
- Spinoglenoid notch, 56
- Splinting, 477
- Spurling's test, 582
- Standard anatomic glenoid, 325, 326
- Standard reverse glenoid, limits of, 326
- Stanmore classification, 570
- Stanmore triangle, 494
- Staphylococcus epidermidis, 319
- Steinberg's test, 504
- Sternoclavicular joint (SCJ), 557
 - anatomy, 3, 4
 - anterior and posterior, 3
 - disc injuries, 13, 14
 - elevation/depression, 4
 - examination, 4–6
 - history, 4–6
 - osteoarthritis, 13, 14
 - pathologies, 15
 - retraction/protraction, 4
 - rotation, 4
 - stabilizers, 3, 4
 - type I traumatic structural group
 - acute symptoms, 8
 - clavicular malunion, 12
 - closed reduction, 10
 - complications, 8
 - CT scan, 9
 - hamstring tendon graft, 11
 - lethal complications, 11
 - management, 9, 10
 - mechanism of injury, 7
 - medial physal clavicle fractures, 11, 12
 - open reduction, 10, 11
 - posterior dislocation, 6, 8–10
 - traumatic subluxations, 6
 - type II atraumatic structural group, 6, 12
 - type III muscle patterning group, 7, 12, 13
- Stiff shoulder, 373, 374 *See also* Adhesive capsulitis
 - heterotopic ossification, 179
 - lower motor neuron lesions, 179
 - neuropathic osteoarthopathy, 179
 - post-surgical/post-traumatic stiffness (PTS), 174, 178
 - post-surgical/traumatic stiffness, 173
 - range of motion, 174
 - upper motor neuron lesions, 179
- Streptococcus pyogenes, 361
- Subchondral plate, 325
- Subcoracoid dislocation, 587
- Sub-pectoral biceps tenodesis
 - complications, 169
 - fixation method, 165, 168
 - location, 168
 - outcomes, 168
 - pectoralis major, 164
 - rehabilitation, 167
 - screw technique, 165
 - uncortical button technique, 165, 166
- Subscapularis muscle, preparation of, 411
- Sulcus circumflexus, 57
- Sulcus sign, 572
- Superior capsule reconstruction, 135, 136
- Superior glenohumeral ligament (SGHL), 159
- Superior glenoid fractures, 62
- Superior shoulder suspensory complex (SSSC), 32
- Superior-inferior stability, 46
- Suppressive antibiotic therapy, 549
- Supraclavicular nerves, 520
- Suprascapular artery, 57
- Suprascapular nerve, 57
- Suprascapular nerve block (SSNB), 185

- Suprascapular nerve entrapment, 526
 Suprascapular nerve transfer, 478
 Suprascapular notch, 462
 Supraspinatus test, 562, 563
 Surgery, nerve injuries, 520
 arthroscopic surgery, 521, 522
 open surgery, 520
 posterior triangle neck surgery and SAN, 522
 Surgical neck fractures, 63
 Suture-bridge technique, 135
 SwiveLock, 135
 Synovial chondromatosis, 603
 Synovial fibroblasts, 177
- T**
- Tendon transfers, 479, 481
 Tenotomy
 complications, 169
 outcomes, 167
 rehabilitation, 166
 treatment, 163, 164
 Teres major (TM)
 anatomy, 201
 associated injury, 201
 clinical features, 201
 complete ruptures, 201
 investigation, 201
 non-operative treatment, 202
 operative treatment, 202
 partial TM rupture, 201
 site of rupture, 201
 Teres minor, 563
 Thoracic kyphosis, correction of, 580
 Thoracic outlet syndrome (TOS), 516, 524, 525, 583
 Thromboembolism, 374
 Tightrope technique, 30
 Tinel's sign, 523, 527
 Toronto Test Score (TTS), 474
 Total shoulder arthroplasty (TSA), 301, 421
 patient-specific instrumentation, 427–429
 CT retroversion, 425
 Friedman method, 423
 glenoid component, malpositioning of, 422–424
 glenoid component positioning, 426
 glenoid retroversion, 425
 guidewire, 425
 patient specific planning, 427–429
 Trabecular Metal wedge, 355
 Trabecular Titanium™, 351
 Transforming growth factor-β (TGFβ1), 175
 Translation, 61
 Translation-Rotation-Elevation osteotomy, 276
 Trans-spinous neck fractures, 64
 Traumatic instability, 571
 ALPSA lesions, 497
 Bankart's lesions, 497
 epidemiology, 497
 HAGL lesions, 497
 non-operative treatment, outcomes of, 497, 498
 surgery, outcomes of, 498, 499
 Trunion, 413
 Tumours, 527
 Tumours of shoulder
 allograft reconstruction, 537
 anatomic considerations, 534
 pre-operative evaluation, 534
 proximal humerus, endoprosthetic replacement of, 538
 reconstruction, following resection, 537
 resection and reconstruction, 533
 resection techniques, 535, 536
 type I, 536
 type II, 536
 type III, 536
 type IV, 536
 type V, 536
 type VI, 537
 resection, types of, 534, 535
 scapula, endoprosthetic replacement of, 539, 540, 542, 543
 tenodesis techniques, 537
 Tuning-fork instrument, 392
 2D computer scapula model, 307
 Two-stage revision, 549, 550
 Type I resection, 536
 Type II resection, 536
 Type III resection, 536
 Type IV resection, 536
 Type V resection, 536
 Type VI resection, 537
- U**
- Ultrasound (US)
 advantages, 596
 biceps tendon pathology, 595
 brachial plexus birth palsy, 475
 calcifying tendonitis, 595
 Doppler effect, 593
 elastography, 593
 fluid collections and effusions, 594
 full-thickness rotator cuff tears, 594
 impingement, 594
 infection, 596
 inflammatory arthritis, 596
 injections, 595
 instability and labral tear, 596
 musculoskeletal soft tissue tumours, 596
 partial-thickness tears, 594
 principles, 593
 shoulder joint infection, 546
 shoulder pathology, 593
 Uncemented glenoid components, 258
 Unicortical button technique, 165, 166
 Unidirectional traumatic instability, 122
 Upper extremity deformity, 488

Upper extremity injuries, 102

Upper limb trauma

outcome measurement

COMET, 102

COSMIN checklist, 102

orthopaedic research and
audit, 101

PROMS, 101–103

PROQOLID, 102

outcome scoring systems, 101, 103–104

pain or associated symptoms, 101

response fatigue, 102

Upper motor neuron lesions, 179

V

Vascular injury, 37, 38

Voluntary dislocation, 507

W

Walch classification, 337, 338

Walker's test, 504

Waters' Classification, 476

Wright Simplicity™, 256

X

X-ray, anatomic stemless humeral prosthesis, 409

Y

Yergason's sign, 160, 161

Yergason's test, 568, 569

Z

Zimmer Sidus™, 256