

Bibliography

- [1] M. S. Agranovich and M. I. Vishik. Elliptic problems with parameter and parabolic problems of general type. *Uspekhi Mat. Nauk*, 19(3):53–161, 1964.
- [2] M. F. Atiyah and D. W. Anderson. *K-theory*. Number 7 in Mathematics Lecture Notes. W. A. Benjamin, New York, Amsterdam, 1967. Lectures by Atiyah (Fall 1964), notes by Anderson. 2nd edition published in 1989.
- [3] M. F. Atiyah and R. Bott. The index problem for manifolds with boundary. In *Differential Analysis: Papers presented at the international colloquium (Bombay, 7–14 January 1964)*, Tata Institute of Fundamental Research Studies in Mathematics 2, pages 175–186, London, 1964. Oxford University Press.
- [4] M. F. Atiyah, V. Patodi, and I. M. Singer. Spectral asymmetry and Riemannian geometry I. *Math. Proc. Cambridge Philos. Soc.*, 77:43–69, 1975.
- [5] M. F. Atiyah, V. Patodi, and I. M. Singer. Spectral asymmetry and Riemannian geometry II. *Math. Proc. Cambridge Philos. Soc.*, 78:405–432, 1976.
- [6] M. F. Atiyah, V. Patodi, and I. M. Singer. Spectral asymmetry and Riemannian geometry III. *Math. Proc. Cambridge Philos. Soc.*, 79:315–330, 1976.
- [7] M. S. Birman and M. Z. Solomjak. On the subspaces admitting a pseudodifferential projection. *Vestnik LGU*, 1:18–25, 1982.
- [8] B. Booss-Bavnbek and K. Wojciechowski. *Elliptic boundary problems for Dirac operators*, volume 4 of *Mathematics: Theory & Applications*. Birkhäuser, Boston, Basel, Berlin, 1993.
- [9] L. Boutet de Monvel. Comportement d’un opérateur pseudo-différentiel sur une variété à bord I–II. *J. d’Analyse Fonct.*, 17:241–304, 1966.
- [10] L. Boutet de Monvel. Boundary problems for pseudo-differential operators. *Acta Math.*, 126:11–51, 1971.
- [11] D.-C. Chang, N. Habal, and B.-W. Schulze. The edge algebra structure of the zarembo problem. *J. Pseudo-Differ. Oper. Appl.*, 5(1):69–155, 2014.

- [12] D.-C. Chang, X. Lyu, and B.-W. Schulze. Recent developments on pseudo-differential operators (ii). *Tamkang Journal of Mathematics*, 46(3):281–347, 2015.
- [13] Ch. Dorschfeldt. *Algebras of pseudo-differential operators near edge and corner singularities*, volume 102 of *Mathematical Research*. Wiley-VCH, Berlin, Chichester, 1998.
- [14] G.I. Eskin. *Boundary value problems for elliptic pseudodifferential equations*, volume 52 of *Translations of Math. Monographs*. AMS, Providence, RI, 1981. Translation of Kraevye zadachi dlia ellipticheskikh psevdodifferentsialnykh uravnenii.
- [15] J. B. Gil, B.-W. Schulze, and J. Seiler. *Differential Equations, Asymptotic Analysis, and Mathematical Physics*, volume 100 of *Mathematical Research*, chapter Holomorphic operator-valued symbols for edge-degenerate pseudo-differential operators, pages 113–137. Akademie Verlag, Berlin, 1997.
- [16] J. B. Gil, B.-W. Schulze, and J. Seiler. Cone pseudodifferential operators in the edge symbolic calculus. *Osaka J. Math.*, 37:221–260, 2000.
- [17] B. Gramsch. Relative Inversion in der Störungstheorie von Operatoren und Ψ -Algebras. *Math. Ann.*, 269(1):27–71, 1984.
- [18] G. Grubb. Pseudo-differential boundary value problems in L_p spaces. *Comm. Partial Differential Equations*, 15(3):289–340, 1990.
- [19] G. Grubb. *Functional calculus of pseudo-differential boundary problems*, volume 65 of *Progress in Mathematics*. Birkhäuser, Boston, 2nd edition, 1996.
- [20] G. Grubb and R. T. Seeley. Weakly parametric pseudodifferential operators and Atiyah–Patodi–Singer boundary problems. *Inventiones math.*, 121(1):481–529, 1995.
- [21] N. Habal. *Operators on singular manifolds*. PhD thesis, University of Potsdam, 2013.
- [22] N. Habal and B.-W. Schulze. *Operator Theory, Pseudo-Differential Equations, and Mathematical Physics*, volume 228 of *Oper. Theory: Adv. Appl.*, chapter Mellin quantisation in corner operators, pages 151–172. Birkhäuser, Basel, 2013.
- [23] G. Harutjunjan and B.-W. Schulze. *Elliptic mixed, transmission and singular crack problems*, volume 4 of *EMS Tracks in Mathematics*. EMS, Zürich, 2008.
- [24] T. Hirschmann. Functional analysis in cone and edge Sobolev spaces. *Ann. Global Anal. Geom.*, 8(2):167–192, 1990.
- [25] D. Kapanadze and B.-W. Schulze. *Crack theory and edge singularities*. Kluwer Academic Publ., Dordrecht, 2003.

- [26] H. Kumano-go. *Pseudo-differential operators*. The MIT Press, Cambridge, MA, 1981.
- [27] X. Lyu. Asymptotics in weighted corner spaces. *Asian–European J. Math.*, 7(3), 2014.
- [28] V. Nazaikinskij, A. Savin, B.-W. Schulze, and B. Ju. Sternin. Elliptic theory on manifolds with nonisolated singularities: Iv. obstructions to elliptic problems on manifolds with edges. preprint 24, University of Potsdam, Institute of Mathematics, Potsdam, 2002.
- [29] V. Nazaikinskij, B.-W. Schulze, and B. Sternin. *The localization problem in index theory of elliptic operators*, volume 10 of *Pseudo-Differential Operators*. Birkhäuser, Basel, 2013.
- [30] V. Nazaikinskij, B.-W. Schulze, B. Ju. Sternin, and V. Shatalov. Spectral boundary value problems and elliptic equations on singular manifolds. *Differentsial'nye Uravneniya*, 34(5):696–710, 1998. English transl.: Differential Equations.
- [31] F. W. J. Olver. *Asymptotics and special functions*. Academic Press, New York, London, 1974.
- [32] A. Pazy. *Semigroups of linear operators and applications to partial differential equations*, volume 44 of *Appl. Math. Sci.* Springer, Berlin, New York, Tokyo, 1983.
- [33] M. Pirhayati. Boundary symbols in the cone algebra. *J. Pseudo-Differ. Oper. Appl.*, 6(3):307–339, 2015.
- [34] S. Rempel and B.-W. Schulze. *Index theory of elliptic boundary problems*. Akademie-Verlag, Berlin, 1982.
- [35] S. Rempel and B.-W. Schulze. Parametrices and boundary symbolic calculus for elliptic boundary problems without transmission property. *Math. Nachr.*, 105:45–149, 1982.
- [36] S. Rempel and B.-W. Schulze. *Asymptotics for elliptic mixed boundary problems: pseudo-differential and M operators in spaces with conormal singularity*, volume 50 of *Math. Res.* Akademie-Verlag, Berlin, 1989.
- [37] A. Savin and B. Sternin. Elliptic operators in even subspaces. *Math. Sbornik*, 190(8):125–160, 1999.
- [38] H. Schröder. *Funktionalanalysis*. Akademie-Verlag, Berlin, 1997.
- [39] E. Schrohe and B.-W. Schulze. *Pseudo-Differential Calculus and Mathematical Physics: Advances in Partial Differential Equations*, volume 5 of *Math. Topics*, chapter Boundary value problems in Boutet de Monvel's calculus for manifolds with conical singularities I, pages 97–209. Akademie-Verlag, Berlin, 1994.

- [40] E. Schrohe and B.-W. Schulze. *Boundary Value Problems, Schrödinger Operators, Deformation Quantization*, volume 8 of *Math. Topics*, chapter Boundary value problems in Boutet de Monvel's calculus for manifolds with conical singularities II, pages 70–205. Akademie-Verlag, Berlin, 1995.
- [41] E. Schrohe and J. Seiler. Ellipticity and invertibility in the cone algebra on L_p -Sobolev spaces. *Integral Equations Operator Theory*, 41(1):93–114, 2001.
- [42] B.-W. Schulze. Corner Mellin operators and reduction of orders with parameters. *Ann. Sc. Norm. Sup. Pisa Cl. Sci.*, 16(1):1–81, 1989.
- [43] B.-W. Schulze. *Symp. "Partial Differential Equations", Holzhau 1988*, volume 112 of *Teubner-Texte zur Mathematik*, chapter Pseudo-differential operators on manifolds with edges, pages 259–287. BSB Teubner, Leipzig, 1989.
- [44] B.-W. Schulze. *Pseudo-differential operators on manifolds with singularities*, volume 24 of *Studies in Mathematics and its Applications*. North-Holland, Amsterdam, 1st edition, 1991.
- [45] B.-W. Schulze. *Pseudo-differential boundary value problems, conical singularities, and asymptotics*, volume 4 of *Math. Topics*. Akademie-Verlag, Berlin, 1994.
- [46] B.-W. Schulze. *Boundary value problems and singular pseudo-differential operators*, volume 4 of *Pure and Applied Mathematics: A Wiley Series of Texts, Monographs and Tracts*. Wiley, Chichester, 1st edition, 1998.
- [47] B.-W. Schulze. An algebra of boundary value problems not requiring Shapiro–Lopatinskij conditions. *J. Funct. Anal.*, 179(2):374–408, 2001.
- [48] B.-W. Schulze. *Aspects of Boundary Problems in Analysis and Geometry*, volume 151 of *Advances in Partial Differential Equations*, chapter Index defects in the theory of spectral boundary value problems, pages 324–429. Birkhäuser, Basel, 2004.
- [49] B.-W. Schulze. *Pseudo-Differential Operators: Analysis, Applications and Computations*, volume 213 of *Oper. Theory: Adv. Appl.*, chapter The iterative structure of corner calculus, pages 79–103. Springer, Basel, 2011.
- [50] B.-W. Schulze and J. Seiler. The edge algebra structure of boundary value problems. *Ann. Glob. Anal. Geom.*, 22(3):197–265, 2002.
- [51] B.-W. Schulze and J. Seiler. Pseudodifferential boundary value problems with global projection conditions. *J. Funct. Anal.*, 206(2):449–498, 2004.
- [52] B.-W. Schulze and J. Seiler. Edge operators with conditions of Toeplitz type. *J. of the Inst. Math. Jussieu*, 5(1):101–123, 2006.
- [53] B.-W. Schulze and J. Seiler. Elliptic complexes with generalized Atiyah–Patodi–Singer boundary conditions. preprint arXiv:1510.02455[math. AP], 2015.

- [54] B.-W. Schulze and J. Seiler. Elliptic complexes on manifolds with boundary. *J. Geometric Analysis*, 3(22):1–51, 2018.
- [55] B.-W. Schulze and Y. Wei. The Mellin-edge quantisation for corner operators. *Complex Analysis and Operator Theory*, 8(4):803–841, 2014.
- [56] B.-W. Schulze and M. W. Wong. Mellin and Green operators of the corner calculus. *J. Pseudo-Differ. Oper. Appl.*, 2(4):467–507, 2011.
- [57] R. Seeley. Complex powers of an elliptic operator. In *Singular Integrals (Proc. Sympos. Pure Math., Chicago, 1966)*, volume 10, pages 288–307, Providence, RI, 1967. Amer. Math. Soc.
- [58] J. Seiler. *Pseudodifferential calculus on manifolds with non-compact edges*. PhD thesis, University of Potsdam, 1997.
- [59] J. Seiler. Continuity of edge and corner pseudo-differential operators. *Math. Nachr.*, 205(1):163–182, 1999.
- [60] J. Seiler. *Approaches to Singular Analysis*, volume 125 of *Oper. Theory: Adv. Appl.*, chapter The cone algebra and a kernel characterization of Green operators, pages 1–29. Birkhäuser, Basel, 2001.
- [61] M. Z. Solomjak. The Calderón projection. *Operator Theory and Function Theory*, 1:47–55, 1983. In Russian, University of Leningrad.
- [62] M. I. Vishik and G. I. Eskin. Convolution equations in a bounded region. *Uspekhi Mat. Nauk*, 20(3):89–152, 1965.
- [63] M. I. Vishik and G. I. Eskin. Convolution equations in bounded domains in spaces with weighted norms. *Math. Sbornik*, 69(111)(1):65–110, 1966.

Subject Index

- K -functor, 165
- K -theoretic index, 166
 - independence of weights, 309
 - of a Fredholm family, 309
- abstract edge Sobolev space, 58
- adjoint
 - in Boutet de Monvel's calculus, 143
 - Mellin operator, 216
- adjoint group action, 39
- adjoints of Mellin asymptotic types, 242
- Agranovich–Dynin formula for Toeplitz BVPs without transmission property, 360
- alternative edge quantisation, 299
- anti-transmission property, 345
- approximation property of kernel cut-off, 75
- approximation property of Mellin kernel
 - cut-off, 231
- asymptotic expansion of exit symbols, 81
- asymptotic sum, 6, 25
 - of symbols with twisted estimates, 42
 - in the cone calculus, 256
 - in the edge calculus, 305
 - of BVPs, 143
 - of holomorphic Mellin symbols, 220
 - of Toeplitz BVPs, 170
- asymptotic summation
 - in BVPs without transmission property, 348
 - in Toeplitz edge problems, 323
 - of Toeplitz BVPs without transmission property, 357
- asymptotic type
 - associated with weight data, 234
 - discrete, 234
- asymptotics on a manifold with conical singularities, 235
- Atiyah–Bott obstruction
 - for edge symbols, 309
 - in BVPs without transmission property, 349
 - independence on parameters, 317
- binomial expansion, 366
- block matrix isomorphism, 158
- Bott isomorphism, 153
- boundary of the stretched manifold, 286
- boundary symbol under violated transmission property, 341
- boundary symbols and Toeplitz operators, 133
- BVPs

- Toeplitz, 167
 - with global projection data, 167
- calculus over the open stretched cone, 254
- Calderón–Seeley projection, 200
- Cauchy data space, 190, 200
- classical
 - exit symbol, 81
 - symbol in the exit calculus, 86
- compact operator, 27
- complementary
 - Toeplitz BVPs without transmission
- property, 359
 - of Toeplitz BVPs, 172
 - Toeplitz edge operators, 325
- complementary Toeplitz operator, 29
- composition
 - in Boutet de Monvel’s calculus, 143
 - in BVPs without transmission property, 348
 - in the cone calculus, 259
 - in the edge calculus, 305
 - in the exit calculus, 91
 - of Toeplitz BVPs, 169
 - of Toeplitz BVPs without transmission property, 357
 - of Toeplitz edge operators, 323
 - of Toeplitz operators, 27
- computation of asymptotic types, 246
- cone algebra, 254
- cone algebra nature of truncated operators, 386
- cone bundle, 285
- cone calculus, 214, 254
- conical exit
 - with a smooth cross section, 89
- conical singularity, 204
- conormal ellipticity, 261
- conormal symbol
 - of adjoints, 370
 - of truncated operators, 369, 374
- conormal symbols, 243, 255
 - principal, 255
- continuity
 - of operators in BVPs without transmission property, 342
 - in edge Sobolev spaces, 60, 70
 - in Schwartz spaces, 66
 - in Sobolev spaces for transmission
- property, 104
 - in spaces with global projection data, 321
 - in the edge calculus, 303
 - in weighted spaces of the exit calculus, 91
 - of operators in spaces with asymptotics, 256
 - of operators in weighted spaces, 256
 - of the kernel cut-off operator, 73
 - of Toeplitz BVPs without transmission property, 356
- cuspidal configurations, 204
- cut-off function, 210, 212
- cutting and pasting of BVPs, 180
- decomposition of symbols with transmission property in dimension one, 104
- decoupled symbol, 47
- dilation transforming a Mellin operator, 215
- direct sum
 - of Toeplitz BVPs without transmission property, 357
 - of Toeplitz edge operators, 323
- double exit symbol, 83
- double of a smooth manifold with boundary, 333

- edge amplitude function, 299
 - with trace and potential entries, 300
- edge approach to BVPs, 333
- edge calculus, 301
 - with parameters, 313
 - for symbols without transmission property, 338
 - with trace and potential entries, 303
- edge operators
 - on a smooth manifold with boundary, 333
- edge operators with global projection conditions, 321
- edge quantisation
 - in BVPs without transmission property, 344
- edge quantisation for symbols without transmission property, 335
- edge-degenerate differential operators, 287
- edge-degenerate operator functions, 296
- elliptic
 - operator in the exit calculus, 87
 - overdetermined, 14
 - pseudo-differential operator, 14
 - regularity in the exit calculus, 88, 92
 - underdetermined, 14
- elliptic edge conditions, 309
- ellipticity
 - in the cone calculus, 261
 - exit, necessity for the Fredholm property, 92
 - exit, necessity for the Fredholm property, 88
 - in the edge calculus, 307
 - of a Toeplitz BVP, 171
 - of a Toeplitz operator, 28
 - of Toeplitz BVPs without transmission property, 358
 - of Toeplitz edge operators, 324
- ellipticity of classical exit operators, 87
- embedding
 - between Kegel and Mellin spaces, 213
 - continuous/compact in weighted spaces of the exit calculus, 85, 91
- Euler's Γ -function, 365
- excision function, 4
- existence of elliptic Toeplitz boundary conditions, 358
- exit
 - conical, to infinity, 89
- exit pseudo-differential operators, 82
- families of Fredholm operators, 162
- flatness with respect to a weight, 234
- formal adjoint, 71
 - of Mellin pseudo-differential operators, 229
 - in BVPs without transmission property, 348
 - in the cone calculus, 258
 - in the edge calculus, 305
 - in the exit calculus, 84, 91
 - of a Toeplitz BVP, 169
 - of Mellin symbol with asymptotics, 239
 - of Toeplitz BVPs without transmission property, 357
 - of Toeplitz edge operators, 323
 - of Toeplitz operators, 28
- formal Neumann series argument, 263
- Fourier transform
 - of restricted Schwartz functions, 106
 - relationship with the Mellin transform, 206
- Fourier–Laplace transform, 194
- Fréchet

- topology of symbols in the exit calculus, 81
- Fréchet space with group action, 38
- Fredholm property
 - in Boutet de Monvel's calculus, 147
 - in the cone calculus, 264
 - in the exit calculus, 88
 - in the exit calculus, 92
 - of a Toeplitz BVP, 174
- Fredholm Toeplitz operator, 30
- Fredholmness
 - of elliptic Toeplitz edge operator, 326
 - of a truncated operator on half-line, 345
 - of BVPs without transmission property, 353
 - of Toeplitz BVPs without transmission property, 359
- Fredholmness of exit operators, 88
- function
 - regularising, 64
- functional equation of Euler's Γ -function, 365
- global
 - operators in the exit calculus, 91
- global edge space, 288, 289
 - with asymptotics, 289
- global projection conditions, 150
- Green edge symbols
 - with trivial asymptotics, 290
 - examples, 294
 - without asymptotics, 290
- Green operator
 - in the transmission case, 112
 - in BVPs, 139
 - of type d , 142
 - of type d on the half-line, 112
 - of type 0 on the half-line, 112
 - on a manifold with conical singularities, 235
 - with trivial asymptotics, 238
- Green remainders
 - under changing weights, 243
 - under cutting Mellin operators, 257
- Green symbols
 - of order μ and type d , 138
 - of the edge calculus, 290
- group action
 - norm growth, 39
 - on Kegel spaces, 288
- growth of the norm
 - for a group action, 39
- Hermitean metric, 13
- Hilbert space with group action, 38
- Hilbert transform, 131
- Hilbert triples with group action, 42
- holomorphic operator-valued symbol, 75
- holomorphic operator-valued symbols, 231
- holomorphic regularisation in oscillatory integrals, 224
- holomorphically regularising function, 221
- homogeneous components, 4
- homogeneous principal symbol, 12
- in Boutet de Monvel's calculus
 - adjoint, 143
 - Atiyah–Bott obstruction, 147
 - boundary symbols, 141
 - composition, 143
 - Fredholm property, 147
 - parametrix, 146
 - potential operators, 141
 - Shapiro–Lopatinskii ellipticity, 145
 - smoothing operators, 137
 - trace operators, 141
- in the edge calculus
 - asymptotic sum, 305
 - composition, 305

- continuity, 303
- ellipticity, 307
- formal adjoint, 305
- order filtration, 304
- parameter-dependent ellipticity, 316
- Parametrices and the Fredholm property, 312
- principal symbols, 304
- reduced symbol, 307
- Shapiro–Lopatinskii ellipticity, 309
- index
 - K -theoretic, 166
 - Bott periodicity, 153
 - obstruction, 148
 - of a Toeplitz operator, 33, 133
 - under cutting and pasting of BVPs, 182
- index element
 - K -theoretic, 148
- inverse
 - in Boutet de Monvel’s calculus, 147
 - in the cone calculus, 265
 - within the exit calculus, 92
 - within the exit calculus, 92
- inverse Mellin transform, 206
- iterated edge Sobolev spaces, 59
- Kegel spaces, 210
 - with weight at infinity, 210
 - non-degenerate sesquilinear pairings, 213
 - weighted, 213
 - with asymptotics, 234
- kernel
 - distributional, 7
 - integral, of a smoothing operator in the exit calculus, 82
 - of a Mellin pseudo-differential operator, 215
 - of an exit elliptic operator, 92
 - Schwartz, of smoothing operators on a manifold with conical exit, 90
- kernel characterisation
 - of Green operators, 236, 251
 - for a Green symbol, 338
- kernel cut-off, 72
 - based on the Mellin transform, 218
 - operator, 218
 - operator with respect to the weight line, 220
- adjoint, 78
- expansion, 77
- left exit symbol, 83
- Leibniz product, 70
 - in the exit calculus, 84
- manifold
 - with conical exit to infinity, 89
- manifold with edge, 285
- manifolds with conical exit to infinity, 79
- Mellin asymptotic type
 - discrete, 238
- Mellin convolution, 208, 215
- Mellin edge quantisation, 299
- Mellin kernel cut-off expansion, 231
- Mellin Leibniz product, 227
- Mellin operator convention, 297
- Mellin oscillatory integral, 222, 230
- Mellin plus Green operators in the cone calculus, 243
- Mellin pseudo-differential operators, 214
 - composition, 227
 - continuity, 228
 - formal adjoint, 229
- Mellin quantisation, 296
- Mellin reformulation of specific truncated Fourier operators, 364
- Mellin symbol, 214

- double, 226
- holomorphic, 217
- left, 226
- meromorphic, 239
- parameter-dependent
 - holomorphic, 218
- right, 226
- smoothing holomorphic, 218
- with asymptotics, 238
- Mellin transform, 205
 - relationship with the Fourier transform, 206
- Mellin translation product in the cone calculus, 245
- Mellin variant of the kernel cut-off, 230
- Mellin version of Parseval's formula, 208
- Mellin version of Plancherel's formula, 208
- meromorphic Mellin symbols, 363
- minus-symbol, 99
- necessity of ellipticity of Toeplitz edge operator, 328
- non-direct sum, 8, 43
- on the half-line
 - BVPs, 116
 - Green remainders under composition, 114
 - inverse of $1+\text{Green}$, 119
 - reduction of orders, 117
- open stretched cone, 203
- operator
 - formal adjoint, 22
 - Fredholm, 14
 - Fuchs type, 204
 - parameter-dependent elliptic, 16
- operator convention
 - in BVPs, 142
 - in BVPs without transmission property, 342, 344
 - of the cone calculus, 256
 - operator of multiplication, 59
 - by a function, 291
 - operator push forward, 11
 - operator-valued symbols, 40
 - classical, 40
 - operators
 - between distributional sections of vector bundles, 239
 - without transmission property, 348
- order reducing
 - operator in the exit calculus, 85
 - operators, 155
 - symbol in BVPs, 153
- order reducing operators on a manifold with edge, 317
- order reducing symbol with transmission property, 95
- oscillatory integrals, 3, 62
 - based on the Mellin transform, 220
 - expression for formal adjoints, 229
- Paley–Wiener Theorem, 101, 278
 - in Mellin version, 282
 - in Fourier version, 270
- parameter-dependent
 - Boutet de Monvel's calculus, 154
 - ellipticity in BVPs, 155
 - ellipticity in the edge calculus, 316
 - holomorphic Mellin symbol, 218
 - parametrix, 16
 - principal edge symbol, 315
 - reduction of orders in BVPs, 155
- parametrix
 - of an elliptic operator, 14
 - in Boutet de Monvel's calculus, 146

- in the cone calculus, 262
 - in the exit calculus, 92
 - of a Toeplitz BVP, 174
 - of a Toeplitz operator, 28
 - of an elliptic exit operator, 88
 - of BVPs without transmission property, 353
 - of Toeplitz BVPs without transmission property, 359
 - of Toeplitz edge operator, 326
- Peetre's inequality, 39, 74
- plus-symbol, 99
- potential operator, 114
 - in Boutet de Monvel's calculus, 141
- principal edge symbol, 304
 - of an edge-degenerate differential operator, 287
- principal exit symbols, 86
- principal symbol
 - of a BVP without transmission property, 341
 - of Toeplitz BVPs without transmission property, 356
- principal symbolic structure, 255
- principal symbols in the edge calculus, 304
- projection
 - in a Hilbert space, 16
 - orthogonal, 16
- projection data
 - adjoint, 21
- projective tensor product, 43
- properly supported, 7
- pseudo-differential operators
 - with operator-valued symbol, 57
- pseudo-differential projections, 102
 - on the half-line, 130
- reduction to a first order system, 189
- reduction to the boundary
 - of a Toeplitz BVP, 176
- reduction to the edge, 328
- regularising functions for oscillatory integrals, 221
- reproducing homogeneous components, 37
- reproducing twisted homogeneous components, 41
- Riemannian metric, 13
- right exit symbol, 83
- Schwartz space
 - on a manifold with conical exit to infinity, 90
- sesquilinear pairing, 21
 - non-degenerate, 21, 213
- Shapiro–Lopatinskii ellipticity
 - in BVPs without transmission property, 352
- shift of weight lines in Mellin operators, 239
- Singular functions with asymptotics, 234
- singular Green operators, 237
- smoothing edge operators, 301
- smoothing Mellin plus Green edge symbols, 295
- smoothing operator
 - in the cone calculus, 236
 - in the exit calculus, 82
- Sobolev cone spaces in the exit calculus, 89
- Sobolev spaces, 12
 - cylindrical, 211
 - on a manifold with conical exit to infinity, 213
- spectral BVPs for differential operators, 187
- splitting of variables, 203
- Stirling numbers, 205
- stratified space, 204, 285
- stretched manifold, 204
 - with edge, 286
- symbol
 - classical, 4

- double, 8
- left, 8, 68
- of Mellin oscillatory integral, 221
- of order μ , 4
- order and weight reducing in
 - the exit calculus, 81
- right, 8, 68
- with double exit orders, 81
- with exit order at infinity, 81
- symbolic estimates, 3
 - in the exit calculus, 81
 - twisted, 40
- symbols with transmission property
 - in dimension one, 96
- symbols with values in a Fréchet space, 36

- Taylor's formula, 48, 292
- tensor product expansion, 61
- Toeplitz BVPs, 167
 - asymptotic sum, 170
 - boundary symbol, 169
 - complementary, 172
 - composition, 169
 - ellipticity, 171
 - Fredholmness, 174
 - parametrix, 174
 - reduction to the boundary, 176
 - smoothing, 168
- Toeplitz calculus of BVPs without transmission property, 355
- Toeplitz edge analogue of
 - Agranovich–Dynin formula, 330
 - Toeplitz edge problems, 321
 - Toeplitz operator, 24
 - translation in the Mellin covariable, 214
 - transmission property, 94
 - in dimension one, 95
 - truncated operators on a manifold
 - with boundary, 340
 - twisted homogeneity of edge symbols, 308
 - twisted homogeneous principal edge symbol, 294
- vector bundles on a stretched space, 289

- weight, 206
- weight data, 242
- weight intervals, 291
- weighted
 - spaces on a manifold with conical singularities, 210, 212
 - Kegel spaces, 213
 - Mellin analogue of the Schwartz space, 207
 - Mellin Sobolev space, 209
 - Mellin transform, 206
 - Sobolev spaces, 205
 - spaces on a wedge, 288
 - spaces with asymptotics on a wedge, 288
- winding number of a symbol, 345