

Bibliography

1. M. Abramowitz, I.A. Stegun, *Handbook of Mathematical Functions*. (Dover Publications, 1972), https://en.wikipedia.org/wiki/Abramowitz_and_Stegun (provides links to the full text which is in public domain)
2. B.K. Aldershof, Estimation of integrated squared density derivatives. Ph.D. thesis, A dissertation submitted to the faculty of The University of North Carolina at Chapel Hill, 1991
3. N. Altman, Ch. Léger, Bandwidth selection for kernel distribution function estimation. *J. Stat. Plan. Inference.* **46**(2), 195–214, 1995. [https://doi.org/10.1016/0378-3758\(94\)00102-2](https://doi.org/10.1016/0378-3758(94)00102-2)
4. E. Anderson, The Irises of the Gaspé Peninsula. *Bull. Am. Iris Soc.* **59**, 2–5 (1935)
5. W. Andrzejewski, A. Gramacki, J. Gramacki, Graphics processing units in acceleration of bandwidth selection for kernel density estimation. *Int. J. Appl. Math. Comput. Sci.* **23**(4), 869–885 2013. <https://doi.org/10.2478/amcs-2013-0065>
6. A. Azzalini, A.W. Bowman, A look at some data on the old faithful geyser. *J. R. Stat. Soc. Ser. C (Appl. Stat.)* **39**(3), 357–365 (1990), <http://www.jstor.org/stable/2347385>
7. J. Bachrach, H. Vo, B. Richards, Y. Lee, A. Waterman, R. Avižienis, J. Wawrzynnek, K. Asanović, Chisel: constructing hardware in a scala embedded language in *Design Automation Conference*, (IEEE, 2012), pp. 1212–1221, <https://chisel.eecs.berkeley.edu>
8. R.E. Bellman, *Dynamic programming*, (Princeton University Press, 1957)
9. P.K. Bhattacharya, Estimation of a probability density function and its derivatives. *Indian J. Stat. Ser. A* **29**, 373–382 (1967)
10. Bioconductor, *The open source software for bioinformatics*, <http://www.bioconductor.org>
11. Z.I. Botev, J.F. Grotowski, D.P. Kroese, Kernel density estimation via diffusion. *Ann. Stat.* **38**(5), 2916–2957 (2010). <https://doi.org/10.1214/10-AOS799>
12. A.W. Bowman, An alternative method of cross-validation for the smoothing of density estimates. *Biometrika.* **71**(2), 353–360 (1984), <http://www.jstor.org/stable/2336252>
13. A.W. Bowman, A. Azzalini, *Applied Smoothing Techniques for Data Analysis: The Kernel Approach with S-Plus Illustrations* (Oxford University Press, Oxford Statistical Science Series, 1997)
14. L. Breiman, W. Meisel, E. Purcell, Variable kernel estimates of multivariate densities. *Technometrics.* **19**(2), 135–144 (1977), <http://www.jstor.org/stable/1268623>
15. R. Cao, A. Cuevas, W.G. Manteiga, A comparative study of several smoothing methods in density estimation. *Comput. Stat. Data Anal.* **17**, 153–176 (1994). [https://doi.org/10.1016/0167-9473\(92\)00066-Z](https://doi.org/10.1016/0167-9473(92)00066-Z)
16. Y. Cao, H. He, H. Man, SOMKE: kernel density estimation over data streams by sequences of self-organizing maps. *IEEE Trans. Neural Netw. Learn. Syst.* **23**, 1254–1268 (2012). <https://doi.org/10.1109/TNNLS.2012.2201167>
17. J.E. Chacón, Personal communication, <http://matematicas.unex.es/~jechacon/>

18. J.E. Chacón, Data-driven choice of the smoothing parametrization for kernel density estimators. *Can. J. Stat.* **37**, 249–265 (2009). <https://doi.org/10.1002/cjs.10016>
19. J.E. Chacón, T. Duong, Multivariate plug-in bandwidth selection with unconstrained pilot bandwidth matrices. *Test.* **19**, 375–398 (2010). <https://doi.org/10.1007/s11749-009-0168-4>
20. J.E. Chacón, T. Duong, Unconstrained pilot selectors for smoothed cross validation. *Aust. N. Z. J. Stat.* **53**, 331–351 (2012). <https://doi.org/10.1111/j.1467-842X.2011.00639.x>
21. J.E. Chacón, T. Duong, Data-driven density derivative estimation, with applications to non-parametric clustering and bump hunting. *Electron. J. Stat.* **7**, 499–532 (2013). <https://doi.org/10.1214/13-EJS781>
22. J.E. Chacón, T. Duong, Efficient recursive algorithms for functionals based on higher order derivatives of the multivariate Gaussian density. *Stat. Comput.* **25**, 959–974 (2015). <http://dx.doi.org/10.1007/s11222-014-9465-1>
23. J.E. Chacón, T. Duong, M.P. Wand Asymptotics for general multivariate kernel density derivative estimators. *Statistica Sinica* **21**(2), 807–840 (2011), <http://www.jstor.org/stable/24309542>
24. J.E. Chacón, C. Tenreiro, Data-based choice of the number of pilot stages for plug-in bandwidth selection. *Commun. Stat. Theory Methods.* **42**(12), 2200–2214 (2013). <http://dx.doi.org/10.1080/03610926.2011.606486>
25. J.E. Chacón, P. Monfort, A comparison of bandwidth selectors for mean shift clustering (2013). [arXiv.org preprint](https://arxiv.org/preprint)
26. M. Charytanowicz, J. Niewczas, P. Kulczycki, P.A. Kowalski, S. Łukasik, S. Żak, in *Complete Gradient Clustering Algorithm for Features Analysis of X-Ray Images*, (Springer, Berlin, 2010), pp. 15–24. http://dx.doi.org/10.1007/978-3-642-13105-9_2
27. P. Chaudhuri, J.S. Marron, SiZer for exploration of structures in curves. *J. Am. Stat. Assoc.* **94**(447), 807–823 (1999), <http://www.jstor.org/stable/2669996>
28. Y. Cheng, Means shift, mode seeking, and clustering. *IEEE Trans. Pattern Anal. Mach. Intell.* **17**(8), 790–799 (1995). <https://doi.org/10.1109/34.400568>
29. S.-T. Chiu, Why bandwidth selectors tend to choose smaller bandwidths, and a remedy. *Biometrika.* **77**(1), 222–226 (1990), <http://www.jstor.org/stable/2336068>
30. S.-T. Chiu. The effect of discretization error on bandwidth selection for kernel density estimation. *Biometrika.* **78**(2), 436–441 (1991), <http://www.jstor.org/stable/2337272>
31. Y.-M. Chou, R.L. Mason, J.C. Young. The control chart for individual observations from a multivariate non-normal distribution. *Commun. Stat. Theory Methods.* **30**, 1937–1949 (2001). <http://dx.doi.org/10.1081/STA-100105706>
32. P.P. Chu, *FPGA Prototyping by VHDL Examples: Xilinx Spartan-3 Version* (Wiley Interscience, 2008)
33. D.B. Cline, J.D. Hart, Kernel estimation of densities with discontinuities or discontinuous derivatives. *Statistics.* **22**, 69–84 (1991). <http://dx.doi.org/10.1080/02331889108802286>
34. D. Comaniciu, P. Meer, Mean shift: a robust approach toward feature space analysis. *IEEE Trans. Pattern Anal. Mach. Intell.* **24**, 603–619 (2002). <https://doi.org/10.1109/34.1000236>
35. D. Comaniciu, V. Ramesh, P. Meer, Kernel-Based object tracking. *IEEE Trans. Pattern Anal. Mach. Intell.* **25**(5), 564–575 (2003). <https://doi.org/10.1109/TPAMI.2003.1195991>
36. P. Coussy, A. Morawiec. *High-Level Synthesis from Algorithm to Digital Circuit*. (Springer, Berlin, 2008). <https://doi.org/10.1007/978-1-4020-8588-8>
37. J. Ćwik, J. Mielniczuk. *Statystyczne systemy uczące się. Ćwiczenia w oparciu o pakiet R (Statistical Learning Systems. R Project based exercises)*. Oficyna Wydawnicza Politechniki Warszawskiej, 2005. (in Polish)
38. N. Daili, A. Guesmia, Remez algorithm applied to the best uniform polynomial approximations. *Gen. Math. Notes* **17**(1), 16–31 (2013)
39. L. Devroye, L. Györfi, *Nonparametric Density Estimation: The L1 View* (Wiley, New York, 1985)
40. L. Devroye, L. Györfi, A. Krzyżak, The Hilbert kernel regression estimate. *J. Multivar. Anal.* **65**, 209–227 1998. <https://doi.org/10.1006/jmva.1997.1725>

41. L. Devroye, A. Krzyżak, On the Hilbert kernel density estimate. *Stat. Probab. Lett.* **44**, 299–308 (1999). [https://doi.org/10.1016/S0167-7152\(99\)00021-8](https://doi.org/10.1016/S0167-7152(99)00021-8)
42. L. Devroye, G. Lugosi, *Combinatorial Methods in Density Estimation* (Springer, New York, 2001)
43. B. Droge, Some comments on cross-validation. Technical Report 1994–1997 (Humboldt Universitaet Berlin, 1996)
44. R.O. Duda, P.E. Hart, D.G. Stork, *Pattern Classification*, 2nd edn. (Wiley-Interscience, 2000)
45. T. Duong, Personal communication, <http://www.mvstat.net/duong/>
46. T. Duong, Bandwidth selectors for multivariate kernel density estimation. Ph.D. thesis, University of Western Australia, School of Mathematics and Statistics, 2004
47. T. Duong, ks: Kernel density estimation and Kernel discriminant analysis for multivariate data in R. *J. Stat. Softw.* **21**, 1–16 (2007). <http://dx.doi.org/10.18637/jss.v021.i07>
48. T. Duong, Non-parametric smoothed estimation of multivariate cumulative distribution and survival functions, and receiver operating characteristic curves. *J. Korean Stat. Soc.* **45**, 33–50 (2016). <https://doi.org/10.1016/j.jkss.2015.06.002>
49. T. Duong, *Kernel Smoothing*, (R package version 1.10.6, 2017), <http://CRAN.R-project.org/package=ks>
50. T. Duong, G. Beck, H. Azzag, M. Lebbah, Nearest neighbour estimators of density derivatives, with application to mean shift clustering. *Pattern Recognit. Lett.* **80**, 224–230 (2016). <https://doi.org/10.1016/j.patrec.2016.06.021>
51. T. Duong, A. Cowling, I. Koch, M.P. Wand, Feature significance for multivariate kernel density estimation. *Comput. Stat. Data Anal.* **52**, 4225–4242 (2008). <https://doi.org/10.1016/j.csda.2008.02.035>
52. T. Duong, M.L. Hazelton, Plug-in bandwidth matrices for bivariate kernel density estimation. *J. Nonparametric Stat.* **15**, 17–30 (2003). <http://dx.doi.org/10.1080/10485250306039>
53. T. Duong, M.L. Hazelton, Convergence rates for unconstrained bandwidth matrix selectors in multivariate kernel density estimation. *J. Multivar. Anal.* **93**, 417–433 (2005). <https://doi.org/10.1016/j.jmva.2004.04.004>
54. T. Duong, M.L. Hazelton, Cross-validation Bandwidth Matrices for Multivariate Kernel Density Estimation. *Scand. J. Stat.* **32**, 485–506 (2005). <https://doi.org/10.1111/j.1467-9469.2005.00445.x>
55. T. Duong, M. Wand. *Feature: Local Inferential Feature Significance for Multivariate Kernel Density Estimation*, (R package version 1.2.13, 2015), <http://CRAN.R-project.org/package=feature>
56. V.A. Epanechnikov, Nonparametric estimation of a multidimensional probability density. *Theory Probab. Appl.* **14**, 153–158 (1969). <http://dx.doi.org/10.1137/1114019>
57. M. Ester, H.-P. Kriegel, J. Sander, X. Xu, A density-based algorithm for discovering clusters in large spatial databases with noise, in *Proceedings of 2nd International Conference on Knowledge Discovery and Data Mining (KDD-96)*, (1996), pp. 226–231
58. B. S. Everitt, S. Landau, M. Leese, D. Stahl. *Cluster Analysis*, 5th edn. (Wiley Series in Probability and Statistics, 2011)
59. B.S. Everitt, A. Skrondal, *The Cambridge Dictionary of Statistics*, 4th edn. (Cambridge University Press, 2010)
60. W. Feller, *An Introduction to Probability Theory and Its Applications*, (Wiley, 1968)
61. R. A. Fisher. The use of multiple measurements in taxonomic problems. *Ann. Eugen.* **7**, 179–188 (1936). <http://dx.doi.org/10.1111/j.1469-1809.1936.tb02137.x>
62. E. Fix, J.L. Hodges, *Discriminatory Analysis - Nonparametric Discrimination: Consistency Properties*, (Technical report USAF School of Aviation Medicine, Randolph Field, Texas, 1951)
63. K. Fukunaga, L. Hostetler, The estimation of the gradient of a density function, with applications in pattern recognition. *IEEE Trans. Inf. Theory.* **21**, 32–40 (1975). <https://doi.org/10.1109/TIT.1975.1055330>
64. Ch.R. Genovese, M. Perone-Pacifico, I. Verdinelli, L. Wasserman, On the path density of a gradient field. *Ann. Stat.* **37**(6A), 3236–3271 (2009). <https://doi.org/10.1214/08-AOS671>

65. A.K. Ghost, Optimal smoothing in kernel discriminant analysis. *Comput. Stat. Data Anal.* **50**, 3113–3123 (2006). <https://doi.org/10.1016/j.csda.2005.06.007>
66. A.K. Ghost, P. Chaudhuri, Optimal smoothing in kernel discriminant analysis. *Statistica Sinica*. **14**(2), 457–483 (2004), <http://www.jstor.org/stable/24307204>
67. A.L. Givan, *Flow Cytometry: First Principles* (Wiley-Liss, New York, 2001)
68. F. Godtliebsen, J.S. Marron, P. Chaudhuri, Significance in scale space for bivariate density estimation. *J. Comput. Graph. Stat.* **11**, 1–21 (2002). <http://dx.doi.org/10.1198/106186002317375596>
69. W. González-Manteiga, C. Sánchez-Sellero, M.P. Wand, Accuracy of binned kernel functional approximations. *Comput. Stat. Data Anal.* **22**, 1–16 (1996). [https://doi.org/10.1016/0167-9473\(96\)88030-3](https://doi.org/10.1016/0167-9473(96)88030-3)
70. N. Gopalakrishnan, *Flow cytometry data analysis using Bioconductor—A typical work flow*, 2009. The paper can be downloaded from <https://www.bioconductor.org/help/workflows/highthroughputassays/flowWorkflow.pdf>, the data files can be downloaded from www.bioconductor.org/help/workflows/high-throughput-assays/dataFiles.tar
71. A. Gramacki, J. Gramacki, FFT-Based fast computation of multivariate kernel estimators with unconstrained bandwidth matrices. *J. Comput. Graph. Stat.* **26**, 459–462 (2016). <http://dx.doi.org/10.1080/10618600.2016.1182918>
72. A. Gramacki, J. Gramacki, FFT-based fast bandwidth selector for multivariate kernel density estimation. *Comput. Stat. Data Anal.* **106**, 27–45 (2017). <https://doi.org/10.1016/j.csda.2016.09.001>
73. A. Gramacki, M. Sawerwain, J. Gramacki, FPGA-based bandwidth selection for kernel density estimation using high level synthesis approach. *Bull. Pol. Acad. Sci. Tech. Sci.* **64** (2016). <https://doi.org/10.1515/bpasts-2016-0091>
74. L. Greengard, J. Strain, The fast gauss transform. *SIAM J. Sci. Stat. Comput.* **12**, 79–94 (1991). <http://dx.doi.org/10.1137/0912004>
75. L. Györfi, M. Kohler, A. Krzyżak, H. Walk, *A Distribution-free Theory of Nonparametric Regression*, (Springer, 2002)
76. P. Hall, K.-H. Kang, Bandwidth choice for nonparametric classification. *Ann. Stat.* **33**, 284–306 (2005). <https://doi.org/10.1214/009053604000000959>
77. P. Hall, J.S. Marron, B.U. Park, Smoothed cross validation. *Probab. Theory Relat. Fields.* **92**, 1–20 (1992). <https://doi.org/10.1007/BF01205233>
78. P. Hall, J.S. Marron, Estimation of integrated squared density derivatives. *Stat. Probab. Lett.* **6**(2), 109–115 (1987). [https://doi.org/10.1016/0167-7152\(87\)90083-6](https://doi.org/10.1016/0167-7152(87)90083-6)
79. P. Hall, B.U. Park, New methods for bias correction at endpoints and boundaries. *Ann. Stat.* **30**(5), 1460–1479 (2002), <http://www.jstor.org/stable/1558721>
80. P. Hall, M.P. Wand, On the accuracy of binned kernel density estimators. *J. Multivar. Anal.* **56**(2), 165–184 (1996). <https://doi.org/10.1006/jmva.1996.0009>
81. W. Härdle, *Applied Nonparametric Regression, Econometric society monographs*, (Cambridge University Press, Cambridge, 1990)
82. W. Härdle, *Smoothing Techniques: With Implementation in S*, (Springer Series in Statistics, 1991)
83. W. Härdle, J.S. Marron, M.P. Wand, Bandwidth choice for density derivatives. *J. R. Stat. Soc. Ser. B (Methodological)*. **52**(1), 223–232 (1990), <https://www.jstor.org/stable/2345661>
84. W. Härdle, M. Müller, S. Sperlich, A. Werwatz, *Nonparametric and Semiparametric Models*, (Springer Series in Statistics, 2004)
85. W. Härdle, D.W. Scott, Smoothing in low and high dimensions by weighted averaging using rounded points. *Comput. Stat.* **7**, 97–128 (1992)
86. J.A. Hartigan, M.A. Wong, Algorithm AS 136: A K-means clustering algorithm. *J. R. Stat. Soc. Ser. C (Appl. Stat.)* **28**(1), 100–108 (1979), <http://www.jstor.org/stable/2346830>
87. T. Hastie, R. Tibshirani, J. Friedman, *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, (Springer Series in Statistics, 2001), <https://web.stanford.edu/~hastie/ElemStatLearn>

88. T. Hayfield, J.S. Racine, The np package: kernel methods for categorical and continuous data. *R News*. **7**(2), 35–43 (2007), http://CRAN.R-project.org/doc/Rnews/Rnews_2007-2.pdf
89. N.-B. Heidenreich, A. Schindler, S. Sperlich, Bandwidth selection for kernel density estimation: a review of fully automatic selectors. *AStA Adv. Stat. Anal.* **97**, 403–433 (2013). <https://doi.org/10.1007/s10182-013-0216-y>
90. H. Heinz, Density estimation over data streams. Ph.D. thesis, Philipps-Universität Marburg, Faculty of Mathematics and Computer Science, 2007
91. H.V. Henderson, S.R. Searle, Vec and vech operators for matrices, with some uses in Jacobians and multivariate statistics. *Can. J. Stat.* **7**(1), 65–81 (1979), <http://www.jstor.org/stable/3315017>
92. N. Hjort, M. Jones, Locally parametric nonparametric density estimation. *Ann. Stat.* **24**(4), 1619–1647 (1996), <http://www.jstor.org/stable/2242742>
93. B. Holmquist, The d -variate vector hermite polynomial of order k . *Linear Algebr. Appl.* **237–238**, 155–190 (1996). [https://doi.org/10.1016/0024-3795\(95\)00595-1](https://doi.org/10.1016/0024-3795(95)00595-1)
94. I. Horová, J. Kolářček, J. Zelinka, *Kernel Smoothing in Matlab: Theory and Practice of Kernel Smoothing* (World Scientific Publishing, Singapore, 2012)
95. H. Hotelling, The generalization of student’s ratio. *Ann. Math. Stat.* **2**(3), 360–378 (1931). <https://doi.org/10.1214/aoms/1177732979>
96. O. Hryniewicz, *On the Robustness of the Shewhart Control Chart to Different Types of Dependencies in Data*, (Springer, Berlin, 2012), pp. 19–33. https://doi.org/10.1007/978-3-7908-2846-7_2
97. A.J. Izenman, *Modern Multivariate Statistical Techniques*, (Springer Texts in Statistics, 2008)
98. W. Jarosz, Efficient Monte Carlo methods for light transport in scattering media. Ph.D. thesis, UC San Diego, Sep 2008, <https://cs.dartmouth.edu/~wjarosz/publications/dissertation>
99. M.C. Jones, Variable kernel density estimates and variable kernel density estimates. *Aust. N. Z. J. Stat.* **32**, 361–371 (1990). <https://doi.org/10.1111/j.1467-842X.1990.tb01031.x>
100. M.C. Jones, Simple boundary correction for kernel density estimation. *Stat. Comput.* **3**(3), 135–146 (1993). <https://doi.org/10.1007/BF00147776>
101. M.C. Jones, On kernel density derivative estimation. *Commun. Stat. Theory Methods.* **23**(8), 2133–2139 (1994). <http://dx.doi.org/10.1080/03610929408831377>
102. M.C. Jones, P.J. Foster, Generalized jackknifing and higher order kernels. *J. Nonparametric Stat.* **3**(1), 81–94 (1993). <http://dx.doi.org/10.1080/10485259308832573>
103. M.C. Jones, J.S. Marron, S.J. Sheather, A brief survey of bandwidth selection for density estimation. *J. Am. Stat. Assoc.* **91**(433), 401–407 (1996). <http://dx.doi.org/10.1080/01621459.1996.10476701>
104. M.C. Jones, J.S. Marron, S.J. Sheather, Progress in data-based bandwidth selection for kernel density estimation. *Comput. Stat.* **11**(3), 337–381 (1996), <http://oro.open.ac.uk/id/eprint/24974>
105. J. Koronacki, J. Ćwik, *Statystyczne systemy uczące się (Statistical Learning Systems)*. Wydawnictwo Naukowo-Techniczne, 2005. (in Polish)
106. HP. Kriegel, P. Kröger, J. Sander, A. Zimek, Density-based clustering. *WIREs Data Min. Knowl. Discov.* **1**, 231–240 (2011). <https://doi.org/10.1002/widm.30>
107. P. Kulczycki, *Estymatory jądrowe w analizie systemowej (Kernel Estimators in Systems Analysis)*. Wydawnictwo Naukowo-Techniczne, 2005. (in Polish)
108. P. Kulczycki, M. Charytanowicz, A complete gradient clustering algorithm formed with kernel estimators. *Int. J. Appl. Math. Comput. Sci.* **20**(1), 123–134 (2010). <https://doi.org/10.2478/v10006-010-0009-3>
109. P. Kulczycki, M. Charytanowicz, A.L. Dawidowicz, A convenient ready-to-use algorithm for a conditional quantile estimator. *Appl. Math. Inf. Sci.* **9**(2), 841–850 (2015)
110. P.A. Kulczycki, A.L. Dawidowicz, Kernel estimator of quantile. *Universitatis Iagellonicae Acta Mathematica*. XXXVII:325–336 (1999)
111. D. Lang, M. Klaas, N. Freitas, Empirical testing of fast kernel density estimation algorithms. Technical Report UBC TR-2005-03 (University of British Columbia, Department of Computer Science, 2005), <http://www.cs.ubc.ca/~nando/papers/empirical.pdf>

112. C.E. Lawrence, *Partial Differential Equations*, (American Mathematical Society, 2010)
113. D.O. Loftsgaarden, C.P. Quesenberry, A nonparametric estimate of a multivariate density function. *Ann. Math. Stat.* **36**(3), 1049–1051 (1965), <http://www.jstor.org/stable/2238216>
114. S. Łukasik, Parallel computing of kernel density estimates with MPI, in *International Conference on Computational Science ICCS 2007*. LNCS, vol. 4489 (Springer, Berlin, 2007), pp. 726–733. https://doi.org/10.1007/978-3-540-72588-6_120
115. J.S. Marron, D. Nolan, Canonical kernels for density estimation. *Stat. Probab. Lett.* **7**, 195–199 (1988). [https://doi.org/10.1016/0167-7152\(88\)90050-8](https://doi.org/10.1016/0167-7152(88)90050-8)
116. J.S. Marron, D Ruppert, Transformations to reduce boundary bias in kernel density estimation. *J. R. Stat. Soc. Ser. B (Methodol.)* **56**, 653–671 (1994), <http://www.jstor.org/stable/2346189>
117. R.L. Mason, J.C. Young, ASA-SIAM series on statistics and applied mathematics, in *Multivariate Statistical Process Control with Industrial Applications* (2002)
118. J. Matai, D. Richmond, D. Lee, R. Kastner, Enabling FPGAs for the Masses (2014), [arXiv:1408.5870](https://arxiv.org/abs/1408.5870)
119. G.J. McLachlan, *Discriminant Analysis and Statistical Pattern Recognition*, (Wiley Interscience, 2004)
120. G. Menardi, *Variable Kernel Density Estimate: A New Proposal*, (Cleup, Padova, 2006), pp. 579–582
121. D.C. Montgomery, *Introduction to Statistical Quality Control*, 5th edn. (Wiley, 2005)
122. H.-G. Müller, Smooth optimum kernel estimators near endpoints. *Biometrika* **78**, 521–530 (1991), <http://www.jstor.org/stable/2337021>
123. B.J. Murphy, M.A. Moran, Parametric and kernel density methods in discriminant analysis: Another comparison. *Comput. Math. Appl.* **12**, 197–207 (1986). [https://doi.org/10.1016/0898-1221\(86\)90073-8](https://doi.org/10.1016/0898-1221(86)90073-8)
124. E.A. Nadaraya, On estimating regression. *Theory Probab. Appl.* **9**, 141–142 (1964). <http://dx.doi.org/10.1137/1109020>
125. U. Naumann, G. Luta, M.P. Wand, The curvHDR method for gating flow cytometry samples. *BMC Bioinf.* **11**(44), 1–13 (2010). <https://doi.org/10.1186/1471-2105-11-44>
126. R.B. Nelsen. *An Introduction to Copulas*. Springer Series in Statistics (2006)
127. M.G. Ormerod, *Flow Cytometry—A Basic Introduction* (2008), <http://flowbook.denovosoftware.com>
128. S. Palnitkar, *Verilog HDL (paperback)*, 2nd edn. (Prentice Hall, 2003)
129. B.U. Park, J.S. Marron, Comparison of data-driven bandwidth selectors. *J. Am. Stat. Assoc.* **85**, 66–72 (1990). <https://doi.org/10.1080/01621459.1990.10475307>
130. E. Parzen, On estimation of a probability density function and mode. *Ann. Math. Stat.* **33**(3), 1065–1076 (1962). <https://doi.org/10.1214/aoms/1177704472>
131. L.E. Peterson, K-nearest neighbor, *Scholarpedia the peer-reviewed open-access encyclopedia*, **4**(2), 1883 (2009). <http://dx.doi.org/10.4249/scholarpedia.1883>
132. P. Phaladiganon, S.B. Kim, V.C.P. Chen, J.-G. Baek, S.-K. Park, Bootstrap-Based T^2 multivariate control charts. *Commun. Stat. Simul. Comput.* **40**, 645–662 (2011). <http://dx.doi.org/10.1080/03610918.2010.549989>
133. PLUGIN, The plug-in source codes, 2016, <https://github.com/qMSUZ/plugin>
134. B.L.S. PrakasaRao, *Nonparametric Functional Estimation*, (Academic Press, Orlando, 1983)
135. R Core Team, *R: A Language and Environment for Statistical Computing*, (R Foundation for Statistical Computing, Vienna, Austria, 2016), <https://www.R-project.org/>
136. R Core Team, *Introduction to Flow Cytometry: A Learning Guide*, Manual Part number: 11-11032-01 rev. 2, (R Foundation for Statistical Computing, San Jose, California, USA, 2002), https://www.bdbiosciences.com/us/support/s/itf_launch
137. J.S. Racine, T. Hayfield, *NP: Nonparametric Kernel Smoothing Methods for Mixed Data Types*, (R package version 0.60-3, 2016), <https://CRAN.R-project.org/package=np>
138. E. Rafajłowicz, Nonparametric orthogonal series estimators of regression: a class attaining the optimal convergence rate in L_2 . *Stat. Probab. Lett.* **5**, 219–224 (1987). [https://doi.org/10.1016/0167-7152\(87\)90044-7](https://doi.org/10.1016/0167-7152(87)90044-7)

139. E. Rafajłowicz, Nonparametric least squares estimation of a regression function. *Stat. A J. Theor. Appl. Stat.* **19**, 349–358 (1988). <http://dx.doi.org/10.1080/02331888808802107>
140. E. Rafajłowicz, E. Skubalska-Rafajłowicz, FFT in calculating nonparametric regression estimate based on trigonometric series. *Appl. Math. Comput. Sci.* **3**(4), 713–720 (1993)
141. E. Rafajłowicz, E. Skubalska-Rafajłowicz, Nonparametric regression estimation by Bernstein-Durrmeyer polynomials. *Tatra Mt. Math. Publ.* **17**, 227–239 (1999)
142. V. C. Raykar, R. Duraiswami. Fast optimal bandwidth selection for kernel density estimation. In *Society for Industrial and Applied Mathematics, editors, Proceedings of the 2006 SIAM International Conference on Data Mining*, (2006), pp. 524–528
143. V.C. Raykar, R. Duraiswami, Very fast optimal bandwidth selection for univariate kernel density estimation. Technical Report CS-TR-4774/UMIACS-TR-2005-73 (Department of Computer Science, University of Maryland, College Park, 2006)
144. V.C. Raykar, R. Duraiswami, L.H. Zhao, Fast computation of kernel estimators. *J. Comput. Graph. Stat.* **19**(1), 205–220 (2010), <http://www.jstor.org/stable/25651308>
145. E. Ya. Remez, Sur la détermination des polynômes d'approximation de degré donnée. *Comm. Soc. Math. Kharkov* **10**, 41–63 (1934)
146. M. Rosenblatt, Remarks on some nonparametric estimates of a density function. *Ann. Math. Stat.* **27**(3), 832–837 (1956), <https://projecteuclid.org/euclid.aoms/1177728190>
147. M. Rudemo, Empirical choice of histograms and kernel density estimators. *Scand. J. Stat.* **9**(2), 65–78 (1982), <http://www.jstor.org/stable/4615859>
148. S.R. Sain, Adaptive kernel density estimation. Ph.D. thesis, Rice University, Huston, USA, 1994
149. S.R. Sain, Multivariate locally adaptive density estimation. *Comput. Stat. Data Anal.* **39**, 165–186 (2002). [https://doi.org/10.1016/S0167-9473\(01\)00053-6](https://doi.org/10.1016/S0167-9473(01)00053-6)
150. S.R. Sain, K.A. Baggerly, D.W. Scott, Cross-Validation of multivariate densities. *J. Am. Stat. Assoc.* **89**(427), 807–817 (1994), <http://www.jstor.org/stable/2290906>
151. I.H. Salgado-Ugarte, M.A. Pérez-Hernández, Exploring the use of variable bandwidth kernel density estimators. *Stata J.* **3**(2), 133–147 (2003)
152. K. Schauer, T. Duong, C.S. Gomes-Santos, B. Goud, Studying intracellular trafficking pathways with probabilistic density maps. *Methods Cell Biol.* **118** 325–343 (2013). <https://doi.org/10.1016/B978-0-12-417164-0.00020-3>
153. W.R. Schucany, Locally optimal window widths for kernel density estimation with large samples. *Stat. Probab. Lett.* **7**, 401–405 (1989). [https://doi.org/10.1016/0167-7152\(89\)90094-1](https://doi.org/10.1016/0167-7152(89)90094-1)
154. E.F. Schuster, Estimation of a probability density function and its derivatives. *Ann. Math. Stat.* **40**(4), 1187–1195 (1969)
155. D. W. Scott. *Using Computer-Binned Data For Density Estimation*, (Springer, New York, 1981), pp. 292–294. https://doi.org/10.1007/978-1-4613-9464-8_42
156. D.W. Scott, Averaged shifted histograms: effective nonparametric density estimators in several dimensions. *The Ann. Stat.* **13**(3), 1024–1040 (1985), <http://www.jstor.org/stable/2241123>
157. D.W. Scott, Feasibility of multivariate density estimates. *Biometrika.* **78**, 197–205 (1991). <https://doi.org/10.1093/biomet/78.1.197>
158. D.W. Scott, *Multivariate Density Estimation: Theory, Practice, and Visualization*, (Wiley, 1992)
159. D.W. Scott, Averaged shifted histogram. *WIREs Comput. Stat.* **2**, 160–164 (2010). <https://doi.org/10.1002/wics.54>
160. D.W. Scott, *Multivariate Density Estimation and Visualization*, (Springer, Berlin, 2012), pp. 549–569
161. D.W. Scott, S.J. Sheather, Kernel density estimation with binned data. *Commun. Stat. Theory Methods.* **14**, 1353–1359 (1985). <https://doi.org/10.1080/03610928508828980>
162. D.W. Scott, G.R. Terrell, Biased and unbiased cross-validation in density estimation. *J. Am. Stat. Assoc.* **82**(400), 1131–1146 (1987), <http://www.jstor.org/stable/2289391>
163. L.Scrucca. qcc: an r package for quality control charting and statistical process control. *R News.* 4/1, 11–17 (2004), <https://cran.r-project.org/doc/Rnews/>

164. H.M. Shapiro, *Practical Flow Cytometry*, (Wiley, 2003)
165. S.J. Sheather, M.C. Jones, A reliable data-based bandwidth selection method for kernel density estimation. *J. R. Stat. Soc. Ser. B (Methodol.)* **53**(3), 683–690 (1991)
166. W.A. Shewhart, Economic quality control of manufactured product. *Bell Syst. Tech. J.* **9**, 364–389 (1930). <https://doi.org/10.1002/j.1538-7305.1930.tb00373.x>
167. B.W. Silverman, Algorithm AS 176: kernel density estimation using the fast fourier transform. *J. R. Stat. Soc. Ser. C (Appl. Stat.)* **31**(1), 93–99 (1982), <http://www.jstor.org/stable/2347084>
168. B.W. Silverman, *Density Estimation for Statistics and Data Analysis* (Chapman and Hall/CRC, London, 1986)
169. J.S. Simonoff, Smoothing categorical data. *J. Stat. Plan. Inference.* **47**(1–2), 41–69 (1995). [https://doi.org/10.1016/0378-3758\(94\)00121-B](https://doi.org/10.1016/0378-3758(94)00121-B)
170. J.S. Simonoff, *Smoothing Methods in Statistics* (Springer, New York, 1996)
171. E. Skubalska-Rafajłowicz, Random projection RBF nets for multidimensional density estimation. *Int. J. Appl. Math. Comput. Sci.* **18**(4), 455–464 (2008). <http://dx.doi.org/10.2478/v10006-008-0040-9>
172. E. Skubalska-Rafajłowicz, Random projections and hotelling's T^2 statistics for change detection in high-dimensional data streams. *Int. J. Appl. Math. Comput. Sci.* **23**(2), 447–461 (2013). <http://dx.doi.org/10.2478/amcs-2013-0034>
173. S.W. Smith, *The Scientist and Engineer's Guide to Digital Signal Processing*, (California Technical Publishing, 1997), <http://www.dspguide.com>
174. C.O.S. Sorzano, J. Vargas, A. Pascual Montano, A survey of dimensionality reduction techniques. (2014) [arXiv.org](https://arxiv.org/abs/1403.2877) preprint, <https://arxiv.org/abs/1403.2877>
175. Synflow, Synflow Cx, (2017), <https://www.synflow.com>. Accessed 25 Apr 2017
176. P. Terho, O.Lassila, Novel method for cell debris removal in the flow cytometric cell cycle analysis using carboxy-fluorescein diacetate succinimidyl ester. *Cytom. Part A.* **69A**, 552–554 (2006). <https://doi.org/10.1002/cyto.a.20261>
177. G.R Terrell, The maximal smoothing principle in density estimation. *J. Am. Stat. Assoc.* **85**(410), 470–477 (1990), <http://www.jstor.org/stable/2289786>
178. G.R. Terrell, D.W. Scott, Variable kernel density estimation. *Ann. Stat.* **20**(3), 1236–1265 (1992), <http://www.jstor.org/stable/2242011>
179. J.R. Thompson, R.A. Tapia, *Nonparametric Function Estimation, Modeling, and Simulation*, (SIAM, 1990). <https://doi.org/10.1137/1.9781611971712>
180. H. Tristen, J.S. Racine, Nonparametric econometrics: the np package. *J. Stat. Softw.* **27**, 1–32 (2008). <http://dx.doi.org/10.18637/jss.v027.i05>
181. B.A. Turlach, *Bandwidth Selection in Kernel Density Estimation: A Review Report*, (Université Catholique de Louvain, Belgium, C.O.R.E. and Institut de Statistique, 1993)
182. UNICEF, *The state of the World's children 2003*, (Oxford University Press, For UNICEF, 2013), <https://www.unicef.org/sowc03>
183. C.P. Verschoor, A. Lelic, J.L. Bramson, D.M.E. Bowdish, An introduction to automated flow cytometry gating tools and their implementation. *Front. Immunol.* **6**(380) (2015). <https://doi.org/10.3389/fimmu.2015.00380>
184. J.E. Volder, The CORDIC trigonometric computing technique. *IRE Trans. Electron. Comput.* **EC-8**, 330–334 (1959). <https://doi.org/10.1109/TEC.1959.5222693>
185. J.S. Walther, A unified algorithm for elementary functions, in *Proceedings of Spring Joint Computer Conference*, (1971), pp. 379–385. <https://doi.org/10.1145/1478786.1478840>
186. M.P. Wand, Fast computation of multivariate kernel estimators. *J. Comput. Graph. Stat.* **3**(4), 433–445 (1994), <http://www.jstor.org/stable/1390904>
187. M.P. Wand, M.C. Jones, Multivariate plug-in bandwidth selection. *Comput. Stat.* **9**(2), 97–116 (1994)
188. M.P. Wand, M.C. Jones, *Kernel Smoothing*, (Chapman and Hall, 1995)
189. M.P. Wand, G. Luta, U. Naumann, *curvHDR: Filtering of Flow Cytometry Samples*, (R package version 1.1-0, 2016), <https://CRAN.R-project.org/package=curvHDR>
190. M.P. Wand, J.S. Marron, D. Ruppert, Transformations in density estimation. *J. Am. Stat. Assoc.* **86**(414), 343–353 (1991), <http://www.jstor.org/stable/2290569>

191. M.P. Wand, B. Ripley, *Functions for Kernel Smoothing Supporting Wand and Jones (1995)*, (R package version 2.23-15, 2015), <http://CRAN.R-project.org/package=KernSmooth>
192. D. Wang, O. Hryniewicz, A fuzzy nonparametric Shewhart chart based on the bootstrap approach. *Int. J. Appl. Math. Comput. Sci.* **25**(2), 389–401 (2015). <https://doi.org/10.1515/amcs-2015-0030>
193. G.S. Watson, Smooth regression analysis. *Sankhyā: Indian J. Stat. Ser. A* **26**(4), 359–372 (1964), <http://www.jstor.org/stable/25049340>
194. G.B. Wetherill, D.W. Brown, *Statistical Process Control: Theory and Practice*, (Chapman and Hall/CRC Texts in Statistical Science, 1991)
195. J. Yan, *Multivariate Modeling with Copulas and Engineering Applications*, (Springer, London, 2006), pp. 973–990. https://doi.org/10.1007/978-1-84628-288-1_51
196. M.J. Zaki, W. Meira, *Data Mining and Analysis: Fundamental Concepts and Algorithms*, (Cambridge University Press, 2014), <http://www.dataminingbook.info/pmwiki.php/Main/BookDownload> (provides links to the full text which is for personal online use)
197. S. Zhang, R. Karunamuni, M.C. Jones, An improved estimator of the density function at the boundary. *J. Am. Stat. Assoc.* **94**(448), 1231–1241 (1999), <http://www.jstor.org/stable/2669937>
198. S. Zhang, R.J. Karunamuni, On kernel density estimation near endpoints. *J. Stat. Plan. Inference.* **70**, 301–316 (1998). [https://doi.org/10.1016/S0378-3758\(97\)00187-0](https://doi.org/10.1016/S0378-3758(97)00187-0)
199. S. Zhang, R.J. Karunamuni, On nonparametric density estimation at the boundary. *J. Nonparametric Stat.* **12**, 197–221 (2000). <http://dx.doi.org/10.1080/10485250008832805>
200. A. Zhou, Z. Cai, L. Wei, W. Qian, M-kernel merging: towards density estimation over data streams, in *Eighth International Conference on Database Systems for Advanced Applications (DASFAA 2003)*, (2003) pp. 1–9
201. M. Zwolinski, *Digital System Design with VHDL*, (Prentice Hall, 2004)
202. K.Żychaluk, P.N. Patil, A cross-validation method for data with ties in kernel density estimation. *Ann. Inst. Stat. Math.* **60**, 21–44 (2008). <https://doi.org/10.1007/s10463-006-0077-1>

Index

A

- Averaged shifted histogram, 10
 - advantages, 10
 - example, 10

B

- Bandwidth
 - constrained, 4, 36, 63, 73, 90
 - levels of complexity, 36
 - positive constant scalar, 36
 - unconstrained, 4, 36, 59, 63, 73, 90
- Beta distribution, 145, 147, 148
- Beta function, 27
- Binomial distribution, 12

C

- Computational aspects
 - binning, 61, 83
 - computational complexity, 80
 - ϵ -exact algorithm, 62
 - evaluation of KDE, 61
 - fast Fourier transform, 61, 83
 - Field-Programmable Gate Arrays (FPGA), 62
 - Graphics Processing Units (GPU), 62
 - integrated density derivative functionals, 80
 - kernel evaluations, 61
 - Message Passing Interface, 61
 - numeric optimization, 80
 - object function evaluation, 80
 - optimal bandwidth, 80
- Curse of dimensionality, 3, 59

- data concentration, 59
- data sparseness, 59
- distance measure, 60
- minimal sample size, 59

D

- Data binning
 - linear binning, 86
 - multivariate, binwidth, 88
 - multivariate case, 88
 - multivariate example, 88, 89
 - multivariate, grid counts, 88
 - multivariate, grid points, 88
 - multivariate, mesh size, 88
 - simple binning, 86
 - univariate example, 86, 87
 - univariate, grid counts, 86
 - univariate, grid points, 86
- Dataset
 - buffalo, 10
 - cps71, 142
 - faithful, 36, 38, 112, 151
 - from Bioconductor portal, 152
 - geyser, 151
 - iris, 36
 - pistonrings, 143
 - Unicef, 89, 112, 114
- Discrete convolution theorem, 96, 101

F

- F distribution, 145, 148
- Feature significance, 151
- FFT-based algorithm

- algorithm steps, 98
- discrete convolution form, 95
- effective support, 98, 102
- for bandwidth selection, 102
- for density estimation, 90
- multivariate case, 100
- univariate case, 93
- vectors involved, 96
- zero-padding, 96, 97, 100
- FPGA-based implementation, 119
 - CORDIC, 125
 - direct plug-in selector, 121
 - fast implementation, 126
 - fixed-point arithmetic, 122
 - floating-point arithmetic, 124
 - flowchart, 123
 - Hardware Description Languages, 120
 - High Level Synthesis, 120
 - literal implementation, 126
 - minimal implementation, 126
 - operators, 125
 - pipelining, 126
 - target device, 127
 - z-score standardization, 122
- H**
- Half-vectorization, 49
- Hessian matrix, 76
- Hessian operator, 76
- Histogram
 - bins, 7
 - definition, 7
 - drawbacks, 8
 - high dimensions, 10
 - illustration, 10
 - parameters, 8
- Hypercube, 12, 15
- I**
- Indicator function, 27
- Integrated density derivative functional, 105, 106
- K**
- KDE-based applications
 - Beta percentiles, 145
 - biexponential transformation, 153
 - cluster analysis, 137
 - control chart, 143
 - copula, 145
 - discriminant analysis, 134
 - flow cytometer, 149
 - flow cytometry, 149
 - flow cytometry gating algorithm, 153
 - F percentiles, 145
 - gating in flow cytometry, 151
 - gradient descent algorithm, 140
 - Hotelling's T^2 statistic, 144
 - inverse hyperbolic sine transformation, 153
 - laser-based technology, 149
 - Mahalanobis distance, 138
 - mean shift algorithm, 137
 - mean shift entity, 138
 - multivariate SPC, 144
 - nonparametric regression, 141
 - Shewhart control charts, 143
 - statistical process control, 143
 - univariate SPC, 143
- Kernel
 - general kernel formula, 26
 - higher-order kernels, 26
 - most popular, 26
 - multivariate normal, 35
 - product kernel, 39, 90, 93
 - radial kernel, 39, 41, 90
 - requirements, 26
 - scaled, 27, 35
 - selected shapes, 28
 - univariate formulas, 26
 - univariate normal, 26
 - univariate types, 27
 - unscaled, 27, 35
- Kernel cumulative distribution function, 56
 - antiderivative, 57
 - example, 57
 - univariate estimator, 57
- Kernel density derivative estimation, 58
 - multivariate definition, 58
 - univariate definition, 58
- Kernel density estimation
 - adaptive, 50
 - AMISE error criterion, 44
 - balloon estimator, 50
 - bandwidth, 27
 - bandwidth interpretation, 27
 - bandwidth matrix, 35
 - bivariate toy example, 35
 - boundary correction, 54
 - canonical bandwidths, 31
 - canonical kernels, 31
 - computational complexity, 85
 - example, 31
 - in discrete convolution form, 95

- ISE error criterion, 44
 - MISE error criterion, 44
 - MSE error criterion, 42
 - multivariate AMISE error criterion, 48
 - multivariate case, 35
 - multivariate ISE error criterion, 48
 - multivariate MISE error criterion, 48
 - oversmoothed, 29
 - Parzen-Rosenblatt estimator, 27
 - rate of convergence, 46
 - reflection of same unnecessary KDE parts, 54
 - sample point estimator, 51
 - sample point estimator demonstration, 53
 - sample point estimator, possible approaches, 51
 - smoothing matrix, 35
 - toy example, 29
 - undersmoothed, 29
 - univariate case, 27
 - whitening transformation, 39
 - whitening transformation complete procedure, 41
 - K-nearest neighbours, 18
 - density estimate, 18
 - drawbacks, 18
 - k selector, 19
 - posterior probability of the class membership, 23
 - rule of thumb k selector, 19
 - used for classification, 19
- M**
- Multivariate bandwidth selectors
 - least squares cross validation, 75
 - maximal smoothing selector, 74
 - normal scale selector, 74
 - notation for higher-order derivatives, 76
 - objective function, 75, 79
 - pilot bandwidth, 80
 - plugin-in algorithm, 78
 - plug-in selector, 78
 - rule of thumb selector, 74
 - smoothed cross validation selector, 79
- N**
- Nelder-Mead, 111
 - Nonparametric density estimation
 - bandwidth, 14
 - conditions required for convergence, 13
 - intuitions, 12
 - k-nearest neighbours, 14
 - naive density estimator, 14
 - Parzen windows, 14
 - smoothing parameter, 14
 - trade-off dilemma, 14
 - visualization, 14
- P**
- Parzen windows, 14–16
 - analytical expression, 15
 - demonstration, 16
 - disadvantages, 16
 - kernel function, 15
 - sum of boxes, 16
 - unit hypercube, 15
 - window function, 15
 - Probability density estimation
 - general formulation, 12
 - nonparametric, 2
 - parametric, 2
 - Probability density function
 - conditions, 1
 - definition, 1
 - Gaussian, 2
- R**
- R package
 - copula, 147
 - curvHDR, 152, 154, 158
 - datasets, 36, 151
 - feature, 151
 - flowClust, 158
 - flowCore, 152
 - gss, 10
 - KernSmooth, 90
 - ks, 46, 57, 89, 90, 93, 109, 112
 - MASS, 151
 - np, 142
 - qcc, 143
- U**
- Univariate bandwidth selectors
 - convolution of K , 68
 - direct plug-in, 66
 - direct plug-in procedure, 67
 - least squares cross validation, 67
 - normal scale, 64
 - objective function, 68, 69, 72
 - pilot kernel, 72
 - plug-in, 65
 - rule-of-thumb, 64

- rule-of-thumb improved version, [65](#)
- smoothed cross validation, [72](#)
- solve-the-equation, [67](#)
- solve-the-equation procedure, [67](#)
- three major types, [64](#)

V

- Vector half operator, [49](#)

- Vectorization operator, [77](#)

W

- Wand's algorithm

- for bandwidth selection, [102](#)
 - for density estimation, [90](#)
 - limitation, [90](#)
 - problem demonstration, [93](#)