

Author Index

A

AbdelMeguid, Mohamed E., 119
Abuzin, Yu. A., 233
Adhikari, Saikat, 59
Alipour, Mohammad, 233
Arindam, Paul, 203
Arvind Singh, R., 135

B

Bahei-El-Din, Yehia A., 119
Bharadwaj, Shikhar, 193
Bojarevics, A., 183
Bowen, P., 87

C

Cadet, Stevens, 221
Chen, Fei, 149

D

Dear, M., 87
Doel, T. J. A., 87
Dussing, Matthew, 71

E

Elsharkawi, Mohammed, 29
Esawi, Amal M.K., 29

F

Farsani, Reza Eslami, 233

G

Gerbeth, G., 183
Giri, Anirban, 59
Grants, I., 183
Gupta, Manoj, 193
Gupta, Sheetal, 59

H

Harrigan, William Jr., 19

Harrigan, William C., 3
Hasegawa, Yoshiko, 103
Hatem, Tarek M., 119
Hattori, Koutarou, 103
Hegazi, Hesham A., 119
Hirami, Shogen, 103

I

Iqbal, Khurram, 221
Izui, Hiroshi, 103

J

Jayalakshmi, S., 135
Jin, Xueze, 43

K

Komiya, Yoshiki, 103

L

Lavernia, Enrique J., 71, 149
Lin, Yaojun, 149

M

Ma, Kaka, 71
Manigandan, K., 149

P

Parker, Andrew, 19

R

Reactivity, 221

S

Sarma, M., 183
Schoenung, Julie M., 71
Shalan, Khalid M., 119
Shan, Debin, 43
Sommer, Al, 19
Sommer, Mark, 19

Srivastava, Vivek, [59](#)
Srivatsan, T.S., [135](#), [149](#), [193](#), [203](#)
Stanley, H., [87](#)

T

Tekumalla, Sravya, [193](#)
Topping, Troy D., [71](#)

V

Verduzco, Miguel, [19](#)

X

Xu, Wenchen, [43](#)

Y

Yang, Hanry, [71](#)

Z

Zeng, Xiangqian, [43](#)
Zhang, Yuzheng, [19](#)

Subject Index

A

- Al₁₈B₄O₃₃ whisker, 44, 53, 57
- Al alloy matrix composites, 72, 78, 82, 84
- Alumina fiber, 138, 139, 144
- Aluminum Matrix Composites, 3–8, 10, 12–17, 43, 44
- Aluminum matrix nanocomposites (AMnCs), 19–21
- Archimedes' method, 107

B

- Bimorph PFC (PFCB), 125

C

- Carbon nanotubes, 30, 31
- Casting, 30, 31, 33, 34, 37, 38
- Cavitation treatment, 184–187, 189–191
- C/Cu composites, 221, 222, 227
- Coefficient of thermal expansion, 195, 198, 201
- Colloidal tin-palladium activation, 31–33, 35, 38
- Consistency, 64
- Corrosion resistance, 26
- Crack arrest, 90, 91, 93–98, 100–102
- Cu-Nb microcomposite, 205–208, 210, 212, 214, 216–218

D

- Damage modelling, 125
- Delamination, 125, 127
- Density, 195, 198, 200
- Discontinuously-reinforced, 151–154, 156, 177
- Ductility, 194, 200, 201

E

- Electroless copper-cobalt plating, 30–33, 35, 36, 38
- Environmental effects, 88, 89, 95, 96
- Extrusion, 194, 196, 197, 199, 201

F

- Fatigue crack growth, 88–94, 96–101
- Fatigue resistance, 25
- Fibre pull out, 89, 96, 99, 102
- Friction, 136, 137, 140, 145–147

G

- Gas-Liquid Interactions, 162

H

- Hardness, 136–142, 146
- Homogeneity, 64
- Hot compression, 45, 46, 50, 53, 54, 57
- Hubble Space Telescope, 6

I

- In-situ, 60, 63

K

- Kinetic analysis, 47

L

- Liquid-Liquid Interaction, 165

M

- Macro-hardness, 65, 66, 68
- Macroscopic morphology, 48, 50, 54
- Magnesium alloy nanocomposite, 194
- Magnesium alloys, 136–138, 140–147
- Magnesium composites, 146
- Manufacturing, 7, 15
- Matrix microstructure, 137, 138, 140, 141
- Mechanical behavior, 80, 84
- Mechanical properties, 44, 55, 57, 60, 62, 63, 65, 68, 234, 238
- Metal-matrix composites (MMCs), 60, 150–154, 160, 161, 164, 168, 172–175, 177
- Metal matrix nano composites (MMNCs), 234

Micro-hardness, 195, 199, 207–209, 214, 218
 Microstructural effects, 205, 206, 214
 Microstructure, 44, 45, 50, 53, 54, 56, 62, 63, 75, 172, 195, 196, 201, 234, 235, 239, 240
 MMC production, 184
 Modal Analysis, 121, 126, 129
 Modulus, 59, 65–68

O

Orthogonal array, 104, 108–111

P

Palladium acceleration, 31, 33
 Particle Reinforced Aluminum, 3, 8, 10, 12, 17
 Piezoelectric Fiber Composites, 120, 121, 128
 Piezoelectric response, 121
 Pneumatic powder injection, 61, 64
 Porosity, 195, 198
 Powder processing, 235, 237, 238
 Power dissipation, 50–52
 Processing maps, 44, 50, 52–54
 Processing techniques, 150–154, 162, 165, 166, 177
 Processing variables, 60, 149

S

Solidification Mechanisms, 240
 Space Shuttle Orbiter, 4
 Spark plasma sintering, 106
 Spray atomization and deposition, 151, 152, 160–164, 166, 167, 177
 Steel composites, 184
 Strength, 194, 199–201

Strengthening mechanism, 21, 81
 Structural Health Monitoring, 120, 121, 128, 129
 Surface modification, 205, 206, 217, 218

T

Taguchi methods, 104, 109, 117
 Temperature, 88–91, 93–102
 Tensile fracture, 212, 214–218
 Tensile properties, 23, 62, 66
 Tensile response, 205, 210
 Third body, 144, 146
 TiC, 60, 61, 63–68
 Titanium matrix composites, 104, 108, 112, 116
 Titanium metal matrix composites, 88
 Transformation Field Analysis, 121, 122, 128

U

Ultrafine grained structure, 72–79, 81–84
 Ultrasonic waves, 234, 235, 238

W

Wear, 136, 137, 140–147
 Wear behavior, 104
 Wear resistance, 22
 Wetting, 221, 222, 224–227

X

X-Ray Diffraction, 64, 198

Y

Yttria-stabilized zirconia, 72, 73