

# Author Index

## A

Antonova, O.Y., 71–79

## B

Baev, I.A., 97–104

Bamburov, V.G., 163–171

Bashorina, O.V., 243–250

Berezyuk, M., 201–208

Bokarev, B.A., 89–96

Boyarinov, A., 209–215, 243–250

Buntov, E.A., 243–250

## C

Chebotareva, G., 115–121, 123–130

## D

Dobrodei, V.V., 3–10

Domnikov, A., 107–113, 115–121, 123–130,  
133–140

Domnikova, L., 133–140

Dukmasova, N.V., 217–223

Dzyuba, A.P., 97–104

## E

Ershova, I.V., 217–223

Erypalov, S., 19–25

## G

Gavrilova, T.B., 47–53, 55–61, 63–69

Genon, G., 151–161

Gitelman, L.D., 47–53, 55–61, 63–69,  
235–241, 243–250

Gitelman, L.M., 27–34, 37–44, 97–104

## I

Isaev, A.P., 235–241

## K

Kalina, A., 19–25

Katyshev, S., 181–188

Khabibullin, R.I., 71–79

Khodorovsky, M., 107–113, 115–121

Khomenko, P., 107–113

Kosygina, A., 37–44

Kozhevnikov, M.V., 47–53, 55–61, 63–69,  
89–96, 243–250

Krivorotov, V., 19–25

Kuzmina, A.V., 243–250

## L

Larionova, V.A., 225–231

Leontyeva, Y., 141–148

## M

Magaril, E., 151–161

Magaril, R., 151–161

Makarov, A.Y., 71–79, 81–88

Makarova, O.A., 243–250

Mayburov, I., 141–148

Medvedev, D.A., 173–179

**P**

Panepinto, D., 151–161  
Petrov, M., 133–140  
Pikalov, S.M., 163–171  
Pikalova, E.Yu., 163–171, 173–179  
Pishevskaya, E.S., 243–250  
Platonov, A.M., 225–231  
Polovnev, S.V., 225–231  
Polyakova, V.V., 243–250  
Prilutskaya, M.A., 217–223

**R**

Radygin, Y.A., 81–88  
Rostik, O.M., 81–88  
Rukavishnikova, I., 193–199  
Rumyantseva, A., 193–199, 201–208  
Ryzhuk, O.B., 243–250

**S**

Salnikova, E.A., 27–34  
Sandler, D.G., 11–18, 89–96  
Savelyeva, A., 19–25  
Semerikov, A.S., 71–79  
Sharafieva, G.A., 81–88  
Soloviev, V.V., 243–250  
Solovieva, I.A., 97–104

**T**

Teslyuk, L., 181–188  
Trachuk, A., 11–18

**V**

Viggiano, F., 151–161  
Volkova, I.O., 27–34, 37–44

# Subject Index

## A

Accounting and tax accounting process, 76  
Active consumer, 27–30  
    components, 34  
    demand-side management, 32  
    electric power consumption, 32  
    electric power market, 33  
    electric power system, 27  
    energy sector  
        characteristics, 28  
        data processing centers, 28  
        electric power market, 28  
        functions, 28–30  
        network control and automation, 27  
    integration, 31–33  
    mechanisms, 32  
    motivation, 30  
    parameters, 32  
    participation, 32  
    Smart Grid System, 27  
    stages, 34  
Adaptation, 73  
Agency for Forecasting of Electric Energy  
    Balance (AFEB), 40  
Air plasma spraying (APS), 163, 165–166  
Air pollutants, 152  
Anti-crisis Policy Toolkit, 48–49  
Asset life cycle, 56  
Asset management  
    assessment and timely elimination,  
        equipment wear and tear, 60  
    classification of fixed assets, 60  
    creation of fixed assets, 59  
    demand management unit, 58

    development and application, fixed, 60  
    external unit, 58  
    formation and adjustment, fixed assets  
        depreciation, 60  
    functional depreciation (obsolescence), 60  
    intracompany unit, 58  
    physical deterioration, 60  
    planning and implementation, 57  
    principles, 56–57  
    reactive and preventive maintenance  
        distribution, 56  
    structural and operational diagram, 59  
    subsystems, 58  
    system development, 55  
    traditional vs. intelligent systems, 57, 58  
    value of fixed assets, 60  
Automobile dependency, 145  
Automobiles, 147

## B

Bank for International Settlements  
    (Basel II), 116  
Basel Committee on Banking Supervision  
    (BCBS), 124  
Bayesian method, 118  
Best available technologies (BAT), *see* Power  
    industry  
Bioenergy Project, 197–199  
Biogas production, 199  
Biogas unit (BGU), 197  
BPGC Engineering, 86  
Business costs, 108–109  
Business processes, 74

Business processes (*cont.*)

- automation, 75, 76
- document flow, contracts, 75, 76, 78
- information systems, 74
- material and technical support
  - process, 75, 77
- PR, 77, 79
- steps, 75
- task blocks, 75, 76

**C**

- Capacity utilisation factor (CUF), 47
- Centralized cogeneration system, 139
- Centralized energy system, 28
- Citrate-nitrate combustion method, 175
- Climate change, 156–158
- CO<sub>2</sub> emissions, 154
- Cogenerating power plants
  - business processes, 137
  - CCGT unit, 138
  - economic criterion, 139
  - energy criterion, 139
  - environmental criterion, 139
  - fuzzy set theory, 138
  - multi-criteria analysis, 138
  - solid fuel gasifier, 139
- Cogeneration, 38
- Combined heat and power (CHP), 38
- Committee of Sponsoring Organizations of the Treadway Commission (COSO-ERM model), 116
- Competition, 11–15
- Conductivity, 169, 170, 179
- Consistency, 7
- Consumer activation process, 29
- Consumer value, 217, 221, 222
- Cost management, 111
  - auxiliary and resultant indicators, 69
  - boosting technical maintenance, 68
  - business management, 63
  - data visualization, 69
  - decentralization, 69
  - deployment, 68
  - electricity and capacity utilization, 68
  - electric power sector, 63, 64
  - financial resources, 63
  - graphic representation, 69
  - intellectual active and adaptive network, 65
  - operational and maintenance costs, 65
  - predictive analytics market, 66
  - regional economy, 68
  - SGCC, 67
  - Smart Grid concept, 65

- up-to-date analytical tools, 66–67
- Cournot model, 13
- Critically important for the territories (CIF), 225
- CTE values, 169
- Cultural heritage, 151
- Customer orientation, 90–95
  - assessment
    - business structure/process
      - re-engineering, 92
    - design control activities, 94
    - development strategy, 92
    - disturbance, 94
    - energy retailer, 92
    - evaluation, 94, 95
    - information technologies, 93
    - management style, 93
    - orientation field, 92
  - differential electricity pricing, 95
  - electric power industries
    - advantages and disadvantages, 90, 91
    - business development, 90
    - principles, 90
    - short-run profit maximization, 90, 91
    - tariff policy, 90
  - electricity retailers, 89
  - management system, 96
  - markets' risks, 95

**D**

- Day-ahead market (DAM), 15
- Demand response, 32
- Demand-side management (DSM), 31, 32, 49–51
- Development Strategy of the US Energy Industry, 56
- Differential tariffs, 95
- Dilatometer Tesatronic TT60, 166
- Distributed generation (DG), 38–41, 43
  - barrier types, 38, 42
  - economic regulation, 52
  - factors, 38
  - independent power producers, 52
  - liberalization, 38
  - macroeconomic conditions, 42
  - natural gas and liquid fuel, 52
  - policies, 37
  - power supply systems, 37
  - renewable energy, 52
  - RES generation, 38
- Russia
  - advantages, 39
  - causes, 40
  - cogeneration, 39

- consumer generation, 39
  - electricity consumption, 39
  - electricity power industry, 39
  - energy security, 41
  - fossil resources, 40
  - GDP growth, 41
  - hydrogenation power plants, 41
  - isolated operation, 39
  - large-scale centralized systems, 41
  - measurement, 43
  - micro generation, 40
  - non-profit partnership, 41
  - RES generation, 40
  - spheres of activity, 41
  - transformation and modernisation, 38
  - worldwide tendency, 40
  - Russian economy, 37
  - short and cost-effective investment cycle, 51
  - small-scale power generation market, 52
  - small-scale power plants service
    - consumers, 51
  - technological flexibility, 51
  - transmission lines and grid losses, 52
  - Dynamic pricing, 95
- E**
- Economic capital
    - LGD, 110
    - long-term investment phase, 109
    - parameters, 109, 110
    - stages, 109, 110
  - Economic value added (EVA) concept, 108
  - Electricity commercial metering system, 85
  - Electricity distribution system
    - Bashkirenergo equipment, 83
    - characteristics, 83
    - electricity network outages and outages
      - duration, 83, 84
    - energy consumption and network
      - topology, 85
    - energy losses, 83, 84
    - feasibility, 85
    - operational monitoring, 83
    - Ufa's electricity supply, 83
  - Electricity retail sales company, *see* Customer orientation
  - Electric power industry, 47
    - See also* Distributed generation (DG)
  - Electrocatalytic activity, 174
  - Energy balance diversification, 38
  - Energy company, 59
  - Energy conservation, 9
  - Energy consumption
    - application, 102
    - components, 99
    - correlations of prices and volumes,
      - balancing market, 101
    - cost planning, 97–100
    - deviation purchase price, 100
    - deviation sales price, 100
    - energy efficiency, 97
    - energy-intensive countries, 97, 98
    - fine amount, 101
    - finest minimization, 99
    - forecasting, 97
    - impacting factors, 102, 103
    - liabilities, 101, 102
    - market environment factors, 103
    - PDAM, 100
    - shares of distribution of hours, energy
      - system, 102
    - universality and applicability, 103
  - Energy efficiency, 4, 5
    - assessment, 3, 6, 19–20
    - bioethanol, 155, 156
    - building aggregated ratings, 4
    - calculations, 6
    - catalyst converters, 154
    - cumulative frequencies, 8
    - economic activities, 5
    - EGEE, EGBE and DEGEE, 156
    - and energy security, 3
    - environmental and operational
      - characteristics, 153
    - federal and regional legislation, 9
    - fuels and energy sources, 153
    - gasoline and diesel fuels, 154
    - least square method, 7
    - motor fuel, 154
    - multi-parameter ordering task, 3
    - municipal infrastructure, 3
    - municipal product, 5
    - nano-additives, 155
    - non-observed factor, 5
    - oxygenated compounds, 155
    - parameters
      - cold water consumption per capita, 4
      - electric power intensity, 4
      - heat energy losses, 5
      - heating intensity of companies, 4
      - hot water consumption per capita, 4
      - ratio of leakages and unmetered water
        - consumption, 4
      - thermal energy, 4
    - post-combustion systems, 155

- Energy efficiency (*cont.*)
- pseudo-compensation, 9
  - ratings, 3
  - regulated/unregulated substances, 155
  - rescaling nominal indicators, 8
  - scattergram analysis, 8
  - social and economic development, 3, 5
  - statistical relationship, 5
  - territorial differentiation, 6
  - thermal insulation, 5
  - thermo-kinetic aspects, 155
  - turnover of companies, 5, 6
  - vehicle fleet, 153
  - weight factors, 7, 8
- Energy facilities, 136
- Energy Intensity Index (EII), 21
- Energy losses, 83, 84
- Energy projects
- cogenerating power plants, 137–139
  - comparative effectiveness, 134, 135
  - cost-effective solutions, 134
  - decentralized (distributed) power
    - industry, 135
  - diesel generators, 137
  - economic reforms, 137
  - energy-generating and energy-consuming entities, 136
  - heat and electricity cogeneration technologies, 137
  - infrastructure development, 134
  - integrated UNIDO cash flows, 135
  - interconnected and unified power grids, 136
  - interregional level, 136
  - interrelated and adequately resource, 136
  - intertemporal reduction, 135
  - natural resources and geostrategic organization, 133
  - power facilities, 134
  - principles, 134
  - scientific engineering and forecasting
    - analytical support, 136
  - trans-regional approach, 135
  - universal discounting, 135
  - universal infrastructure, 134
  - value-added chains, 134
- Energy saving problems, 217
- Energy-saving projects, 196, 198
- Energy sector
- components, 235
  - corporate training customisation, 236, 238
  - human resources, 240
  - indicators, 236
  - individualised learning trajectory, 236, 239
  - integration, 240
  - manager's need to grow professionally, 239
  - manager's personality and interests, 237, 239
  - manager's professional growth potential, 237
  - personal development competencies, 238
  - professional development, 235, 240
  - roadmap, manager's potential, 238
  - self-learning, 236, 239, 240
  - web-based content, 240
- Energy Sector Carbon Intensity Index (ESCII), 21
- Energy transition, 193
- Enterprise management system, 73–74, 77
- organizational and process transformations, 73
  - organizational structure
    - development and transition, 73–74
    - optimum number, 73
    - type design of positions, 74
- Environment Action Programmes of the European Union, 151
- Environmental degradation, 212
- Environmentally friendly goods
- consumers' awareness, 221
  - consumers' opinion poll, 221–222
  - consumers' priorities, 220
  - eco-friendly and energy-efficient goods, 219–221
  - ecological management system, 217
  - ecological and power management, 222
  - industrial production, 218
  - public consciousness, 217
  - utilization and ecological safety, 217
- Environmental pollution, 151
- Environmental safety, 151, 153, 161
- Equipment–personnel intercommunication, 61
- European Union, 52
- European Union Directive on Industrial Emissions 2010/75/UE (IED), 202
- Exposure at default (EAD), 109
- Extremely hazardous industrial facilities (EHIF), 225
- Extreme projects
- conducting emergency recovery operations, 229
  - documentation package, 229
  - energy concentration, 228
  - engineering legislation, 231
  - hazardous industrial facilities, 230, 231
  - material and technical resources, 229
  - organisational and economic mechanism, 230
  - practice-oriented algorithm, 228, 229
  - requirement, 230
  - scheduled reconstruction, 229

**F**

Federation of European Risk Management Associations (FERMA), 116  
 Financial decisions, 108–109  
 Force majeure, 61  
 French Environment and Energy Agency  
 ADEME, 20  
 Fuzzy set theory, 138, 140

**G**

Gas desulfurization system, 67  
 Global Competitiveness Report 2013–2014, 141  
 Global Data, 38  
 Green economy, 20, 21, 24  
 Green energy, 43  
 Greenhouse emissions, 152

**H**

Hazardous industrial facilities (HIF), 225  
 Herfindahl–Hirschman index (HHI), 12, 13, 16  
 HWS consumption per capita, 4, 5  
 Hydrostatic weighing method, 165

**I**

Image of the enterprise, *see* Environmentally friendly goods  
 Industrial systems  
   analytic hierarchy process, 21  
   analytic k-level evaluation, 21–23  
   analytic units of measurement, 22  
   comparative analyses, 24  
   competitors/target values, 23  
   definition, 19  
   energy efficiency, 20, 23  
   green economy, 20, 21  
   indicators, 21, 22  
   *j*-technological process, 24  
   levels, 21  
 Integral energy efficiency indicators, 24  
 Integrated financial data, 199  
 Integrated pollution prevention and control (IPPC), 202  
 Interconnected Energy System (IES), 136  
 Intermediate-temperature solid oxide fuel cells (IT-SOFCs), 173  
 Intermetallides, 164  
 International Energy Agency (IEA), 38  
 International Financial Reporting Standards, 75  
 Investment projects  
   cost management, 111  
   financial variables, 111  
   LGD, 112

logit model, 110  
 oil and gas company, 111  
 parameters, 111  
 probability of default and credit rating, 111, 112  
 RAROC portfolio, 112, 113  
 regression model, 111  
 Investment risk, 108–109  
 Investor attractiveness  
   economic capital, 125, 127  
   evaluation, 125  
   indicators, 129  
   JSC TGC-9, 128–130  
   optimistic and pessimistic, 127  
   power-generating company, 128  
   risk parameters, 125–127

**K**

Key performance indicators (KPI), 74  
 Kinematic viscosity, 182

**L**

Lerner index, 12, 13  
 Livestock waste usage, 197–199  
 Load management, 32  
 Local heat systems, 42  
 Logit model, 110  
 Loss given default (LGD), 109

**M**

Market Council, 41  
 Market power, 11, 13, 17  
 Material and technical support (MTS), 75  
 Maturity (M), 109  
 Merton-Vasicek method, 125  
 Microprocessor system ZIRCONIA-318, 176  
 Molten salt reactors, 181  
 Monte Carlo method, 116  
 Motor fuels, 158–159  
 Multifunctional additive, 158–160

**N**

National security, 137  
 Natural and industrial disasters and catastrophes, 228–231  
   energetically saturated flows, 225  
   HIF, EHIF and CIF facilities, 225, 226  
   production and energy potential of enterprises (*see* Extreme Projects)  
   threats and hazards, 226–227  
 Natural monopolies, 11

Ni-cermet, 163, 169  
 Ni-scandia-stabilized zirconia (ScSZ), 164  
 Nonrenewable energy resources, 151  
 Nuclear power  
   chloride melts, 182–184  
   corrosion stability, 181  
   dynamic viscosity, 186  
   fissile materials, 181  
   isodensities, 185  
   KCl-UCl<sub>3</sub>-UCl<sub>4</sub>, 184  
   lines of constant surface tension, 187  
   molten salts, 181, 182  
   NaCl-UCl<sub>3</sub>-UCl<sub>4</sub>, 183  
   nickel-based alloys, 182  
   reprocessing technology, 182  
   thermal conductivity, 188  
   thermophysical properties, 181

**O**

Oil and gas company, 107, 111  
 Oligopoly, 18

**P**

Performance ratio (PR), 76  
 Photovoltaic systems, 194  
 Potassium chlorides, 188  
 Power engineering, 47  
 Power-generating company, 124–127, 193  
   adopted horizon cutoff risk, 120  
   constituent elements, 118  
   direct and inverse proportion, 118  
   distances in multidimensional space, 118  
   endogenous risks, 116–118  
   exogenous risks, 116, 117  
   investment risks, 118–121, 123  
   investor attractiveness (*see* Investor attractiveness)  
   mathematical apparatus, 123  
   maximum likelihood estimation, 119  
   methodological approach, 120  
   objective assessment tools, 118  
   risk management (*see* Risk management systems)  
   valuation, 118  
 Power industry, 203–207  
   BAT selection algorithm  
     additional information for alternative technologies description, 204  
     costs and environmental benefits, 205  
     cost structure, 204  
     current situation of companies' analysis, 203  
     data collection, costs of technology, 204

    economic effectiveness analysis, 205  
     environmental impacts, 203  
     environmental problems assessment approach, 203  
     evaluation and comparison, alternative technologies, 205  
     information on costs and revenues, 204  
     polluting emissions (discharges), 205  
     revenue assessment, 204  
     sphere of application for alternative technologies, 203  
   energy sector  
     energy industry, 206  
     implementation speed, 207  
     industry stability (elasticity), 207  
     market structure, 207  
     technological regulation system, 201–202  
 Predictive analytics, 66, 67  
 Price of the balancing market (PBM), 100  
 Price of the day-ahead market (PDAM), 100  
 Probability of default (PD), 109  
 Production costs, 214  
 Professional competency, 236  
 Professional development, 235  
 Prognoz, 68

**R**

Regulatory documents (RD), 71, 72  
 Remote areas, 134, 140  
 Renewable energy  
   China, 213–214  
   energy resources, 193  
   financial barriers, 211–212  
   Germany, 213  
   global economy development, 209  
   implementation, 194–196  
   indicators, 210, 211  
   information barriers, 212  
   innovative and energy-efficient development, 209  
   institutional barriers, 212–213  
   methodical approaches, 196–197  
   negative impact, 215  
   plant and animal biogenesis, 209  
   Russia, 214–215  
   socioeconomic development, 209  
   Sverdlovsk region, 193, 194  
   USA, 214  
   usage, 210–211  
 Renewable energy source (RES), 38  
 Risk management systems, 56, 115–116  
   BCBS, 124  
   international requirements, 124–125  
 Risk situations (RS), 225



Road construction, 147  
Road maintenance funds, 145  
Road network funding  
  analysis, 142–143  
  federal motorways, 141  
  institutional trap of car dependency, 146  
  local and regional roadways, 142  
  quality, 142, 148  
  road construction, 142  
  Russian economy, 142  
  transportation costs, 141  
  transport charges and development, 145  
  transport taxes, 143–147  
Road pricing, 145  
Russian Federation, 83, 85, 135

## S

Smart Grid technology, 83  
  BRICS, 81  
  characteristics, 81, 82  
  data communication protocol, 86  
  distribution system (*see* Electricity distribution system)  
  economic and social stability, 81  
  electrical switchgear producers, 87  
  elements, 81, 82  
  implementation, 38  
  JSC BPGC, 86, 88  
  pilot project execution, 86  
  pilot project implementation, 86, 88  
  power grid sector, 81  
  renewable energy sources, 81  
  SCADA-system, 85  
  transition plan, 85  
  Ufa electrical grid, 87  
Sodium chlorides, 188  
Solar photovoltaic (PV) generation, 38  
Solid oxide fuel cells (SOFCs)  
  APS method, 165–166  
  cathode systems, 174  
  chemical compatibility, 176–178  
  chemical composition, 176  
  cobaltites, 175  
  co-ionic conductors, 174  
  electrical compatibility, 179  
  electrical properties, cermets, 168, 169  
  electrochemical characteristics, 174  
  experiments, 175–176  
  feedstock powders, 164–165  
  fossil fuels, 173  
  hydrogen energy and fuel cells, 173  
  Ni particles, 164

Ni-YSZ composite anodes, 163  
oxygen-conducting electrolytes, 173  
platinum cathode, 174  
proton-conducting electrolytes, 173  
structural, electrical and thermal properties, 164  
structure and phase changes, heat treatment, 166–169  
thermal affinity, 175  
thermal compatibility, 178  
thermal expansion, 169  
thermodynamic and kinetic factors, 174  
thin film fabrication methods, 163  
State Grid Corporation of China (SGCC), 67  
Supply-side management, 34  
Sustainable development, 107  
System operator (SO), 38

## T

Technological platforms (TPs), 43  
Tesatronic TT-80 dilatometer, 176  
Thermal expansion coefficients (TECs), 176  
Thermoelectric production, 152  
Transmission/distribution operators (TO/DO), 38  
Transport taxes, 146–147  
Tropospheric ozone precursor emissions, 152

## U

Uncertainty, 249  
Unified Energy System (UES), 42  
Ural Mountain-Metal Company (UMMC), 24, 25  
Uranium chlorides, 188  
Uranium tetrachloride, 184

## V

Visual brainstorming, 244–245  
  characteristics, 243  
  interdisciplinary links, 243  
  power industry, 243  
  visualization (*see* Visualization)  
Visual image, 244, 245  
Visualization, 243, 245, 246, 248, 249  
  achievement process, 245  
  application, 247  
  customer profiles, 248  
  energy demand management, 250  
  fact and association area, 244  
  graphic modelling, 244

Visualization (*cont.*)

- integrated achievement system, 245
- integrated picture, 244
- Ishikawa diagram
  - classical concept, 245
  - environment, 246
  - information systematization, 246
- power industry, 249
- project implementation
  - costs, 249
  - stages, 248, 249
- quantitative characteristics, 245
- team's collective intelligence, 244
- testing, 247–249
- visual brainstorming, 244, 249
- visual image, 244

**W**

- Water consumption per capita, 4
- Wholesale electricity and capacity market (WECM)
  - buyers, 15
  - calculations, 17
  - competitive and noncompetitive markets, 12
  - consumptions, 16
  - DAM, 15, 16

- economic theory, 11
- energy-selling organizations, 16
- industry development, 11
- LRS, 15
- monopolistic industries, 11
- participants, 16
- power network topology, 15
- power plants, 14
- sales organizations, 15
- sales premium economy, 16
- unclaimed capacity, 14
- ZFT and hubs, 16
- Wind generation, 38
- Work performance
  - measurability, 72
  - transparency and observability, 72
  - unitized and standardized, 71
- World Energy Council, 20

**X**

- X-ray diffraction analysis (XRD), 175

**Z**

- Zone of free transmission (ZFT), 13, 14, 16