

References

1. D. Aldous, J. Fill, Reversible Markov chains and random walks on graphs, in *Unfinished Monograph* (2002). Available at <https://www.stat.berkeley.edu/~aldous/RWG/book.pdf>
2. N. Bhatnagar, D. Randall, Torpid mixing of simulated tempering on the Potts model, in *Proceedings of the 15th Annual ACM-SIAM Symposium on Discrete Algorithms*, pp. 478–487 (2004)
3. M. Blume, Theory of the first-order magnetic phase change in UO_2 . *Phys. Rev.* **141**, 517–524 (1966)
4. M. Blume, V. J. Emery, R.B. Griffiths, Ising model for the λ transition and phase separation in He^3 - He^4 mixtures. *Phys. Rev. A* **4**, 1071–1077 (1971)
5. M. Bordewich, M.E. Dyer, Path coupling without contraction. *J. Discrete Algorithms* **5**(2), 280–292 (2007)
6. P. Brémaud, *Markov Chains, Gibbs Fields, Monte Carlo Simulation, and Queues*. Texts in Applied Mathematics, vol. 31 (Springer, New York, 1999)
7. R. Bubley, M.E. Dyer, Path coupling: a technique for proving rapid mixing in Markov chains, in *Proceedings of the 38th IEEE Symposium on Foundations of Computer Science (FOCS)*, pp. 223–231 (1997)
8. H.W. Capel, On the possibility of first-order phase transitions in Ising systems of triplet ions with zero-field splitting. *Physica* **32**, 966–988 (1966)
9. H.W. Capel, On the possibility of first-order phase transitions in Ising systems of triplet ions with zero-field splitting II. *Physica* **33**, 295–331 (1967)
10. H.W. Capel, On the possibility of first-order phase transitions in Ising systems of triplet ions with zero-field splitting III. *Physica* **37**, 423–441 (1967)
11. F. Collet, Macroscopic limit of a bipartite Curie-Weiss model: a dynamical approach. *J. Stat. Phys.* **157**(6), 1301–1319 (2014)
12. M. Costeniuc, R.S. Ellis, H. Touchette, Complete analysis of phase transitions and ensemble equivalence for the Curie-Weiss-Potts model. *J. Math. Phys.* **46**, 063301 (2005)
13. P. Cuff, J. Ding, O. Louidor, E. Lubetzky, Y. Peres, A. Sly, Glauber dynamics for the mean-field Potts model. *J. Stat. Phys.* **149**(3), 432–477 (2012)
14. A. Dembo, O. Zeitouni, *Large deviations techniques and applications*, 2nd edn. (Springer, New York, 1998)
15. F. den Hollander, *Probability Theory: The Coupling Method*. Lectures Notes-Mathematical Institute (Leiden University, Leiden, 2012)
16. J. Ding, E. Lubetzky, Y. Peres, The mixing time evolution of Glauber dynamics for the mean-field Ising model. *Commun. Math. Phys.* **289**(2), 725–764 (2009)

17. J. Ding, E. Lubetzky, Y. Peres, Censored Glauber dynamics for the mean-field Ising model. *J. Stat. Phys.* **137**(1), 161–207 (2009)
18. W. Doebelin, Exposé de la théorie des chaînes simples constantes de Markov à un nombre fini d'états. *Mathématique de l'Union Interbalkanique* **2**(77–105), 78–80 (1938)
19. M. Dyer, L.A. Goldberg, C. Greenhill, M. Jerrum, M. Mitzenmacher, An extension of path coupling and its application to the Glauber dynamics for graph colorings. *SIAM J. Comput.* **30**(6), 1962–1975 (2001)
20. M. Ebbers, H. Knöpfel, M. Löwe, F. Vermet, Mixing times for the swapping algorithm on the Blume-Emery-Griffiths model. *Random Struct. Algorith.* (2012). <https://doi.org/10.1002/rsa.20461>
21. T. Eisele, R.S. Ellis, Multiple phase transitions in the generalized Curie-Weiss model. *J. Stat. Phys.* **52**(1/2), 161–207 (1988).
22. R.S. Ellis, *Entropy, Large Deviations and Statistical Mechanics* (Springer, New York, 1985). Reprinted in 2006 in *Classics in Mathematics*
23. R.S. Ellis, K. Wang, Limit theorems for the empirical vector of the Curie-Weiss-Potts model. *Markov Proc. Their Appl.* **35**, 59–79 (1990)
24. R.S. Ellis, K. Haven, B. Turkington, Large deviation principles and complete equivalence and nonequivalence results for pure and mixed ensembles. *J. Stat. Phys.* **101**(5/6), 999–1064 (2000)
25. R.S. Ellis, P.T. Otto, H. Touchette, Analysis of phase transitions in the mean-field Blume-Emery-Griffiths model. *Ann. Appl. Probab.* **15**, 2203–2254 (2005)
26. R.S. Ellis, J. Machta, P.T. Otto, Asymptotic behavior of the magnetization near critical and tricritical points via Ginzburg-Landau polynomials. *J. Stat. Phys.* **133**, 101–129 (2008)
27. R.S. Ellis, J. Machta, P.T. Otto, Asymptotic behavior of the finite-size magnetization as a function of the speed of approach to criticality. *Ann. Appl. Probab.* **20**, 2118–2161 (2010)
28. M. Fedele, F. Unguendoli, Rigorous results on the bipartite mean-field model. *J. Phys. A: Math. Theor.* **45**(38), 385001 (2012)
29. T.P. Hayes, A. Sinclair, A general lower bound for mixing of single-site dynamics on graphs, in *46th Annual IEEE Symposium on Foundations of Computer Science (FOCS'05)*, pp. 511–520 (2005)
30. T.P. Hayes, E. Vigoda, Variable length path coupling. *Random Struct. Algorith.* **31**(3), 251–272 (2007)
31. J.C. Hernández, Y. Kovchegov, P.T. Otto, The aggregate path coupling method for the Potts model on bipartite graph. *J. Math. Phys.* **58**, 023303 (2017)
32. G. Jaeger, Ehrenfest classification of phase transitions: introduction and evolution. *Arch. Hist. Exact Sci.* **53**, 51–81 (1998)
33. B. Jahnke, C. Külske, E. Rudelli, J. Wegener, Gibbsian and non-Gibbsian properties of the generalized mean-field fuzzy Potts-model. *Markov Proc. Relat. Fields* **20**, 601–632 (2014)
34. Y. Kovchegov, P.T. Otto, Rapid mixing of Glauber dynamics of Gibbs ensembles via aggregate path coupling and large deviations methods. *J. Stat. Phys.* **161**(3), 553–576 (2015)
35. Y. Kovchegov, P.T. Otto, M. Titus, Mixing times for the mean-field Blume-Capel model via aggregate path coupling. *J. Stat. Phys.* **144**(5), 1009–1027 (2011)
36. D. Levin, Y. Peres, E. Wilmer, *Markov Chains and Mixing Times* (American Mathematical Society, Providence, RI, 2009)
37. D.A. Levin, M. Luczak, Y. Peres, Glauber dynamics of the mean-field Ising model: cut-off, critical power law, and metastability. *Probab. Theory Relat. Fields* **146**(1), 223–265 (2010)
38. T.M. Liggett, *Interacting Particle Systems* (Springer, Berlin, 1985)
39. T.M. Liggett, *Stochastic Interacting Systems: Contact, Voter and Exclusion Processes* (Springer, Berlin, 1999)
40. T. Lindvall, *Lectures on the Coupling Method* (Wiley, New York, 1992). Reprint: Dover paperback edition (2002)

41. M.J. Luczak, Concentration of measure and mixing times of Markov chains, in *Proceedings of the 5th Colloquium on Mathematics and Computer Science*. Discrete Mathematics and Theoretical Computer Science, pp. 95–120 (2008)
42. R.V. Solé, *Phase Transitions* (Princeton University Press, Princeton, NJ, 2011)
43. S.R.S. Varadhan, Asymptotic properties and differential equations. *Commun. Pure Appl. Math.* **19**, 261–286 (1966)
44. F.Y. Wu, The Potts model. *Rev. Mod. Phys.* **54**, 235–268 (1982)

Index

A

- Aggregate contraction, 20–22, 61, 63, 73, 84, 90
- Aggregate g -variation, 69, 76, 77, 87
- Aggregate path coupling, 2, 20, 22–24, 27, 36–39, 46, 53, 55–79, 81–90

B

- Bipartite Potts model (BPM), 31–33, 48–51, 81–84, 86–90
- Blume–Capel model, 23, 26–27, 38, 40–44, 55, 57–61, 63–65, 76

C

- Choice variable, 13, 14, 18, 24, 25, 27, 29, 33, 66, 82
- Concentration inequality, 20–22, 63, 74, 84, 90
- Continuous phase transition, 26, 36, 38, 40–42, 47, 55, 58–60, 64, 75, 76
- Contraction inequality, 16, 17, 20–22
- Coupling, 1–22, 55, 58, 61, 66–68, 71, 81–86, 88
 - inequality, 1, 3, 4, 17, 20, 68
 - method, 2–5, 63
 - time, 3–8, 14, 17
- Curie–Weiss model (mean-field Ising model), 23, 25, 26, 39–41, 53–54
- Curie–Weiss–Potts model, 23, 28, 46, 47, 49, 74, 76, 81, 84, 88

E

- Empirical measure/vector, 48, 49
- Equilibrium macrostate, 37–51, 69–71, 87, 88
- Equilibrium phase structure, 38–51, 64, 74, 81

F

- First-order phase transition, 23, 27, 36, 38–39, 42–44, 46, 47, 50, 53, 55, 60–65, 75, 76
- Free-energy functional, 41–43, 45–47, 49, 50

G

- Generalized Potts model, 74–79
- Gibbs ensemble, 23–26, 29, 31, 37–40, 45, 46, 49, 65, 71
- Gibbs measure, 23, 24, 44, 45, 47, 68, 71, 74
- Glauber dynamics, 2, 15, 18, 20, 23–36, 38, 40, 45, 46, 55, 57, 59, 61, 63, 66, 68, 71, 73, 76, 81–84, 90
- Greedy coupling, 1, 13–15, 17, 19, 53–55, 57, 66, 71, 82

H

- Hamiltonian function, 18, 23, 25, 26, 28

I

- Interaction representation function, 24, 25, 28, 32, 45, 47, 49, 69, 74
- Ising model, 17–20, 25, 38, 81

L

Large deviation principle (LDP), 22, 37–41, 44, 45, 48, 63, 65, 73, 74, 81, 90

M

Magnetization, 24, 26, 28, 40, 55, 61, 67, 72, 88, 90

Maximal coupling, 8–10, 12, 14, 19, 53, 56, 66, 82

Maximal distance to stationarity, 2

Mean coupling distance, 15, 19, 21, 53, 56, 58–61, 66–71, 82–88

Metastable states, 42

Mixing time, 1–23, 36, 38, 39, 46, 55, 59, 63, 64, 68, 73, 76, 84, 88, 90

Monotone ordered, 12, 13, 15

Monotone path, 62, 65, 67–72, 84–89

P

Partition function, 24–26, 29, 31

Path coupling, 1–23, 36, 38, 39, 53–65, 71

Path metric, 5, 7, 15–17, 21, 53, 55, 57, 61

Phase transition, 26, 36–51, 54, 55, 59, 64, 65, 76

R

Random-to-random shuffling, 4–8

Rapid mixing, 2, 23, 37, 38, 40, 44–46, 53, 58–61, 65, 70, 71, 73, 75, 76, 81, 83, 90

Rate function, 37, 39–41, 44, 48, 49

Relative entropy, 44, 48

S

Slow mixing, 2, 54, 63–64, 79, 90

Spin dynamics, 14, 15, 24

Standardized maximal distance, 2

Synchronized maximal coupling, 9–13, 15

T

Total variation, 1, 4, 20–22