

References

- Aljandali, A. (2016). *Quantitative Analysis & IBM SPSS Statistics: A Guide for Business & Finance Students*. Switzerland: Springer, Cham.
- Aljandali, A. (2017). *Multivariate Methods & Forecasting with IBM SPSS Statistics*. Switzerland: Springer, Cham.
- Baba, Y., Engle, R. F., Kraft, D. F., & Kroner, K. F. (1989). *Multivariate simultaneous generalised ARCH* (Discussion Paper 89-57). San Diego: Department of Economics, University of California, San Diego.
- Baillie, R. T., & Myers, R. J. (1991). Bivariate GARCH estimation of the optimal commodity futures hedge. *Journal of Applied Econometrics*, 6, 109–124.
- Bauwens, L., Laurent, S., & Rombouts, J. V. K. (2006). Multivariate GARCH models: A survey. *Journal of Applied Econometrics*, 21(1), 79–109.
- Bollerslev, T. (1986). Generalised autoregressive conditional heteroskedasticity. *Journal of Econometrics*, 31, 307–327.
- Bollerslev, T., Engle, R. F., & Wooldridge, J. M. (1988). A capital asset pricing model with time-varying covariances. *Journal of Political Economy*, 96, 116–131.
- Box, G.E.P., & Pierce, D.A. (1970). Distribution of residual autocorrelations in autoregressive-integrated moving average time series models. *Journal of the American Statistical Association*, 65, 1509–1526.
- Brailsford, T. J., & Faff, R. W. (1996). An evaluation of volatility forecasting. *Journal of Banking and Finance*, 20, 419–438.
- Brooks, C. (2004). *Introductory econometrics for finance* (Chap. 8). Cambridge, UK: Cambridge University Press.
- Brooks, C., Burke, S., & Persaud, G. (2003). Multivariate GARCH models: Software choice and estimation issues. In *ISMA Centre Discussion Papers in Finance*, University of Reading, April 2003.
- Brooks, C., Henry, O. T., & Persaud, G. (2002). Optimal hedging and the value of news. *Journal of Business*, 75(2), 333–352.
- Caporin, M., & McAleer, M. (2012). Do we really need both BEKK and DCC? A tale of two multivariate GARCH models. *Journal of Economic Surveys*, 26(4), 736–751.
- Chang, C. -L., González-Serrano, L., & Jimenez-Martin, J. -A. (2012). Currency hedging strategies using dynamic multivariate GARCH. *Paper Presented to the International Conference on Risk Modelling and Management*, Madrid, June 2011. Retrieved Oct 23, 2014, from <http://www.ucm.es/data/cont/docs/518-2013-11-05-1207.pdf>.

- De Goeij, P., & Marquering, W. (2004). Modeling the conditional covariance between stock and bond returns: A multivariate GARCH approach. *Journal of Financial Econometrics*, 2(4), 531–564.
- Dickey, D., & Fuller, W. A. (1979). Distribution of the estimates for autoregressive time series with a unit root. *Journal of the American Statistical Association*, 74, 427–431.
- Engle, R. F. (1982). Autoregressive conditional heteroskedasticity with estimates of the variance of United Kingdom inflation. *Econometrica*, 55, 251–276.
- Engle, R. F. (1982). Autoregressive conditional heteroscedasticity with estimates of the variance of United Kingdom inflation. *Econometrica*, 50(4), 987–1007.
- Engle, R. (2002). Dynamic conditional correlation: A simple class of multivariate generalized autoregressive conditional heteroscedasticity models. *Journal of Business and Economic Statistics*, 20(3), 339–359.
- Engle, R., & Kroner, K. (1995). Multivariate simultaneous GARCH. *Econometric Theory*, 11, 122–150.
- Ewing, B. T. (2002). The transmission shocks among S and P 500 indexes. *Applied Financial Economics*, 12, 285–290.
- Gujarati, D. N., & Porter, D. C. (2009). *Basic econometrics*. New York: McGraw Hill.
- Kroner, K. F., & Claessens, S. (1991). Optimal dynamic hedging portfolios and the currency composition of external debt. *Journal of International Money and Finance*, 10, 131–148.
- Ledoit, O., Santa-Clara, P., & Wolf, M. (2003). Flexible multivariate GARCH modelling with an application to international stock markets. *The Review of Economics and Statistics*, 85(3), 735–747.
- Lien, D., & Luo, X. (1994). Multiperiod hedging in the presence of conditional heteroscedasticity. *Journal of Futures Markets*, 14, 927–955.
- Nelson, D. B. (1991). Conditional heteroskedasticity in asset returns: A new approach. *Econometrica*, 59, 347–370.
- Pesaran, M. H., & Pesaran, B. (1997). Working with Microfit 4.0: Interactive Econometric Analysis. Oxford University Press: Oxford.
- Pesaran, B., & Pesaran, M. H. (2009). *Time Series Econometrics Using Microfit 5.0*. Oxford, UK: Oxford University Press.
- Righia, M. B., & Cerella, P. S. (2012). Multivariate generalized autoregressive conditional heteroscedasticity (GARCH) modelling of sector volatility transmission: A dynamic conditional correlation (DCC) approach. *African Journal of Business Management*, 6(27), 8157–8162.
- Silvennoinen, A., & Teräsvirta, T. (2009). Modelling multivariate autoregressive conditional heteroscedasticity with the double smooth transition conditional correlation GARCH model. *Journal of Financial Econometrics*, 7(4), 373–411.
- Sims, C. A. (1980, January). Macroeconomics and reality. *Econometrica*, 48(1), 1–48.
- Thomas, R. L. (1997). *Modern econometrics*. Upper Saddle River: Prentice Hall.
- Verbeek, M. (2004) *A Guide to Modern Econometrics*. 2nd Edition, Erasmus University Rotterdam, John Wiley & Sons Ltd., Hoboken.

Index

A

- AR(1)-ARCH(1) model, 149–153
- Augmented Dickey-Fuller (ADF) test, 161
 - RDJ, 164
 - RFTSE, 161
 - RGDP, 43, 44
 - RMD, 40, 41
 - RMD-DRMD, 49–50
 - RRBS, 160
 - for TB3 series, 214, 215
 - for TB6 series, 216, 217
 - unit root tests, 81
 - U residuals, 64, 65
- Autocorrelation function (ACF)
 - Bartlett's method, 115, 116
 - first and second order, 114, 115
 - invertible, 78
 - non-stationary, 115
 - patterns recognition, 118
 - Quenouille's variance, 116
- Autocorrelations (AC)
 - ACF, 114–116
 - PACF, 116
- Autoregressive (AR), 112
 - ADL, 61
 - ARCH (*see* Autoregressive conditional heteroscedastic (ARCH))
 - ARIMA (*see* Autoregressive integrated moving average (ARIMA))
 - ARMA (*see* Autoregressive moving average (ARMA))
 - parameter, 113
- Autoregressive conditional heteroscedastic (ARCH), 144–151, 174, 175, 177, 178, 182
 - AR(1)-ARCH(1) model, 149–151
 - conditional variance
 - errors, previous time periods, 144
 - mean and variance equation, 144
 - squared errors, 145
 - US dollar/£ Sterling exchange, 145
 - forecasts, 152–154
 - GED (*see* Generalise error (GED), ARCH/GARCH)
 - MAPE, 153
 - practice issues, 154, 155
 - rates of change, 145–147
 - residual analysis
 - check for serial correlation, 174
 - heteroskedasticity test, 175
 - normality test, 175, 177
 - RMSE and MAE, 153
 - specification part, 176
 - student's t distribution (*see* Student's t distribution, ARCH/GARCH)
 - testing
 - DLUSD, 146, 147, 149, 150
 - heteroskedasticity tests, 148, 149
 - lag of 1, 149
 - lag of 12, 148
 - normality, 151
 - null hypothesis, 148
 - Theil's Inequality Coefficient, 153
 - time series, 143
 - variance equation, 150
- Autoregressive Distributed Lag (ADL), 61
- Autoregressive integrated moving average (ARIMA)
 - ACF, 118
 - AR(p), 113

- Autoregressive integrated moving average (ARIMA) (*cont.*)
 MA(q), 113
 mixed model, 113
 PACF, 118
 stationary data, 112
- Autoregressive moving average (ARMA), 112, 119, 129, 133–136, 138
 Akaïke and Schwarz criteria, 127
 CPIR, 126, 127 (*see also* Consumer price index rate (CPIR))
 diagnostic checking, 128
 forecasting, 131
 dynamic, 133 (*see also* Dynamic forecast)
 vs. real, 138
 static, 129, 134–136
- B**
- Bartlett's method, 115
 BEKK model, 195
 Bias, 154, 234
 Binomial Theorem, 75, 77, 78, 84, 85
 Bivariate VAR system, 212
 Box–Jenkins (B–J) approach
 AR, 112
 ARIMA, 112
 ARMA, 112
 B–J models, 118
 diagnostic checking, 119
 estimation, 111, 119
 forecasting, 111, 119
 identification, 111, 119
 MA, 112
 verification, 111
- Breusch–Godfrey serial correlation, 71
 Breusch–Godfrey test, 14
- C**
- Capital asset pricing model (CAPM), 157
 Breusch–Godfrey serial correlation
 LM test, 270
 description, 261
 market risk premium, 262
 nondiversifiable risk, 261
 RHOGANAS
 correlogram, 264
 plot, RHOGANAS series, 263
 regression output, 268
 unit root test, 265
 risk-free rate of return, (R_f), 262
- risk premium, 262
- ROMX
 correlogram, 264, 266
 plot, ROMX series, 266
 unit root test, 267
- test, for β coefficient, 272
- U series
 correlogram, 268
 plot, U residuals, 269
 unit root test, 265, 269
- White's test, 270, 271
- Causal modelling, 211
 Chi-square test statistic, 229, 235
 Cobb–Douglas function
 output
 elasticity measures, 21
 labor and capital data, 21, 22
 scatter plot, 23
 word document file, 21
 production, 20
 regression equation, 24
- Coefficient of correlation, 115, 122
 Coefficient of determination, 11, 25, 30, 199, 200, 206
- Cointegration, 170, 171
 DLGEX panel data, 244, 245
 ECM, 213
 forecasting, 99, 101
 Johansen cointegrated test, 212, 218, 219, 221, 223
 panel ECM model, 246
 restricted VAR/VECM model, 212
 RRBS regression, 169
 test specification, 222
 trace and maximum eigenvalue tests, 220
 two-variable system, 212
- U series
 ADF, 170
 correlogram of, 170
 unit root test, 171
- Conditional variance, 144
 errors, previous time periods, 144
 mean and variance equation, 144
 MGARCH method, 193
 squared errors, 145
 US dollar/£ Sterling exchange, 145
- Confidence band, 104
 Consumer price index rate (CPIR)
 AC, 122
 ACF, 121
 AR model, 123, 124
 correlogram, 119, 121
 MA model, 125, 126

- PACF, 121, 122
 - plot, 114
 - unit root test, 120
- Correlogram
 - residual, 264
 - RHOGANAS, 264
 - ROMX, 264, 266
 - TB3 series, 213, 214
 - TB6 series, 216, 217
 - U series, 268
- D**
- Dependent variable
 - and dummy variable, 197
 - FERUSE, 203, 204
 - linear probability model, 198, 200
 - regression analysis, 234
- Deterministic trend, 219
 - function of time, 74
 - and random walk with drift, 75
 - series not stationary, 92
 - stationary AR(1) component, 75, 81
 - time series, 74
 - TS, 74
- Difference stationary process (DSP), 75
- Distributed lag (DL), 61
- Drift term, 75
- Dummy regressor, 197
- Dummy variables, 197, 203, 238, 249–254
- Durbin-Watson (DW) test, 70
- Dynamic forecast, 109
 - actual and forecast values, 132
 - CPIR, 142
 - CPIR C AR(2) MA(2), 130, 131
 - CPIRF, 132
 - Eviews, 131
 - graph option, 133
 - group option, 133
 - multiple charts, 133, 134
 - quality measures, 131
 - vs. whole sample period, 137, 138
- E**
- Econometrics, 1, 211
- Economic forecasting, 89
- EGARCH equation modelling
 - correlogram residuals squared, 190
 - heteroscedasticity test, 190, 191
 - Jarque-Bera test, 192
 - output, 189
 - residual normality, 192
 - specification, 188, 189
- Endogenous variable, 211
- Error correction mechanism (ECM)
 - coefficients, 224, 226
 - cointegration, 213
 - panel data regression models, 246
 - panel ECM model, 246–255
 - and REM model, 255–256
 - residuals, 245
 - unit root test, 244, 246, 247
- Error correction model (ECM), 61, 213, 218, 224, 225
 - DRMD, 68
 - effects types, 67
 - equation, 65
 - Eviews, 67
 - implementing steps, 64
 - independent variables, 66
 - INT, 62, 67, 68
 - RGDP, 62, 67, 68
 - RMD, 62, 66–68
 - time series data, 38
- Error distribution, 170, 176
- Errors, 77, 103, 213
 - ECM (*see* Error correction mechanism (ECM))
 - heteroscedasticity-robust standard, 200
 - impulses (urges)/innovation/shocks, 212
 - VECM (*see* Vector error correction model (VECM))
- EViews, 3–8, 10
 - command window, 2
 - descriptive statistics, 10
 - dialogue boxes, 1
 - equation window, 3
 - importing data
 - default variable, 4
 - Excel/IBM SPSS data file, 5–7
 - foreign file, 3
 - saving and opening, 7, 8, 10
 - select variables tab, 3
 - work area, 4
 - menus, 1
 - object concept, 2
 - output variables, 9
 - work area, 2
- Exogenous variables, 211
- F**
- First order autocorrelation coefficient, 114
- Fixed effects regression model (FEM), 250
- Forecast error, 103
- Forecasting, 90–98, 106, 107, 139, 140, 142
 - adequacy, 234

Forecasting (*cont.*)

- autocorrelation, error, 108–110
- characteristics, 105
- cointegration test, 99, 101
- conditional, 103
- confidence intervals, 104
- DLPCE
 - correlogram, 94, 96, 98
 - plot, 96
 - unit root test, 97, 98
- equation specification, 101, 102
- ex post* and *ex ante*, 102
- group membership, farmer, 209
- joint graph
 - data sets, 106
 - multiple charts, 107
- option, 104
- point and interval, 102
- vs. real data, 105
- regression models
 - ARIMA, 139
 - bivariate, 90
 - consumption function, 90
 - data, 140
 - equation estimation, 139
 - LPCE, 91–93, 95
 - Open as a Group, 140
 - PCE and PDI, 91
 - static and dynamic, 142

Foreign file, loading, 3

G

- Generalise error (GED), ARCH/GARCH, 185–187
 - check for normality, 187
 - check for serial correlation, 185
 - heteroscedasticity test, 186
 - Jarque-Bera test, 187
 - RDAX, 184, 185
 - RDJ, 184, 185
 - residual analysis
 - check for normality, 187
 - check for serial correlation, 185
 - heteroscedasticity test, 186
 - Jarque-Bera test, 187
 - specification part, 182
- Generalised ARCH process (GARCH), 157–168, 178, 182
 - AR(1) model, 155–157
 - conditional variance, 155
 - forecasts, 158
 - GED (*see* Generalise error (GED), ARCH/GARCH)

MAE, 156

normal distribution, 173, 174

RDAX

- correlogram, 166, 167
- plot, 167
- unit root test, 168

RDJ

- ADF, 164
- correlogram, 162, 165
- plot, 165
- unit root test, 166

residual analysis, 174

RFTSE

- ADF, 161
- correlogram, 161, 163
- plot, 163
- unit root test, 164

RMSE, 156

RRBS

- ADF, 160, 161
- correlogram, 159, 161
- unit root test, 162

specification, 172

student's t distribution (*see* Student's t distribution, ARCH/GARCH)

volatility

- data conversion, 159
- RBS series, 160
- variance equation, 157–159

Geometric series, 77

H

- Hausman test, 256, 257, 259, 260
- Heteroscedasticity, 200, 270, 271
 - GLS, 32
 - regression equation, 33
 - White's test, 31
- Histogram, 2, 12, 18, 271
- Homoscedasticity, 60
- Hypothesis tests, 3, 61, 224, 227

I

Importing data

- default variable, 4
- Excel/IBM SPSS data file, 5–7
- foreign file, 3
- saving and opening, 7, 8, 10
- select variables tab, 3
- work area, 4

Independent/regressor variables, 197, 204, 222

Interest rates (INT), 44–46

Invertible, 76, 78

J

- Jarque-Bera test, 13, 182
- Johansen cointegration test, 219, 221–223

L

- Lag operators, 76
- Lagrange multiplier (LM) test, 33, 35
- Least-squares dummy variable (LSDV) model, 238, 249–255
- Leverage effects, 187
- Limited dependent variable, 201
 - linear probability model, 198–200
 - logit model (*see* Logit model)
- Linear model, 89
- Linear probability model
 - coefficient of determination, 199, 200
 - description, 198
 - disadvantages, 200, 203
 - home ownership and income, 198, 199
 - logistic distribution function, 201
 - ordinary least squares, 198
 - slope estimates, 198
- Linear regression, 198, 262
- Liquidity preference theory, 37
- Logarithm of the odds ratio, 202
- Logit model
 - approaches, 201
 - change in probability, 203
 - dependent variable, 197, 200
 - described, 202
 - in EViews
 - binary estimation method, 204
 - equation estimation dialogue box, 204, 205
 - expectation-prediction evaluation, 207
 - explanatory variables, 203
 - FERUSE, 203
 - Goodness-of-Fit Test (Hosmer-Lemeshow), 208, 210
 - independent variables, 204
 - LR statistic, 206
 - raw data file, 204
 - logistic distribution function, 201
 - maximum likelihood, 202

M

- MA parameter, 113
- Marginal propensity to consume (MPC), 90
- Market risk premium, 262
- Mean absolute error (MAE), 152
- Mean absolute percentage error (MAPE), 152

- Mean equation, 144, 146, 147, 149, 150

Modelling

- causal, 211
 - time series data analysis, 212
 - volatility, 157–167
- Moving average (MA), 112
- Multicollinearity, 28, 30

N

- Negative autocorrelation, 114
- Nondiversifiable risk, 261
 - beta coefficient (β), 261
 - CAPM, 261
- Normal distribution
 - ARCH and GARCH, 173, 174
- Normality
 - Jarque-Bera test, 13
 - residual, 31

P

- Panel data analysis
 - advantages, 237
 - balanced panel, 237
 - cointegration test, 244, 245
 - cross-sectional functions, 238
 - DLGDP
 - panel unit root test, 243
 - plot, DGDP series, 242
 - DLGEX, 243–245
 - panel unit root test, 244
 - plot, DLGEX series, 243
 - ECM, 245 (*see also* Error correction mechanism (ECM))
 - EGLS output, 258
 - fixed effects LSDV model
 - differential intercept dummies, 251
 - FEM, 250
 - least squares, 251, 253
 - limitations, 254–255
 - panel options, 252
 - Hausman test, 259, 260
 - heterogeneity, 237
 - individual time series functions, 238
 - LGDP
 - panel unit root test, 240
 - plot, LGDP series, 239
 - LGEX
 - panel unit root test, 241
 - plot, LGEX series, 240
 - LSDV model, 238
 - pooled OLS function, 238

- Panel data analysis (*cont.*)
 pooled OLS regression, 248–249
 random effects model, 238
 REM/ECM, 255–256
- Partial autocorrelation function (PACF)
 patterns recognition, 118
 by Quenouille, 117
- Positive definite, 194
- Probability models, 10, 25, 57, 58, 198
 linear (*see* Linear probability model)
- Q**
- Q-order moving average model (MA(q)), 113
- Quadratic equation, 85, 87
- R**
- Random effects model (REM), 255–257
- Random walk model with drift, 75
- Random walk without drift, 75
- Real GDP (RGDP)
 ADF test, 43
 correlogram, 42, 43
 plot, 42
 unit root test, 44
- Real money demand (RMD)
 ADF test, 40
 correlogram, 38–40
 unit root test, 41
- Realizations, 57, 58
- Regression
 analysis
 actual, fitted, residual graph, 14
 forecasting, 137, 139–141
 assumptions, 112
 coefficient of determination, 11
 coefficients testing, 24
 estimate equation, 11, 12
 homoscedasticity test, 13
 interpretation, 24
 Jarques-Bera test, normality, 13
 R² value, 25
 residual (*see* Residuals)
 saving
 equation, 15
 graphics, 16–18, 20
- Reparameterisation, 82, 83
- Residual analysis
 actual and fitted data, 26, 28
- ARCH
 check for serial correlation, 174
 heteroskedasticity test, 175
 normality test, 175, 177
 autocorrelation, 33
 behaviour, causes and remedies, 29
 CAPM, 267–273
 correlogram, 34
 heteroscedasticity, 31–33
 LM test, 34, 35
 multicollinearity, 28, 30
 normality, 31
 plot, 26, 27
 regression, 26
 White test statistic, 32
- Residuals, 198
 correlogram, 100
 determination of outliers, 18
 homoscedasticity test, 13
 Lagrange Multiplier, 13
 null hypothesis, 12
 observed and fitted values, 16
 serial autocorrelation, 13, 14
 sresid, 18, 20
 testing, 70
 for autocorrelations, 230
 diagnostics, 230
 multivariate normality tests, 231
 normality test, 231
 portmanteau autocorrelation test, 229
 system residuals normality tests, 232
 unit root test, 100, 101
- Root mean square error (RMSE), 152
- S**
- Scatter plot diagram, 23
- Seasonal differencing, 60
- Second order autocorrelation coefficient, 115
- Security market line (SML), 262
- Standard deviation, 18, 194
- Static forecast, 135, 152, 153, 156
 current and lagged values, 129
 data set, 135
 Eviews, 134
 line graph option, 136
 plots & summary table, 135
- Stationarity
 and characteristic equation, 78–80
 homoscedasticity, 60
 realization, 58
 seasonal differencing, 60
 trend differencing, 58, 59
- Stochastic finance, 57, 73, 111
- Stochastic trends, 75
- Student's t distribution, ARCH/GARCH
 GED, 181
 Jarque-Bera test, 182

- residual analysis
 - check for normality, 181
 - check for serial correlation, 180
 - heteroscedasticity test, 181
 - variance equation, 179, 180
- T**
- Test statistic, 69, 70, 81
 - ADF, 215, 217, 263, 264
 - chi-square, 229
 - DGDP panel data, 242
 - DLGEX panel data, 244
 - F test, 254
 - Jarque-Bera test statistic, 272
 - LGDP panel data, 239
 - LGEX panel data, 241
 - White test statistic, 271
- Theil's Inequality Coefficient, 104, 152, 153
- Three-variable VAR system, 212
- Time series analysis, 41–43
 - identify non-stationary, 38
 - INT, 44–46
 - INT-DINT, 52–54
 - integrated, 57
 - and modelling phase, 37, 212, 213
 - random value, 57
 - RGDP (*see* Real GDP (RGDP))
 - RGDP-DRGDP, 50, 51
 - RMD (*see* Real money demand (RMD))
 - RMD-DRMD, 47–50
 - stationary, 57
 - TB3 three-month T-bill rates
 - ADF test, formal method, 214, 215
 - plot, TB3 series, 214
 - TB6 six-month T-bill rates
 - ADF test, formal methods, 216, 217
 - correlogram test, informal methods, 216, 217
 - plot the series, informal methods, 215, 216
- Time series modelling
 - ECM, 61
 - DRMD, 68
 - effects types, 67
 - equation, 65
 - Eviews, 67
 - implementing steps, 64
 - independent variables, 66
 - regression, 67, 68
 - RMD_t, 66
 - not stationary, 61
 - regression
 - RMD, RGDP and INT, 61
 - stationary, 61 (*see also* Stationarity)
 - test statistic, 69, 70
 - U residuals
 - ADF test, 64, 65
 - correlogram test, 62, 63
 - plot, 63
 - Trend differencing, 58, 59
 - Trend stationary process (TS), 74
- U**
- Unconditional covariance, 194
- Unit root tests
 - AR(1) process, 80
 - characteristic equation, 82
 - deterministic trend, 81
 - random walk with drift, 81
 - stationarity, 82
- V**
- Variance equation, 144, 150, 157, 159, 174, 179, 187
- VECH models, 194
- Vector autoregression (VAR) model, 213, 228, 230
 - bivariate, 212
 - coefficient test, 224, 226
 - in Eviews, 218
 - Granger Causality Test, 232, 233
 - Johansen cointegration test, 219, 221–223
 - lag structure, 218, 220
 - output, 221
 - possibilities, 213
 - residual test (*see* Residuals, testing)
 - specification window, 219
 - three-variable VAR, 212
 - times series (*see* Time series analysis)
 - variables, 212
 - Wald test (*see* Wald test)
- Vector error correction model (VECM)
 - description, 213
 - estimates, 225
 - Granger Causality Test, 232
 - least squares output, 227
 - normality test, 231
 - portmanteau autocorrelation test, 229
 - as restricted VAR model, 212, 218
 - system equation, variable output, 224, 226
 - system estimation, 226

Vector error correction model (VECM) (*cont.*)

VAR

- estimation, 223
- specification, 224
- variables, 221

Volatility, 143

ARCH (*see* Autoregressive conditional heteroscedastic (ARCH))

- clustering, 143
- low and high, 143

W

Wald test

- CAPM, 270, 271
- coefficient diagnostics, 228
- coefficient restrictions, 235
- composite hypothesis, 234
- description, 228
- output, 229

White noise error term, 111

White's heteroscedasticity test, 15