

Index

A

Absorption coefficient, 31, 291, 295, 296
Absorption contrast imaging, 32, 34
Acoustic attenuation, 160, 161
Acoustic energy, 154
Acoustic impedance, 157, 158
Acoustic power, 158–160, 167, 180, 182–185
Acoustic pressure, 153, 160–162, 164, 170, 177
Alloys
 binary, 65, 187, 210, 287–290, 292–301
 ferrous, 305–308
 nonferrous, 302–305
 ternary, 38, 40, 290, 300–301
Alternating magnetic fields, 15, 120, 125–127, 142, 146
Aluminum electrolysis, 75, 77, 78, 81
Arc processes, 76, 78, 84, 85, 178
Atomic clusters, 254, 278, 283–286, 290, 301
Atomic number density, 30
Atomic structure, 25, 42, 46, 205, 279, 287–290

C

Casting, Refining, ElectroMagnetic (CREM) process, 145–147
Cavitation, 6, 7, 15, 110, 111, 113–115, 133, 141, 144, 153–156, 158–160, 162, 163, 165–167, 169–182, 186–188, 251–253, 309, 310
Cavitation bubble, 153, 162, 163
 implosion, 171, 173
 oscillation, 153, 155, 158, 163, 172, 179

radius

 critical, 162, 163
 resonance, 153, 162, 163
Cavitation threshold, 144, 153, 158, 162, 163, 167, 176, 253
Cavitation zone, 154, 162, 165, 177, 180
Columnar-to-equiaxed transition (CET), 5, 140, 227
Composite, 1, 15, 32, 66, 67, 155, 171, 187, 188, 209
Contactless stirring, 110–112
Continuous casting, 15, 78, 141, 155, 180, 195, 230–233
Crystal growth, 15, 195, 209, 213, 220–222, 230, 233–235, 253
Crystal orientation, 196, 206, 210–216

D

DC casting, 128–130, 132, 133, 135–140, 142, 144–148, 156, 176, 181–185, 188, 189
DC magnetic field, 96, 98–100, 103–105, 195, 196, 200, 201, 224, 226, 230–235
Deagglomeration, 175, 177, 187–189
Degassing, 110, 154–156, 167–171, 180–183
Dendritic grains, 37, 49–56, 143
Dendritic structures, 36, 60, 61, 68, 94, 251
Density, 5–7, 31, 36, 52, 64, 76, 77, 80, 86, 90, 91, 94, 96, 100, 120, 122, 127, 130, 134, 141, 142, 157, 162, 163, 176, 177, 180, 183, 196–198, 202–204, 224, 225, 244, 248, 249, 251, 259, 260, 278, 280, 290, 291, 293–297, 299–302, 305–308

- Diffraction
 neutron, 281–283, 287, 288
 x-ray, 33, 34, 37–46, 281–283, 288–290
- Diffusion, 2, 4, 5, 47, 50, 53, 77, 78, 92, 93, 103, 144, 155, 162, 164, 169, 200, 254, 293, 304
- E**
- Electric current density, 86, 96, 196, 197, 198, 200, 251
- Electromagnetic damping, 199, 210, 231, 232
- Electromagnetic flow control, 76, 78
- Electromagnetic force, 15, 83, 84, 90, 95, 97, 101, 103–105, 120, 121, 125, 129, 141, 142, 146–148, 195, 196, 199, 200, 232, 234, 243, 251, 252, 257
- Electromagnetic levitation, 38, 75, 78, 207
- Electromagnetic Processing of Materials (EPM), 76, 195, 243, 244
- Electromagnetic stirring, 7–9, 13, 15, 101, 119–148
- Electromagnetic vibration, 119–148, 244, 245, 250–253
- Electromagnetic Vibration Casting (EVC) process, 147, 148
- Emulsification, 154, 178, 179
- F**
- Feeble magnetic materials, 195, 197, 204–209
- Fragmentation, 5–7, 9, 10, 12, 36, 37, 49–56, 59, 65, 136, 137, 140, 154, 172–174, 178, 186, 227, 258, 265–267
- Free electron laser, 21, 24, 67
- G**
- Gamma-rays, 291, 293–295, 299, 300
- Grain density, 5
- Grain growth, 5, 37, 49–56, 139, 274
- Grain refinement, 1, 4–7, 38, 137, 139, 141, 143, 146, 148, 156, 172, 177, 178, 183, 185, 186, 188, 244–264, 303, 304, 308, 310, 312
- Grains
 columnar, 5, 8, 9, 140, 255
 equiaxed, 7, 9, 52, 53, 136, 137, 140, 144, 185, 224, 227, 256, 263, 304, 310
 feathery, 1, 7, 9, 12
- Grain size, 1, 3–5, 37, 137, 141, 175, 187, 252, 257, 258, 303, 310
- Gravity force density, 203
- Growth restriction, 4, 5
- Growth-restriction factor, 4
- H**
- Hartmann number, 200, 203, 221, 234
- Heat flow, 7, 15, 59
- Heat/mass transfer, 36, 121–127, 141, 142
- High magnetic field, 15, 98, 99, 195–235
- Homogenization, 185, 293, 300, 306
- I**
- Impurities, 75, 105, 154, 174, 176, 233, 244, 277, 279, 287, 290, 303, 308–312
- Inclusion, 1, 6, 84, 90, 92, 105, 137, 139, 162, 165, 167, 171, 172, 175, 176, 178, 181, 230, 302, 308–310
- Induction current, 113
- Induction melting, 38, 102, 113, 279, 297
- Inhomogeneities, 283, 293, 298, 301, 303
- In situ study, 19–71, 154, 265–273
- Interfacial area density, 204
- Intermetallic, 1, 6, 7, 51, 56, 58, 59, 61–67, 137, 172–174, 176–178, 213, 268, 269, 272, 308, 311, 312
- Intermetallic phases, 37, 56, 58, 59, 61–67, 268, 272
- L**
- Levitation
 magnetic, 95, 98, 101, 206–208
 technique, 98, 279, 280, 289, 294
- Liquid density, 90, 91, 157, 163
- Liquid metal flow, 36, 46–48, 243
- Liquid-solid interface, 55, 140, 201, 221, 225, 226, 233, 235, 259–261, 264, 265, 274
- Lorentz force, 75–78, 85, 86, 88–90, 92, 94, 95, 107, 110, 112, 121, 125–127, 130, 134, 135, 196–201, 218, 220, 257–259, 262, 263, 266, 268
- Low Frequency Electromagnetic Casting (LFEC) process, 145–147
- Low-frequency electromagnetic field, 147
- Low Frequency Electromagnetic Vibration Casting (LFEVC) processes, 147, 148

M

- Magnetic density, 96
- Magnetic flux density, 77, 127, 130, 134, 135, 197, 200, 224, 244, 248, 251, 267, 268, 271
- Magnetic fields and microstructure, 146, 223, 228, 252, 264, 270
- Magnetic levitation, 95, 98, 101, 206–208
- Magnetic phase separation, 207–209
- Magnetic susceptibility, 96, 197, 204–206, 210, 211, 216, 217
- Magnetization effect, 197, 204–209
- Magnetization energy, 205, 206, 213
- Magnetization force, 195–197, 204, 207, 208
- Magnetohydrodynamics (MHD), 13, 120, 121, 196–204, 218, 219, 243
- Maxwell equations, 141, 198
- Metallic glass composite, 66
- Metallic glasses, 42, 43, 66
- Microstructure, 9, 11, 12, 40, 51, 54–56, 60, 61, 65, 66, 78, 85, 90, 92–95, 110, 134, 137, 139, 140, 144, 146, 221–223, 228, 245–248, 251, 252, 256, 264, 265, 267, 268, 279–287, 289, 301–312

N

- Navier-Stokes equations, 76, 77, 92, 121, 199
- Ni superalloys, 312
- Nucleation, 1, 2, 5–8, 13, 35, 37–39, 41, 48, 51, 52, 62, 64, 93, 110, 134, 136, 138–140, 145, 172, 173, 176–178, 186, 188, 218, 244–246, 249–251, 253, 254, 256, 262, 264, 274, 301–303, 311, 312

O

- Oxide, 6, 7, 36, 43, 46, 62, 80, 83, 171, 173, 175, 180, 187, 254, 308–311

P

- Particle distribution function, 285, 286, 289
- Phase alignment, 210–216
- Phase contrast imaging, 33, 34
- Phase field modeling, 8, 68
- Physical properties, 157, 196, 198, 199, 202, 214, 278, 279, 290–301
- Primary crystals, 154, 213, 302, 303, 310, 312
- Propagation velocity, 157

Ptychography, 34

- Pulse electric current, 244–262, 265–267, 274
- Pulse magnetic field, 54, 244, 254, 261–264, 267–274

R

- Real-time study, 267

S

- Scattering
 - neutron, 282
 - small angle, 280–281, 283, 286
 - x-ray, 28, 41, 42, 188, 279, 286
- Semisolid processing, 37, 46–48, 55, 251, 252
- Skin depth, 78, 112, 126, 127, 130, 134, 142, 146, 148, 262
- Solidification under DC magnetic field, 195, 201, 226
- Solute transfer, 36
- Sonocapillary effect, 170, 171, 176
- Sonotrode, 56, 110–115, 155, 156, 158–161, 165, 166, 172, 180–184, 187
- Sound pressure, 157, 162, 163
 - See also* Acoustic pressure
- Steel, 15, 75, 81, 82, 84, 154, 155, 187, 195, 202, 230–233, 250, 255, 256, 261, 262, 264, 305–308
- Storage ring, 20, 21, 24
- Streaming, 5, 154, 173, 174, 179, 182, 187
- Structure factor, 39, 282, 283, 288
- Structure fragmentation, 178
- Synchrotron X-ray, 20–24, 32–34, 36–38, 41, 42, 47, 49, 52–54, 60, 67, 171, 265, 267, 268, 272
- Synchrotron
 - x-ray radiography, 47, 52, 53, 171
 - x-ray tomography, 267, 268

T

- Thermoelectric convection, 220, 234
- Thermoelectric power, 201, 220, 224

U

- Ultrasound, 36, 56, 96, 153–156, 159, 160, 163, 165, 167, 170, 171, 174, 178, 182, 252, 297–299, 301
- Undercooling
 - constitutional, 2–5, 140, 260, 304
 - thermal, 254, 256, 264, 304

V

Vibration force, 141, 142
Viscosity, 36, 76, 77, 93, 97–100, 122,
124, 160, 162, 163, 179, 197,
202, 278, 279, 290–295, 298,
300, 301, 305, 306, 308

W

Wetting (wettability), 2, 6, 13, 170–172,
175, 176, 187, 310

X

X-ray, 25, 225–227, 266–268
diffraction, 33, 34, 37–46, 281–283, 288–290
diffraction imaging, 33, 34
interaction with matter, 25–32
radiography, 36, 46–56, 171
scattering, 28, 41, 188, 279, 286
synchrotron, 20–24, 32–34, 36–38, 41,
42, 47, 49, 52–54, 60, 67, 171,
265, 267, 268, 272
tomography, 34, 56, 58, 59, 61–67, 268