
Index

A

- Accidental exposure, 58
- Aerosol transmission
 - communicability, 11
 - high probability, 12, 13, 15
 - incubation period, 11
 - pathophysiology, 11
- Anorexia, 162, 163
- Antepartum hemorrhage, 106
- Anti-EVD activity, 102
- Anti-inflammatory medication, 173
- Antiviral agents, 100
- APGAR score, 123
- Area under receiver operating characteristics curve (AUROC), 135
- Arthralgia, 172–174
- Arthritis, 172–174

B

- Bolivian haemorrhagic fever (BHF), 2
- Breast feeding, 124, 171
- Brincidovir, 100

C

- Cardiology, 179
- Care centres, 20
- Care units, 20
- Childbearing age, 90
- Children (EVD)
 - assessment, 136
 - clinical management, 136–138
 - disease progression, 131, 134
 - epidemiology, 129–131
 - investigations, 136
 - nutrition, 138
 - pastoral care, 133, 138–139
 - presentation, 131

- symptoms, 134, 135
- Chimerix, 102
- Chlorine solutions, 53–55, 57
- Cidofovir, 100
- Clinical features, 13, 15
- Conceived, recovering EVD, 171
- Convalescent serum, 93
- Corpses management, 59, 61
- Creatinine, 90
- Crimea-Congo Haemorrhagic Fever (CCHF), 1
- Cycle threshold (CT), 151

D

- Death, 164
- Depression, 166
- Dermatology, 179
- Diagnostics
 - clinical samples, 146
 - discharge planning, 151–152
 - identification, 145
 - laboratory diagnosis, 147–149
 - monitoring, 151–152
 - POC, 149
 - serological tests, 151
 - supportive pathology assays, 152–153
 - test, 146
 - viral isolation, 151
- Disability, 164
- Discharge planning, 125–127
- District Surveillance Officer (DSO), 25
- Do not resuscitate (DNR) order, 99
- Dysphagia, 137

E

- Ebola Anthropology Platform, 165
- Ebola holding unit (EHU)
 - classification of areas, 25

- Ebola holding unit (EHU) (*cont.*)
- components, 21, 22
 - construction, 25
 - framework, 23
 - layout, 21–22
 - Lumley Hospital, Freetown, 28
 - mortuary, 29
 - patient flow, 22
 - processes, 21
 - requirements, 26
 - scale up isolation, 21
 - set up, 25
 - simple unit, 27
 - site selection, 23
 - size and extent, 20
 - special structures, 27
 - staffing requirements, 22, 24, 25
 - stockroom, 30
 - storage spaces, 31
 - supplies, 30, 31
 - waste disposal, 29
- Ebola virus, 3
- aerosol transmission (*see* Aerosol transmission)
 - clinical management, 15, 16
 - outbreak response, 3, 4
 - symptomatic treatment, 15, 16
 - thread-like RNA viruses, 10
 - transmission mode, 10–11
- Ebola virus disease (EVD), 2
- caregivers, 104
 - clinical management, 88
 - community engagement, 5
 - compassionate management, 127, 128
 - complications, 96–98
 - diagnosis, 148
 - differential diagnosis, 89
 - empathy, 5
 - ETCs, 94
 - health services, 6
 - health system capacity, 5
 - heterogeneity of population, 90
 - indirectly mediated, 161
 - interventions, 96–98
 - laboratory services, 94
 - maternal mortality, 103
 - medical staff, 103
 - natural immunosuppression, 104
 - obstetric complications, 103
 - politics, 5
 - postpartum patient, 105
 - practical aspects, 90
 - proactive clinical management, 104
 - staff motivation, 5
 - survivors, 127, 128 (*see also* Survivors, EVD)
 - treatment, 88
 - West African Ebola, 91–93
 - WHO guidance, 88
- Ebola virus including the most common Zaire strain (EBOV), 2
- Echocardiograph (ECHO), 179
- Electrocardiogram (ECG), 179
- Electrolytes, 95–99
- Emergency Operations Centre (EOC), 3
- Emergency Triage and Assessment Treatment (ETAT), 136
- Empathy, 5
- Encephalopathy, 174
- EVD-positive mother
- discharge planning, 125–127
 - EVD protocol, 124
 - patient education, 125–127
 - psychosocial support, 125–127
 - serum sample, 124
- EVD-positive pregnant patients, 106
- F**
- Fatality rates, 132
- Fatigue, 164
- Favapiravir, 102
- Fluids, 95–99
- G**
- Gene Xpert, 151
- GenExpert, 118
- Green Zone, 110–112, 120
- H**
- Haemorrhage, 90
- Headache, 177
- Hand hygiene, 39–40
- Health system capacity, 5
- I**
- Immune response, 158–161
- Immune therapies, 102
- Immunoglobulin M (IgM), 11
- Immunosuppression, 104
- Incubation period, 11
- Infected pregnant mothers, 170
- Infection Prevention and Control (IPC)
- control measures, EBOLA, 39
 - hand hygiene, 39–40
 - PPE (*see* Personal protective equipment (PPE))

Intrapartum care, 119
 Invasive therapies, 93, 96
 Isolation units, 20

L

Lower limit of detection (LLOD), 152
 Lumley Community Hospital, Freetown
 approval, 32
 clinical staff, 75–77
 construction, 34, 36
 dressing room, 70
 drugs, 71
 estimate, 67, 68
 events, 38
 history, 32
 location, 31
 meetings, 39
 mentorship, 39
 online, 37
 planning, 32
 services, 32
 staffing, 32, 37
 stock lists, 69
 supplies supervisor, 37
 timeline, 38
 training from, 71–83

M

Malaria, 162
 Malnutrition, 162–163
 Médecins Sans Frontières (MSF)
 organisation, 88
 Medication protocol, 112–117
 Menigo-encephalitis, 174
 Mental health, 165
 Mortuary, 29
 Multiple organ failure (MOF), 11

N

Neurology
 auditory symptoms, 178
 headache, 177
 menigo-encephalitis, 174–177
 recovery/encephalopathy, 174
 stroke, 177–178
 symptom, 178
 Non-EVD obstetric cases, 106
 Nucleic acid amplification tests
 (NAAT), 147, 149
 Nucleoprotein (NP), 147

O

Omsk hemorrhagic fever (OHF), 2
 Ophthalmology
 blurred vision, 168, 170
 photophobia, 170, 177
 re-integration of survivors, 166
 retinal ganglionic axons, 170
 retro-orbital pain, 170
 uveitis, 168–170

P

Paediatric doses, 17
 Paediatric ebola predictive score, 135
 Paraplegia, 134
 Pastoral care, 133, 138–139
 Pathogenesis, 157
 Patient care, 119
 Patient education, 125–127
 Patient flow, 22
 Personal protective equipment (PPE), 146
 frontline workers, 40
 life saving methods, 50–53
 mistakes/hazards, 40
 protocol, 41–42
 Point of care (POC), 149–151
 Polymerase chain reaction (PCR), 107
 Post-Ebola Syndrome, 160, 180
 Postpartum hemorrhage (PPH), 106
 Postpartum sepsis, 106
 Post viral syndrome, 156
 Pregnant women
 epidemic screening, 106–107
 non-epidemic/post-epidemic case, 107–108
 signs, 104–106
 symptoms, 104–106
 President Ernest B Koroma and Sierra Leone
 State House (PHOTO), 166
 Protocols
 admission, 113–117
 assessment, 117–118
 breast feeding, 124
 delivery guidelines, 119–121
 EVD positive patients, 123
 infant care, 123
 intrapartum care, 119
 OB complications, 121–122
 patient care, 119
 testing recommendations, 118
 Psychosocial support, 165

Q

Quarantine, 6

R

- Rapid Screening Test (RST), 118
- Ready to use infant formula (RUIF), 124
- Red zone (RZ)
 - assessment, 118
 - delivery guidelines, 119–121
 - emergent illness, 109
 - and green zone, 110
 - hygienists/IPC support staff, 110
 - infant care, 123
 - OB complications, 121–122
 - obstetric-specific, 111–112
 - secondary screening, 109
- Repurposed drugs, 102
- Respiratory failure, 162
- Rheumatology
 - arthralgia, 172–174
 - arthritis, 172–174
 - synovitis, 172–174

S

- Safe medical burials, 62–64
- Screening, 21, 24, 35
 - assessment, 109
 - care facility, 110
 - clinical and IPC staff, 109
 - obstetric-specific screening, 108
 - one-meter buffer, 109
 - principles, 108
 - protocols, 108
 - secondary screening facility, 109
 - triage (*see* Triage)
- Sepsis, 162
- Serological tests, 151
- Sexual and reproductive health, 170–172, 180, 182
- Special population, 108
- Special structures, 27
- Staffing requirements, 24, 25
- Staff motivation, 5
- Stigma, 166
- Stockroom, 30
- Storage spaces, 31
- Stroke, 177, 178
- Sub-Saharan Africa (SSA), 103
- Supplies, 30, 31
- Supportive pathology assays, 152–153
- Survivor, EVD
 - approach, 181–182
 - care, 182–184
 - in clinic, 180

- group characteristics, 161
 - sequelae, 161–162
- Synovitis, 161, 163, 172–174

T

- Temporary Deployable Accommodation (TDA), 28
- Thromboelastography (TEG), 164
- Thrombophilia, 164
- Tonic-clonic seizures, 134
- Transmission mode, 10–11
- Treatments, 99
- Triage
 - isolation, 108
 - principles, 108
 - screening (*see* Screening)

U

- Uveitis, 168–170

V

- Viral haemorrhagic fevers
 - clinical manifestations, 1
 - ebola virus, 2, 3
 - identification, 2
- Viral persistence, 157–158

W

- Waste disposal, 29
- Waste management and cleaning
 - accidental exposure, 58
 - chlorine solutions, 53–55, 57
 - safety, 53
 - sharps management, 58
- Weight loss, 162–163
- West African Ebola, 91–93
- WHO guidance
 - mild patient, 90
 - moderate patient, 90
 - severe patient, 90

Z

- Ziplock plastic bag, 136
- ZMapp, 102