

Index

A

- Acid media
 - TMC, 242, 243
 - TMeC, 244, 245
 - TMeN, 244, 245
 - TMM, 240–242
- Active DFAFCs, 115
- Active site, 54, 55, 63
- Active μ DEFCs, 146, 148–150
- Active μ DMFC, 143–145
- Air breathing DFAFCs, 115
- Alkaline anion exchange membrane micro-direct methanol fuel cells (AEM- μ DMFCs), 132
- Alkaline fuel cells (AFCs), 2, 5, 26, 228
- Alkaline media
 - EGOR, 284
 - heteroatom-doped carbon materials
 - biomass, 253
 - carbon nanotubes doped, 250
 - C-C bonds, 251
 - chemical structure, 252
 - DFT, 251
 - 4-electron pathway, 251
 - N-C type bond, 251
 - N-doped carbons, 251
 - Pt/C, 250
 - XPS, 250
 - perovskite-type oxides
 - ABO₃, 245
 - AMnO₃, 247
 - electrocatalytic measurements, 248
 - Goldschmidt tolerance factor, 246
 - hexagonal perovskite, 246
 - oxygen stoichiometry, 247
 - structure, 246
 - spinel-type oxides, 248–250
- Alkaline membrane fuel cells (AMFCs), 3
- Alloys
 - Ir–Sn, 281
 - Ni–Cr, 274
 - NiCr₂O₄, 273
 - NiTi, 270, 272
- Alternative liquid fuel
 - direct oxidation (*see* Direct oxidation fuel cells)
- Anchoring, 218
- Anion exchange membrane fuel cells (AEMFCs), 236
 - advantages, 9
 - AFCs, 2
 - AMFCs, 3
 - CH₄, 3
 - characteristics, 3
 - commercialization, 54
 - components, 3, 4
 - DB, 8
 - DE, 5, 6, 11
 - DEG, 6, 7, 11
 - DF, 8
 - DG, 7, 8
 - disadvantages, 9
 - DM, 5, 11
 - H₂/O₂, 3–5
 - higher power densities, 9
 - HOR, 3
 - non-noble Fe-N-C catalyst, 11
 - nanostructured anodes and cathodes, 9–11, 13
 - non-PGM catalysts, 14

- Anion exchange membrane fuel cells
 (AEMFCs) (*cont.*)
 non-Pt cathode catalysts, 10
 operating conditions, 10
 ORR, 3
 and PEM (*see* Proton exchange membrane fuel cells (PEMFCs))
 power density, 9, 10
 Pt/C cathode, 9
 Pt-Ru/C anode, 9
 renewable hydrogen, 9
 types, 11–13
 xQAPS type, 11
- Anion exchange membranes (AEMs)
 advantages, 25
 alkaline stability, 26
 cationic functional-group chemistries, 26
 electrolytes transport different ions, 14
 fuel cells (*see* Anion exchange membrane fuel cells (AEMFCs))
 functionalized/non-functionalized inorganic fillers, 28
 ionomers, 28
 mechanical properties, 25
 OH⁻ ions, 25
 performance and stability data, 27, 28
 phosphonium/sulfonium groups, 26
 poly(arylene ethers), 26
 polymer blending, 29
 preparation methods, 26
 QA functional groups, 25–27
 solid polymer, 25
 synthesized, 26
- Anode material, 98, 107
- Anode overpotentials, 97, 107
- Attenuated total reflection Fourier-transform infrared (ATR-FTIR) spectroscopy, 56
- B**
- Bacterial cellulose (BC), 197
- BAM3G membranes, 20
- Bifunctional effect, 54
- Bifunctional mechanism, 33
- Biomass
 BC, 197
 carbon and heteroatom source, 253
 cellulose, 197
 CS, 197
 food, 253
 HTC, 196
 human hairs, 199
 lignocellulose, 196
 NCS, 198
 N-doped porous carbon, 198
 oxysalt, 196
 poultry-based bio-waste, 198
 sucrose, 196
- Bowl-like carbons (BLCs), 200, 201
- C**
- Carbonaceous support materials, 182, 203
- Carbon black (CB), 176, 200, 201, 218
- Carbon molecular sieves (CMS) layer, 104
- Carbon nanofibers (CNFs), 219
- Carbon nanotubes (CNTs), 146
- Carbon support electrocatalysts
 carbon blacks, 218
 characteristics, 217
 CNTs, 218
 PEMFCs, 216, 217
 Pt dispersion, 218
- Carboxylic, 218, 225
- Carnot efficiency, 216
- Catalyst layers (CL), 216
- Catalysts
 abiotic FCs, 157
 acid media, 136
 alkaline media, 136, 137
 EGOR, 109–110
 EOR, 104–106
 FAO, 113–115
 methanol-based FCs, 133
 MNT, 131
 MOR, 99
 Pt-based, 142, 146, 151
 Pt-based alloys, 134
 Raney-type, 158
 support, 74
- Catalyst support, 74
- Cathode material, 92–95, 101, 103, 104, 106, 108, 111, 112, 115, 116, 118, 119
- CH₃CH₂OH, 33
- Chemical reduction, 180, 183, 184
- Chemical vapor deposition (CVD), 178, 179, 195
- Chevreil phase, 242, 243
- Chitosan (CS), 197
- CH₃OH, 32, 33
- Climate change, 92
- CO
 adsorption, 55, 56
 and CO₂, 57
 concentrations, 60

- electrooxidation, 54, 56, 61
- H₂SO₄ solutions, 60
- hydrogen streams, 54
- oxidation, 56
- poisoning, 58
- Pt/C, 58
- PtMo/C, 57
- PtRu/C, 58
- Pt₃Sn alloys, 57
- Pt/WC electrodes, 62
- PtWO₃/C, 58
- room temperature, 59
- tolerance, 54
- tolerant Pt-based catalysts, 55
- Cobalt-base anodes, 283, 284
- Core-shell, 275, 281
- Core-shell structures
 - HOR
 - anodic catalysts, PEMFCs, 60
 - CO/H₂ electrooxidation, 60, 61
 - CO-tolerant catalysts, 59
 - MoO_x@Pt, 60
 - nanoarchitectures, 59, 61
 - nitrides, 61
 - Pt_{0.8}Mo_{0.2}, 60
 - Pt shells, 59
 - PtSn, 60, 61
 - Pt/TiWN, 61
 - RDE measurements, 60
 - Ru@Pt, 59
 - shell thickness, 61
 - ORR, 71, 72
- Covalent functionalization
 - carbon nanofibers, 219
 - carbon supports, 221
 - CB, 220
 - C-C bonds, 220
 - CNTs, 219
 - C-O, 220
 - ECSA, 220
 - metal/Pt NPs, 219
 - MWCNTs, 219, 222
 - nitrogen functionalization, 221, 223, 224
- Critical micelle concentration (CMC), 189
- Cumulative fluoride loss (CFL), 20
- Current-voltage characteristics, 101
- Cyclic voltammetry (CV), 267

- D**
- D-band occupancy, 67
- Dealloying, 69, 70
- Defects, 218, 223, 225

- Degradation mechanisms
 - catalyst support, 74
 - and durability, 73
 - electrocatalyst, 73
 - metal dissolution, 74
 - metal nanoparticles
 - agglomeration, 74
 - detachment, 74
 - operation of LTFC, 73
 - Ostwald ripening, 74
- Dehydration mechanism, 112
- Dehydrogenation mechanism, 112
- Density functional theory (DFT), 251
- Density of states (DOS), 244
- Desorption-re-adsorption-further oxidation mechanism, 108
- Diffusion layers (GDL), 216
- Direct alcohol fuel cells (DAFCs), 194, 265
- Direct borohydride-AEMFCs (DB-AEMFCs), 8
- Direct ethanol AEMFCs (DE-AEMFCs), 5, 6, 11
- Direct ethanol fuel cell (DEFC), 33
 - anode chamber, 101
 - electrons travels, 101
 - electro-oxidation, 101
 - energy density, 101
 - EOR (*see* Ethanol oxidation reaction (EOR))
 - ethanol crossover, 104
 - fermentation, agricultural products, 101
 - performance, 106-108
 - steam reforming process, Naphtha, 101
- Direct ethylene glycol AEMFCs (DEG-AEMFCs), 6, 7
- Direct ethylene glycol fuel cell (DEGFC)
 - EGOR (*see* Ethylene glycol oxidation reaction (EGOR))
 - energy density, 107
 - performance, 110-112
 - shale gas, 108
- Direct formate-AEMFCs (DF-AEMFCs), 8
- Direct formic acid fuel cell (DFAFC)
 - catalysts, 113-115
 - cell configuration, 115, 116
 - dehydration, 112
 - dehydrogenation, 112
 - electro-oxidation, 111-113
 - fuel crossover, 111
 - HCOO⁻ group, 111
 - OCV, 111
 - PEMFC, 111
 - performance, 115, 116

- Direct glucose fuel cell (DGFC), 156
 - Direct glycerol AEMFCs
 - (DG-AEMFCs), 7, 8, 11
 - Direct glycerol fuel cell (DGEFC), 117
 - Direct liquid fuel cells (DLFCs)
 - MF-DLFC, 133
 - MR-DLFC, 133
 - PEM-DLFC, 133
 - Direct methanol AEMFCs
 - (DM-AEMFCs), 5, 11
 - Direct methanol fuel cells (DMFCs), 135, 176, 236, 265, 267
 - advantages, 94
 - characterization, 93
 - commercialization, 94
 - deployment, 94
 - feedstock, 94
 - formation
 - intermediate products, 93
 - nanostructures catalysts, 94
 - methanol crossover, 94, 95
 - MOR (*see* Methanol oxidation reaction (MOR))
 - on-board storage constraints, 94
 - oxidation, 93
 - PEM, 93
 - performance, 98, 100, 101
 - renewable energy sources, 94
 - Direct oxidation fuel cells
 - advantages, 92
 - binary and ternary catalysts, 118
 - catalysts, 120
 - commercialization, 118
 - DEFC (*see* Direct ethanol fuel cell (DEFC))
 - DEGFC (*see* Direct ethylene glycol fuel cell (DEGFC))
 - DFAFC (*see* Direct formic acid fuel cell (DFAFC))
 - DGEFC (*see* Direct glycerol fuel cell (DGEFC))
 - DMFCs (*see* Direct methanol fuel cells (DMFCs))
 - EGOR, 119
 - fuel oxidation mechanism, 118
 - gravimetric energy densities, 92
 - HOR, 92
 - KIST, 119
 - liquid fuels, 92
 - low operating temperature, 92
 - metal oxide framework, 120
 - Nafion[®], 119
 - nanoporous proton conducting membrane, 119
 - NDCP Power, 119
 - OCV, 92
 - ORR, 92
 - PEM, 118
 - PEMFCs, 92
 - performance, 119
 - power back-up system, 118
 - Pt, 92
 - PtSn/C, 119
 - PtSnNi/C, 119
 - μ DLFC power density output, 142
 - Dodecyl-benzene sodium sulfonate (NaDDBS), 227
 - Doped binary alloys, 68
 - Dual pathway mechanism, 151
- E**
- Electrocatalysis, 53, 62
 - Electrochemical active surface area (ECSA), 113, 137, 220
 - Electrochemical surface area (ESA), 176
 - Electro-deposited PdNPs, 114
 - Electrodes
 - DMFCs, 135
 - micro-fuel cell devices, 131
 - Nafion[®], 159
 - Pt and Au, 158
 - Pt-Cu, 158
 - Electronic (ligand/promoted) effect, 55
 - 2-Electron pathway, 241
 - 4-Electron pathway, 237, 242, 247, 251
 - Electro-oxidation
 - DFAFC, 112, 113
 - Ethanol, 265, 266
 - Ethanol oxidation reaction (EOR)
 - acetaldehyde, 103
 - acidic electrolyte, 102
 - AEM, 146
 - anodic half-cell reaction, 102
 - C1/C2 pathway, 103
 - catalysts, 104–106
 - cathodic half-cell reaction, 102
 - cobalt-based anodes, 283, 284
 - ethane, 103
 - iridium-based anodes, 279, 281
 - MEA, 146
 - vs. methanol, 145
 - μ DEFCs
 - active, 146, 148–150
 - passive, 147
 - nickel-based anodes, 278, 279
 - Ethylene glycol (EG), 220, 266

- Ethylene glycol oxidation reaction (EGOR),
154, 155, 284
catalysts, 109–110
cathode, 108
CO₂ formation, 109
C2 products, 108
DEGFC, 108
desorption–re-adsorption–further oxidation
mechanism, 108
electron transfer rate, 108
- Evaporation induced self-assembly (EISA),
190, 191
- Expandable graphene oxide (EGO), 183
- Expandable graphene sheet (EGS), 184
- F**
- Fermi level, 66
- Fluorine-free ion exchange membranes, 22
- Formic acid oxidation (FAO), 113–115
- Formic acid oxidation reaction
(FAOR), 151, 153
- Formyl-like species $-(CHO)_{ads}$, 32
- Fossil fuel based energy source, 92
- Fuel cells
clean energy source, 92
conventional, 92
direct oxidation fuel cells (*see* Direct
oxidation fuel cells)
- Fuel cross over
ethanol, 104
methanol, 94, 95
- Functionalised MWCNT (f-MWCNT), 106
- G**
- Glucose oxidation reaction (GOR)
abiotic FCs, 157, 160
enzymatic FCs, 157
microbial FCs, 157
 μ DGFC, 157, 158
Nafion[®], 159
PBS, 159
power density, 161
Pt and tailored graphene, 158
Pt-Cu electrodes, 158
- Glycerol electro-oxidation reaction (GEOR),
116–118
- Glycerol oxidation reaction
(GlyOR), 119, 156, 157
- Graphene
2D planar structure, 177
NPs
- EGS, 184
electrochemical techniques, 183
G-P-G catalyst, 183
hybrid electrocatalysts, 182
MW, 182
MWCNT, 185
Pt, 182, 183
TP-BNGN, 184
synthesis techniques
CVD, 178, 179
electrochemical reduction, 180
electrolytic exfoliation, 181
GO, 180
green tea, 180
HOPG, 178
Hummers method, 179
Raman spectrum, 179, 181
scotch tape method, 177
thermal exfoliation route, 180
TP, 180
TRG, 179
XPS analysis, 180
- Graphitic carbon nanostructure
(GCN), 202
- Gravimetric energy densities, 92
- Green carbons
AC, 203
biomass
BC, 197
cellulose, 197
CS, 197
HTC, 196
human hairs, 199
lignocellulose, 196
NCS, 198
N-doped porous carbon, 198
oxysalt, 196
poultry based bio-waste, 198
sucrose, 196
BLCs, 200, 201
carbonaceous, 195
CS, 199
Cu–Ru@Pt core-shell NPs, 203
3D N-doped porous microspherical
cavities, 202
GCN, 202
HCS, 202
HPC, 201
ODC, 200
Pt/BLC, 200
Pt/UTCL-C catalyst, 201
Grubb–Niedrach FC, 20

H

- Hard carbon spherules (HCS), 202
- Hard template
 - CKM-3, 187
 - 3D pore structure, 186
 - HMCSs, 188
 - HMS, 186
 - in-situ self-assembly approach, 188
 - MCM, 186
 - nanocasting, 186
 - SBA, 186
 - SBA-15, 187
 - SCCs, 188
 - silica templates, 187
 - TEOS, 187
- Heteroatom-doped carbon materials
 - biomass, 253
 - carbon nanotubes doped, 250
 - C-C bonds, 251
 - chemical structure, 252
 - DFT, 251
 - 4-electron pathway, 251
 - N-C type bond, 251
 - N-doped carbons, 251
 - Pt/C, 250
 - XPS, 250
- Heteroatom precursor, *see* Heteroatom-doped carbon materials
- Heterocyclic azole molecules, 19
- Heyrovsky reaction, 53
- Heyrovsky–Volmer pathway, 30
- Heyrovsky–Volmer route, 53
- Hierarchical porous carbon (HPC), 201
- Highly ordered pyrolytic graphite (HOPG), 178
- H₂/O₂ AEMFCs, 3–5
- Hollow mesoporous aluminosilicate spheres (HMASs), 188
- Hollow mesoporous carbon spheres (HMCSs), 188
- Hummers method, 179
- Hydrocarbon PEMs
 - aromatic polymers and copolymers, 23
 - characteristics, 23
 - chemical durability, 25
 - chemical structure, 24
 - decomposition, 23
 - fluorine-free ion exchange membranes, 22
 - mechanical durability, 25
 - membranes manufacturing process, 25
 - polyarylene polymers, 23
 - polystyrenes, 23
- SPK, 24
- SPP semiblock copolymers, 24
- sulfonated polymers, 22, 23
- synthetic routes, 23
- types, 24
- Hydrogen binding energy (HBE) *vs.* HOR, 53, 54
- Hydrogen oxidation reaction (HOR), 216
 - in acidic media
 - core-shell architectures (*see* Core-shell structures)
 - Pt (*see* Pt)
 - anodic reaction, 52
 - behavior, 31
 - bifunctional effect, 54
 - CO, 54
 - CO_{ads}, 9
 - core-shell architectures, 54
 - dissociation/ionization, 53
 - electrochemical, 52
 - electrode material nature, 53
 - electronic (ligand/promoted) effect, 55
 - H₂, 52
 - vs.* HBE, 53, 54
 - kinetics, 54
 - LH mechanism, 54
 - mechanism, 53
 - molecular hydrogen diffusion, 53
 - morphological and structural effects, 55
 - non-PGM catalysts, 4
 - and ORR, 3
 - oxygenated species and cations, 54
 - platinum electrode, 30
 - product desorption, 53
 - RDE measurements, 30
 - RDS, 54
 - surface metallic arrangement, 53
- Hydrothermal carbonization (HTC), 196
- Hydroxyl (–OH), 219
- HYPERMEC (Fe–Co–Ni/C), 285

I

- Implanted μ DGFCs, 159
- In-situ FTIR analysis, 5
- Ion exchange capacity (IEC), 25
- Iridium-based anodes, 281
- Ir/C catalyst, 279
- Ir₃Sn/C catalyst, 280, 281
- surface cluster models, 282

J

Julius Tafel model, 237

K

Kinetics

- cathode side, PEMFC, 62
- electrode, 53
- HOR, 54, 60
- ORR, 62, 73

Koutecky–Levich equation, 34

Koutecky–Levich method, 238, 239

Koutecky–Levich plots, 34, 35

L

Langmuir–Hinshelwood (LH) mechanism, 54

Levich law, 34

Low-temperature fuel cells (LTFCs), 176, 177, 182, 185, 195, 196, 203

AEMFCs (*see* Anion exchange membrane fuel cells (AEMFCs))

high-power density, 2

PEMFCs (*see* Proton exchange membrane fuel cells (PEMFCs))

M

Membrane-electrode-assemblies (MEAs), 11, 15, 19, 22, 29, 37, 146, 216

Membraneless, 131, 151, 154, 156, 159, 161

Membraneless microfluidic direct liquid fuel cell (MF-DLFC), 133

Membranes, 141, 146, 151, 158, 161

Mesoporous carbon nitrides (MCN), 106

Mesoscale models, 15

Metal alloys

Pt-early transition, 70, 71

Pt-lanthanide alloys, 70, 71

Pt-late transition

bimetallic nanoparticles, 68

dealloying, 69, 70

3-d metal series, 68

doped binary alloys, 68

monometallic nanoparticles, 68

non-noble metals, 68

ORR electrocatalytic activity, 68

platinum-skin, 68–70

Pt:Ni ratio values, 68

ternary/quaternary alloys, 68

volcano plots, 68

Metal carbides, 62

Metal dispersion, 218

Metal-free electrocatalysts, 251–254

Metal oxides in Pt, 58, 59

Methanol, 265

Methanol oxidation reaction

(MOR), 5, 176, 182

catalysts

acid media, 136

alkaline media, 136, 137

binary, 97

Cu, 97

CV experiments, 99

density functional theory, 97

high-throughput screening

method, 97, 98

metal oxides, 98

Pd, 96

Pd₇₃Pt₂₇, 96

Pt, 96

PtCoW/C, 98

Pt–M, 96

Ru, 96

Sn, 96

ternary, 97, 98

Ti, 97

dissociation, 95

electrosorption, 95

formation, 95

mesoporous zeolite, 275

μDMFC, 141

active, 143–145

control unit, 142, 145

CoSe₂/C, 141

passive, 138, 139

Pt/C, 141

Pt–Ru and Pt catalysts, 141, 142

spray-coating technique, 142

SU-8 photoresist, 142

Ni-based materials (*see* Nickel-base anodes)

sluggish kinetics, 95

SnO₂/m-ZSM-5, 276

SnO_x, 274

TMCs, 277

water adsorption and activation, 95

Micro and nano technologies (MNT), 131

Micro-direct ethanol fuel cells (μDEFCs)

active, 146, 148–150

passive, 147

Pd-based anode catalysts, 146

Micro-direct ethylene glycol fuel cells

(μDEGFCs), 154

Micro-direct glycerol fuel cells

(μDGlyFC), 156

Micro-direct liquid fuel cells (μDLFC)

- Micro-direct liquid fuel cells (μ DLFC) (*cont.*)
 electro-catalysts, 131
 MNT, 131
 PDMS, 132
 principle, 131
- Micro-direct methanol fuel cells (μ DMFC), 141
 active, 143–145
 control unit, 142, 145
 CoSe₂/C, 141
 passive, 138, 139
 Pt/C, 141
 Pt-Ru and Pt catalysts, 141, 142
 spray-coating technique, 142
 SU-8 photoresist, 142
- Microwave (MW), 182
- Mixed-reactant fuel cell (MR-FC), 134
- Mixed-reactant membraneless direct liquid fuel cell (MR-DLFC), 133
- Molecular dynamics (MD) simulations, 15
- Multiwall carbon nanotube (MWCNT), 106, 114, 115
- N**
- Nafion[®] membranes, 2, 6, 11, 15–18, 21, 25, 38
- Nanoparticles
 bimetallic, 68
 core–shell, 60, 71
 definition, 71
 dispersion, 182, 183, 192, 195, 200, 202
 hollow, 71
 intermetallic, 60
 metal, 74
 monometallic platinum, 68
 ORR, 67
 Pt (*see* Pt)
 PtNi octahedral, 68
 Pt/TiWN, 61
 spherical, 67
- Nanoporous proton conducting membrane (NP-PCM), 110, 111
- Naphtha, 101
- N-doped carbon nanofiber (CNF), 223
- N-doped graphene nanosheets (NDGN), 223
- N-doped highly oriented pyrolytic graphite (HOPG), 224
- N-doped nanoporous carbon nanosheets (NCS), 198
- Nickel-base anodes
 CV, 267, 269
 cyclic voltammogram, 270
 electrodeposition, 269
 EOR, 278, 279
- methanol concentration, 270
- method of synthesis, 274
- MOR
 Arrhenius relationship, 271
 bimetallic catalyst, 272
 CVs, 273
 Ni²⁺/Ni³⁺ redox reaction, 272
 NiO phase, 272
 NiO_x and MnO_x, 273
 NiTi, 270, 271
 NiTiO NTS, 272
- NiOOH, 269
 oxy/hydroxide species, 268
 planar nickel electrodes, 267
 Silicate Zeolite structure, 267, 268
- Nitrogen doped carbons (NDC), 224, 250
- Nitrogen doped graphene (NDG), 224
- Nitrogen functionalization
 catalyst–support system, 221
 C–N containing materials, 223
 CNF, 223
 HOPG, 224
 NDC, 224
 NDG, 224
 NDGN, 223
 pyridinic N, 223
- Nitrogen precursor, *see* Nitrogen-doped carbon
- Non-covalent functionalization
 carbon support, 225, 226, 229
 CNTs, 225, 226
 MWCNT, 227, 228
 NaDDBS, 227
 polymer based, 228, 230
 SDS, 227
 surface defects, 225
 SWCNTs, 228
- Non-fluorinated polystyrene sulfonic acid (PSSA) membranes, 20
- Non-noble catalysts, 266
- Non-noble metal catalysts, 3
- Non-noble metal electrocatalysts
 TMC, 242, 243
 TMM (*see* Transition metals macrocycles (TMM))
- Non-platinum electrocatalysts
 materials, 72
 Pd, 72, 73
- Non-platinum group metal (PGM), 3, 4, 9, 14
- O**
- Okara-derived carbon (ODC), 199
- Open circuit voltage (OCV), 92, 111

- Ordered mesoporous carbons (OMCs)
 and CB support materials, 193
 DAFCs, 194
 EISA, 193
 MCM-48, 185
 MEA, 194
 MWCNT, 195
 PEMFC, 194
 Pt-BOMC, 195
 Pt/CB, 193
 Pt/MC, 193
 Pt-M NPs, 195
 Pt-OMC-SAM-800/3, 193
 surface functionalization, 192, 193
 synthesis
 hard-templating, 186–188
 soft template, 189–191
- Ordered mesoporous carbon sphere (OMCS), 193
- Ostwald ripening, 74
- Oxygen reduction reaction (ORR), 3, 92, 102, 116, 134, 135, 176
 acid media (*see* Acid media)
 in alkaline media, 9, 62, 63 (*see also* Alkaline media)
 associative mechanism, 64
 cathode, 30, 63
 chemical adsorption of oxygen, 63
 degradation, 73–74
 dissociative pathway, 63
 DoE, 62
 drawbacks, 62
 electrolytes, 237
 electron and proton transfer, 63
 electron transfer, 63, 237
 fuel cells, 62
 HOOH_{ads}, 64
 and HOR, 3
 Koutecky–Levich slope, 238
 mass transport, 237
 non-PGM catalysts, 4
 non-platinum electrocatalysts, 72, 73
 O–O cleavage, 63
 OOH_{ads}, 64
 pathways, 236
 PEMFCs
 acid medium, 33
 hydrodynamic voltammograms, 34, 36
 Koutecky–Levich equation, 34
 Koutecky–Levich plots, 34, 35
 Levich law, 34
 molecular oxygen in water, 34
 multi-electron transfer process, 34
 polarization curves, 34, 35
 RDE, 34, 35
 RRDE, 34, 36
 peroxo intermediate, 64
 proton transfer, 63
 Pt (*see* Pt)
 Pt-based catalysts, 236
 RDE, 238
 RRDE, 238, 239
 Sabatier principle, 64
 scaling relationships, 64, 65
 thermodynamic potential, 237
 volcano plot, 65
- P**
- Palladium (Pd), 71–73
 Palladium (Pd)-alloy catalysts, 72, 73
 Partially fluorinated PEMs
 BAM3G membranes, 20
 Grubb–Niedrach FC, 20
 membrane lifetime, 20
 non-fluorinated PSSA membranes, 20
 PFCB, 21, 22
 PFEP-TFE-g-SSA membranes, 21
 polymer blending, 21
 radiation-induced grafting, 21
 SPFCB/PVDF blend membranes, 22
 SSA, 21
- Passive μ DEFCs, 147
 Passive μ DMFC, 138, 139
- Perfluorinated PEMs
 advantages, 17
 complex viscosity, 19
 extrusion by melt-casting, 18
 extrusion process, 19
 lower EW PFSA, 16
 manufacturing process, 17
 MD simulations, 15
 MEAs, 15
 melt processes, 17–19
 mesoscale models, 15
 Nafion[®], 15, 16, 19
 PFSA ionomers, 16–18
 phase separation, 15
 SSC ionomers, 16
 SSC-PFSA ionomers, 16
 TFE repeat units, 16
 volume change, 19, 20
 water transport, 15
- Perfluorosulfonic-acid membranes (PFSA)
 BPVE, 21
 cost, 17

- Perfluorosulfonic-acid membranes (PFSA)
 (*cont.*)
 development, 15
 electrolytes, 14
 EW, 16
 ionomers, 16–19
 LSC, 18
 Nafion[®], 15
 PEMs, 25
 semi-crystallinity, 16
 SSC, 19
- Perovskite-type oxides
 ABO₃, 245
 AMnO₃, 247
 electrocatalytic measurements, 248
 Goldschmidt tolerance factor, 246
 hexagonal perovskite, 246
 oxygen stoichiometry, 247
 structure, 246
- PFEP-TFE_g-SSA membranes, 21
- Pluri-metallic, 266
- Polaron theory, 237
- Poly(arylene ethers), 26
- Poly(arylene perfluorocyclobutane)
 (PFCB), 21, 22
- Polydimethylsiloxane (PDMS), 132
- Polyelectrolytes, 228, 230
- Polymer blending, 21, 29
- Polymer electrolyte membrane fuel cells
 (PEMFCs), 2
- Polystyrenes, 23
- Porous Pt electrodes, 158
- Portable devices, 130
- Power density, 94, 96, 100, 104, 106, 107, 110,
 111, 114–116, 119
- Proton exchange membrane direct liquid fuel
 cell (PEM-DLFC), 133
- Proton exchange membrane fuel cells
 (PEMFCs), 176, 236
 advantages, 14
 alkaline media, 14
 at the anode
 CH₃CH₂OH, 33
 CH₃OH, 32, 33
 compounds, 29
 H₂, 30, 31
 automotive applications, 216
 catalytic layer-electrolyte, 29
 at the cathode
 ORR, 33–36
 cell voltage, 29
 challenges, 14
 commercialization, 54
 domains, 29
 electric efficiency, 29
 electrode materials, 37, 38
 electrodes, 264
 elements, 264
 high-power densities, 14
 hydrogen, 265
 MEA, 29
 NPs, 217
 ORR kinetics, 14
 perfluorosulfonic acid membranes, 2
 PFSA, 14
 PGM, 14
 Pt-based anode and cathode, 217
 types of carbon, 29
 and water, 14
- Proton exchange membranes (PEMs)
 applications, 14
 direct oxidation fuel cells (*see* Direct
 oxidation fuel cells)
 electrolytes transport different ions, 14
 fuel cell (*see* Proton exchange membrane
 fuel cells (PEMFCs))
 hydrocarbon, 22–25
 partially fluorinated, 20–22
 perfluorinated, 15–20
 sulfonic acid (SO₃-), 15
- Pseudobinary compounds, 242
- Pt
 HOR
 alloys, 56–58
 bifunctional mechanism, 55
 disadvantages, 55
 electrocatalysts, 56
 ligand effects, 55
 at low pH values, 55
 metal oxide, 58, 59
 nitrides, 62
 structure, 55
 transition metal carbides, 62
 0.0 V vs. RHE, 55
- ORR
 advantages, 67
 core-shell structures, 71, 72
 d-band occupancy, 67
 early transition metal alloys, 70, 71
 Fermi level, 66
 lanthanide alloys, 70, 71
 late transition metal alloys, 68–70
 morphological effects, electrocatalysts,
 66, 67
 pure electronic effect, 67
- Pt-based alloys

- bimetallic, 56, 57
 - CO-poisoning, 56
 - FEFF8 code calculations, 57
 - PtMo, 57
 - PtRu, 56
 - PtSn, 56, 57
 - quaternary, 58
 - ternary, 57, 58
 - XAS measurements, 57
 - Pt electrocatalysts, 193, 201
 - Pt on nitrogen-doped carbon nanocapsules (Pt/NCNC), 223
 - Pt-Sn electrode oxidizes CO, 31
- Q**
- Quaternary ammonia poly (2, 6-dimethyl-1, 4-phenylene oxide) (QAPPO), 228
 - Quaternary ammonium (QA) functional groups, 25–27
- R**
- Rate-determining step (RDS), 54
 - Renewable energy, 94, 107, 118
 - Renewable hydrogen, 9
 - Reversible hydrogen electrode (RHE), 55, 252
 - Rotating disk electrode (RDE), 30, 34, 35, 57, 193, 238
 - Rotating ring disk electrode (RRDE), 34, 238
- S**
- Sabatier principle, 64
 - Scaling relationships, 64, 65
 - Scotch tape method, 178
 - Shale gas, 108
 - Short side chain (SSC) ionomers, 16
 - Silica colloidal crystals (SCCs), 188
 - Sodium dodecyl sulfate (SDS), 227
 - Soft template
 - carbon precursor and surfactants, 189
 - CMC, 189
 - EISA, 190, 191
 - Pluronic F127, 191
 - pore size, 191
 - Solid alkaline fuel cells, 285
 - SPEEK membrane, 104
 - SPFCB/PVDF blend membranes, 22
 - Spinel-type oxides, 248–250
 - Spray-coating technique, 142
- Stability**
- in acidic media, 68
 - anodic PEM, 57
 - binary systems, 57
 - CO-tolerance, 59
 - cycles test, 71
 - degradation, 73–74
 - Pt-Mo/C, 57
 - PtRu/C, 56
 - PtSn alloy, 60
- Styrene sulfonic acid (SSA), 21
 - SU-8 photoresist technology, 142
 - Sulfonated benzophenone poly(arylene ether ketone) (SPK), 24
 - Sulfonated phenylene poly(arylene ether ketone) (SPP) semiblock copolymers, 24
 - Sulfonated polymers, 22, 23
 - Surface functionalization, 192, 193
 - Surface modification, 219
 - Surfactants, 225–228
 - Synthesis techniques, 274
 - CVD, 178, 179
 - electrochemical reduction, 180
 - GO, 180
 - HOPG, 178
 - Hummers method, 179
 - Raman spectrum, 179, 181
 - scotch tape method, 177
 - thermal exfoliation route, 180
 - TP, 180
 - TRG, 179
 - XPS analysis, 180
- T**
- Tafel reaction, 53
 - Tafel slopes, 34
 - Tafel–Volmer pathway, 30
 - Tafel–Volmer sequence, 53
 - Ternary electro-catalyst, 118
 - Tetraethylorthosilicate (TEOS), 187
 - Thermally reduced graphene (TRG), 179
 - Transition metal carbides (TMeC), 244, 245
 - Transition metal chalcogenides (TMC)
 - Chevrel phase, 242, 243
 - Me_6X_8 and MoM^2_xX_8 pseudobinary, 242
 - VASP, 243
 - Transition metal nitrides (TMeN), 244, 245
 - Transition metals macrocycles (TMM)
 - 2 and 4 electrons pathway, 240

Transition metals macrocycles (TMM) (*cont.*)

- N₄ chelate complexes, 241
- ORR activity, 242
- Pc and PP ligands, 240
- Triple phase boundary (TPB), 113
- Tungsten mono-carbide (WC), 277

U

- Underpotential deposition (UPD), 71
- US Department of Energy (DoE), 62

V

- Vienna ab initio simulation package (VASP),
243
- Vinylbenzyl chloride (VBC) radiation, 27
- Volcano-shaped curves, 53
- Volmer reaction, 53

X

- X-ray photoelectron spectroscopy (XPS), 250