

# Index

## A

- Activated carbon
  - coagulant-treated effluent, 94
  - commercial, 94
  - effluent, 97
  - GAC (*see* Granular activated carbon (GAC))
  - physical properties, 94
  - RL, 94
- Activated charcoal, 79
- Adsorption
  - AC-1, 105
  - AC-1 GAC, 107
  - BDST, 107
  - Freundlich adsorption model, 101
  - GAC (*see* Granular activated carbon (GAC))
  - regeneration, effect, 103
  - TOC, 104
- Advanced treatment technologies
  - anaerobic treatment
    - ASBR, 81, 82
    - UASB, 80
  - physic chemical process
    - adsorption, 79
    - electrocoagulation, 78
    - membrane treatment, 79
- Aerobic treatment, 79, 80
- Aerosol particles, 3
- Aerosol production, 60
- Air pollutants, 46
- Air pollutants allied with religious fiesta, Diwali
  - AQHI, 15, 16, 22
  - burden, illness, 14, 15
  - criteria pollutants, 12
  - data collection and analysis, 13, 14
  - dispersion, post Diwali, 21, 22
  - diurnal variation, 20, 21
  - gaseous pollution, 18, 19
  - HYSPLIT model, 14, 23
  - NO<sub>2</sub> (*see* Nitrogen dioxide (NO<sub>2</sub>))
  - O<sub>3</sub> (*see* Ozone (O<sub>3</sub>))
  - PM (*see* Particulate Matter (PM))
  - PM<sub>10</sub>, 12
  - respiratory health, 12
- Air quality, 45
- Air Quality Health Index (AQHI), 13
- Air Quality Index (AQI), 14
- Air temperature, 2, 5
- Anaerobic digestion, 80
- Anaerobic sequencing batch reactors (ASBR), 81, 82
- Anthropogenic factors, 71
- Aquatic biota, 70, 71
- Aquatic food chain, 68
- Atmospheric conductivity meter, 2
- Atmospheric data, 8
- Atmospheric electrical conductivity, measurements
  - air pollution, 1, 2
  - atmospheric aerosol, 5
  - atmospheric ions, 4
  - correlation, 8
  - meteorological parameters, 2
  - methodology and instrumentation, 2, 3
  - monsoon, 5
  - positive correlation, 5, 8

- Atmospheric electrical conductivity,  
 measurements (*cont.*)  
 rain fall, 3  
 relative humidity, 3  
 semi-urban, India, 8  
 temperature, 4  
 variation, 5–7  
 wind speed (*see* Wind speed)
- Atmospheric ions, 4
- Atmospheric pollutants, 46
- B**
- Bed depth service time (BDST) model,  
 106, 107
- Bioaugmentation, 28
- Biochemical oxygen demand (BOD), 74
- Bioconversion, 32–34
- Biodegradation, 30
- Biomass production, 32
- Bioremediation  
 bacterial agents, 32  
 bioaugmentation, 28  
 microorganisms, 28  
 mycoremediation, 28  
 pollutants, 29  
 technologies, 29, 36, 37  
 white rot fungus, 34, 36
- Bioremediators, 28
- Biosorption, 31, 32
- Bjerkandera adusta*, 35
- BOD–COD ratio, 89
- Branch enclosure method, 47
- Breakthrough curves, 105
- C**
- Cationic polyelectrolyte, 92
- Chemical coagulation, 91
- Chemical oxygen demand (COD), 74, 104
- Coagulant aid, 92
- Coagulants, 92
- Coagulation–flocculation, 97
- Criteria pollutants, 12, 22
- D**
- Dairy industry wastewater  
 advanced treatment technologies (*see*  
 Advanced treatment technologies)  
 characteristic, 75  
 environment, 75, 76  
 health hazards, 74  
 organic load, 74  
 sources, 74  
 standards, 74  
 treatment (*see* Treatment)  
 water management, 74  
 water pollution, 73, 82
- Dalbergia sissoo*  
 different seasons, 62  
 isoprene emission, 48, 49, 51, 53, 62  
 isoprene synthase enzyme, 53  
 monsoon season, 54  
 PAR, 49  
 polynomial fitting, 51, 52  
 solar radiation, 49, 51, 53  
 summer season, 50, 51  
 temperature, 49, 51, 52, 62  
 winter season, 52, 53
- Dense vegetation, 46
- Dimethylallyl diphosphate (DMADP), 48
- Dioxins, 30
- E**
- Electrocoagulation, 78
- Emission measurement, 44
- Environmental degradation, 68
- Environmental pollution, 34
- Equilibrium isotherm experiments, 103, 104
- F**
- Firecrackers, 12, 17  
 gaseous pollutants, 12  
 high pollutant concentration, 21  
 O<sub>3</sub>, 21
- Flame ionization detector (FID), 47
- Flow equalization, 96
- Foliar mass, 48, 62
- Foliar mass determination, 47
- Freundlich adsorption model, 101
- Full Scale adsorber design, 108
- Fungal mycelia, 29
- G**
- Global warming, 76
- Granular activated carbon (GAC), 100  
 adsorbent specifications, 101  
 BDST, 106, 107  
 coagulant treated wastewater, 102  
 COD analysis, 104  
 effluent characterization, 101, 102  
 equilibrium isotherm analysis, 104, 105

equilibrium isotherm experiments, 103  
 Freundlich adsorption isotherm  
 model, 104  
 full scale adsorber design, 108  
 lab scale column tests, 103, 106  
 regeneration experiments, 103  
 regeneration, effect, 107, 108  
 treatment cost comparison, 108, 109  
 Greenbelt development, 45

**H**

Health hazards, 74  
 Hybrid Single Particle Lagrangian  
 Integrated Trajectory Model  
 (HYSPLIT), 14  
 Hydraulic retention time (HRT), 81–82  
 Hydrodynamic factors, 71  
 Hypoxia/anoxia, 70

**I**

*Irpex lacteus*, 35  
 Isoprene  
 isoprene emission, 48  
 measurement, 47  
 methane emission, 44  
 monoterpenes, 44  
 VOC, 44  
 Isoprene emission  
 air quality, 45  
 BDL, 59  
 calculation, 57, 58  
*Dalbergia sissoo* (see *Dalbergia sissoo*)  
 environmental parameters, 47  
 enzyme-catalyzed, 48  
 measurements, 44  
*Nerium oleander* (see *Nerium oleander*)  
 PAR, 45  
 photosynthesis, 44  
 plant species, 48  
 RZ3(ABP), 59  
 Site RZ1(DU), 59  
 taxonomic diversity, 48  
 temperature, 44  
 tropospheric ozone, 60  
 winter and monsoon, 56, 59  
 Isoprene synthase enzyme, 53

**L**

Lab scale column tests, 103  
*Lentinus squarrosulus*, 35

**M**

Massive plantation/afforestation programmes  
 air quality, 45  
 greenbelt development, 45  
 isoprene emission, 45  
 plant species, 45  
 Membrane bioreactor, 80  
 Mermaid tears, 69  
 Mesophilic ASBR, 81  
 Meteorological data, 3  
 Meteorological factors, 71  
 Meteorological parameters, 3  
 Methane emission, 44  
 Methylerythritol 4-phosphate  
 (MEP), 48  
 Micro filtration system, 79  
 Microplastics  
 effect of, 69–71  
 environment, 71  
 solid wastes, 68  
 types of, 69  
 Microplastics cycle, 70  
 Monomers, 68  
 Monoterpenes, 44  
 Monsoon, 2, 3, 6, 8  
 Mushroom mycelium, 37  
 Mycelial growth, 32  
 Mycoremediation  
 advantages, 36  
 applications, 37  
 bioconversion, 32–34  
 biodegradation, 30, 31  
 bioremediation, 28 (see Bioremediation)  
 biosorption, 31, 32  
 clean technology, 28, 29  
 constraints, 36, 37  
*ex situ*, 29  
 fungal mycelia, 29  
 fungi, 29, 30, 38  
*in situ*, 29  
 macro-fungi, 29  
 mushrooms, 32, 34  
 mycoremediation process, 28  
 polluted soils, 28–30  
 toxic and heavy metals, 29  
 white rot fungus, 34  
 Mycoremediation process, 28

**N**

Nanofiltration, 79  
 National Oceanic and Atmospheric  
 Administration (NOAA), 14

- Nerium oleander*  
 isoprene emission, 54, 55, 57  
 PAR, 54–56, 62  
 polynomial fitting, 55  
 solar radiation, 54, 55, 57  
 temperature, 54, 55, 57
- Nitrogen dioxide (NO<sub>2</sub>), 15  
 Diwali Eve, 21  
 gaseous pollution, 18  
 variation, 19, 21
- O**
- Organic constituents, 75  
 Organic load, 74  
 Organic Vapor Sampler (OVS), 47  
 Ozone (O<sub>3</sub>), 15  
 firecrackers, 21  
 variation, 19, 21
- P**
- Particulate Matter (PM)  
 blood stream, 18  
 cardiac death and heart attack, 12  
 lungs, 17  
 PM<sub>2.5</sub>, 16, 17  
 PM<sub>10</sub>, 16, 17  
 tachycardia, 12
- Phanerochaete chrysosporium*, 32,  
 35, 36
- Photosynthetic active radiation  
 (PAR), 47  
 selected sites, 61
- Photosynthetic mesophyll, 49
- Physico chemical treatment (PCT), 91, 96,  
 97, 100
- Plant species  
*Dalbergia sisso*, 46  
 diversity, 61  
*Nerium oleander*, 46  
 selection, seasons, 46
- Plastic  
 aquatic food chain, 68  
 environment, 68  
 monomers, 68  
 plasticos, 68  
 polymers, 68  
 socioeconomic impacts, 68
- Plasticos, 68  
*Pleurotus ostreatus*, 32–35  
*Pleurotus pulmonarius*, 35  
*Pleurotus tuber-regium*, 35
- Polluted soil  
 dioxins, 30  
 PAHs, 30, 31  
 PCBs, 30
- Polychlorinated Biphenyls (PCBs), 30
- Polycyclic aromatic hydrocarbons  
 (PAHs), 30
- Polymers, 68
- Polynomial fitting, 51, 52, 55
- Primary microplastics, 69
- Pseudo-satiation, 70
- Q**
- Quantum sensor, 47
- R**
- R&D activities, 100
- Regeneration experiments, 103
- Research laboratory (RL)  
 activated carbon, physical  
 properties, 94  
 adsorption, 94  
 batch equilibrium experiments, 95  
 bench scale experimental methods, 94  
 characteristics, 88  
 chemical coagulation treatment, 95  
 coagulants, 92, 93  
 coagulation–flocculation, 97  
 COD, 93  
 effluent, 93, 97  
 flow measurement, 87, 88  
 grab and composite samples, 90–92  
 instruments used/measurement  
 methods, 89  
 physico-chemical treatment, 96, 97  
 quantity and quality, 87  
 R&D activities, 87  
 sampling, 88  
 solvents and their consumption, 88  
 TCLP samples, 95  
 treatment, 86, 89, 91  
 wastewater generation, 87  
 water supply, 87
- RL effluent, 101
- S**
- Secondary microplastics, 69
- Sensor, 3
- Sequencing batch reactor (SBR),  
 79–81

Socioeconomic impacts, 68  
Solid wastes, 68  
Stomatal encryption, 49

**T**

Tachycardia, 12  
Taxonomic diversity, 48  
Temperature, 47  
    isoprene emission, 45  
    selected sites, 61  
    sites description, 46  
Thermophilic ASBR, 81  
Toxic and heavy metals, 29  
Toxic gases, 76  
Toxic metal, 12  
Toxicity, 70  
Traffic intersection, 46  
*Trametes versicolor*, 32, 35  
Translocation, 69  
Treatment  
    aerobic and anaerobic, 77  
    biological, 77  
    chemical, 76  
    cost comparison, 108, 109  
    mechanical, 76  
Tropospheric ozone, 60

**U**

Underexploited, 36, 37  
Upflow anaerobic sludge blanket (UASB),  
    80, 82  
Urban pollution dispersion, 22  
UV radiation, 69

**V**

Volatile organic compounds (VOCs)  
    abiotic factors, 44  
    atmospheric reactions, 44  
    biotic and abiotic stress, 44  
    ecological functions, 44

**W**

Wastewater  
    RL (*see* Research laboratory (RL))  
Water management, 74  
Water pollution, 73, 82  
Weather Spark, 22  
White-rot fungus, 36  
Wind speed  
    atmospheric electrical conductivity, 3, 5,  
        6, 8  
    meteorological parameters, 2, 7