

References

1. D. Alekseevsky, A.J. Di Scala, Minimal homogeneous submanifolds of symmetric spaces, in *Lie Groups and Symmetric Spaces*. AMS Translations-Series 2, vol. 210 (2003), pp. 11–25
2. D. Alekseevsky, A.J. Di Scala, The normal holonomy group of Kähler submanifolds. *Proc. Lond. Math. Soc.* (3) **89**(1), 193–216 (2004)
3. J. Arazy, A survey of invariant Hilbert spaces of analytic functions on bounded symmetric domains, in *Contemporary Mathematics*, vol. 185 (American Mathematical Society, Providence, 1995)
4. C. Arezzo, A. Loi, A note on Kähler-Einstein metrics and Bochner’s coordinates. *Abh. Math. Semin. Univ. Hambg.* **74**, 49–55 (2004)
5. C. Arezzo, A. Loi, Moment maps, scalar curvature and quantization of Kähler manifolds. *Commun. Math. Phys.* **243**, 543–559 (2004)
6. N. Aronszajn, Theory of reproducing kernels. *Trans. Am. Math. Soc.* **68**, 337–404 (1950)
7. E. Bi, Z. Feng, Z. Tu, Balanced metrics on the Fock–Bargmann–Hartogs domains. *Ann. Glob. Anal. Geom.* **49**(4), 349–359 (2016)
8. S. Bochner, Curvature in Hermitian metric. *Bull. Am. Math. Soc.* **53**, 179–195 (1947)
9. A. Borel, *Linear Algebraic Groups*. GTM, 2nd edn., vol. 126 (Springer, New York, 1991)
10. E. Calabi, Isometric imbedding of complex manifolds. *Ann. Math.* **58**, 1–23 (1953)
11. E. Calabi, A construction of nonhomogeneous Einstein metrics, in *Proceedings of Symposia in Pure Mathematics*, vol. 27 (American Mathematical Society, Providence, 1975)
12. X. Cheng, A. Di Scala, Y. Yuan, Kähler submanifold and the Umehara algebra. *Int. J. Math.* **28**(4), 1750027, 13 pp. (2017)
13. S.S. Chern, On Einstein hypersurfaces in a Kähler manifold of constant bisectional curvature. *J. Differ. Geom.* **1**, 21–31 (1967)
14. L. Comtet, *Advanced Combinatorics, the Art of the Finite and Infinite Expansion* (Springer, Berlin, 1974)
15. F. Cuccu, A. Loi, Balanced metrics on \mathbb{C}^n . *J. Geom. Phys.* **57**, 1115–1123 (2007)
16. D. Cvijović, New identities for the partial Bell polynomials. *Appl. Math. Lett.* **28**(9), 1544–1547 (2011)
17. A.J. Di Scala, Minimal homogeneous submanifolds in Euclidean spaces. *Ann. Glob. Anal. Geom.* **21**, 15–18 (2002)
18. A.J. Di Scala, A. Loi, Kähler maps of Hermitian symmetric spaces into complex space forms. *Geom. Dedicata* **125**, 103–113 (2007)
19. A.J. Di Scala, A. Loi, Kähler manifolds and their relatives. *Ann. Sc. Norm. Super. Pisa Cl. Sci.* (5) **9**(3), 495–501 (2010)

20. A.J. Di Scala, A. Loi, F. Zuddas, Riemannian geometry of Hartogs domains. *Int. J. Math.* **20**(2), 139–149 (2009)
21. A.J. Di Scala, H. Ishi, A. Loi, Kähler immersions of homogeneous Kähler manifolds into complex space forms. *Asian J. Math.* (3) **16**, 479–488 (2012)
22. M.P. Do Carmo, Riemannian geometry, in *Mathematics: Theory & Applications* (Birkhäuser Boston, Inc., Boston, 1992)
23. S. Donaldson, Scalar curvature and projective embeddings. I. *J. Differ. Geom.* **59**, 479–522 (2001)
24. S. Donaldson, Scalar curvature and projective embeddings. II. *Q. J. Math.* **56**, 345–356 (2005)
25. J. Dorfmeister, Simply transitive groups and Kähler structures on homogeneous Siegel domains. *Trans. Am. Math. Soc.* **288**, 293–305 (1985)
26. J. Dorfmeister, K. Nakajima, The fundamental conjecture for homogeneous Kähler manifolds. *Acta Math.* **161**(1–2), 23–70 (1988)
27. M. Engliš, Berezin quantization and reproducing kernels on complex domains. *Trans. Am. Math. Soc.* **348**(2), 411–479 (1996)
28. M. Engliš, Weighted Bergman kernels and balanced metrics. *RIMS Kokyuroku* **1487**, 40–54 (2006)
29. J. Faraut, A. Koranyi, Function spaces and reproducing kernels on bounded symmetric domains. *J. Funct. Anal.* **88**(1), 64–89 (1990)
30. Z. Feng, Z. Tu, On canonical metrics on Cartan-Hartogs domains. *Math. Z.* **278**(1–2), 301–320 (2014)
31. Z. Feng, Z. Tu, Balanced metrics on some Hartogs type domains over bounded symmetric domains. *Ann. Glob. Anal. Geom.* **47**(4), 305–333 (2015)
32. A. Greco, A. Loi, Radial balanced metrics on the unit disk. *J. Geom. Phys.* **60**, 53–59 (2010)
33. R.S. Hamilton, The Ricci flow on surfaces, in *Mathematics and General Relativity. Contemporary Mathematics* (Santa Cruz, CA, 1986), vol. 71 (American Mathematical Society, Providence, 1988), pp. 237–262
34. Y. Hao, A. Wang, Kähler geometry of bounded pseudoconvex Hartogs domains (Preprint, 2014). Arxiv:1411.4447 [math.CV]
35. Y. Hao, A. Wang, The Bergman kernels of generalized Bergman-Hartogs domains. *J. Math. Anal. Appl.* **429**(1), 326–336 (2015)
36. X. Huang, Y. Yuan, Submanifolds of Hermitian symmetric spaces, in *Analysis and Geometry. Springer Proceedings in Mathematics and Statistics*, vol. 127 (Springer, Berlin, 2015), pp. 197–206
37. D. Hulin, Sous-variétés complexes d’Einstein de l’espace projectif. *Bull. Soc. Math. France* **124**, 277–298 (1996)
38. D. Hulin, Kähler–Einstein metrics and projective embeddings. *J. Geom. Anal.* **10**(3), 525–528 (2000)
39. H. Ishi, Representations of the affine transformation groups acting simply transitively on Siegel domains. *J. Funct. Anal.* **167**(2), 425–462 (1999)
40. H. Ishi, The unitary representations parametrized by the Wallach set for a homogeneous bounded domain. *Adv. Pure Appl. Math.* **4**, 93–102 (2013)
41. S. Kobayashi, Compact Kaehler manifolds with positive Ricci tensor. *Bull. Am. Math. Soc.* **67**, 412–413 (1961)
42. S. Kobayashi, *Hyperbolic Manifolds and Holomorphic Mappings*. Pure and Applied Mathematics (Marcel Dekker, New York, 1970)
43. S. Kobayashi, Geometry of bounded domains. *Trans. Am. Math. Soc.* **92**, 267–290 (1996)
44. S. Kobayashi, K. Nomizu, *Foundations of Differential Geometry*, vol. II (Interscience Publishers, New York, 1969)
45. E.E. Kummer, Über die Transzendenten, welche aus wiederholten Integrationen rationaler Funktionen entstehen. *J. Reine Angew. Math. (Crelle)* **21**, 74–90 (1840)
46. C. Lebrun, Complete Ricci-flat Kähler metrics on \mathbb{C}^n need not be flat. *Proc. Symp. Pure Math.* **52**(Part 2), 297–304 (1991)

47. L. Lewin, *Structural Properties of Polylogarithms* (American Mathematical Society, Providence, 1991)
48. A. Loi, Holomorphic maps of Hartogs domains in complex Space forms. *Riv. Mat. Univ. Parma* **1**(7), 103–113 (2002)
49. A. Loi, Calabi's diastasis function for Hermitian symmetric spaces. *Differ. Geom. Appl.* **24**, 311–319 (2006)
50. A. Loi, R. Mossa, Berezin quantization of homogeneous bounded domains. *Geom. Dedicata* **161**(1), 119–128 (2012)
51. A. Loi, R. Mossa, Some remarks on homogeneous Kähler manifolds. *Geom. Dedicata* **179**, 377–383 (2015)
52. A. Loi, M. Zedda, Cartan domains and indefinite Euclidean spaces. *Extracta Math.* **23**(3), 255–263 (2008)
53. A. Loi, M. Zedda, Kähler–Einstein submanifolds of the infinite dimensional projective space. *Math. Ann.* **350**, 145–154 (2011)
54. A. Loi, M. Zedda, Balanced metrics on Hartogs domains. *Abh. Math. Semin. Univ. Hambg.* **81**(1), 69–77 (2011)
55. A. Loi, M. Zedda, Balanced metrics on Cartan and Cartan–Hartogs domains. *Math. Z.* **270**(3–4), 1077–1087 (2012)
56. A. Loi, M. Zedda, On Calabi's diastasis function of the Cigar metric. *J. Geom. Phys.* **110**, 269–276 (2016)
57. A. Loi, F. Zuddas, Engliš expansion for Hartogs domains. *Int. J. Geom. Methods Mod. Phys.* **6**(2), 233–240 (2009)
58. A. Loi, F. Zuddas, Canonical metrics on Hartogs domains. *Osaka Math. J.* **47**(2), 507–521 (2010)
59. A. Loi, M. Zedda, F. Zuddas, Some remarks on the Kähler geometry of the Taub-NUT metrics. *Ann. Global Anal. Geom.* **41**(4), 515–533 (2012)
60. J.D. Moore, Isometric immersions of Riemannian products. *J. Diff. Geom.* **5**, 159–168 (1971)
61. A. Moroiianu, *Lectures on Kähler Geometry*. London Mathematical Society Student Texts 69 (Cambridge University Press, Cambridge, 2007)
62. R. Mossa, A bounded homogeneous domain and a projective manifold are not relatives. *Riv. Mat. Univ. Parma* **4**(1), 55–59 (2013)
63. S. Nishikawa, The Gauss map of Kaehler immersions. *Tōhoku Math. J.* **27**, 453–460 (1975)
64. M. Obata, The Gauss map of immersions of Riemannian manifolds in spaces of constant curvature. *J. Differ. Geom.* **2**, 217–223 (1968)
65. I.I. Piatetskii-Shapiro, *Automorphic Functions and the Geometry of Classical Domains* (Gordon and Breach, New York, 1969)
66. J. Rosenberg, M. Vergne, Harmonically induced representations of solvable Lie groups. *J. Funct. Anal.* **62**, 8–37 (1985)
67. W.D. Ruan, Canonical coordinates and Bergmann metrics. *Commun. Anal. Geom.* **6**, 589–631 (1998)
68. O. Suzuki, Remarks on continuation problems of Calabi's diastatic functions. *J. Fac. Sci. Univ. Tokyo Sect. IA Math.* **29**(1), 45–49 (1982)
69. M. Takeuchi, Homogeneous Kähler submanifolds in complex projective spaces. *Jpn. J. Math.* **4**, 171–219 (1978)
70. G. Tian, On a set of polarized Kähler metrics on algebraic manifolds. *J. Diff. Geom.* **32**, 99–130 (1990)
71. G. Tian, *Canonical Metrics in Kähler Geometry*. Notes taken by Meike Akveld. Lectures in Mathematics ETH Zürich (Birkhäuser Verlag, Basel, 2000)
72. I-H. Tsai, Rigidity of proper holomorphic maps between symmetric domains. *J. Differ. Geom.* **37**, 123–160 (1993)
73. K. Tsukada, Einstein–Kähler Submanifolds with codimension two in a Complex Space Form. *Math. Ann.* **274**, 503–516 (1986)
74. M. Umehara, Einstein–Kähler submanifolds of complex linear or hyperbolic space. *Tohoku Math. J.* **39**, 385–389 (1987)

75. M. Umehara, Kähler submanifolds of complex space forms. *Tokyo J. Math.* **10**(1), 203–214 (1987)
76. M. Umehara, Diastases and real analytic functions on complex manifolds. *J. Math. Soc. Jpn.* **40**(3), 519–539 (1988)
77. H. Upmeyer, Index theory for Toeplitz operators on bounded symmetric domains, in *Représentations des Groupes et Analyse Complexe*, vol. 24. Journées SMF (Luminy, 1986) (University of Poitiers, Poitiers, 1986), pp. 89–94
78. A. Wang, W. Yin, L. Zhang, W. Zhang, The Einstein-Kähler metric with explicit formulas on some non-homogeneous domains. *Asian J. Math.* **8**(1), 039–050 (2004)
79. A. Wang, W. Yin, L. Zhang, G. Roos, The Kähler-Einstein metric for some Hartogs domains over bounded symmetric domains. *Sci. China* **49**, 1175–1210 (2006)
80. J.A. Wolf, On Calabi’s inhomogeneous Einstein-Kähler manifolds. *Proc. Am. Math. Soc.* **63**(2), 287–288 (1977)
81. M. Zedda, Canonical metrics on Cartan-Hartogs domains. *Int. J. Geom. Methods Mod. Phys.* (1) **9**, 1250011 (2012)
82. M. Zedda, A note on the coefficients of Rawnsley’s epsilon function of Cartan-Hartogs domains. *Abh. Math. Sem. Univ. Hambg.* **85**(1), 73–77 (2015)
83. M. Zedda, Berezin-Engliš’ quantization of Cartan-Hartogs domains. *J. Geom. Phys.* **100**, 62–67 (2016)
84. M. Zedda, Strongly not relative Kähler manifolds. *Complex Manifolds* **4**, 1–6 (2017)
85. J. Zhao, A. Wang, Y. Hao, On the holomorphic automorphism group of the Bergman-Hartogs domain. *Int. J. Math. (8)* **26**, 1550056 (2015)

Index

- balanced, 37, 80
- Bergman kernel, 38, 41, 63, 69
- Bergman metric, 37–39, 42, 44, 64, 69, 78, 79, 81
- Bochner coordinates, 3, 5, 9, 10, 28, 52–57, 60, 61, 76
- bounded symmetric domain, 29, 37, 39–44, 63, 67, 69, 78, 79

- Calabi’s criterion, 13–15, 18, 21, 65, 66, 72, 87, 92
- Cigar metric, 83, 84, 86, 87, 89
- complex Euclidean space, 13, 29, 47, 78
- complex hyperbolic space, 6, 26, 29, 32, 41, 47, 71, 75, 77, 78, 93
- complex projective space, 5, 6, 21, 23, 48, 56, 60, 61, 63, 69, 71, 75–79
- complex space form, 1, 5, 7, 11, 13, 19, 24, 28–30, 34, 40, 47, 61, 75, 83, 86, 87, 89, 90

- diastasis, 1–7, 10, 11, 13, 14, 16–23, 26, 38, 42, 44, 47, 52, 54, 56, 60, 61, 64, 70, 71, 83, 84, 86, 87, 89, 90, 92

- Einstein, 6, 38, 47–49, 51–54, 56, 60, 61, 64, 67, 90

- flat metric, 5, 25, 33, 83, 92

- Hartogs domain, 63, 64, 66, 67, 69–72, 74, 75, 80–82
- Hilbert space, 1, 5, 7, 16, 30, 31, 36, 37, 41, 43, 80
- homogeneous bounded domain, 29–31, 33–35, 39, 40, 70, 80
- homogeneous Kähler manifold, 29, 30, 32, 33, 35, 36, 40, 44, 60, 78, 90

- projectively, 23, 28–30, 32, 34–38, 44, 45

- relatives, 75, 78–80
- rotation invariant, 60, 70, 72, 74

- Taub-NUT, 83, 91–93
- totally geodesic, 19, 32, 34, 40, 48, 49, 51, 52, 58

- Wallach set, 41

Editor in Chief: *Ciro Ciliberto and Susanna Terracini*

Editorial Policy

1. The UMI Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are also welcome.
2. Manuscripts should be submitted to
Redazione Lecture Notes U.M.I.
umi@dm.unibo.it
and possibly to one of the editors of the Board informing, in this case, the Redazione about the submission. In general, manuscripts will be sent out to external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted. The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a prefinal or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.
4. For evaluation purposes, please submit manuscripts in electronic form, preferably as pdf- or zipped ps-files. Authors are asked, if their manuscript is accepted for publication, to use the LaTeX2e style files available from Springer's web-server at
<ftp://ftp.springer.de/pub/tex/latex/svmonot1/> for monographs
and at
<ftp://ftp.springer.de/pub/tex/latex/svmult1/> for multi-authored volumes
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3% on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: A brief written (or e-mail) request for formal permission is sufficient.