
References

1. Borer, J., Jung, R., Diagnostics, CAS-CERN, Accelerator School, Aarhus (Denmark), (October 1983), CERN 84-15, (1984), p. 385
2. Beam Diagnostics, CERN/PS 88-09(AR)
3. Koziol, H., Beam Diagnostics for Accelerators, CAS-CERN Accelerator School, Jyväskylä, Finland, (September 1992), CERN 94-01 (1994)
4. Strehl, P., Rev. Sci. Instrum. **63** (4), 26–52 (1992)
5. Hofmann, A., Accelerator Needs for Diagnostics, p.1 in [20]
6. Bossler, J., Beam Instrumentation, CERN-PE-ED, 001–92, (Nov. 1994)
7. Koziol, H., Some Physics Aspects in Beam Diagnostics, p. 87 in [6]
8. Hofmann, A., Beam Diagnostic and Applications, p. 3 in [16]
9. Strehl, P., Diagnostics in Heavy Ion Machines, p. 27 in [23]
10. Hinterberger, F., Physik der Teilchenbeschleuniger und Ionenoptik (Springer Verlag, Berlin Heidelberg New York, 1997)
11. Handbook of Accelerator Physics and Engineering, Editors: Chao, A. W., Tigner, M., (World Scientific, Singapore, 1999, reprinted 2002)
12. Wille, K., Physik der Teilchenbeschleuniger und Synchrotronstrahlungsquellen (B. G. Teubner, Stuttgart 1992)
13. *AIP* Conference Proceedings 319, Beam Instrumentation Workshop 1993, Santa Fe, NM, October 1993
14. *AIP* Conference Proceedings 333, Beam Instrumentation Workshop 1994, Vancouver, B.C., Canada, October 1994
15. *AIP* Conference Proceedings 390, Beam Instrumentation Workshop 1996, Argonne, Illinois, 1996
16. *AIP* Conference Proceedings 451, Beam Instrumentation Workshop 1998, Stanford, CA, May 1998
17. *AIP* Conference Proceedings 546, Beam Instrumentation Workshop 2000, Cambridge, MA, May 2000
18. *AIP* Conference Proceedings 648, Beam Instrumentation Workshop 2002, Upton, New York, May 6–9, 2002
19. *AIP* Conference Proceedings 732, Beam Instrumentation Workshop 2004, Knoxville, TN, May 3–6, 2004
20. Proceedings of the First European Workshop on Beam Diagnostics and Instrumentation for Particle Accelerators (DIPAC 1993), Montreux, Switzerland, May 3–5, 1993, CERN PS/93–35 (BD), CERN SL/93–35 (BI)

21. Proceedings of the Second European Workshop on Beam Diagnostics and Instrumentation for Particle Accelerators (DIPAC 1995), Travemünde, Germany, May 28–31, 1995
22. Proceedings of the Third European Workshop on Beam Diagnostics and Instrumentation for Particle Accelerators (DIPAC 1997), Laboratori Nazionali di Frascati, LNF-INFN, Frascati (Rome), Italy, October 12–14, 1997
23. Proceedings of the Fourth European Workshop on Beam Diagnostics and Instrumentation for Particle Accelerators (DIPAC 1999), Daresbury, Warrington, UK, May 16–18, 1999
24. Proceedings of the Fifth European Workshop on Beam Diagnostics and Instrumentation for Particle Accelerators (DIPAC 2001), ESRF, Grenoble, France, May 13–15, 2001, <http://www.esrf.fr/conferences/DIPAC/DIPAC2001Proceedings.html>
25. Proceedings of the Sixth European Workshop on Beam Diagnostics and Instrumentation for Particle Accelerators (DIPAC 2003), Mainz, Germany, May 5–7, 2003, www.jacow.org
26. Contributions to Conferences via Internet: PAC65,..., EPAC96,..., LINAC96,..., APAC01,..., DIPAC01,..., ICALEPCS01,..., www.jacow.org (CERN server)
27. Karlsruher Virtueller Katalog (KVK): www.ubka.uni-karlsruhe.de/kvk.html
28. Minty, M. G., Zimmermann, F., Measurement and Control of Charged Particle Beams (Springer-Verlag, Berlin Heidelberg New York, 2003)
29. Barth, W., Klabunde, J., GSI-Darmstadt, private communication
30. Webber, R. C., Tutorial on Beam Current Monitoring, *AIP Conference Proceedings* 546, 2000, p. 83
31. Peters, A., Vodel, W., Dürr, V., Koch, H., Reeg, H., Schroeder, C. H., A Cryogenic Current Comparator for Low Intensity Ion Beams, p. 100 in [20]
32. Peters, A., Vodel, W., Koch, H., Neubert, R., Reeg, H., Schroeder, C. H., A Cryogenic Current Comparator for the Absolute Measurement of nA Beams, p. 163 in [16]
33. PET, Physik Elektronik Technik, Engineering Office, Strehl, P., Kraus, H., Smetanaweg 6, D-64291 Darmstadt, Germany, e-mail: petdarmstadt@aol.com
34. Carter, G., Colligon, J., Ion Bombardment of Solids (Heinemann, London, 1969)
35. Goodfellow GmbH, Bad Nauheim, Germany. Goodfellow Cambridge Limited, Huntington, England
36. Meinke, H., Gundlach, F. W., Taschenbuch der Hochfrequenztechnik (Springer-Verlag, Berlin Heidelberg New York Tokyo, 1986)
37. MECL System Design Handbook, Motorola Semiconductor Inc., (1971)
38. Nährmann, D., Das große Werkbuch Elektronik (Franzisz' Verlag GmbH, Poing, 1998)
39. Jackson, J. D., Classical Electrodynamics (John Wiley & Sons, New York, 1975) third edition: 1999, ISBN 0-471-30932-X
40. Kaufmann, W., GSI-Darmstadt, Germany, private communication
41. Bethe, H. A., *Z. f. Physik* **76**, 293 (1932)
42. Bethe, H. A., Heitler, W., *Proc. R. Soc., A* **146**, 83 (1934)
43. Bloch, F., *Z. f. Physik* **81**, 363 (1933)
44. Bethe, H. A., Askin, J., Passage of Radiations Through Matter, in: *Segre, E., Experimental Nuclear Physics* (Wiley, New York, 1953–1959)

45. Segré, E., *Nuclei and Particles* (W. A. Benjamin, New York Amsterdam, 1964)
46. Rutherford, E., *Philas. Mag.* **21**, 672 (1911)
47. Sternheimer, R. M., *Phys. Rev.* **115** (1), 137 (1959)
48. Heitler, W., *The Quantum Theory of Radiation*, 3rd ed. (Oxford University Press, New York, 1954)
49. Kantz, A. D., Hofstadter, R., *Phys. Rev.* **89** (3), (1952)
50. Hofstadter, R., Kantz, A. D., *Nucleonics* **12** (3), 36 (1954)
51. Brown, K. L., Tautfest, G. W., *Rev. Sci. Instrum.* **27** (9), 696 (1956)
52. Nelms, *Energy Loss and Range of Electrons and Positrons*, National Bureau of Standards, NBS Circular 577 (1956), supplemented 1958. Katz and Penfold, *RMP* (1952), 24, p. 28
53. Yung-Su Tsai, *Rev. Mod. Phys.* **46** (4), 828 (1974)
54. Sanders, J. H., *J. Sci. Instrum.* **26**, 36 (1949)
55. Harrison, E. R. *J. Sci. Instrum.* **34**, 242 (1957)
56. Gunn, S. R., *Nucl. Instrum. Methods* **29**, 1 (1964)
57. Andersen, H. H., *Radiat. Effects* **3**, 51 (1970)
58. Van de Runstraat, C. A., Wijnaendts van Resandt, R., Los, J., *J. Phys. E* **3**, 575 (1970)
59. Christodoulides, C. E., Freeman, J. H., *Nucl. Instrum. Methods* **135**, 13 (1976)
60. Yamada, R., *Jp. J. Appl. Phys.* **1** (2), 92 (1962)
61. Internal Cern-Report, *The Induction Type Beam Monitor for the PS*, ("Hereward Transformer"), MPS/Int. CO 62-15, (1962)
62. Unser, K. B., *IEEE Trans. Nucl. Sci.* NS-**16**, 934 (1969)
63. Gardiner, S. N., Matthews, J. L., Owens, R. O., *Nucl. Instrum. Methods* **87**, 285 (1970)
64. Steiner, R., Merle, K., Andresen, H. G., *Nucl. Instrum. Methods* **127**, 11 (1975)
65. Dunn, P. C., *Nucl. Instrum. Methods* **165**, 163 (1979)
66. Tokuda, N., Watanabe, S., *Electrostatic and Ferrite-core Monitors*, INS, University of Tokyo, report, INS-NUMA-21
67. Loyer, F., Andre, T., Ducoudret, B., Rataud, J. P., *IEEE Trans. Nucl. Sci.*, NS-**32** (5), 1938 (1985)
68. Sato, Y., Yamada, T., Ogawa, H., Fujii, R., *Nucl. Instrum. Methods* **228**, 576 (1985)
69. Reeg, H.-J., *Dimensionierung, Konstruktion, Bau und Erprobung eines elektromagnetisch abgeschirmten Strahltransformators mit einer Zeitkonstanten von etwa 0,5 μ s*, Diplomarbeit, FH-Wiesbaden, GSI-Darmstadt, Germany, (1986)
70. Degueurce, L. *Nucl. Instrum. Methods A* **260**, 538 (1987)
71. Unser, K. B., *Design and Preliminary Tests of a Beam Intensity Monitor for LEP*, Proc. IEEE Particle Accelerator Conference, 1989, Chicago, Vol. 1, p. 71
72. Unser, K. B., *Measuring Bunch Intensity, Beam Loss and Bunch Lifetime in LEP*, Proc. of the Second European Particle Accelerator Conference, Nice, June 12-16, 1990, Vol. 1, p. 786
73. Burtin, G., Colchester, R., Fischer, C., Hemery, J. Y., Jung, R., Vanden Eynden, M., Vouillot, J. M., *Mechanical Design, Signal Processing and Operator Interface of the LEP Beam Current Transformers*, Proc. of the Second European Particle Accelerator Conference, Nice, June 12-16, 1990, Vol. 1, p. 794
74. Schneider, N., Walter, H., *Beam Current Measurements*, GSI Scientific Report (1990), GSI 91-1, March 1991, p. 386

75. Unser, K. B., The Parametric Current Transformer, Particles and Fields, Series 46, Conference Proceedings No. 252 of the Third Annual Workshop on Accelerator Instrumentation, CEBAF, Newport News, 1991, p. 266
76. Unser, K. B., Recent Advances in Beam Current Transformer Technology and Avenues for Further Developments, p. 105 in [20]
77. Schneider, N., Beam Current Monitors at the Unilac, p. 502 in [16]
78. Reeg, H., Schneider, N., Current Transformers for GSI's keV/u to GeV/u Ion Beams, an Overview, p. 120 in [24]
79. Reeg, H.-J., GSI-Darmstadt, Germany, private communication
80. Schlegel, H., Nowak, A., Impulstechnik (C. F. Winter'sche Verlagsbuchhandlung, Prien, 1961)
81. Stegmeier, H., Der Entwurf von Impulstransformatoren im ns-Bereich, Archiv Elektrische Übertragung 19/1965
82. Boll, R., Weichmagnetische Werkstoffe (Vacuumschmelze GMBH, Verlag: Siemens AG, Berlin und München, 1965)
83. FS-M 7, Weichmagnetische Werkstoffe (Firmenschrift, Vacuumschmelze Hanau GmbH, Germany, 1983)
84. Mathsoft Engineering & Education, Inc., Cambridge, MA, (1986–2004)
85. Wolfram Research, Inc., Champaign, IL
86. The Math Works, Inc., Natick, MA
87. Ott, H., Noise Reduction Techniques in Electronic Systems (John Wiley & Sons, New York, 1976)
88. Miteq, Inc., Hauppauge, NY
89. Fa. Dr. Friedrich Foerster, Reutlingen, Germany.
90. Lemme, H., Sensoren in der Praxis (Franzis Verlag München, 1990)
91. DRP-Anmeldung, H 138715, (1937)
92. Colchester, R., Turner, S., Unser, K. Beam Current Transformers for the ISR and West Hall Beam Transfer System, CERN-ISR-OP/72-2, (1972)
93. Unser, K., IEEE Trans. Nucl. Sci. NS-28 (3), 2344 (1981)
94. Unser, K. B., Atomenergie-Kerntechnik 47 (1), 48 (1985)
95. Bergoz, J., BERGOZ Comp., 01170 Crozet, France
96. Schamass, A., Schneider, N., Steiner, R., A Beam Intensity Monitor for Synchrotron Beams with Fast Beam Extraction Mode, Internal Technical Report GSI (1996)
97. Steiner, R., Diploma Thesis, Institut für Kernphysik, Universität Mainz, Germany, (1973)
98. Harvey, I. K., A precise low temperature dc ratio transformer, Rev. Sci. Instrum. 43, 1626 (1972)
99. Grohmann, K., Hahlbohm, H.-D., Lübbig, H., Ramin, H., PTB Jahresbericht p. 204 (1972)
100. Grohmann, K., Hechtfisher, D., Jakschik, J., Lübbig, H., A Cryodevice for Induction Monitoring of DC Electron or Ion Beams with Nano-ampere Resolution, in: Superconducting Quantum Interference Devices and their Applications, Walter de Gruyter & Co., (1977), p. 311
101. Grohmann, K., Hahlbohm, H.-D., Hechtfisher, D., IEEE Trans. Instrume. Meas. IM-28 (3), 206 (1979)
102. Peters, A., GSI-Darmstadt, Germany, private communication
103. Vodel, W., Nietzsche, S., Neubert, R., Peters, A., Knaack, K., Wendt, M., Wittenburg, K., Low-Tc-SQUID based CCC for Applications in High Energy Physics, EUCAS 2003 Proc., Inst. of Physics Conference, Series 181 Nov. 2004

104. Hatton, V. W., Lowndes, S. A., Proceedings, DNPL/R1, Symposium on Beam Intensity Measurement, April 22–26, Daresbury, 1968
105. Forck, P., Heeg, P., Peters, A., Intensity Measurement of High-Energy Heavy Ions at the GSI Facility, p. 422 in [15]
106. Ferioli, G., Jung, R., Evolution of the Secondary Emission Efficiencies of Various Materials Measured in the CERN SPS Secondary Beam Lines, p. 168 in [22]
107. Chu, W. T., Instrumentation for Medical Beams, p. 160 in [14]
108. Kraft, G., et al., The Darmstadt Program HITAG: Heavy Ion Therapy at GSI (Elsevier Science B. V. 1994) Hadrontherapy in Oncology editors: Amaldi, U., Larsson, B
109. Forck, P., Heeg, P., Peters, A., Strehl, P., A Scintillator based Halo-Detector for Beam Position Monitoring, Proc. 5th European Part. Acc. Conference, Sitges (Barcelona), EPAC 96, IoP (1996) p. 2644
110. Schardt, D., Beam Delivery Systems and Dose Verification Techniques at Heavy-Ion Therapy Facilities, p. 6 in [22]
111. Dölling, R., Profile, Current, and Halo Monitors of the PROSCAN Beam Lines, p. 244 in [19]
112. Mitsuhashi, T., Design and Construction of Coronagraph for Observation of Beam Halo, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version), p. 2655
113. Haberer, Th., Becher, W., Schardt, D., Kraft, G., Magnetic Scanning System for Heavy Ion Therapy, GSI-93–15, (März 1993) and Nucl. Instrum. Methods A **330**, 296 (1993)
114. Kraft, G., Medical Application of Accelerators in Tumor Therapy, CAS, Rhodes, Greece, CERN 95–06, 1995, p. 1083
115. Eickhoff, H., Haberer, Th., Kraft, G., Krause, U., Poppensieker, K., Richter, M., Steiner, R., The GSI Cancer Therapy Project, Proc. Part. Acc. Conf., PAC 97, Vancouver, B.C., Canada, 1997, p. 3801
116. Proposal for a Dedicated Ion Beam Facility for Cancer Therapy, submitted in September 1998, Radiologische Universitätsklinik Heidelberg, DKFZ-Heidelberg, GSI-Darmstadt, FZR-Rosendorf
117. Amaldi, U., Z. Med. Phys. **14**, 7 (2004)
118. Heeg, P., GSI-Darmstadt, Germany, private communication
119. Strehl, P., Beam Instrumentation and Diagnostics, Joint Universities Accelerator School 2001, Archamps, January–March 2001
120. Forck, P. Lecture Notes on Beam Instrumentation and Diagnostics, Joint Universities Accelerator School 2003, Archamps, January–March 2003
121. Northcliffe and Schilling, Nuclear Data Tables, Vol. 7, No. 3–4, (Jan 1970), p. 233
122. Ziegler, F. J., Handbook of Stopping Cross Sections for Energetic Ions in all Elements, Vol. 5, The Stopping Power and Ranges of Ions in Matter (Pergamon Press, New York, 1984, 1985)
123. Hubert, F., Fleury, A., Bimbot, R., Gardes, D., Annales de Physique **5** (Suppl.), 1–214 (1980)
124. Hubert, F., Bimbot, R., Gauvin, H., Atomic Data and Nuclear Data, **46**, (1), (Sept. 1990)
125. Sauli, F., Principles of Operation of Multewire Proportional and Drift Chambers, CERN 77–09, (May 1977)

126. Knoll, G. F., *Radiation Detection and Measurement*, 2nd ed., (John Wiley & Sons, New York, 3rd ed. 2000)
127. Leo, W.R., *Techniques for Nuclear and Particle Physics Experiments* (Springer-Verlag, Berlin, 1994)
128. Keller, O., *Untersuchungen zum Betrieb eines Szintillationsdetektors im Strom-Mode*, Diplomarbeit, FH-Darmstadt, Germany, (1994)
129. Heeg, P., Intensity Measurements of Energetic Heavy Ion Beams between 10^5 and 10^9 pps, p. 96 in [20]
130. Heeg, P., Keller, O., A Scintillator - Photodiode - Beam Intensity Monitor, Proc. of the Fourth European Particle Accelerator Conference, EPAC, London, GB, June 27–July 1, 1994, p. 1725
131. Heeg, P., Peters, A. Strehl, P.: Intensity Measurements of Slowly Extracted Heavy Ion Beams from the SIS, p. 287 in [14]
132. Rossa, E., Schmickler, H., Brambilla, A., Verger, L., Mongellaz, F., New Development of Radiation-Hard Polycrystalline CdTe Detector for LHC Luminosity Monitoring, p. 94 in [24]
133. Tapper, R. J., Rep. Prog. Phys. **63**, 1273 (2000)
134. Berdermann, E., Blasche, K., Dauess, H. W., Moritz, P., Stelzer, H., Voss, B., The Diamond Project at GSI - Perspectives, Proc. 7th Int. Conf. Advanced Tech. & Part. Physics, (ICATPP-7), ed. Barone, M. et al., p. 246
135. Berdermann, E., Moritz, P., Stelzer, H., Zeytoni, F., Diamond Detectors for Heavy Ion Measurements, 36th Int. Winter Meeting on Nuclear Physics, Bormio, Italy, Jan. 1998
136. Berdermann, E., Blasche, K., Moritz, P., Stelzer, Voss, B., H., Zeytoni, F., First Applications of CVD Diamond Detectors in Heavy Ion Experiments, Nucl. Phys. B (Proc. Suppl.) **78**, (1999)
137. The RD42 Collaboration (CERN), A CVD Diamond Telescope for Charged Particle Tracking, Proc. of the IEEE, San Diego, 2001
138. Moritz, P., Berdermann, E., Blasche, K., Stelzer, H., Zeytoni, F., Diamond Detectors for Beam Diagnostics in Heavy Ion Accelerators, p. 153 in [22]
139. Moritz, P., Berdermann, E., Blasche, K., Roedl, H., Stelzer, H., Zeytouni, F., Diamond Detectors with Subnanosecond Time Resolution for Heavy Ion Spill Diagnostics, p. 514 in [16]
140. Moritz, P., Berdermann, E., Blasche, K., Stelzer, Voss, B., Broadband Electronics for CVD-Diamond Detectors, Proc. of the 7th International Conference on New Diamond Science & Technology, ICNDST-7, July 24–28, 2000, University of Hong Kong
141. Meier, D., for the RD42 Collaboration (CERN), 5. Symposium on Diamond Materials, Electrochemical Society, Paris, 1997
142. Moritz, P., GSI-Darmstadt, Germany, private communication
143. Moritz, P., Broadband Preamplifiers for Fast Particle Detectors, GSI-Darmstadt, Germany, Internal Report
144. Walter, H., Ingenieurbüro Horst Walter, Kleine Ostergasse 6, D-55291 Saulheim, Germany, e-mail: horst.walter@ing.twinwave.net
145. Gröber, E. H., Erk, S., Grigull, U., *Grundgesetze der Wärmeübertragung* (Springer-Verlag, Berlin Heidelberg New York, 1981)
146. Hell, F., *Grundlagen der Wärmeübertragung* (VDI-Verlag GmbH, Düsseldorf, 1982)
147. Cerbe, G., Hoffmann, H.-J., *Einführung in die Wärmelehre* (Carl Hanser Verlag, München Wien, 1980)

148. Wagner, W., Wärmeübertragung (Vogel Verlag, Würzburg, 1981)
149. Schlünder, E.-U., Einführung in die Wärmeübertragung (Friedr. Vieweg & Sohn Verlagsgesellschaft GmbH Braunschweig, 1981)
150. Strehl, P., Thermische Berechnungen zum Hochstrombetrieb, GSI-Report 94-03, (1994)
151. Strehl, P., Thermal Aspects of Beam Intercepting Diagnostic Devices, Proc. 5th European Part. Acc. Conference, EPAC96, Sitges, Spain, 1996, p. 1603
152. Zienkiewicz, O. C., Cheung, Y. K., The Engineer, September 24, (1964)
153. Wilson, E. L., Nickell, R. E., Nucl. Eng. Design (Holland) **4**, 276 (1966)
154. Zienkiewicz, O. C., The Finite Element Method in Engineering Science, 2nd ed. (McGraw-Hill, New York, 1971)
155. Strang, G., Fix, G. J., An Analysis of the Finite Element Method (Prentice Hall, Englewood Cliffs, NJ, 1973)
156. Polivka, R. M., Wilson, E. L., Finite Element Analysis of Nonlinear Heat Transfer Problems, Structural Engineering and Structural Mechanics Department of Civil Engineering, University of California, Berkeley
157. Hinton, E., Owen, D. R. J., Finite Element Programming Academic Press London, 1977)
158. Link, M., Finite Elemente in der Statik und Dynamik, (B.G. Teubner Stuttgart, 1984)
159. Jordan-Engeln, G., Reutter, F., Numerische Mathematik für Ingenieure (Bibliographisches Institut (BI), Mannheim Wien Zuerich, 1982)
160. Großmann, Ch., Roos, H.-G., Numerik partieller Differentialgleichungen (B. G. Teubner, Stuttgart, 1992)
161. Marsal, D., Die numerische Lösung partieller Differentialgleichungen in Wissenschaft und Technik (Bibliographisches Institut (BI), Mannheim Wien Zuerich, 1976)
162. Rossi, B., High Energy Particles (Prentice Hall Physics Series, 1952)
163. Handbook of Chemistry and Physics, 56th ed. (CRC Press, Cleveland, OH 1975-1976)
164. Müller, R. W., Strehl, P., Protection of Storage Rings and Ion-Beam Devices from Melting, Proc. of the 12th Int. Symposium on Heavy Ion Inertial Fusion, Heidelberg, Germany, Sept. 1997, Nucl. Instrum. Methods Phys. Res. A **415**, 305 (1998)
165. Smirnow, W. I., Lehrgang der höheren Mathematik, Teil II (VEB Deutscher Verlag der Wissenschaften, Berlin, 1960)
166. Riedel, C., GSI-Darmstadt, Germany, private communication
167. Bock, R., Hofmann, I., Meyer-Ter-Vehn, Proc. Int. Symp. Heavy Ion Inertial Fusion (North-Holland, Amsterdam, 1989), reprinted from Nucl. Instrum. Methods Phys. Res. A **278** (1)
168. High Energy Density in Matter Produced by Heavy Ion Beams, GSI-Report, GSI-96-02
169. Nickel, F., Festkörpertargets bei hoher Strahlbelastung, Inaugural-Dissertation, Universität Giessen, (1976)
170. Nickel, F., Marx, D., Ewald, H., Nucl. Instrum. Methods **134**, 11 (1976)
171. Umstätter, H. H., Energy Absorption, Temperature Rise and Heat Diffusion in SEM-grid Strips for 10 MeV Protons, CERN, PS/HI/Note 96-07, (April 1996)
172. Gilpatrick, J. D., Techniques for Intense-Proton-Beam Profile Measurements, p. 110 in [16]

173. IBT Elektronik GmbH, Mühlthal, Germany
174. Grimm, H., Graf, H., GSI-Darmstadt, Germany, private communication
175. Gilbert, P., *J. Theor. Biol.* **36**, 105 (1972a)
176. Herman, G. T., Lent, A., Rowland, S. W., *J. Theor. Biol.* **42**, 1 (1973)
177. Gordon, R., Herman, G. T., *Int. Rev. Cytol.* **38**, 111, (1974)
178. Oppenheim, B. E., *IEEE Trans. Nucl. Sci. NS-21*, 72 (June 1974)
179. Colsher, J. G., *Comput. Graph. Image Proc.* **6**, 513 (1976)
180. Fraser, J. S., *Beam Tomography or ART in Accelerator Physics*, Los Alamos Scientific Laboratory Report, LA-7498-MS, (Nov. 1978)
181. Minerbo, G. N., Sanderson, J. G., *Reconstruction of a Source from a few (2 or 3) Projections*, Los Alamos Scientific Report, (July 1978)
182. Minerbo, G., *Comput. Graph. Image Proc.* **10**, 48 (1979)
183. Chamberlin, D. D., Jameson, R. A., Minerbo, G. N., Sander, O. R., *Beam Tomography in Two and Four Dimensions*, Proc. of the 1979 Linac Accelerator Conference, Los Alamos, (1979), p. 314
184. Connolly, R., Michnoff, R., Moore, T., Shea, T., Tepikian, S., *Nucl. Instrum. Methods Phys. Res. A* **443**, 215 (2000)
185. Eckert, G., Winter, J., *Strahlrekonstruktion aus Profilmessungen*, Diplomarbeit, Fachhochschule Darmstadt, Fachbereich Informatik, durchgeführt bei GSI-Darmstadt, Germany, (1986)
186. Breskin, A., Charpak, G., Majewski, S., Melchart, G., Petersen, G., Sauli, F., *Nucl. Instrum. Methods* **161**, 19 (1979)
187. *Physikalische Nachweisgeräte*, Herbert Stelzer, Messel, Germany
188. Stelzer, H., *Physikalische Nachweisgeräte*, Herbert Stelzer, Messel, Germany, private communication
189. Stelzer, H., *Nucl. Instrum. Methods Phys. Res. A* **310**, 103 (1991)
190. Hortig, G., *Nucl. Instrum. Methods* **30**, 355 (1964)
191. Danfysik A/S, DK-4040 Jyllinge, Danmark, *Beam Profile Monitoring Systems*
192. Colchester, R. J., Jung, R., *Proc. Part. Acc. Conf. (PAC97)*, Vancouver, *IEEE Trans. Nucl. Sci. NS-32*, 1917 (1985)
193. Steinbach, Ch., van Rooij, M., *A Scanning Wire Beam Profile Monitor*, *IEEE Trans. Nucl. Sci. NS-32* (5), 1920 (1985)
194. Fischer, C., et al., *Proc. Euro. Part. Acc. Conf. (EPAC88)*, Rome, 1988, p. 1081
195. Soukup, J., et al., *Rotating Scanning Polarization Profile Monitor*, p. 492 in [14]
196. Fischer, C., Jung, R., Koopmann, J., *Quartz Wires versus Carbon Fibres for Improved beam Handling Capacity of the LEP Wire Scanners*, p. 290 in [15]
197. Field, C., McCormick, D., Raimond, P., Ross, M., *Wire Breakage in SLC Wire Profile Monitor*, p. 440 in [16]
198. O'Hara, J. F., Gilpatrick, J. D., Day, L. A., Kamperschroer, J. H., Madsen, D. W., *Slow Wire Scanner Beam Profile Measurements for LEDA*, p. 510 in [17]
199. Burger, S., Carli, C., Ludwig, M., Priestnall, K., Raich, U., *The PS Booster Fast Wire Scanner*, p. 122 in [25]
200. El-Sisi, A. B., *Wire Scanner Beam Profile Measurement for ESRF*, p. 131 in [25]
201. Jung, R., *Image Acquisition and Processing for Beam Observation*, p. 54 in [20]
202. Morgan Matroc, Ltd., Siegburg, Germany
203. Jung, R., *Beam Intercepting Monitors*, Joint US-CERN School on Particle Accelerators; *Frontiers of Particle Beams*, Lecture Note in Physics, No. 343, Anacapri, Italy, (October 1988), p. 403

204. Jung, R., CERN, Geneva, Switzerland, private communication
205. Budker, G. I., Dimov, G. I., Dudnikov, V. G., *Sov. At. Energy* **22** (5), 441 (May 1967)
206. Hornstra, F., Deluca, W. H., Nondestructive Beam Profile System for the Zero Gradient Synchrotron, Proc. Sixth International Conference on High Energy Accelerators, M. I. I., Cambridge, MA 1967, p. 374
207. De Luca, W., H., *IEEE Nucl. Sci.*, NS-**16**, 813 (1969)
208. Hornstra Jr. F., Simanton, J. R., *Nucl. Instrum. Methods* **68**, 138 (1969)
209. Dimov, G. I., Dudnikov, V. G., *Instrum. Exp. Tech.* **3**, 553 (1969)
210. Johnson, C.D., Thorndahl, L., *IEEE Nucl. Sci.* NS-**16** (3), 227 (1969)
211. Weisberg, H., Gill, E., Ingrassia, P., Rodger, E., *IEEE Trans. Nucl. Sci.*, NS-**30** (4), 2179 (1983)
212. Krider, J., *Nucl. Instrum. Methods A* **278**, 660 (1989)
213. Samulat, G., Strahlprofilmessungen in den HERA-Protonen-Beschleunigern unter Ausnutzung der Restgasionisation, Diplomarbeit, Universität Hamburg, (September 1989)
214. Berg, H., Schmidt-Böcking, H., Residual Gas Beam Profile Monitor for SIS beams, GSI-Scientific Report 1989, GSI 90-1, (March 1990), p. 280
215. Hochadel, B., Ein Strahlprofilmonitor nach der Methode der Restgasionisation für den Heidelberger Testspeicherring TSR, Report MPI Heidelberg, MPI H-1990-V-19, (1990)
216. Gabel, A., Entwicklung eines Restgas-Monitors für Strahlprofilmessungen im Bereich höherer Teilchenströme, Durchführung von Messungen, Diplomarbeit im Fachbereich Physikalische Technik der Fachhochschule Wiesbaden, durchgeführt bei der GSI-Darmstadt, (1990)
217. Schippers, J. M., Kiewiet, H. H., Zijlstra, J., *Nucl. Instrum. Methods A* **310**, 540 (1991)
218. Wittenburg, K., Experience with the Residual Gas Ionisation Beam Profile Monitors at the DESY Proton Accelerators, Proc. of the Third European Particle Accelerator Conference (EPAC92), Berlin, March 1992, p. 1133
219. Vignet, J.-L., P., Anne, R. M., Georget, Y. R., Hue, R. E., Tribouillard, C. H., Beam Monitors Based on Residual Gas Ionization, p. 223 in [15]
220. Connolly, R., Michnoff, R., Moore, T., Tepikian, S., Beam Profile Measurement on RHIC, p. 330 in [17]
221. Fischer, C., Koopmann, J., Measurements made in the SPS with a Rest Gas Profile Monitor by Collecting Electrons, p. 191 in [17]
222. Kamerdzhiiev, V., Dietrich, J., Ionization Beam Profile Monitor at the Cooler Synchrotron COSY-Jülich, p. 140 in [25]
223. Venica, E., Utilisation d'un detecteur base sur le principe de l'ionisation d'un gaz pour la mesure du profil d'un faisceau d'ions dans la domaine des hautes energies, GSI-Darmstadt, Germany, Report (June 1993)
224. Schotmann, Th., Das Auflösungsvermögen der Restgas Ionisations Strahlprofil Monitore für Protonen in PETRA und HERA, Diplomarbeit, DESY-Hamburg, Germany, DESY HERA 93-09, (1993)
225. Lindhard, J., Scharff, M., *Phys. Rev.* **124**, 128 (1961)
226. Sandoval, D. P., et al., Fluorescence-Based Video Profile Beam Diagnostics, p. 273 in [13]
227. Burtin, G., et al., Proc. 6th Euro. Part. Acc. Conf. (EPAC), Vienna, 2000, p. 256

228. Bank, A., Forck, P., Residual Gas Fluorescence for Profile Measurements at the GSI UNILAC, p. 137 in [25]
229. Smith, K., *Exp. Methods Phys. Sci. A* **29**, 253 (1995)
230. Hamamatsu Photonic System Corporation, Bridgewater, NJ, Technical Information 1994, MCP Assembly
231. Ferioli, G., Fischer, C., Koopmann, J., Sillanoli, M., Sensitive Studies with the SPS Rest Gas Profile Monitor, p. 201 in [24]
232. Unverzagt, M., Entwicklung eines Strahlprofilmonitors für den ESR, Diplomarbeit, Institut für Kernphysik der Johann-Wolfgang-Goethe-Universität Frankfurt, (September 1992)
233. Kawabuko, T., et al., *Nucl. Instrum. Methods A* **302**, 397 (1991)
234. Heeg, P., Restgas – Profilmonitor für das SIS, Projektstudie, (1993), unpublished
235. Forck, P., Giacomini, T., Golubev, A., Liakin, D., Skachkov, V., Vetrov, A., Advanced Residual Gas Profile Monitor for High Current Synchrotrons and Cooler Rings, p. 134 in [25]
236. Giacomini, T., Barabin, S., Forck, P., Liakin, D., Skachkov, V., Development of Residual Gas Profile Monitors at GSI, p. 286 in [19]
237. Skachkov, V. S., et al. Drift Tubes for a Focusing Channel of Ion Linear Accelerator, *Proc. PAC-89, IEEE* **2**, (1989), p. 1073
238. Taken from “Operators Protocol Book,” GSI-Darmstadt, Germany
239. Strehl, P., Composition - Ions Beams, p. 551 in [11]
240. Scheeler, U., GSI-Darmstadt, Germany, private communication
241. Glatz, J., Langenbeck, B., A High Duty Foil Stripper System in the Injection Line to the Heavy Ion Synchrotron SIS at GSI, *Proc. 5th European Part. Acc. Conference, Sitges (Barcelona), EPAC 96, IoP 1996*, p. 2406
242. Strehl, P., Charge State - Ion Beams, p. 555 in [11]
243. Dahl, L., Computer-Aided Tuning Procedures at the Unilac, 9th International Conf. Cyclotrons Their Appl., Caen University, France, 1981, p. 575
244. Recknagel, A., *PHYSIK, Elektrizität und Magnetismus* (VEB Verlag Technik Berlin, 1980)
245. Feynman, P., R., Leighton, R. B., Sabds, M., Feynmann Vorlesungen über Physik, Band II R. Oldenburg Verlag GmbH, München, 1991
246. Linnecar, T., P. R., *IEEE Trans. Nucl. Sci. NS-26* (3), 3409 (1979)
247. Fellenz, B., Crisp, J., An Improved Resistive Wall Monitor, p. 446 in [16]
248. Odier, P., A New Wide Band Wall Current Monitor, p. 216 in [25]
249. Strehl, P., Klabunde, J., Schaa, V., Vilhjalmsson, H., Wilms, D., Das Phasensondensystem am Unilac : Sondendimensionierung und Signalauswertung, GSI-Report 79–13, (1979), translated for the Los Alamos Scientific Laboratory by : Leo Kanner Associates, Redwood City, (1980), LA-TR-80–43
250. Durcansky, G., EMV-gerechtes Gerätedesign (Franzsis Verlag, München, 1995)
251. Tinschert, K., Bossler, J., Schennach, S., Schulte, H., Status Report on ECR Ion Source Operation at the GSI Accelerator Facilities, *Proc. 7th Int. Conf. on Ion Sources, Taormina, Italy, Sept 7–13 1997*, ed. by Ciavola, G., Gammino, S., *RSI* **69** (2), Part II, (1998), p. 709
252. Schneider, S., Franklin, E., Derivation of an Expression for the Beam Pulse Signal from a Parallel-Plate Capacitive Phase Probe, National Accelerator Center, South Africa, NAC BD 83–01, (1983)
253. Stöcker, H., *Taschenbuch mathematischer Formeln und moderner Verfahren* (Verlag Harri Deutsch, Frankfurt/Main, 1993)

254. Spiegel, R. M., Complex Variables in: Schaums Outline Series (Schaum, New York, 1964)
255. Neue Technologien Gesellschaft mbH & Co KG, Gelnhausen, Germany
256. Gröhn, K., Raulien, W., Reinhard, A., Timm, J., Die gesetzlichen Einheiten in Technik und fachbezogener Naturwissenschaft (Verlag Handwerk und Technik GmbH Hamburg, 1975)
257. Feinberg, B., Meaney, D., Thatcher, R., Timossi, C., Nucl. Instrum. Methods Phys. Res. A **270**, 1 (1988)
258. Beam Intensity Upgrade of the GSI Accelerator Facility, GSI Report, GSI-95-05
259. Forck, P., Strehl, P., Measurements with a Versatile Test Bench for the Commissioning of the New GSI High Current Linac, Proc. p. 42 in [23]
260. Geissel, H., Laichter, Y., Albrecht, R., Kitahara, T., Klabunde, J., Strehl, P., Nucl. Instrum. Methods **206**, 609 (1983)
261. Boccard, C., Bogey, T., Papis, J.-P., Vos, L., Intensity and Bunch Length Measurement for Lepton Beams in the Injection Lines of the SPS and LEP, p. 42 in [21]
262. Bellato, M., Dainelli, A., Poggi, M., Bunch Length Measurements in the ALPI Linac at LNL, p. 145 in [21]
263. Ferianis, M., Pros, M., Carniel, A., De Monte, R., Bunch Length Measurements at ELLETRA, p. 201 in [22]
264. Hanke, K., Electron Bunch Length Monitors for the TESLA Test Facility Linac, p. 224 in [22]
265. Geitz, M., Bunch Length Measurements, p. 18 in [23]
266. Burns, A. J., Schmickler, H., Bunch Length Measurements in LEP, p. 56 in [23]
267. Forck, P., Heymach, F., Meyer, U., Moritz, P., Strehl, P., Aspects of Bunch Shape Measurements for Slow, Intense Ion Beams, p. 176 in [23]
268. Rawnsley, W. R., Laxdal, R. E., Root, L., Mackenzie, G. H., Bunch Shape Measurements Using Fast Faraday Cups and an Oscilloscope by LabVIEW Over Ethernet, p. 547 in [17]
269. Proc. Part. Acc. Conf., PAC 95, Dallas, 1995, p. 2512
270. Smith, S. R., Beam Position Monitor Engineering, p. 50 in [15]
271. Schneider, G., Messwerterfassung und -Übertragung zur Strahl Lagebestimmung beim 28-GeV-Protonen-Synchrotron, Dissertation, CERN, 1971
272. Kaufmann, W., Kraus, H., Strehl, P., Vilhjalmsson, H., Calibration of Capacitive Beam Position Monitors for SIS18 and ESR, GSI Report 88-1, (1988), p. 373
273. Vismara, G., The Comparison of Signal Processing Systems for Beam Position Monitors, p. 11 in [23] and Vismara, G., Signal Processing for Beam Position Monitors, p. 36 in [17]
274. Strehl, P., Vilhjalmsson, H., The SIS Beam Diagnostic System, Euro. Part. Acc. Conf. EPAC88, Rome, 1988, p. 1413
275. Moritz, P., Beckert, K., Synchronous Swept Narrowband Measurement of Beam Position, Tune, and Chromaticity of Heavy Ion Beam Accelerators, p. 131 in [20]
276. Teytelman, D., Claus, R., Fox, J., Hindi, H., Linscott, I., Prabhakar, S., Drago, A., Stover, G., Feedback Control and Beam Diagnostic Algorithms for a Multiprocessor DSP System, p. 390 in [15]
277. Fox, J. D., Kikuzani, E., Bunch Feedback System and Signal Processing, Proc. School Beam Measure. Montreux, World Scientific Singapore, 1999, p. 579

278. Fox, J., et al., Programmable DSP-Based Multi-Bunch Feedback - Operational Experience from Six Installations, p. 226 in [17]
279. Kamerdzhiiev, V., Dietrich, J., Transverse Feedback System for the Cooler Synchrotron COSY-Jülich – First Results, p. 214 in [25]
280. Moritz, P., Peters, A., Beam Position Measurements at the SIS, GSI Report 91–1, (March 1991), p. 391
281. Mohos, I., Dietrich, J., 500 MHz Narrowband Beam Position Electronics for Electron Synchrotrons, p. 299 in [16]
282. Fröhlich, G., Software zur Berechnung des Q-Faktors im SIS, Internal Notiz, (1983), GSI-Darmstadt, Germany
283. Hereward, H. G., Landau Damping, in: *CAS Oxford 1985*, CERN87–03, (April 87), p. 255
284. A. W. Chao, Zotter, B., Landau Damping, p. 124, in [11]
285. Boussard, D., Schottky Noise and Beam Transfer Function Diagnostics, p. 749 in *CAS Proceedings*, CERN 95–06
286. Moritz, P., Improved Narrowband Signal Conditioner for SIS and ESR, GSI Report 94–1, (March 1995), p. 237
287. Rice, D., *IEEE Trans. Nucl. Sci.*, Vol. NS-20 (4), (Aug. 1983)
288. Berrig, O., Fischer, C., Schmickler, H., Measuring Beta-Functions with K-Modulation, p. 85 in [24]
289. Bell, J. S., *Hamiltonian Mechanics (CAS Oxford, England, CERN 87–03, 5 (1987))*
290. Van Steenbergen, A., *IEEE Trans. Nucl. Sci.* NS-14, 746 (1965)
291. Van Steenbergen, A., *Nucl. Instrum. Methods* 51, 245 (1967)
292. Lejeune, C., Aubert, J., *Adv. Electron. Electron Phys. Supplement* 13A, 159 (1980)
293. Tolman, R. C., *The Principles of Statistical Mechanics* University Press, Oxford, Great Britain, 1938), Chap. II, III
294. Wilson, E., *Transverse Beam Dynamics*, CAS-CERN Accelerator School, Gif-sur-Yvette, Paris, France, (1984), CERN 85–19, (1985), p. 64
295. Bovet, C., Fischer, C., Jung, R., Comparison of Different Methods for Transverse Emittance Measurements and Recent Results from LEP, p. 36 in [22]
296. Joho, W., Representation of Beam Ellipses for Transport Calculations, SIN-report, TM-11–14, (1980), p. 1
297. Courant, E.D., Snyder, H. S., *Ann. Phys.*, 3, 1 (1958)
298. Brown, K. L., Carey, D. C., Iselin, Ch., Rothacker, F., *TRANSPORT A Computer Program for Designing Charged Particle Beam Transport Systems*, CERN 80–04, (March 1980)
299. PET, Physik Elektronik Technik, Engineering Office, Strehl, P., Kraus, H., Smetanaweg 6, D-64291 Darmstadt, Germany, Emittanz-Messsystem für die Universität Frankfurt, Inst. Angewandte Physik, Germany, interne Spezifikation
300. Strehl, D., Ing. Büro für Softwareentwicklung, D-64331 Weiterstadt, e-mail: dirk@team-strehl.de, Software für ein Emittanz-Messsystem der Universität Frankfurt, Inst. Angewandte Physik, Germany, interne Spezifikation
301. Garnett, R. W., Status of the Los Alamos Accelerator Code Group (LAACG), Los Alamos National Laboratory, NM 87545, <http://laacgl.lanl.gov/laacg/componl.html>
302. Stovall, J. et al., Beam Simulation Codes Comparisons, ASAC Review, Los Alamos, SNS-104050000-PS006-R00

303. Willeke, F., Modern Tools for Particle Tracking, in: *CAS CERN 95-06*, (1995), p. 213
304. Holzschuh, G., Klabunde, J., Struckmeier, J., Trautmann, H., Parmila - GSI - A Computer Program for Beam Dynamics in Accelerators with Space Charge, GSI-Scientific Report, (1980), p. 267
305. Struckmeier, J., Charge Calculations in Monte Carlo Computer Codes, GSI-Scientific Report, (1981), p. 310
306. Struckmeier, J., GSI-Darmstadt, Germany, private communication, (2004)
307. Sacherer, F. J., Sherwood, T. R., The Effects of Space Charge in Beam Transport Lines, CERN/MSP-SI/Int. LIN/71-2
308. Sacherer, F. J., Some Useful Formulae Concerning rms Values of Various Density Distributions, CERN/MPS/LIN/74-1, Appendix I
309. Struckmeier, J., Klabunde, J., Reiser, M., Particle Accelerators **15**, 47 (1984)
310. Strehl, P., Beam Diagnostic Devices for a Wide Range of Currents, 9th International Conference on Cyclotrons and Their Applications, Caen University, France, (1981), p. 575
311. Strehl, P., Englert, G., Hartung, M., Horneff, H., A New Emittance Measuring Device of the UNILAC, IEEE Proc. PAC-81, NS-**28**, 10
312. Wenzler, F., Konstruktion und Aufbau eines Strahldiagnosesystems zur gleichzeitigen Messung der horizontalen und vertikalen Emittanz, Diplomarbeit, FH-Wiesbaden, GSI-Darmstadt, Germany, (1988)
313. Domke, M., Dorn, Chr., Forck, P., Kraus, H., Peters, A., Strehl, P., A Single Shot Emittance Measuring System for Intense Heavy Ion Beams, p. 141 in [22]
314. PCO AG, Kelheim, Germany, e-mail: info@pco.de
315. Dolinska, M., Domke, M., Forck, P., Hoffmann, T., Liakin, D., Peters, A., Strehl, P., Emittance Measurements at the New UNILAC Pre-Stripper Using a Pepper-Pot with a PC-Controlled CCD-Camera, p. 161 in [23]
316. Hoffmann, T., Barth, W., Forck, P., Peters, A., Strehl, P., Emittance Measurements of High Current Heavy Ion Beams Using a Single Shot Pepperpot System, p. 432 in [17]
317. Hutter, R., Beams with Space-charge, in : *Focusing of Charged Particles*, ed. by A. Septier (Academic Press, New York, 1967) Vol. II, p. 3
318. Larson, J. D., Nucl. Instrum. Methods **189**, 71 (1981)
319. Barth, W., GSI-Darmstadt, Germany, private communication
320. Hoffmann, T., Liakin, D. A., Control and Data Analysis for Emittance Measuring Devices, p. 126 in [24]
321. Crescenti, M., Raich, U., A Single Pulse Beam Emittance Measurement for the CERN Heavy Ion Linac, p. 66 in [21]
322. Cianchi, A., et al., Design Study of a Movable Emittance Meter Device for the SPARC Photoinjector, Proceedings of the EPAC 2004, Lucerne, Switzerland, (Web Version) (CD-ROM), p. 2622
323. Riehl, G., Untersuchung der mehrdimensionalen transversalen Phasenraumverteilungen von intensiven Ionenstrahlen, Dissertation, Institut für Angewandte Physik, J. W. Goethe Universität Frankfurt (1992)
324. Mukoyama, T., Nucl. Instrum. Methods **125**, 289 (1975)
325. Schönauer, H., IEEE Trans. Nucl. Sci., Vol. NS-**26**, p. 3294 (1979), and Proc. Work. Adv. Beam Instrum., Tsukuba, April 22-24, 1991, Vol. 2, p. 453
326. Steffen, K. G., High Energy Beam Optics (Interscience, John Wiley & Sons New York London Sydney, 1965)

327. Banford, A. P., *Transport of Charged Particles* (Spon London, 1966)
328. Septier, A., *Focusing of Charged Particles*, (Academic Press, New York, 1967) Vol. II
329. Hinterberger, F., *Physik der Teilchenbeschleuniger und Ionoptik* (Springer Verlag, Berlin Heidelberg New York, 1997)
330. Enge, H. A., Deflecting Magnets, in: *Focusing of Charged Particles*, ed. by A. Septier (Academic Press, New York, 1967) Vol. II, p. 203
331. Sheppard, J. G., Clendenin, J. E., Helm, R. H., Lee, M. J., Miller, R. H., Blocker, C. A., *IEEE Trans. Nucl. Sci.*, NS-**30**, 2161 (1981)
332. Ploss, H., Blumberg, L. N., *Methods of Emittance Measurement in External Beam Lines Using Ellipse Approximations*, BNL Acc. Dept. Int. Report AGS DIV 68-4, (1968)
333. Bovet, C., Guignard, C., *Mesure de l'emittance d'un faisceau primaire*, CERN SI/Note DL/68-7, (1968)
334. Metzger, C., *Mesures des emittances et du centrage des faisceau dans la ligne de mesure "800 MeV" du PSB*, CERN/SI/Int. DL69-10
335. Witkover, R. L., *Automatic Electronic Emittance Device for the BNL 200 MeV Linac*, Proc. of the 1970 Proton Linear Accelerator Conference, Batavia, IL 1970 Vol. 1, p. 125
336. Goodwin, R. W., Gray, E. R., Lee, G. M., Shea, M. F., *Beam Diagnostics for the NAL 200-MeV Line*, Proc. of the 1970 Proton Linear Accelerator Conference, 1970, p. 107
337. Koziol, H., Reich, K. H., *IEEE Trans. Nucl. Sci.* NS-**18**, 347 (1971)
338. Fewell, N., Witkover, R. L., *Beam Diagnostic at the BNL 200-MeV Linac*, Proc. Proton Lin. Acc. Conf., 1972, p. 54
339. Baribaud, G., Metzger, C., *IEEE Trans. Nucl. Sci.* NS-**20** (3), 659 (June 1973)
340. Franczak, B., *Emittanzmessung mit Quadrupolen - Auswertung*, Internal Note, GSI-Darmstadt, AN-F-060673-3, (1973)
341. Schaa, V., *Emittance Measurements with Profile Grids*, Dissertation, TH-Darmstadt, GSI-Darmstadt (1978)
342. Ebihara, K., et al. *Nucl. Instrum. Methods* **202**, 403 (1982)
343. Qian, Y. L., Riedel, C., Schaa, V., Strehl, P., *Determination of Beam Emittance by Profile Measurements*, Internal report, GSI-Darmstadt, (1990) and GSI-Report 89-1, (March 1989), p. 391
344. Franczak, B., *Einstellung von Steerern*, Internal Note, GSI-Darmstadt, AN-229776, (1976)
345. Franczak, B. J., *Mirco Expert*, Mirkodok.ps and MExDok0904 (HTML-Version), available on the server of GSI-Darmstadt, Germany
346. Dahl, L., et al., *Longitudinal and Transverse Beam Optimization at the Unilac*, Proc. Lin. Acc. Conf., Montauk, N. Y., BNL 51134, (1979), p. 291
347. Kneis, W., *Rechnergesteuerte Strahldiagnostik und Strahloptimierung am Karlsruher Isochronzyklotron* (Kernforschungszentrum Karlsruhe, KFK, 1979) 2835
348. Bock, F., Strehl, P., *Process Control of the Heavy Ion Accelerator Unilac by T85 Computers*, Teleflyer, Vol. 9, (August 86), Special Issue from Telefile, Computer Products, Inc., Irvine, CA
349. See Contributions: Proc. Int. Conf. Acc. Large Exp. Phys. Contr. Systems, ICALEPS, via [26]
350. Macke, W., *Mechanik der Teilchen und Continua* (Akademische Verlagsgesellschaft Geest & Portig K.-G., Leipzig, 1962)

351. Joos, G., (bearbeitet von Fricke, B., Schäfer, K.), Lehrbuch der Theoretischen Physik (AULA-Verlag GmbH Wiesbaden, 1989)
352. Reiser, M., Theory and Design of Charged Particle Beams (John Wiley & Sons New York, 1994)
353. Cottingham, W. B., Cortez, J. H., Higgins, W. W., Sander, O. R., Sandoval, D. P., Longitudinal Emittance Measurements on the ATS, Proc. 1986 Linear Acc. Conf., Stanford Linear Accelerator Center
354. Finocchiaro, P., Amato, A., Ciavola, G., Gu, M., Raia, G., Rovelli, A., Low Intensity Ion Beam Diagnostic with Particle Detectors, Proc. Diag. Instrum. Part. Acc., DIPAC 1997, p. 53
355. Ratzinger, U., Proc. XVIII Int. Lin. Acc. Conf., Geneva, Switzerland, (1996), p. 288 and W. Barth et al., Proc. XIX Int. Lin. Acc. Conf., Geneva, Switzerland, 1998
356. Forck, P., Heymach, F., Hoffmann, T., Peters, A. Strehl, P., Proc. XX Int. Linac Conf., Aug. 21–25, 2000, Monterey, CA, p. 166
357. Barth, W., Forck, P., The New Gas Stripper and Charge State Separator of the GSI high Current Injector, Proc. XX Int. Linac Conf., Monterey, CA, Aug. 21–25, 2000
358. Evans, R. D., The Atomic Nucleus (McGraw-Hill, New York, 1955)
359. Ziegler, J. F., Biersack, J. P., SRIM-2003.20 – The Stopping and the Range of Ions in Matter, (1998), 1999 by IB77M Co.
360. Ahlen, S. P., Rev. Mod. Phys. **52**, 121 (1980)
361. Bylinsky, V., Feschenko, A. V., Ostroumov, P. N., IEEE Proc. Part. Acc. Conf., San Franzisko, (1991), p. 3062 and Proc. 4th European Part. Acc. Conf. (EPAC94), London, 1994, p. 1702
362. Feschenko, A. V., Proc. Part. Acc. Conf., PAC2001, Chicago, p. 517
363. Esin, S. K., et al., Proc. XVIII Int. Linear Acc. Conf., Geneva, Switzerland, 1996, p. 193
364. Ostroumov, P. N., et al., Proc. XIX Int. Lin. Acc. Conf., Geneva, Switzerland, 1998, p. 905
365. Fachlexikon ABC Physik (Verlag Harri Deutsch, Zürich, 1974) p. 1314
366. Feschenko, A. V., Space Charge Effects in Bunch Shape Monitors, Proc. XX Int. Lin. Acc. Conf., Monterey, CA, 2000, p. 178
367. Mehler, S., Auslegung eines Systems zur Messung der zeitlichen Struktur eines gepulsten Schwerionenstrahls, Diplomarbeit, FH Wiesbaden, GSI-Darmstadt, Germany, 1998
368. Forck, P., Dorn, Ch., Herty, M., Strehl, P., Peplov, V., Sharamentov, S., A Novel Device for Non-Intersepting Bunch Shape Measurements at the High Current GSI-LINAC, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version) (CD-ROM), p. 2541
369. Zieher, K. W., Inst. Exp. Kernphysik, Interne Notiz Nr. 132, (1971)
370. Stolterfoht, N., Phys. Rev. Lett. **33** (2), 59 (1974)
371. Bechthold, U., Phys. Rev. Lett. **79** (2), 2034 (1997)
372. Ramm, U., Systematische Untersuchung der δ - Elektronenemission in Stößen schneller, schwerer Ionen mit Atomen und einfachen Molekülen: Eine Grundlage zur Dosisberechnung von Schwerionenspuren in Materie, Dissertation, Johann Wolfgang Goethe - Universität Frankfurt/Main, 1994
373. Dorn, Ch., GSI-Darmstadt, Germany, private communication
374. Vinogradov, N. Y., et al., Proc. XXI Linear Acc. Conf., Gyeongju, 2002, p. 61

375. Herzog, R., *Archiv für Elektrotechnik* **29**, 790 (1935)
376. Strehl, P., A New Method for Longitudinal Emittance Measurement, Proc. of the 1983 Particle Accelerator Conference, IEEE Trans. Nucl. Sci., NS-**30**, 2198 (August 1983)
377. Borer, J., Bramham, P., Hereward, H. G., Hübner, K., Schnell, W., Thorndahl, L., Non-Destructive Diagnostics of Coasting Beams with Schottky Noise, Proc. IX. Int. Conf. on High Energy Accelerators, Stanford, 1974
378. Borer, J., et al., IEEE Trans. Nucl. Sci. NS-**26**, 3405 (1979)
379. Nolden, F., Instrumentation and Diagnostics Using Schottky Signals, Proc. Diag. Instrum. Part. Acc., DIPAC 2001, p. 6
380. Schottky, W., *Annalen der Physik* **57**, (1918)
381. Schaaf, U., Schottky-Diagnose und BTF-Messungen an gekühlten Strahlen im Schwerionenspeicherring ESR, GSI-91-22 Report, Juli 1991
382. Oguri, Y., Müller, R. W., Schottky Noise Analysis in Linear Accelerators, GSI-Report, GSI-88-07 (März 1988)
383. Van der Meer, S., Diagnostics with Schottky Noise, presented at the US-CERN School on Beam Observation, Capri, Italy, 1988 (CERN-PS-88-60-AR, Geneva, CERN, Oct. 1988)
384. Kapchinskij, I.M. and Vladimirkij, V.V., Proc. Conf. High Energy Acc., CERN, Geneva, 1959, p. 274
385. Flügge, S., *Zeitschrift für Physik*, **130**, 159 (1951)
386. Wendt, G., Statische Felder und stationäre Ströme, *Handbuch der Physik*, Bd. XVI, p. 1
387. Nezhlin, M. V., *Plasma Phys.* **10**, 337 (1968)
388. Evans, L. R., Warner, D. J., Space-charge Neutralisation of Intense Charged Particle Beams: Some Theoretical Considerations, CERN/MPS/DIN. 71-2, (August 1971)
389. Holmes, A. J. T., *Phys. Rev. A* **19** (1), 389 (1979)
390. Hofmann, I., *Nucl. Instrum. Methods* **187**, 281 (1981)
391. Ramirez, J. J., *Nucl. Instrum. Methods* **187**, 289 (1981)
392. Holmes, A. J. T., Neutralization of ion beams, *CAS-CERN accelerator school*, Aarhus, Denmark, (Sept. 1986), CERN 87-10, 1987, p. 79
393. Schönlein, A., Emittanzwachstum und Raumladungskompensation beim Transport intensiver Ionenstrahlen, GSI-Report, GSI-87-4, (Januar 1987)
394. Dölling, R., Raumladungskompensation driftender intensiver Strahlen niederenergetischer Ionen und Techniken zu ihrer Vermessung, Dissertation, Johann Wolfgang Goethe-Universität Frankfurt/Main, (1994), DF1
395. Strehl, P., Dolinska, M., The electrical fields of Bunches, GSI-Internal Report
396. Dolinska, M., Modeling of Inner Beam Processes and Their Account at Carrying out of Beam Diagnostics on Accelerators of the Charged Particles, Dissertation, Institut for Nuclear Research, 252028 Kiev, Ukraine, 2003
397. M. Krämer, G. Kraft, *Radiat. Environ. Biophys.* **33**, 91 (1994)
398. Selbstkonsistente und nicht-selbstkonsistente Phasenraumverteilungen intensiver Ionenstrahlen, GSI-Report, GSI-85-14, (Mai 1985)
399. Rossa, E., Real Time Single Shot Three-dimensional Measurement of Picosecond Photon Bunches, *AIP Conf. Proc.* **333**, 1995, p. 148
400. Chevtsov, P., Day, A., Freyberger, A. P., Hicks, R., Denard, J.-C., Proceedings of the EPAC 2004, Lucerne, Switzerland, 231-2 (Web Version), (CD-ROM), p. 2846

401. Kantz, A., Hofstadter, R., *Nucleonics* **12** (3), 36 (1954)
402. Simpson, J., *Wakefield Accelerators*, p. 49, in [11]
403. Ginzburg, V. L., Frank, I. M., *JETP* **16**, 15 (1946)
404. Wartski, L., Roland, S., Lasalle, J., Bolore, M., Fillipi, G., *J. Appl. Phys.* **46**, 3644 (1975)
405. Ter-Mikaelian, M. L., *High Energy Electromagnetic Processes in Condensed Media* (Wiley-Interscience New York, 1972)
406. Ginzburg, V. L., *Phys. Rep.* **49**, 1 (1979)
407. Loos, H., *Bestimmung der longitudinalen Struktur der Elektronenbunche im Strahl von supraleitenden Beschleunigern*, Dissertation D17, TU-Darmstadt, Germany, (2001)
408. Döbert, S., et al., *Transverse and Longitudinal Beam Diagnostics Using Transition Radiation*, in: V. Palmieri, A. Lombardi, *Proc. 8th RF Superconducting Workshop*, Abano Terme, Italy, 1997 (1998), p. 184
409. Carr, R., Wiedemann, H., *Other Radiation Sources*, p. 192, in [11]
410. Muto, T., et al., *Development of the Non-invasive Beam Size Monitor Using ODR*, *Proceedings of the EPAC 2004*, Lucerne, Switzerland (Web Version), (CD-ROM), p. 256
411. Karataev, p., et al., *Development of Optical Diffraction Radiation Beam Size Diagnostics at KEK Accelerator Test Facility*, *Proceedings of the EPAC 2004*, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2646
412. Müller, R. W., GSI-Darmstadt, Germany, private communication
413. Sullivan, A. H., *A Guide to Radiation and Radioactivity Level near High Energy Particle Accelerators* (Nuclear Technology, Ashford, 1992)
414. Thomas, R. H., *Radiation Effects and Protection*, p. 599 in [11]
415. Wittenburg, K., *Beam Loss Detection*, p. 11 in [20]
416. Shafer, R. E., *A Tutorial in Beam Loss Monitoring*, p. 44 in [18]
417. Hoffmann, T., Liakin, D. A., Forck, P., Moritz, P., *Experiences on Counter Applications and Beam Loss Measurements at the GSI Synchrotron*, p. 294 in [19]
418. Guaglio, G., Dehning, B., Santoni, C., *Reliability of Beam Loss Monitors System for the Large Hadron Collider*, p. 141 in [19]
419. Holzer, E. B., et al., *Design of the Beam Loss Monitoring System for the LHC Ring*, *Proc. EPAC 2004*, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2487
420. Panofski, W. K. H., *SLAC Internal Report TN-63-57*, (1963)
421. Henschel, H., Körfer, M., Wulf, F., *Fibre Optical Sensing System for TESLA*, p. 73 in [24]
422. Stoll, P., *Experimentelle Methoden der Kernphysik* (Springer Verlag, Berlin Heidelberg, 1966)
423. Forck, P., Hoffmann, T., *Test of Different Beam Loss Detectors at the GSI Heavy Ion Synchrotron*, p. 129 in [24]
424. Forck, P., GSI-Darmstadt, Germany, private communication
425. Thomson, J.J., *Recent Researches in Electricity and Magnetism* (Clarendon Press, Oxford, 1893)
426. Compton, A.H., *Phys. Rev.* **21**, 483 (1923a); **22**, 409 (1923b)
427. Hering, E., Martin, R., Stohrer, M., *Physik für Ingenieure* (VDI-Verlag GmbH, Düsseldorf, 1989).
428. *Laserwire Bibliography*, www.pnp.physics.ox.ac.uk/~delerue/laserwire/bibliography.php

429. Phys. Rev. Spec. Topics - Accelerators and Beams, Vol. 5, (2002)
430. Salamin, Y. I., Mocken, G. R., Keitel, Ch. H., Electron Scattering and Acceleration by a Tightly Focused Laser Beam, p. 101303 in [429]
431. Sakai, H., et al., Measurement of a Small Vertical Emittance with a Laser Wire Beam Profile Monitor, p. 122801 in [429]
432. Balewski, K. et al., Beam Profile Measurements at PETRA with the Laser-wire Compton Scattering Monitor, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2529
433. Beche, J.-F., Byrd, J., De Santis, F., Denes, P., Placidi, M., Turner, W., Zolotarev, M., Measurement of the Beam Longitudinal Profile in a Storage Ring by Non-linear Laser Mixing, p. 112 in [19]
434. Beche, J.-F., Byrd, J., Datte, P., De Santis, F., Placidi, Riot, V., Schoenlein, R., M., Turner, W., Zolotarev, M., A Laser Based Longitudinal Density Monitor for the Large Hadron Collider, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2789
435. Blokland, W., et al., SNS Laser Profile Monitor Progress, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2852
436. LBBB Laserwire, www.hep.ph.rhul.ac.uk/~kamps/lbbd/
437. Nakamura, N. Developments of the FZP Beam Profile Monitor, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2353
438. Fisher, A. S., et al., Design of an X-Ray Imaging System for The Low-Energy Ring of PEP-II, Proc. EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2819
439. Bosser, J., Gnanvo, K., Spanggaard, J., Tranquille, G., New Beam Profile Monitor Based on GEM Detector for the AD Transfer and Experimental Lines, Proc. EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2472
440. Berden, B., Redlich, G., van der Meer, A. F. G., Jamison, S. P., MacLeod, A. M., Gillespie, W. A., High Temporal Resolution, Single-Shot Electron Bunch-Length Measurements, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2700
441. Liakin, D., Analysis of the Electron Beam Scanning Method for Beam Profile Monitoring, Proceedings of the EPAC 2004, Lucerne, Switzerland (Web Version), (CD-ROM), p. 2721
442. Tiefenback, M., Beam Diagnostics Based on AC Modulation of System Parameters, p. 88 in [19]

Index

- aberration 258, 267
- abundance 145
- ac part 48
- accelerating
 - frequency 160
 - gap 188
- acceleration cycle
 - cycle 199
- accelerator
 - critical locations 381
 - experiments 381
 - frequency 171
 - heavy ion 271
 - linear 270, 326, 339, 363
 - section 258, 260
- acceptance 260
- accuracy 189, 190, 195, 197, 198, 219, 267
 - of positioning 275
 - of time measurements 185
 - of TOF 182, 184
 - statistical 333
- activation 377
- actuator 251, 274
- ADC 206, 245
- ADC-DAC 148
- admittance
 - complex 161
 - imaginary part of 161
- algorithm 231–233, 255, 257, 266, 325, 326
 - emittance mode 232
 - mathematical 316
 - semiautomatic 267
- alignment 195, 251, 252
 - procedure 151, 153
- aluminum foil 289
- amplification 131, 226
 - broadband 192
 - narrowband 192
- amplifier
 - broadband 169, 199
 - dynamic range 199
 - head 197
 - head, broadband 207
 - low impedance 22
 - magnetic 44
 - narrowband 51
 - operational 19, 41, 52, 114, 224
 - power 334
 - stage 192
 - tunable, narrowband 173
- amplitude
 - of betatron oscillations 203
 - of harmonics 171
 - rf 186
- analogy transversal-longitudinal 326
- analytical
 - consideration 352, 358
 - solution 341
 - solution, E-field 317
- analyzer 323
 - electrostatic 304, 308, 309, 322, 324
 - matrix 324
- analyzing system 145, 148, 320
 - electrostatic 322

- angle
 - deflecting 324
 - deflection 127, 242, 264, 310, 320, 322
 - divergence 215
 - incidence 380
 - laboratory 292
 - of lost particles 380
 - of motion 215
 - of rotation 278
 - scattering 295
 - solid 291–293
 - steering 151
- angular
 - distribution 306
 - frequency 278
 - profile 232, 237
 - velocity 276
- anode
 - delay line 133, 141
 - plane 114
 - wedge, strip, resistive 133
- ansatz 281, 321, 369–371
- aperiodic case 281
- aperture 151, 194, 198, 312, 320, 323, 325, 366
 - limiting 274, 293, 299
 - segmented 157
- approximation
 - bunch by dc-beam 137
 - bunch signal 195
 - by dc-beam 138
 - Fourier series 356
 - in cylindrical symmetry 98
 - in two dimensions 93
 - nonrelativistic 242, 295, 308, 314, 326, 329
 - of bunch shape 127
 - of current density 220
 - of emittance pattern 260
 - of integral 112
 - of intensity ratio 249
 - of temperature rise 95
- argon 298
- arithmetic average 203, 204
- arrangement 152, 186
- asymmetry parameter 266
- atomic number 114, 118, 292, 293, 302
- attenuation 291, 293
 - beam 304
 - factor 293
- attenuator 364
- autocorrelation 367
- avalanche 115
- averaging 356
- Avogadro's number 16, 79, 293
- B field 131
- background 312
- baffles 325
- ballistic galvanometer 51
- bandpass filter 192
- bandwidth 22, 23, 141, 160, 169, 170, 172, 190, 192, 195, 199, 210
 - of delay line 133
- Barn 380
- basic works 351
- BCT 132, 192, 341, 352, 360, 381
 - ac-, dc-part 48
 - combined 47
 - design aspects 52
 - example 38
 - passive 37
 - physical model 34
 - specifications 47
- beam
 - active correction 201
 - alignment 123, 150, 267
 - alignment section 151
 - axis 251
 - bunched 127, 137, 254, 340, 341
 - center 195
 - circulating 334
 - coasting 336, 337, 339
 - composition 146
 - cooled 205, 339, 340
 - cross section 116
 - current 1, 15, 334
 - current surveillance 192
 - current, absolute value 192
 - dc 73
 - diagnostic 44, 332, 341, 352, 363, 366, 367
 - displacement 177, 208
 - divergence 255
 - divergence distribution 235
 - edge 66, 261, 301
 - energy 3, 14, 179, 213

- envelopes 240
- excitation 333, 338
- extension 247
- halo 261
- highly intense 89
- highly relativistic 218
- incoherent modulation 334
- intense, pulsed 72, 94
- intensity 1, 123
- intensity monitoring 366
- kinetic energy 182
- laser 252, 255, 256
- loss 71, 99, 122, 151, 270
- loss at critical locations 382
- loss detection 378
- loss monitoring 377, 380, 381
- loss monitors 381
- loss surveillance 381
- main parameters 1
- misaligned 217
- neutral 32
- offset 151, 152
- optimization 271
- orbit 201
- partial 254
- periodically pulsed 97
- pipe 157, 159, 177, 194, 300, 304, 334, 364
- pipe boundary 343
- pipe radius 348
- pipe wall 377
- position 2, 151, 179
- position monitoring 201
- power 71, 228
- power density 298, 304
- power loss 118
- profile 2, 105, 114, 127, 134, 232, 234, 301
- pulse power 99
- pulsed 72, 249
- radius 221, 254
- size 72, 77, 109, 219
- spot size 74, 80, 117, 215, 252, 255
- stopper 12, 13, 32
- time structure of 107
- transfer function 3, 205
- transport elements 229, 240, 258, 260, 267, 270
- transport lines 270
- transport section 271
- transport system 219, 271, 377
- unattenuated, attenuated 187
- uranium 89, 120
- very intense 243
- width 105
- beamlet 249, 252, 253
- bellows 276
- belt 275, 278
- bending
 - magnet 201, 286, 323
 - magnets 382
 - radius 318, 320, 324
 - radius of magnet 264
 - radius, electrons 14, 140, 319
- beryllium 119
 - mirror 364
 - oxide 16
- Bessel function 339, 367
- betatron
 - frequency spread 204
 - line 340
 - oscillation 3, 337, 340
 - tune 337
- Bethe-Bloch formula 28, 30
- bin 296, 297
- Biot-Savart's law 36
- block diagram 225
- Bode plot 48
- Bohr 297
- Boltzmann constant 303
- boundary 231, 366, 370
 - beam pipe 343, 349
 - condition 80, 84, 346, 363, 370, 371
- BPM 2, 195, 197, 200, 202, 204
 - broadband electronics 206
 - minimum number of 204
 - narrowband signals 207
 - signal 205
 - signal processing 198
 - system 195
- Bragg peak 74–76, 79, 82, 94, 99
- bremsstrahlung 28, 377
- brightness 255
- broadband
 - amplifier system 64
 - FC 27
 - signal processing 156
- broadening 254

- BTF 205, 333, 334, 338
- bunch
- arbitrary shape 164
 - boundaries 317
 - center 317, 326
 - chain 192, 341
 - change of length 200
 - composition 25
 - cosine squared 190
 - cosine squared shape 25, 195
 - dimensions 317
 - dimensions, transverse 25
 - elliptical 346, 351, 360
 - length 2, 300, 312, 326, 328
 - length detector 301
 - length determination 191
 - length in time 161
 - length measurement 325
 - length monitoring 42, 191
 - length, geometric 169
 - long 137, 163
 - microstructure 213
 - moving 305, 341
 - moving chain 356
 - number of 179
 - oscillation within 354
 - oscillation, longitudinal 364
 - oscillations 201
 - particles within 43, 354
 - periodic structure 179
 - relativistic 169
 - rotation 42
 - shape 3, 25, 127, 137, 160, 161, 300, 311, 313, 314
 - shape models 165
 - shape monitor 358
 - short 164
 - shrinking 199
 - signal 42, 186
 - size 367
 - spherical 127, 342, 352, 354
 - spherical shape 358
 - spherically shaped 350, 361
 - square pulse 162
 - square shape 25, 196
 - structure 192
 - structure observation 300
 - very short 165
 - volume 360
 - width 186, 340
 - width determination 190
- buncher 185, 186, 189, 312, 326, 331
- bunching factor 255
- buttons 194
- CAD 4
- calibration 198, 252, 271
- absolute 148
 - constant 197
- calorimeter 32
- calorimetric measurements 32
- cancer
- therapy 114, 115
 - treatment by irradiation 65
- capacitance 24
- stray 36, 39
- capacitive
- coupling 142
 - pickup 157
- capacitor 380
- capacity 159–161, 177
- array 228
 - between strips 142
 - measuring bridge 198
 - minimizing of 197
 - of plates 197
 - switched 225
- carbon 145, 298, 299
- carriage 197
- cathode planes 114, 115
- cavity 329
- CCD camera 120–122, 131, 133, 141, 249, 253, 304
- center
- of gravity 2, 115, 151
 - of mass 292, 293, 295
- ceramic
- insulation 34
 - plates 325
- CERN 258
- charge
- state identification 271
 - density 137
 - density distribution 127, 161, 361
 - distribution 313
 - distribution, dc-beam 348
 - distribution, homogeneous 348
 - distribution, parabolic 138, 314

- exchange foil 187
- in bunch 358
- mean 187
- normalized 164
- number 3, 105
- number assignment 149
- point 164, 173, 174
- required 170, 172, 354
- separation 360
- state 2, 11, 125, 254
- state separation 3, 270
- charge distribution
 - cosine squared 164
 - parabolic 164
- charge state 149
 - assignment 149, 150
 - behind strippers 147
 - equilibrium distribution 147
 - separation 145
 - spectrum 144, 145
- charging up 109
- Cherenkov
 - counter 366, 379
 - effect 379
 - light 366
 - radiation 379
 - radiator 366
- Chevron 131, 132, 140
- chopper 252
- chromaticity 2, 4, 338
- Chromolux 121
- circuit
 - resonant 51
- circular machine 260, 270, 339, 340
 - basics 332
 - current in 335
 - energy spread 326
 - synchrotron radiation 363
- circulating 339
- circumference 333
- classification
 - of peaks 145
 - profile measuring devices 105
- clock frequency 199
- closed orbit 2, 201
- coaxial relays 182
- coefficient 172, 326, 370, 371
 - dimensions of 372
 - in numerical equations 76
- FFT 171
- of photon-absorption 29
- voltage reflection 22
- coherence, OTR 367
- coincide 315
- coincidence 199, 200, 380
- collecting
 - anode 137
 - data 198
 - electrons 123, 127
 - field 127, 137
 - lengths 135
 - strips 137
 - time 136
- collector
 - current 223
 - rods 124, 134, 141
 - strip 217, 220, 223
 - strip width 221
 - strips 127, 137
 - time of flight to 130
- collimator 151, 288, 289, 293
- collision 293, 306
- column 256
- command field 271
- commissioning 183, 188, 215, 258, 259, 379, 381
- comparison
 - FD with FE method 87
 - of signal processing 199
 - screens with profile grids 122
- complex variables 373
- composition
 - chemical 379
 - of stopping device 74
- compressed air actuator 107
- computer
 - aided 260, 270
 - control 271
 - program 267
- condenser 308, 324
- confocal 373
- conformal mapping 175, 177
- consistence 358
- consistency check 84
- contour plot 234
- control software 228
- convection 298
- convention 322

- convergence factor 84
- conversion
 - factor 322
 - rate 107, 109, 126, 224–226, 228
- convoluted spectrum 190
- convolution 165
- cooled backing 89
- cooling 80, 98, 100, 111
 - by radiation 298
 - contact 16, 17
 - water 18
- coordinate
 - conjugate pairs 213
 - cylindrical 77
 - longitudinal 161
 - longitudinal, transverse 2
 - transverse, longitudinal 346
- coordinate system
 - Cartesian 167, 315
 - cylindrical 372
 - elliptical 368, 372
 - rectangular 2
 - right-handed 308
- copper 75, 86, 89, 90, 253, 299
- core
 - dimensions 37
 - ferromagnetic 52
 - lamination 38
 - material 34, 37, 38
 - material selection 46
 - modulated 45, 47
 - modulation 53
 - saturation 44
 - shielded 36
 - temperature 45
 - toroidal 47
 - vibrations of 39
- correction 175
 - coils 201
 - factor 95
- correlation phase 222
- coulombic field 28, 363
- coulombic field detection 384
- counter 380
 - neutron 380
 - programmable 199
 - scintillation, diamond 66
 - veto 66
- counting
 - rate 288
- counting rate 299, 381
- counts per spill 68
- Courant-Snyder 221
- creeping motion 281
- cross section 111, 134, 135, 293
 - differential 306
 - differential scattering 292
 - ionization 124
 - neutron detection 380
 - total 306
- crossover 182, 225
- cryogenic environment 178
- current
 - absolute measurement 27
 - average 2, 13
 - dc 350
 - density 373
 - displacement 155
 - eddy 38
 - false 248
 - image 52
 - in circular machine 335
 - influenced 24, 155, 160, 162, 167
 - leak 14, 15, 17, 18
 - maximum 111
 - minimum required 109
 - per band 336
 - ratio 248
 - to voltage conversion 107
- cutoff frequency 159
- cylinder capacitor 320
- DAC 264
- damage 99
- damped oscillator 281
- damping 160, 204
 - time constant 51
- dc
 - average current 171
 - beam 13, 72, 176, 192, 225, 226, 228, 249, 255, 286, 348
 - beam current transformer 45
 - beam power 17, 84
 - component 44
 - component, FFT 171
 - current 2, 13, 170, 334, 336
 - machine 271
 - meter 2

- mode 189
- motor 245, 275
- SQUID 55
- transformer 44, 261
- voltage 300, 323
- DC-
 - beam 138
- debuncher 186, 326, 329
- decay time 59, 121
- decelerated 326
- deceleration 186
- deflecting
 - condenser 308
 - field strength 242
 - plates 242
 - steerer 151
 - system 304, 311
 - voltage 242
- deflector
 - resonant 309
- defocusing 153, 299, 301
- deformation 301
- degradation 217
- delay line 115, 133, 141, 143, 364
- delay time 200, 228
- delta function 335
- demodulation 192
- density
 - distribution 286
 - distribution function 214
 - distributions 342
 - parabolic distribution 349
- derivation 169, 173, 174, 182
- design
 - emittance parameters 219
 - parameter, mechanical 243
 - status 271
- destruction threshold 378
- DESY 380
- detection limit 109, 169
- detector 329
 - array 224
 - CdTe 63
 - classification 11, 105
 - diamond 64, 287, 289
 - halo 66
 - harp 132, 217, 219, 228
 - particle 287
 - repair by heating 379
 - sandwich 105, 216, 219, 241
 - scintillation liquid 379
 - semiconductor 187, 299
 - width 223
- deviation 296, 317, 319, 323
 - in energy 285
- diagnostic components 274
- diagnostic devices 71
- diamond 96, 378
 - counter 288
- differential equation 278, 281, 348, 354, 356
 - homogeneous 371
- diode
 - avalanche 133
 - light sensitive 106
 - PIN 380
 - tunnel 193
- dipole 140
- dipole magnet 364
- dipole moment 336
- Dirac 205
 - function 162
 - pulse train 205
- discriminator 288
- dispersion 289
 - function 262
- dispersive section 367
- displacement
 - electric 155
- distance determination 185
- distortion 173, 192, 379
 - fringing field 324
- distribution
 - parabolic 248
 - parabolic, Gaussian 249
- divergence 220, 221, 320, 324
 - angle 269
 - arising 362, 372
 - behind slit 223
 - maximum 247
 - maximum measurable 219
 - transverse 361
- doped 381
- Dove prism 364
- downstream 266
- drawback 44, 216, 217, 249, 304, 363, 380
- drift 323, 327

- drift space 151, 186, 190, 232, 263, 264, 266, 268, 288, 291, 323, 325, 326
- droop 36
 - time constant 37, 38
- drop 38
- DSP 199
- Duratherm[®] 107, 116
- duty cycle 111, 151, 271, 298, 301
- duty factor 72–74, 171, 351
 - geometric 118
- dynamic range 123, 220, 224

- eccentric motion 245
- efficiency 147, 278, 302, 378, 380
 - of secondary emission 56, 118
- electric circuit diagram 158, 159
 - equivalent 37
 - of BCT 36
- electric field 114, 167, 306
 - advanced 165, 168
 - collecting 123
 - components 167
 - dc-beam 350
 - extraction 324
 - homogenization 312
 - moving particles 155
 - of bunches 24
 - of moving bunches 352
 - radial component 177, 314
 - strength 127, 137, 138, 162, 312, 314, 342, 352, 356
- electromagnet 116
- electromagnetic
 - bunch fields 127
 - lifter 120
 - theory 366
- electron
 - backscattered 31
 - beam scanner 385
 - bremsstrahlung 377
 - capture 352, 353, 358
 - catch 352
 - circular machine 363
 - classical radius 79
 - collected 311, 324
 - collecting 127, 140
 - created 58, 324, 352
 - current 301–303, 306
 - emission 301
 - emission due to collision 306
 - emission of secondary 13, 114, 300
 - emission, secondary 302, 304
 - energy of secondary 14
 - escape 306
 - escaping secondary 106
 - FC for 28
 - flying parallel 374
 - fraction of 308
 - freed 306, 358
 - high energy 28
 - in bunch field 352
 - liberated 352
 - lost 358
 - machine 133, 144
 - mass 352
 - movement 356
 - movement inside sphere 352
 - number of created 58
 - number of emitted 56, 302
 - oscillating 358
 - per bunch 307
 - radiated power 363
 - reference 308, 320, 322
 - secondary 14, 24, 110, 114, 289, 300, 310, 312, 325
 - thermal emission of 13
 - tubes 334
 - velocity distribution 358
- electron machine 366
- electron–hole pair 380
- electron–ion pair 306, 307
- electronic stopping 295, 298, 377
- ellipse 221, 326
 - approximation 325
 - area 215
 - boundary 222, 269
 - fitted 259
 - parameters 221
 - parametric representation 221
 - reconstruction 266
 - shape, size, orientation 221, 263
 - Twiss parameters 221
- ellipsoid 314, 362, 371
 - long axis 351
 - parabolic 371
 - rotational symmetric 137
 - rotational symmetrical 342, 345
 - surface 346, 368

- emission of protons, neutrons 378
- emissivity 92, 102
- emittance 3, 105, 151, 205, 213, 324
 - blow up 141
 - circular machines 218
 - continuous monitoring 241
 - data evaluation 267
 - deformed area 259
 - destructive measurement 219
 - ellipse 221, 269
 - elliptically shaped 301
 - evaluation modes 232
 - evaluation of data 224
 - fast measuring system 241
 - finite 256
 - graphical method 269
 - growth 372
 - horizontal, vertical 215
 - longitudinal 285, 312, 329, 331
 - measuring modes 228
 - measuring system 216, 246
 - non-destructive scan 241
 - nonreproducible 270
 - normalized 215
 - pattern 220, 230, 234, 247, 259, 260
 - reference values 232
 - rms 6
 - size, shape 232
 - transverse, OTR 366
- encoder
 - absolute angular 227
 - absolute, incremental 219
 - angular, absolute 198
- energy 29
 - analyzer 312
 - average 11
 - beam 149
 - critical 28
 - deposited 299
 - determination 179
 - deviation 328
 - distribution 295
 - distribution, OTR 366
 - fine-tuning 185
 - gain 308, 327
 - injection 135, 188
 - kinetic 71, 149, 285, 292, 294
 - kinetic, potential 276, 279
 - law of conservation 278
 - loss 28, 57, 147, 291, 296, 299, 306, 367, 377, 378
 - loss data 58, 126, 135
 - loss determination 187, 188
 - loss in matter 73
 - loss, specific 61, 62, 74, 96, 119
 - maximum achievable 135
 - radiated 367
 - radiated, OTR 366
 - range 306
 - recoil 137, 293
 - relativistic 124
 - required for 73
 - separation 183
 - spread 3, 186, 285, 290, 291, 293, 295, 297, 301, 324–327, 331
 - spread, OTR 367
 - stragglings 295
 - thermal 129
 - to melt 299
 - to remove atom 63
 - transfer 324
- enrichment 145
- entropy 113
- envelope 269, 271
- equation
 - characteristic 281
 - homogeneous 281
 - inhomogeneous 282
 - partial, of heat 102
- error 188, 265
 - estimation 246, 249
 - estimation, TOF 184
 - in distance 190
 - in energy 189
 - of integration 51
 - quadratic addition 184
 - systematic 197
- ESR 270
 - BTF 205
 - layout 9
 - main features 9
 - Schottky signals 336
- evaluation
 - method 234
 - software 240
- event 292, 293
- excitation 28, 202, 334
 - sine wave 322

- exploitation 257
- exposure time 132
- external forces 279
- extraction system 323
 - optimization 381
 - setting 381
- extractor 309

- factor of merit 322
- failure detection 382
- Faraday cup 12, 89, 99, 105, 145, 302, 352
 - coaxial 23, 26, 341
 - contact cooled 16
 - for electrons 30
 - water cooled 19
- FD method 73, 77
- FE method 73
- feedback
 - circuit 19
 - loop 50, 201
 - loop, active 44
 - winding 44
- ferrites 34
- FFT 171, 172, 204
- field
 - accelerating 313
 - advanced 190
 - collecting 306
 - component 128, 317, 319, 347, 372
 - edge 324
 - electromagnetic 155, 341
 - external 313, 357
 - extraction 315–317
 - fringing 148, 324
 - gradient 264
 - inside, outside dc-beam 349
 - lines, compressed 374
 - magnetic 131, 140, 318, 319, 324, 325
 - magnetic strength 319
 - of moving particle 25
 - radial component 155, 351
 - stray 201
 - strength, enhanced 374
 - strength, maximum 356
 - strength, radial electric 349
 - strength, surface 345
 - transformation 374
 - uniform 328
 - wake 366
- figure of merit 94, 252
- file format 240
- film boiling 85
- fine-tuning 197, 198, 267
- finite elements 73
- fission 378
- fitting procedure 312
- fixed reference system 315
- flexibility 243
- flight time 130, 138, 309, 317, 319
- flipping mechanism 120
- flow diagram 319
- fluctuation
 - during measurement 225
 - incoherent, statistical 336
 - intensity, emittance 249
 - statistical 334
- fluorescence 59
- flux quantum 53
- fluxgate-sensor 44
- flying wire 118
- focal points 368
- focusing 153
 - device 352
 - quadrupoles, sextupoles 150
 - strength 312
- Foerstersonde 44
- force 276
 - attractive 356, 357
 - centrifugal 322
 - of gravity 275
 - repulsive 374
- fork 244
- Fourier
 - analysis 171
 - discrete transform 206
 - series 356
 - spectrum 172, 186, 190, 192
 - transformation 171
 - transforms 114
- free length 276, 282
- frequency
 - accelerating 322
 - band, Schottky 336
 - dispersion 332
 - domain 204, 336, 337
 - oscillation 355
- friction 278

- fringing field 150
- FWHM 138, 161, 165, 166, 169, 190, 213, 296, 301, 311, 314, 350
- FZP profile monitor 384

- gain 114, 115, 132, 136, 224, 226
- galvanic elements 19
- gap 155, 329, 380
 - accelerating 339
 - insulation 19, 34
 - voltage 188–190
- gas amplification 57, 115
- gas jet 291
- gate 199, 200
- Gauss 319, 320
- Gaussian
 - asymmetrical fit 266
 - density distribution 306
 - distribution 301
 - fitting 187
 - function 151, 258, 261, 266
 - intensity distribution 67, 110, 260
 - normal distribution 235
 - profile 266
 - shape of peaks 257
 - shaped charge distribution 115
 - three-dimensional distribution 310
 - truncated distribution 240
- gear
 - box 278
 - ratio 227, 278, 279
- GEM detector 384
- geometric
 - parameters 255
 - relation 245
- glass fiber 198
- gradient of temperature 17
- gradient procedure 204
- gradient variation method 266
- granite 197
- grid, nonlinear 256
- ground potential 157
- grounded plate 308–311, 315, 317, 320
- GSI 177, 183, 253, 258, 270, 293, 304
- guard ring 194

- half-axis 314, 342
- half-life period 136
- Hamilton
 - formalism 3, 213
 - function 213
- handbook
 - MECL-design 142
 - stopping power 298
- harmonic 44, 160, 172, 304, 322, 336, 356
 - component 171
 - first 192
 - number 173, 333
- harp 105, 112, 217, 228
- heat
 - conduction 74, 94
 - conductivity 16, 72, 74, 85, 89, 111, 298
 - conductivity, discontinuity 81
 - flow 84, 98
 - of fusion 72
 - specific 72, 73
 - transfer 74, 94, 96, 99, 111, 252, 298
 - transfer by conduction 94
 - transfer, equation of 81
- heat transfer
 - basic laws 72
 - conduction 13
 - convection 13
 - partial equation of 72
 - time dependence 72
- Heaviside
 - function 171
 - step function 97, 162
- heavy ion 3, 106, 115, 119, 302, 306, 310, 378
 - accelerator 144, 241
 - beams, intense, pulsed 251
 - linac 300
 - machines 195
 - PIN diode detectors 380
 - pulse stability 258
 - synchrotrons 199
- heavy ion fusion 99
- hemisphere 366
- Herzog apertures 324
- high score 382
- higher order effects 267
- hints 275
- hydrogen 131, 134
- hyperemittance 249
- hypervolume 214

- hysteresis 45
- I/U converter 224
- I/U-converter 109, 124, 126, 136
- IC 378, 381
 - calibration 57
 - detection limits 58
 - maximum size 58
 - response time 378
 - saturation effects 58
 - scheme 57
- identification 145, 146
- IF 207
- IH 183
- image 257
 - current 155, 159
 - intensifier 131
- imaginary
 - axis 176
 - unit 335, 337, 373
- impedance 141, 142, 156, 170, 195, 322, 366
 - complex 160
 - high load 160, 195
 - low, system 195
 - matching 22, 157
- imperfections 291
- inductance 24, 36, 38, 160
 - stray 37, 39
- induction
 - law of 155
 - remanent 140
- initial condition 128, 324
- injection 150, 331
 - multiturn 47
 - scheme 188
- injector 289
 - high current 258
- insertion length 253
- integral part 188, 205
- integration 112, 117, 138
 - time 108, 109, 114, 225
- integrator
 - sample and hold 108
 - switched 107, 114
- intensity
 - distribution 74, 77, 112
 - distribution within bunches 127
 - Gaussian distribution 20, 28
 - maximum 106
 - normalized 230
 - parabolic distribution 80, 82, 94, 220, 223, 252
 - variations, longitudinal 117
 - variations, transverse 117
- interaction time 127
- interactive 256, 271
 - graphic display 271
 - manipulations 271
- interferometer 367
- intermediate step 218, 229, 244
- ion 332
 - charge 24
 - collecting 127, 315
 - in bunch 358, 361
 - incident 302
 - liberated 352
 - negative 106
 - number of 68, 128
 - positive 106
 - positive, negative 228
 - species 136, 144, 147, 219
 - strange 145
 - uranium, stripped 114
- ion source 145, 215, 227, 230, 246, 249, 258, 270
 - diversity of 219
 - sputtering 241
 - terminal 188
- ion-electron pairs 123
- ionization 305
 - of gas 57
 - of residual gas 52
 - process 123
- irradiation
 - area of 64
 - of patients 66
 - shielding against 197
- ISO-center 115
- isotope 3, 145, 146
 - separation 105, 144
- isotropic 306
- iteration 81, 83, 92, 93, 96, 98
 - time of 76
- K lines 146
- k modulation 210
- Kapchinskij-Vladimirskij 343

- KEK 266
- kick 204
- kicker 199, 201, 334
- kinematic 358, 378, 380
- laboratory system 293–295
- Lagrange
 - formalism 276, 278
 - function 276, 279, 280
- Landau damping 204
- Laplace
 - equation 313, 320
 - operator 72, 77, 78, 368
 - transformation 159
 - variable 37
- laser 251, 252
 - applications 384
 - mode-locked 286
 - nanosecond-pulse 379
 - wire 383
- lattice 63
- layout 151, 304
- least squares fit 147, 149, 150, 152, 202, 203, 257, 265, 267
- Legendre polynomials 257, 370
- lens 364
 - electrostatic 300
 - telescope 251
 - thin 263, 323
 - zoom 253
- LEP 363, 364
- lifetime 121
- lifting motion 277
- light
 - emitted 121, 131
 - fluorescence 131
 - guide 366
 - guiding systemj 131
 - pattern 131, 133
 - stray 121
 - transmission 379
 - UV- 131
- light spot 249, 255, 257
- line
 - charge 176
 - microstrip 64, 157
 - strip, microstrip 141
- linear cut 194
- linear potentiometer 219, 276
- linearity 123, 175, 210
- Liouville, theorem 215, 263
 - theorem of 214
- liquid scintillator 381
- little q 338
- lobe 366
- longitudinal
 - axis 342
 - density distribution 300
- Loschmidt 293
- loss
 - in signal 114
 - magnetic 37
 - ohmic 160
- macropulse 298, 301, 304
 - current 170, 360
 - length 2, 72, 111
 - mode 189
- magnet
 - analyzing 105
 - bending 286
 - correction 201
 - deflecting 183, 264
 - permanent 14
 - permanent, rare earth 140
 - steering 151
 - system 149
- magnetic
 - alloy 140
 - brake 228, 275, 276
 - earth's field 52
 - field off-set 150
 - field strength 286
 - focusing forces 218
 - hysteresis 148
 - rigidity 264
 - sensors 198
- magnetostriction 52
- magnification 256
- magnitude 315, 317, 337
- mapping 176, 215
- mass
 - fictitious 280
 - number 3, 254, 285, 302, 333
 - ratio 299
 - reduced 292
 - rest 214, 254, 308
 - separation 3, 145

- spectrum 145
- wrong 190
- matching 215, 260
- material
 - constants 94, 96
 - construction 15
 - degeneration 56
 - isolating 16
 - scintillating 59
 - selection 19
 - sputtered 14
 - sputtering 15
 - stopping 377
 - surrounding 378
 - thermal characteristics 32
 - thickness 158
- MATHCAD 232, 347
 - program code 232
- matrix
 - coefficient 265
 - data 231, 232, 234
 - elements 265
 - formalism 263, 322
 - of measured data 230
 - representation 223
 - transformation 325
- Maxwell equations 155
- MCP 132–134, 136, 137, 140, 141, 287, 289, 290, 298, 304, 322, 325
 - degradation 136
- measuring time 218, 243, 249
- medical application 114, 115
- melting 243, 252, 299
- membrane bellows 275, 276
- mesh 76, 89, 90
 - points 76–79
 - spacing of lines 76
 - width 80
- metallic sealing 34
- MEVVA 7
- microphone 39
- microphonic
 - distortions 34
 - effects 52
 - noise 55
- microstructure 3
- mirror 252
- misalignment 151, 195, 201, 210, 270
- misinterpretations 112
- mixer 207, 208
- mixture 114
- mobility 378
- moderator
 - paraffin, polyethylene 380
- modulation
 - amplitude 340
 - coherent 336
 - frequency 337
 - in time 339, 340
 - of system parameters 385
- moment of inertia 279
- momentum 3, 79, 261
 - change 361
 - compaction 332
 - spread 3, 285, 336, 339, 361, 372
 - transfer 123, 127, 137
- monitor 129, 134, 136, 138, 140, 151, 304, 311, 324, 325, 358
 - capacitive 155
 - electrostatic 334
 - fluorescence 131
 - inductive 165
 - loop 157
 - overview 378
 - residual gas ionization 124, 131
 - ring-shaped 174
 - setup of beam loss 381
 - synchrotron radiation 363
- Monte Carlo 317
- motion 313, 315, 319
 - accelerated 363
 - differential equation of 276
 - linear, axial 276
- Mu-metal 36
- MUCIS 7
- multigrid method 266
- multiplier 366
- multislit 258
- MWPC 114, 115
- Mylar[®] 57
- narrowband filter 193
- negative square root 265
- neon 136
- network
 - analyzer 205
 - frequency 226
- neutralization 357, 358, 360

- neutron
 - counter 380, 381
 - emission 377
 - fast 378
 - IC sensitivity 378
 - thermal 380
- Newton's formulas 308
- niobium 54
- nitrogen 131
- noise 53, 157, 169, 172, 192, 199, 224, 230, 325
 - Barkhausen 45, 53
 - factor 169
 - figure 43
 - number 169, 170
 - power of resistor 170
 - thermal 40, 53
- non-destructive 190–192, 300
- non-self-consistent 361
- nondestructive
 - beam diagnostic 381
- nonintegral part 188, 205, 337
- nonisotropic 306
- nonlinearities 322
- nonrelativistic 138, 183–185, 190, 290, 292, 293, 348, 361, 363
- normalization 171, 196, 225, 264
 - β 47
- normalized 329
 - density distribution 166
 - difference signal 177
- nuclear
 - interactions 377
 - processes 377
 - reaction 292, 377
 - stopping 298
- numerical
 - calculation 357
 - differentiation 373
 - fit 204
 - integration 249, 358
 - solution 356
- observation point 162, 176, 366
- off-line, on-line 271
- off-set 150, 152
- offset 217–219, 230, 244
- operator 228, 229, 231, 240, 255, 267, 270, 271, 328, 331, 377, 381
- optical component 364
- optical fiber 379
- orbit 200, 320
- order of lines 338
- origin 315
- orthonormal basis 372
- oscillation
 - betatron 201
 - betatron, synchrotron 200
 - damped 39, 51
 - plasma 39
- oscillator 354
- oscilloscope 51, 170, 182, 185, 186, 190, 300
 - digital 171
- OTDR 379
- OTR 366, 367
- overshoot 219
- overview 225
- pair production 28, 377
- Panowski 378
- parametrization 269
- particle
 - arriving 323
 - counting 11, 12, 59, 378
 - deflection 124
 - density distribution of 105
 - distribution 325
 - distribution, uniform 266
 - energy 289
 - energy determination 366
 - fictitious 285
 - ionizing 378
 - loss 377
 - number of 11, 47, 56, 71
 - pairs 377
 - passing hole 367
 - per spill 381
 - production 377
 - reference 285, 308, 317, 325, 326, 333
 - scattered 288, 298
 - secondary 378
 - stopped 106
 - synchronous 339
 - velocity 199
- path
 - length 187
 - of particles 201

- patients 115
- pattern 249, 255
 - hole 249
 - light spot 250, 256
- PC 249, 251, 253, 256
- pellets 99
- pendulum 354
- penetration depth 72, 74, 79, 82, 84, 88–90, 98, 105, 106, 114, 218, 243, 252, 380
- pepper-pot
 - design 258
 - holes 252, 256
 - plate 251, 252
 - principle 249
- percentage 233, 234, 296
 - emittance area 266
 - hitting collector strips 221
 - of beam 221, 232
 - of emittance 232
 - of maximum intensity 232
 - of original data 232
 - passing slit 220
- performance 198, 271
- permeability 37, 38, 158
- phase 186, 189
 - angle 339
 - change in 189
 - convention 185
 - deviation 325, 328
 - differences 179
 - longitudinal 186
 - plot 355
 - reference 327
 - setting 179, 183, 188, 322, 326, 329
 - shifter 304, 329
 - shifting 300
 - switching 326
 - wrong setting 258
- phase plane 105, 214, 219, 230, 247, 249, 258, 332, 353
 - diagram 285
 - distribution 221
 - longitudinal 285, 300, 325
 - movement in 355
 - oscillation in 353
 - plot 353
 - projected 215
 - projection 232, 288
 - transverse 114, 243, 255, 258, 301, 327
 - transverse, longitudinal 214, 334
- phase space 3, 213
 - coordinates 251
 - distribution 218
 - distributions 213
 - four-dimensional 255
 - longitudinal 299, 333, 367
 - plot 289
 - projections 214
 - six-dimensional 105, 214
- phosphor screens 122
- photo
 - cathode 131
 - multiplier 133
- photocathode 366
- photomultiplier 379
- photon 377, 380
 - captured 131
- pickup 165, 325, 334
 - capacitive 157, 177, 183, 185–188, 192, 328, 331, 352, 360
 - capacitive, inductive 341
 - circularly shaped 175
 - coherent signal 204
 - cylindrical 162
 - design 158
 - dimensions 190
 - electrode 159
 - important parameters 179
 - plates, rectangular 167
 - rectangular 174
 - segmented 174
 - segmented, ring-shaped 173
 - signal 360
 - signal processing 178
- piecewise constant function 112
- PIG 7, 144, 145, 241
- pileup 288
- pitch 227
- pixels 257
- plasma 252
- plasma waves 340
- plastic scintillator 379, 381
 - radiation sensitivity 379
- PLL 207
- point charge 374

- Poisson equation 74, 313, 342, 346, 348, 369, 370
- polarization plane 364
- polynomial 369, 371
- position determination 194
- poststripper 146, 173
- potential 162, 300, 308, 313, 320, 341–343, 349, 370
 - electric 167
 - ellipsoid 369
 - gradient 373
 - inside dc beam 348, 349
 - inside sphere 343
 - line charge 348
 - of line charge 176
 - real part 176
 - scalar 373
- potiboard 267
- power
 - average 74
 - density 252, 301
 - deposition 101
 - failure 228, 275
 - flow 81, 84
 - in Schottky band 336
 - loss 81, 120
 - loss by radiation 90
 - loss, calculated 76
 - loss, specific 77, 80
 - macropulse 301
 - maximum flow 85
 - radiated 100, 301, 303, 363
 - rf- 145
 - spectral density 336
 - supply 264
- preamplifier 182
- prebuncher 188, 189
- precision of TOF 180
- pressure 124, 125, 135, 360
 - bump 131, 136, 141
 - normal 378
 - partial 306
 - vacuum counter 275
- prestripper 173, 183, 251, 253
- prestripper section 146
- primary interaction 378
- product rule 338
- profile
 - asymmetrical 267
 - grid 105, 106, 112, 244, 246
 - variation 267
 - width 264
- program
 - FE 73
 - numerical 74
- programming language 316
- projectile 292, 293, 298, 306
 - fragmented 378
- projection 113, 258, 301
- properties, scintillation materials 121
- proportional region 57
- proton 106
 - cancer therapy 115
 - linac 131, 300
 - machine 114, 119, 123, 144
 - number of 120
 - radiated power 363
- prototype 316
 - of CCC 53
 - of CdTe detector 63
 - of RCT 51
- proximity effect 173
- pulse height
 - defect 187
 - distribution 380
- pulse shape discrimination 379
- Q value 3, 160, 204
- quadrupole
 - constant 264
 - defocusing 263
 - focusing 187, 263, 268
 - focusing, defocusing 327
 - gradient 267
 - modulation 210
 - settings 152
- quartz 120, 121
- quench protection 381
- radiation 90, 298
 - angular distribution 363
 - by acceleration 363
 - Cherenkov 364
 - cooling 13, 111
 - cooling by thermal 100
 - dangerous 151
 - destroying by 377
 - destruction 379

- diffraction 367
- electromagnetic 362
- hardness 62, 63, 67, 121, 378, 379
- hardness, diamond 378
- intensity 363
- length 29, 79
- source of, OTR 366
- synchrotron 363, 364
- time structure 363
- radioactive nuclei 378
- RAM 199
- ramp 206, 261
- range 301
 - dynamic 136
 - shifter 65
 - volume 94
- rate
 - expected 136
 - slew 55
 - total 135
- ratio 163, 174
 - charge over mass 145, 329
 - signal-to-noise 169
- ray tracing 232
 - programs 240
- rebuncher 186, 312, 326, 331
- recoil 123
- recombination 58
- reference point 274
- relativistic 144, 182, 185
 - correction 162
 - effect 214, 342, 374
 - electromagnetic fields 374
 - factor 333
 - mass increase 199, 214
 - particle 364
 - particles, radiation 363
 - transformation laws 342
- reliability 152
- repetition
 - frequency 171
 - rate 249
- representation, three-dimensional 237
- residual gas 123, 124, 127, 128, 134, 137, 304–306, 358
 - composition 125
 - electrons 141
 - fluorescence 131
 - ionization 127, 133, 140, 352
 - ionization monitor 105, 113, 266
- resistor 160, 311
 - array 224
 - chain 325
 - load 40, 172
- resolution 112, 117, 123, 129, 133, 137, 138, 140, 141, 148, 190, 191, 198, 227, 251, 294, 301, 304, 305, 318, 324
 - factor 295
 - in divergence 217, 219
 - of strange profiles 112
 - spatial 141, 143
 - time 133
- resonance 172
- resonant
 - circuit 51, 160, 171
 - current transformer 51
- resonant deflector
 - deflector 308
- resonator 304, 322
- response 123
 - of monitors 61
 - time 117
- rest
 - energy 377
 - frame 374
 - system 374, 375
- revolution 270
 - frequency 278, 282, 332, 336
 - time 332
- rf
 - accelerating 261, 304
 - accelerators 342
 - amplitude adjusting 186
 - capture 49
 - cavity 185, 326, 327, 331, 333, 334, 339
 - deflector 300, 322, 323
 - envelope 192
 - period 2, 189, 310
 - phase switching 329
 - resonator 311, 322
 - setting 331
 - stability of 180
 - synchronously 300
 - tank signals 178
 - transmitters 173
- RFQ 183, 258

- Richardson-Dushman's law 13, 111, 301–303
- rigidity 144
- rise time 22, 27, 39, 50, 63, 117, 164
- rms
 - current 336
 - emittance 240
 - value 151, 239, 258, 260
 - values 296
- rotating
 - disk 244
 - parts 276
- rotation of a harp 112
- rotor 276
- row 255, 256
- rubber 231
- Rutherford
 - scattering formula 292
- Rutherford scattering 288, 289, 291

- sample points 165
- sampling 286
- satellites 339, 340
- saturation 121, 288
- scanner 266
 - Hortig 117
 - ionization beam 123
 - rotating wire 116
 - spiral 117
 - wire 115
- scanning
 - mode 116
 - motion 245
 - speed 116, 118, 119
 - wire 244, 245
- scatterer 292
- scattering
 - angle 213
 - angle transformation 293
 - Compton 28
 - elastic 291
 - foil 291, 299, 301
 - multiple 74, 77, 79, 80, 122
 - rms angle 79
 - Rutherford 56
- Schottky
 - band 336
 - longitudinal signals 336
 - noise 3
- noise analysis 340
- noise signals 333
- pickup 334
- scan 334, 340
- scan, transverse 338
- signal classification 334
- signals 205, 338
- spectra, transverse 338, 340
- transverse signal 336
- scintillation material properties 59, 121
- scintillator, inorganic 62
- scraper 261, 377, 381
- screen 228
 - material 121
 - phosphor 133, 141
- SEM 106, 114, 300
 - calibration 55
 - principle 55
- semiconductor 328
- sensitivity 38, 63, 121, 131, 160, 193, 208
 - BCT 52
 - charge 50
 - current, CCC 54
 - loss by irradiation 63
 - of veto counters 68
 - position 175
- separation 144
 - magnetic 144
 - mass, isotope 271
 - of electrode systems 194
 - of energies 183
- septa 381
- set-value 186, 263
- Shapal M 16, 24
- shielding 312
 - grid 26
- shift
 - register 199
 - resonance frequency 160
- sidebands 338
- signal
 - amplification 107
 - amplitude 173, 360
 - broadening 26, 165, 190
 - composition 166, 168
 - difference 173, 175, 194
 - direct, reflected 378

- estimation 161
- evaluation 113
- evaluation by OTDR 379
- extraction 155
- extraction principles 155
- from coaxial FC 25
- inductive extraction 155
- influenced 177, 194
- maxima 182
- maximum 175
- maximum-minimum 190
- multiplexing 109
- non-destructive extraction 33
- numerical calculation 165
- on one segment 177
- periodically repeated 332
- processing 118, 133, 136, 141
- processing channels 112
- processing systems 381
- ratio 156
- reflected 24
- rise time 63
- shape 163
- sum 173, 175, 194
- to-noise ratio 40, 43, 63
- transmission 182
- signal
 - processing channel 109
- signal processing
 - broadband 171, 173, 182, 199
 - channels 108
 - high impedance 158, 161
 - low impedance 161
 - narrowband 173, 178
 - resonant 171
- signal to noise ratio 117
- signal-to-noise ratio 160, 170–172, 174, 192, 217, 340
- simulation 113
 - numerical 289
- sine wave 326, 327
- single gap resonator 185, 312, 326
- SIS 108, 270
 - beam loss 381
 - beam properties 9
 - BPM calibration 197
 - BPM signals 199
 - bunch length 137
 - closed orbit 201
 - emittance measuring 262, 269
 - excited oscillations 204
 - injection 114
 - layout 9
 - profile monitor 134
 - revolution frequency 199
 - revolution time 135
 - Schottky scan 334
 - space charge limit 137
 - stripper in front of 146
 - transfer channel 131, 312, 331
- skineffect 143
- SLAC 378
- slit 377
 - construction 89
 - cooled 228, 243
 - crosslike 243, 247, 249
 - extraction 325
 - geometry 248
 - jaws 228
 - pattern 258
 - position 219, 220, 224, 248
 - system 89
 - width 223
- slope 138, 329
- slow extraction 12
- Smirnow formula 95
- smoothing 257
- software tools 257
- solution 357
 - analytical 73
 - numerical 73, 77, 78, 101, 113
 - partial equation of heat 101
 - Poisson equation 368
 - regular 371
- solvent 379
- space charge 127, 128, 141, 253, 317, 361
 - arising divergence by 361
 - compensation 315, 341
 - defocusing effect 218
 - effect 4, 105, 127, 128, 137, 140, 227, 259, 289, 299, 301, 313, 317, 340, 341, 351, 361, 372
 - electric field 317
 - field 123, 312, 315, 358
 - force 127, 129, 130, 137, 139, 255, 290, 301, 308, 324, 340, 352, 361
 - limit 136–138

- limitation 51
- neutralization 351
- spacing 183, 185, 189, 253, 266
- spatial 324
 - coordinate 322
 - distribution 115
 - limitations 153
 - profile 322
- spectroscopy 367
- spectrum 147
 - analyzer 207, 208
 - longitudinal 337
 - of uranium ions 147
 - Schottky signals 337
 - Schottky, coasting beam 339
- speed 275, 278, 357, 361
- sphere 313
 - parabolically charged 355
- spill 64, 381
- spindle 275
 - ball bearing 227, 278
- spiral orbit 318
- spiraled motion 324
- spline fit 151
- splitter 364
- spot size 213, 251
- spring constant 276
- sputtered atoms
 - number of sputtered 15
- sputtering 13, 14
 - rates 15
- square pulse 171
- SQUID 53
 - electronics 54
- staircase
 - function 242
 - modulation 243
- starting position 282
- statistics 255
- steady state 100, 101, 111, 119, 301
- steerer 127, 152, 325
- steering 124, 134, 150
 - effect 267
- Stefan-Boltzmann
 - constant 102
 - law 90, 317
- step function 37
- stepping motor 197, 227, 245, 275, 312
- stiffness 219, 325
- stimulus 205
- stopping power 187, 306
- straggling 297
- strange point 230
- streak camera 364, 365
- strip line 157, 334
- stripline 142
- stripper 3, 125, 127, 289, 291, 306, 360
 - foil 147
 - gas 147
 - position 361
 - spectrum 105, 149, 360
- stripping 187
- strobe pulses 286
- stroke 247, 275
- subspaces, phase space 105
- substrate 143
- superconducting 177, 381
 - shield 53
- superlens 258
- suppression of secondary electrons 14
- surface condition 302
- sweep 243, 300, 364
 - rf synchronous 286
- switched integrator 124, 224, 228
- synchronization 117, 249, 304
- synchrotron
 - frequency 333
 - light bunches 364
 - oscillation 333, 339, 340
 - radiation 377, 380
- Tables, range, stopping power 74
- tantalum 90, 92, 100, 243, 298, 299, 303
- target 123, 145, 187, 188, 213, 215, 270, 295, 297, 366, 377
 - atoms 306
 - carbon 295
 - combination 298, 306
 - copper 95
 - gas 146, 306
 - metal 366
 - nuclei 292, 293
 - region 94
 - scattering 292
 - section 79
 - tantalum 295, 299
 - temperature 103

- thickness 79, 102, 119, 188, 297, 299, 307
- thin 101, 103
- tungsten 104
- Taylor series 77, 78
- TDC 288, 289, 291
- Teflon[®] foil 54
- telecommunication 44, 379
- temperature
 - change in 32
 - dependence of heat conductivity 84
 - difference 82
 - distribution 93
 - distribution, stationary 72
 - gradient 84
 - initial distribution 82
 - maximum 85, 86, 89, 94, 96, 100, 111, 252
 - melting 72, 94, 301
 - of cooling water 81
 - rise 94, 252
 - rise of 94
 - swing in 101, 104, 111
- tensor
 - of field strength 373
 - transformation laws 342
- TESLA 379
- test bench 183
- thermal
 - aspects 19, 252
 - calculations 28
 - characteristics 252
 - characteristics of materials 73
 - destruction 255
 - effects 71
 - effects, estimation 72
 - emission 304
 - heating 367, 377
 - insulation 33
 - load 107, 118, 298
 - neutrons 380
 - point of view 252
 - problems 299
- threshold 226, 230, 232
- ticks 256
- tilt 243, 252
 - angle 95
- tilting 89, 93, 94, 198
- time
 - arrival 379
 - axis 301
 - constant 192
 - delay 109, 142, 378
 - dependence 196
 - difference 189
 - domain 171, 186, 202
 - exposure 141
 - focus 186, 309, 310
 - integration 225, 228
 - measuring 229
 - of flight spectra 187
 - reference 326
 - resolution 291, 306
 - resolution CVD diamond 64
 - revolution 135, 139, 199
 - scale 138, 326
 - structure 124
 - structure of beam pulse 51
 - time domain 205
 - time of flight 289, 294, 308, 329
 - timing system 200
 - TOF 179, 183, 185, 196, 200
 - coarse measurement 183
 - energy change 185
 - measurement 182
 - prebuncher optimization 188
 - tolerances 319
 - tomographic
 - data evaluation 124
 - technique 113
 - tooth wheel 275
 - toroid
 - ferrite 51
 - Vitrovac core 54
 - torque 275, 278
 - tracking 291, 295
 - trajectory 138, 200, 201, 261, 263, 322
 - transfer
 - channel 269, 312, 331
 - function 200
 - function, nonlinear 194
 - matrix 152, 264, 267, 322, 323, 327, 329
 - transformation
 - bilinear 175
 - coordinate 323
 - electrodynamic quantities 373
 - laws 263

- matrix 264, 265, 323, 329
- single particle 324
- single-particle 263
- transients 121
- transit time factor 328
- transition energy 332
- translation 245
- transmission 241, 263, 377
 - line 24, 158
 - line, coaxial 23, 64
 - time 183, 200
- transmission line
 - line 22
- transparency 106, 123
- TRANSPORT 223
- transport
 - line 153
 - section 331
- travel 308
- traversing 327
- trial and error 269
- triangular shaped 195
- trigger 200
- TRIM 295, 297, 298
- tune 2, 3, 200, 202, 337, 338
 - coherent value of 338
 - incoherent value of 338
 - spread 205
 - variation 338
- tungsten 92, 99, 100, 104, 145, 243, 301, 303
- turn-by-turn 199, 200
- Twiss parameter 222, 223, 232, 235, 239, 240, 258, 259, 263, 264, 267, 269, 326, 331
- UHV feedthrough 216, 217, 227, 274
- Ultraperm 34, 38
- uncertainty 183
- UNILAC 146, 270
 - bunch length 127
 - capacitive pickups 177
 - emittance measuring 267
 - fluorescence monitor 131
 - gas stripper 360
 - harmonic observation 173
 - high current injector 251
 - parameters 5
 - space charge effect 137
- stripper 125
- stripper section 289, 306
- TOF measurements 182
- transfer channel 108, 131, 269, 312, 331
- unit vector
 - components 372
 - orthogonal 373
- units 308, 328
- upstream 266
- uranium 84, 114, 122, 134–136, 138, 147, 219
- vector 172, 176, 313, 322, 324, 367
 - components 315
 - decomposition 315
 - equation 372, 373
 - four 342, 373, 374
 - potential 36, 373
 - unit 372
- velocity 124, 127
 - components 128
 - constant 282
 - nominal 276
 - of light 364, 374
- viewing
 - angle 112
 - screen 105, 120, 251, 266
- visualization 228, 231, 240, 257, 289
- Vitrovac 34, 54
- voltage
 - between plates 308
 - breakdown 325
 - deflection 304
 - extraction 145
 - output 159
 - reference 328, 329, 331
 - standing wave ratio 23
 - suppression 302
- W-value 125, 135
- waist 186, 254, 267, 268
- wake field 366, 367
- water flow
 - laminar 85
 - turbulent 86
- waterbag 343
- wavelength 60, 121, 131, 189, 202, 367
- Web 4

- weight 296
 - factor 265
- weighted point charges 167
- wiggler 364
- winding
 - bifilar 34
 - calibration 33
 - feedback, Hereward 44
 - number of 40, 41, 48
- window 286
- wire 197, 303
 - break 111
 - flying 119
 - heating 301
 - melting 301
 - on HV 300
 - scan 266
 - scanner 105
 - secondary electrons from 300
 - thickness 119
- work function 55, 303
- Workshop
 - Beam Diagnostics 4
 - Beam Instrumentation 4
- X-ray 312
 - spectroscopy 145
- yield 56
 - of secondary electrons 106
- zero-crossing 182, 185, 202, 204