
Subject Index

- Abiotic transformations, 70
- Absorber, 172, 174
- Absorption factor, 177
- Acclimated biomass, 86
- Acclimatization period, 136
- Acid wash, 156
- Actinobacteria*, 116
- Activated sludge, 287, 296
 - diffusion, 270
- Activation energy, 89
- Adsorption, 173, 255, 258
 - capacity, 88
- Advanced oxidation, 256
- Advantages, 75, 76, 136, 356, 383
- Aerobic gas treatment, 187
- Agricultural odors, 26
- Air distribution system, 242
- Air purification, 305
- Air-phase bioreactor, 4
- Alcaligenes*, 103
- Algae, 269–270
- Aliphatics, 138
- Amines, 254
- Ammonia, 254, 398
 - removal, 109, 264
 - oxidizing bacteria, 109
- Anaerobic gas treatment, 187
 - wastewater treatment plant, 364
- Analytical procedures, 87
- Anoxic, 93
- Apollo S50, S200, 335
- Application of bioscrubbers, 184
- Applications of biological processes, 286
- Aromatics, 138
- Arthrobacter*, 109
- Assumptions, 214
- Attached biomass, 287
- Autotrophic nitrification, 260
- Bacillus cereus*, 295
- Back diffusion, 71
- Back-up equipment, 392
- BACT, 22
- Bacteria, 102
- Bacterial biofilms, 102,
- BAMP, 22
- Bark, 243
- BASYS™, 335
- Bed voidage, 84
- β -Oxidation, 285
- Bio Reaction Industries, 334, 336
- Bioactive media, 72–74
- Bio-AIRSPHERES, 337
- Bioavailability, 110
- Biocube, Inc., 338, 339, 340
- Biodegradability, 50, 174
- Biodegradation 107, 284
- Biodegradation of nitrogen oxides, 261
- Biofilm, 67, 128
 - surface area, 218
 - thickness, 218
 - transport, 129
- Biofilter, 54, 213
 - development, 309
 - medium, 266
 - type, 310
- Biofiltration of

- ammonia, 262, 265
- hydrogen sulfide, 262
- nitrogen oxides, 265–267
- Biofiltration technology, 287
- Biogas production, 186, 297
- Biokinetics, 106
- Biological methods for air treatment, 45
 - applications, 45
 - biological phase, 48
 - classification, 45
 - mechanisms, 47
 - modeling, 53
 - terminology, 45
- Biological reactions, 50
 - reaction kinetics, 52
- Biomass control, 150, 307, 394
 - growth, 225
 - slough-off rate, 78
 - slurry, 188
- Biomedia nominal size, 82
 - surface, 68
 - pressure drop factor, 81
- Bioprocess control, 180
- Bioreactor, 172, 177
 - media, 4, 65
 - type, 7
- Biorem Technologies, 332, 334, 335
- Bioscrubber technology, 56, 169, 172, 287
 - airlift, 180
 - anoxic, 179
 - bioreactor, 185
 - design, 173, 178
 - plant, 185
 - sorptive slurry, 179
 - suspended-growth, 172
 - two-liquid phase, 179
 - two-stage, 178
- Bioscrubbing of inorganic compounds, 269
- Biosolids handling facility, 342, 343
 - odors, 342
- BIOSORBENS™, 332
- Biotechnology, 2, 383, 399
- Biotechnological method, 101
- Biotechnological processes, 282
- Bioteg Biofilter Systems, 327, 329, 330
- Biotreatment, 281
- Biotrickling filters, 147, 213
 - technology, 55, 147
 - design, 150
 - operation, 150
 - start up, 162
 - advantages, 148
 - filtration of inorganic compounds, 267–268
- Bioway America, 345, 346, 347
 - bitumen, 238
- Bubble column
 - absorber, 187
 - photobioreactor, 110
 - buffering, 236
- By-products, 296
- CAFOs, 21
- Candida*, 103
- Capillary number, 84
- Carbon-coated monolith, 90, 91
- Case studies, 11, 315, 364
- Catabolic enzymes, 114
- Catalytic oxidation, 170
 - reduction, 255–256, 258
- Cell constituents, 283
- Characteristics of synthetic media, 82
- Chemical scrubber, 152, 170
- Chlorobium*, 180
- Clogging, 112
- Closed biofilter, 126, 288
- CMC, 111
- CMR, 22
- Co-current, 222
- Combustion, 258
- Commercially available biofilters, 311, 312
- Common failures, 249
- Compliance, 308
- Composite membrane, 199
- Compost biofilter, 320
- Composting, 389
- Condensation, 173
- Control of VOCs, 18
- Convective media, 66
- Conversion, 155

- Corynebacterium*, 181
Cost-benefit analysis, 318
Counter current, 222
Critical parameters, 218
CS₂ emissions, 370–373
Current successes, 387
- Definitions, 356
Degradability of pollutants, 138
Dekoda process, 178
Denitrification, 188, 259–262, 269
Denitrifying organisms, 110
Dense-phase membrane, 198, 207
Deodorant plants, 321
Deodorant, 307
Design of Bioreactors, 9
Desulfurization, 109, 258
DGGE, 115
Diauxie, 113
Dichloromethane, 289
Diffusion, 208
Diffusive media, 66
Dioxygenase, 285
Disadvantage, 75, 76, 136, 357
Dispersion, 217
Domestic sewage, 169
Dynamic model, 225
- EBRT, 127, 182
Effect of nitrate, 226
Electron beam, 256
Elimination capacity, 47, 130, 201–203
Empty Bed Residence Time (EBRT), 45
Encapsulated biomass, 92
Energy recovery, 297
Environmental factors, 113
– laws, 17
Essential mineral nutrients, 148, 149
European companies, 316
Excess oxygen, 215
Exophiala jeanselmei, 102
Exopolysaccharides, 105
- Fibrous carrier, 317
Field capacity, 71
Fine bubble diffuser, 183
- First order, 216
FISH, 104
Flexographic printing, 306
Flue gas, 187, 268
Fluidized bed bioreactor, 170, 271–272
Flux, 201–203
Formaldehyde removal, 316
Friction factor, 242
Full-scale applications, 357–362
– design, 219
Fungal hyphal slime, 105
– mycelia, 102
Fungi, 102
Fungicide manufacturing plant, 371–373
- Gas fired drier, 237
Gas flow/pressure drop, 176
Gas liquid mass transfer, 223, 356
Gasification, 298
Gas-liquid contactor, 170
Gas-phase bioreactor, 323
Gas-phase pressure drop, 81
Genetic approaches, 114
Government inspectors, 27
Greenhouse gases, 136, 305
Green manufacturing, 398
- H₂S removal, 161, 163, 368
Halogenated chemical compounds, 19
HAP, 19, 125
Health complaints, 383
Henry's coefficient, 30, 174, 294
– law, 262
Heterotrophic nitrifiers, 109, 260
HLB, 111
Hollow fiber membrane, 197, 201
HUMFIL, 331
Humidifier, 126
Hydrodynamics, 77
Hydrogen sulfide, 152
Hydrophobic compounds, 128
– interactions, 74
– pollutants, 129
Hyphomicrobium, 180
- Immobilization, 317

- Implementation issues, 355
Incineration, 136, 298
Industrial facilities, 305
Inert packing, 393
– support, 223
Inlet mass load, 46
Inlet/outlet air ducts, 159
Inoculum, 392–393
Inorganic air pollutants, 253
Interfacial area, 226
Isopentane, 88
Isopropanol, 292
- Kinetics, 215–217
- Lava rock, 343–345, 350, 352, 353
Liquid distributing system, 158
– flow rate, 78
– recycle pump, 159
– sump, 227
– velocity, 293
Loading, 201–205
Los Angeles County Sanitation District, 341, 350, 353
Lump parameter, 219
- Macroporous foam, 319
MACT, 19
Maintenance, 135, 246
Manhole biofilter, 327
Mass transfer, 197, 206–8
– mechanism, 65
– resistance, 198, 207–8
Maximum elimination capacity, 130
Media factor, 81
Medium depth, 134
Membrane bioreactor, 58, 195, 271
Membranes, 255
Mesophilic, 132
Metabolic biomarkers, 116
Methanogenesis, 297
Methods for air treatment, 30
– adsorption, 38
– biological, 44
– catalytic oxidation with Fe, 43
– caustic scrubbing, 40
– chemical precipitation, 42
– chlorine oxidation, 42
– classification, 31
– combustion, 38
– condensation, 35
– dilution, 35
– hydrogen peroxide oxidation, 43
– masking, 40
– membranes, 36
– oxidation with FeO, 43
– ozone oxidation, 42
– physical, 35
– plasma, 37
– potassium permanganate oxidation, 42
– regenerative gas scrubbing, 41
– thermal oxidizer, 39
– UV oxidation, 36
Methods of odor and VOC control, 3
Methyl ethyl ketone, 289
Methylomonas, 103
Michaelis-Menten equation, 181
Microbial biofilms, 104
– community, 102, 273
– growth, 282
– polymeric matrices, 104
Microbiological method, 101
Microbiology, 101, 135
Micrococcus, 103
Microcolonies, 105
Microporous membrane, 198, 207
Mineralization, 107
Missing gaps, 363
Mist eliminator, 155, 158
Mixtures of inorganic compounds, 265
Models, 206–209
Model concepts, 214
– equations, 79–80
– parameters, 214
Modeling, 213, 273
Modern trends, 309
Moisture content, 113, 131, 247
Molecular approaches, 115
– methods, 104
– structure, 284
Monod model, 106
Monolith, 87, 88, 90

- Monoxygenase, 285
MTBE, 398
- Natural packing material, 110
– bioactive media, 68
- New Zealand, 235
- Nitric oxide, 254–258, 266, 267
- Nitrification, 188, 259–262, 269
- Nitrifying microorganisms, 266
- Nitrobacter*, 109
- Nitrogen compounds, 253
– cycle, 260
– dioxide, 254
– fixation, 259–262
– oxides, 254–262
- Nitrosomonas*, 109
- Non-biodegradable materials, 384
- Nutrient cycle, 149
– sources, 112
- Nutrients, 133, 182
- Nutritional factors, 111
- NYCRR, 21
- OCSB biotrickling filter, 164, 165
- Odor control technologies, 384
– removal, 221
– restrictions, 21
– scale, 17
– causing chemicals, 18, 20
- Odorous gas treatment, 137, 173
- Offensive odor control law, 24
- Off-site receptor, 20
- Olfactometry, 237
- Open biofilter, 126, 288
- Operating problems, 59
- Operation of the system, 365
- Operational stability, 171
- Organic carbon, 69
- Organic packing, 394
- ORP sensors, 161
- Oxygen, 132, 182
– limitation, 152
- Ozonation, 170
- Ozone, 19
- P-600 biofilters, 331
- Packed bed, 147
– filter bed, 126
– towers, 175
- Packed-bed column, 170
- Packing material, 157
– media, 131
– support, 157
- Parameter sensitivity, 227
- Particulates, 238
- Partition co-efficient, 128
- Passive biofilter, 329
- Perchloroethylene, 93
- Perlite, 343, 344, 345
- Permapac™, 347
- Permits, 23
- Pet-food factory, 308
- pH, 133
- Photobiodegradation, 269
- Photobioreactor, 270
- Photocatalysis, 255, 256, 258
- Physical and chemical factors, 283
- Physico-chemical methods, 184
- Plastic resins, 153
- PLFA, 104
- Pollutant uptake, 111
- Pollutants, 306, 322
- Polymers, 200
- Polyurethane foam, 160, 318
- Possible obstacles, 386
- POTWs, 137
- Powdered activated carbon, 188
- Pressure drop, 133, 242
- Pretreatment, 135
- Process monitoring, 115
- Proteobacteria*, 115
- Protozoan predation, 112
- Pseudomonas*, 181
- Psychrophilic, 132
- Purspring bioreactor, 367
- Pyrolysis, 298
- Randomly packed biomedial, 83
- Rational design, 391
- Reactor design, 171
- Reactors for biological air treatment,
54
- Recent developments, 357
- Reduced sulfur compounds, 162, 366

- Regulations, 17,
Regulatory environment, 386
Relative humidity, 238
Reliability, 391
Remedies, 306
Removal efficiency, 47, 129
Removal of sulfur compounds, 108
Rendering, 221, 236, 387
Residence time, 238
Residual bed saturation, 85
Resource recovery, 299
Retrofitting, 153
Rhodococcus, 181
Robustness, 362
Rotating biological contactors, 56
RSC, 125
- Sanitary landfill disposal, 299
Scrubber layout, 154
Scrubber preparation, 155
Secondary effluent supply, 159
Sensing and automation, 396
Sewer odors, 329
Shaw Environmental, Inc., 331, 333
Size, 397
Sludge accumulation, 183
Smog, 18
Software model, 219
Soil, 243
Solubility, 200
Specialized cultures, 152
Spouted bed bioreactor, 271
Spray tower, 175
Standard operating procedures, 393
Standards of design and operation, 396
Static holdup, 84
Steady state, 89, 215
Stripped groundwater, 368
Structured biomedica, 83
Structure-function relationship, 114
Substrate conversion rate, 181
Sulfur compounds, 253
Sulfur dioxide, 255, 268
Sulfur oxides, 255
Sulfur-oxidizing bacteria, 109
Superficial gas velocity, 46
Surface mass loading, 127
Suspended biomass, 172
– cell bioreactors, 58
Sustainability, 386
Swelling, 200
Swine industry, 390
Synthetic media, 71, 75
- TCE, 398
Technology developments, 391
Temperature, 113, 132, 206, 240
Ten-step conversion procedure, 156
Terpenes, 138
Thermal oxidation, 170
Thermophilic, 132
Thiobacillus, 178, 187, 351
Thiopaq™ process, 178
Tortuosity, 290
Transient model, 217
Transient response, 205, 206
T-RFLP, 115
Trichloroethylene, 94
Trickling bioreactors, 319
– rate, 151
Type of contaminants, 10
Typical controls, 150
- Unpleasant odors, 383
Upflow anaerobic sludge bed (UASB), 179
- VAMFIL, 331
Vapor-phase bioreactor, 10
Venturi scrubbers, 175
Volatile organic compounds (VOC), 125, 169, 281
– abatement, 307
– capacities, 176
– definition, 29
Volumetric loading, 46, 127
V-Spring bioreactor, 371
- Wall effects, 222
Waste gas, 169
– contaminants, 17
– emissions, 364
– flow rate, 295

-
- treatment technologies, 171
 - treatment, 101, 184
 - Wastewater treatment plant, 169, 388, 397
 - Wastewater pumping station, 332, 334, 338
 - Water content, 70
 - solubility, 262
 - Wet cyclones, 175
 - Wet scrubbing, 256
 - Wetted biofilm, 225
 - White-rot fungi, 102
 - Wood bark, 290
 - Xanthomonas*, 180
 - Zero order, 216
 - Zerochem™, 345, 347, 348