

Subject Index

Aging

- extrinsic aging 148–149
- facial aging 38, 147–155, 175
- intrinsic aging 149
- mimetic lines/wrinkles 150, 158, 159
- signs of aging 159–155
- skeletal supporting framework 147, 149

blepharochalasis 67

- central oval of the face 45, 46, 55
- cephalometric analysis 107, 130–136, 174
 - dental 131–132
 - skeletal 132–134
 - soft tissue 134–136
 - tracing 140
- cervicomentral angle 129
- cheekbone point 124, 125, 126, 140
- chin 105, 107, 110, 111
- clinical examination
 - area for 8
 - chair for 8
 - direct examination 10
- clinical photography 25–32, 168
 - area for 9, 17, 20, 25
 - basal view 25, 26, 46
 - ears views 30, 31
 - eye views 30

- dental occlusion 98, 100, 173
 - centric occlusion 28
 - classes 140
 - sagittal relationships (overjet) 98, 99, 111, 141
 - transversal relationships 99
 - vertical relationships (overbite) 98, 99, 111, 141
- dentofacial deformities 174
 - anterior vertical deficiency 117, 118

- skin aging 174
- soft tissue quality 147, 148
- soft tissue quantity 147, 149
- soft tissue dynamics 147, 149
- structural factors 147, 149
- alar base plane 90, 91
- alar crease junction 90, 91, 92, 125, 127
- angle of facial convexity 125, 127

blepharoptosis 67

- false asymmetric face 20, 31
- frontal view 25, 45
- life-size photographs 24
- lighting equipment 16
- multiple shots 20–21
- nasal views 27, 28
- oblique view 26, 27, 46
- orthognathic/orthodontic views 28, 29
- profile view 26–27, 47, 48
- technique for 16
- consultation
 - entrance 9
 - first consultation 8, 9
 - first ten minutes 9
 - final communications 11
 - second consultation 11–12
- Connell's sign 63, 64, 67, 151, 158
- corneal plane 61, 75, 79, 90–91, 92
- crow's feet 152, 158

- anterior vertical excess 117
- class I 141
- class II 117, 121, 141
- class III 117, 119, 141
- mandibular hypoplasia 102
- maxillary retrusion /hypoplasia 125
- transverse discrepancies 123
- depressor septi muscle 28, 89
- dermatochalasis 65, 151, 158
- direct clinical examination 10

A

B

C

D

E

- ectropion 67
- entropion 67
- epiphora 67
- eyebrow
 - analysis 150-151
 - shape 61, 62
 - peak (apex) 61, 62, 72
- malposition 64
- ptosis 67, 150, 151
- eyelid
 - aesthetics 173
 - laxity 65, 67
 - upper eyelid hooding 151
 - upper lid crease (fold) 61, 62, 63, 72, 75, 90

F

- facial angles 48, 49
- facial asymmetry 39, 45, 46, 123
- facial deformities 38
- facial expression 60
- facial height (total facial height) 45, 56
- facial widths 45, 55
- Flower's maneuver 151
- forehead region
 - aesthetics 172
 - analysis 60
 - boundaries 60
 - supraorbital bar 60, 61
 - supraorbital ridge 60, 61, 62
 - temporal ridge 60
 - transverse furrows 67, 150, 159
- frown lines 150, 155

G

- glabella 72, 75, 79, 80, 90, 92, 125, 127, 140
- glabellar frown lines 60, 67, 159
- Gunter's diagrams 165

H

- hairline 56, 60
- herniated orbital fat 65, 67, 159
- horizontal neck lines 155
- hypertrophic orbicularis oculi muscle 68

I

- inferior scleral show 54, 68, 141, 152, 160
- intercantal axis 62, 68, 152, 159
- interincisal angle 131
- interview 10
 - area 8

J

- jowls 154, 159

K

- keystone area 92

L

- labiomental sulcus (fold) 102, 140
- lateral canthus 68
 - lateral canthal bowing 152
 - lateral canthal tendon 63, 152
- lid tone 68
- limbus (iris limbus) 61, 68
- lips
 - assessment 100-103
 - attractive female lips 102, 103
 - attractive male lips 102, 103
 - Cupid's bow 73, 102, 103
 - E-line 102, 103, 110, 128, 140
 - lines 159
 - red lip involutions 159
 - white rolls 102, 111, 159
- horizontal upper lip lines 153, 159
- labrale inferior 102, 103, 111, 125, 140
- labrale superior 102, 103, 111, 125, 140
- lines 153, 159
- lip commissures 102, 110
- lip white rolls 102, 111, 159
- mouth width 102, 103, 104, 111
- nasolabial sulcus 102, 103
- Philtrum 102, 103, 111
- relaxed lip position 124
- upper lip 84
- long/short face 124

M

malar bags (festoons, cheek bags) 153, 158
 malar eminence 125, 126, 141
 malar hypoplasia/deficiency 68, 102, 141
 mandibular border 123, 129, 141
 mandibular incline 126, 128
 mandibular plane 141
 marionette lines 154, 159

nasal analysis sheets 89
 nasal deformities 72
 – asymmetry 72–73
 – deviated nose 92
 – crooked nose 75, 92
 – dorsal hump 75, 76, 92
 – dorsal saddle 75, 76
 – Greek nose 92
 – pinched nose 93
 – pollybeak nasal deformity 93
 – saddle nose 75, 93
 – tension nose 93
 Nasion 141
 nasofacial angle 134, 135
 nasofrontal angle 78, 80, 93
 nasolabial angle (columellar-labial angle) 92, 93, 136
 nasolabial fold 153, 159
 nasomental angle 134, 135
 natural head position 8, 24, 25, 48, 54, 124, 136, 168
 neck-throat point 141
 nose
 – alar groove 92
 – balanced nose 72
 – clinical dome 92
 – external nose 72
 – infratip lobule 92

ogee curve 47, 48, 56, 61, 117, 122, 126
 orbital region 41, 60–61

palpebral malar groove 152, 159
 paranasal triangle 125, 126
 Pareto's law 178
 patient/physician communication 9, 12, 24
 patient's priority list 10, 11, 100, 164
 platysma bands 128, 129, 141, 154, 159

maxilla point 125, 126
 maxillomandibular complex 136–137
 maxillary plane 131
 medial canthus 72
 McNamara's analysis 132–134
 mentocervical angle 135
 Menton 90, 141
 microgenia 76, 141
 muscle strain 141

– inverted-V deformity 92
 – lower lateral cartilage 92
 – nasal ageing 155
 – nasal ala 83, 84, 85, 92
 – nasal airway 91, 173
 – nasal base line 72, 92
 – nasal boundaries 73, 74
 – nasal bridge 72
 – nasal columella 82, 83, 84, 85, 92, 155
 – nasal dorsum (middle third) 78–79, 80, 82
 – nasal lobule 72, 82, 83, 85, 92
 – nasal lower third 82, 84
 – nasal pyramid 92
 – nasal radix (upper third) 72, 75, 79, 80, 82, 93
 – nasal septum 92
 – nasal skin 74–75, 77
 – nasal tip 72, 73, 74, 82, 83, 84, 93, 102, 103, 125, 127, 128
 – nasal “unbroken lines” 73, 75, 92
 – nasal widths 74, 76
 – nostril sill 93
 – pyriform aperture 93
 – supratip area 93
 – tip defining point 72, 93
 – treatment planning 173
 – weak triangle (Converse triangle) 93

– orbital ridge 63
 overweight patients 54–55

Pogonion 102, 103, 111, 125, 127, 132, 141
 preauricular lines 153, 159
 prolapsed lacrimal gland 63, 68, 159
 pronasale (see also nasal tip) 141
 relaxed-rest mandibular position 124, 128

N

O

P

S

- scleral show (see inferior scleral show)
- septal cartilage 75, 78
- single operator concept 12
- single room concept 8
- smile analysis 103–105
 - attractive female smile 105
 - buccal corridors 104
 - posed/unposed smile 28, 103
 - smile arc 104, 105, 111
 - smile index 104
- soft tissue envelope
 - Fitzpatrick classification 49–50
 - Glogau classification 49–51
 - musculature activity scale 50, 52
 - ptosis scale 51–52
 - skeletonization/fullness scale 50–51
 - supporting structures 48
- soft triangle (facet) 93
- stomion 90
- submandibular gland 155, 160
- submental-neck angle 135
- subnasal vertical 135
- subnasale point 84, 86, 93, 102, 103, 125, 127, 134, 135, 142

T

- tear trough deformity 152, 160
- temporal region 44, 60
 - temporal atrophy/depression 150, 160
- throat incline 126

- throat length 119, 126, 142
- transverse forehead wrinkles 60
- treatment plan 10, 11
- trichion 68
- Trichiasis 68

V

- visual perception 36, 38
 - regions of interest 38

- facial point of interest 38–39, 168

U

- upper frontal teeth 100
 - anterior projection 100–101

- black triangle 100–101
- midline diastema 100–101

W

- witch's chin deformity 142, 154, 160