

Subject Index

A

above-ground net primary production
(ANPP) 79–82
Acacia 326
acclimation 256, 258, 260, 265, 266, 294,
433
accumulation:fixation ratio 304
Acer saccharum 213
adaptation 101
aggregates 374, 386
agroecosystems
– cropland 4, 15, 16, 23, 25, 37, 382
– forests 4, 16, 19, 21–25, 29, 30, 34, 35,
37, 231, 245, 247
– grassland 5, 16, 19, 22, 33, 139, 150,
157, 256, 264 337, 381, 383
Agrostis capillaris 168
alfalfa 144, 318, 319, 327
allocation 139, 145, 242, 243, 247
allometry 273, 276, 277
Alnus 326
ammonification 396, 403
amoebae 399
anamnox 405
annual plants 405
Anthoxanthum odoratum 168
arthropods 245
AspenFACE 19, 30, 31, 213–217, 223, 224
AZFACE 16–20, 26, 47–64

B

bacteria
– biomass 203, 398, 408
– cultivable 398, 399
– diversity 395

– grazing 398
– non-cultivable 394, 398
– populations 399
barley 121, 123, 126–134, 281, 283
basal area increment (BAI) 201, 206
Beta vulgaris 121–134, 284
Betula papyrifera 213
bioinformatics 352, 355, 362
biomass 52, 53, 55, 57, 62, 65, 174, 177,
185, 188, 190–192, 272, 273, 276–278,
280–283, 285, 286
– above-ground 131, 142, 143, 152
– accumulation 93
– allocation 139, 145
– bacterial 203, 398, 408
– below-ground 131
– distribution 95, 96
– microbial 132, 135, 203, 245, 379, 383,
398
– residual 145, 150, 152
– root 145, 151, 166
– specific activity 408
– turnover 408
– yield 340, 341, 343

C

¹³C 21, 141, 149
¹⁴C 274–276, 279, 285, 286
C₃ plants 72, 74, 75, 79, 82, 393, 408
C₄ plants 72, 76, 77, 81, 83, 393
canopy
– carbon dioxide exchange 125, 127,
128, 131
– temperature 111, 112, 311, 315
– tree 177

carbohydrates 110, 146, 150, 235, 236,
274, 278, 281, 297, 299
– non-structural 119, 110, 257, 273, 275,
296–300, 302–304
carbon
– cycle 231, 246
– export rates 303
– fixation 272–274, 286
– labile 382
– partitioning 271–282
– sequestration 9, 149, 150, 152, 173,
174, 190, 191, 204, 245, 246, 271, 278,
279, 281, 286, 287, 325, 373, 381, 436
– sink 146, 147, 150, 207
– soil 52, 54, 56, 62, 243, 244, 248, 377,
381–383
– soluble 379, 381
– turnover 398
carbon dioxide
– atmospheric
– – feed-back regulation 399
– canopy exchange 125, 127, 128, 131
– intercellular concentration (C_i) 75, 77
carboxylation
– maximum rate of ($V_{c,max}$) 75–77, 91,
92, 257, 258, 261, 264–266
C:N ratio 145, 148, 327, 337, 346, 402
competition 338–340, 342, 344–347, 394,
398, 399, 408
cotton 50, 53, 261
crop 4, 15, 16, 23, 25, 37, 382
– phenology 107, 111, 113
– rotation 122, 123, 134
– yield 3
cultivar 101
cutting
– frequency 141, 147
– vs. grazing 164, 165, 169

D

Dactylis glomerata 274, 275, 277, 278
deciduous forests 231, 245, 247
decomposition 161, 192, 203, 205, 225,
243, 244, 279, 285, 373, 435
demand function 255
denitrification 328, 402, 404, 405, 408
disease of plants 101, 221, 222
diversity
– bacterial 395
– microbial 394
drought 77
Duke FACE 23, 25, 197–208

E

ecosystems
– mature 405
– natural 385
– perennial 407
– structure 7, 10
– young 405
electron transport
– maximum rate of (J_{max}) 75–77, 91, 92,
257, 258, 261, 264–266
endophyte 407
energy balance 111, 112
evapotranspiration 54, 56, 57, 62, 65,
109, 127, 128, 134, 314, 315, 318
exopolysaccharides 395
exudation 167, 279, 280, 284, 413,
417–419

F

FACE 158, 174, 176–178, 192, 256, 258,
260–266
– advantages 6, 8, 21, 431
– Aspen- 19, 30, 31, 213–217, 223, 224
– AZ- 16–20, 26, 47–64
– BNL design 26
– CNR design 28
– definition 15
– diameter 106
– Duke 23, 25, 197–208
– facilities 16–20
– FAL 16, 19, 26, 121–135
– Grad- 32
– Hot- 34
– New Zealand 16, 20, 157–171
– ORNL 16, 20
– Pop- 16, 18, 20, 173–195
– Potato 16, 18–20, 28, 105–119
– problems 22–25, 431
– Rice- 16, 19, 20, 28, 87–104
– scale
– – spacial 7, 8
– – temporal 7, 8
– scaling-up from 6
– Soy- 16–20, 29, 30, 71–86
– Swiss 16, 18, 20, 26, 34, 139–155, 298,
325–350, 416
– Web- 29
– web page 16
FACTS 16, 18, 20, 22, 23, 26, 30–32, 36
faeces 162
FAL FACE 16, 19, 26, 121–135
FATE 34

feed-back regulation 399, 408, 436
 food
 – chain 407
 – web 413–423
 forbs 158, 165
 forests 4, 16, 19, 21–25, 29, 30, 34, 35, 37,
 173, 190, 191
 – deciduous 231, 245, 247
 fructan 293, 299, 303
 fructose 293–296
 functional groups 434, 435
 functional type 143, 346
 fungi 440, 442

G
*g*_s (stomata conductance) 74–77, 83, 181,
 234–236, 238, 247, 248, 253–264, 432
 genes
 – candidates 355, 359, 360
 – expression 352, 354, 355
 genetics
 – association 353, 359, 360
 – mapping populations 358, 361
 – variation 352, 353, 357, 360, 367
 genomics 354–367, 442
 – data analysis 352, 364, 365
 – ecological 351, 352, 366
 – experimental design 364, 367
 – functional 361, 365
 genotypes 6, 174, 176, 177, 182, 184, 188,
 190
 glomalin 440
 glucose 293, 299, 303
Glycine max 259–261, 263, 276, 277,
 296, 300, 303, 304
Gossypium hirsutum 50, 53, 261
 GradFACE 32
 grain
 – filling 256, 263
 – quality 97, 98
 grasses 158, 165, 337, 344, 347
 grassland 5, 16, 19, 22, 33, 139, 150, 157,
 256, 264, 337, 381, 383
 grazing 157, 399, 407, 408
 – bacterial 398
 – by microfauna 398
 – exclusion cages 159, 166
 – protocol 159
 – protozoa 399
 – vs. cutting 164, 165, 169

growth 220
 – model 100
 – plant 109
 – root 131, 132, 134, 202, 205, 384
 guard cell 253, 254

H
 haplotype 360
 harvest index 79, 83, 96, 97, 276
 herbaceous plants 382, 383
 herbivory 221, 222, 294
 hexose:sucrose ratio 304
Hordeum vulgare 121, 123, 126–134,
 281, 283
 HotFACE 34
 humification 400
 hydrogen evolution 331
Hypochoeris radicata 164, 168

I
 incubation 376
 infrared lamps 438
 ingrowth cores 165
 integrative biology 352, 366
 interactions
 – interspecific 337, 343, 347
 – mutualistic 396
 irrigation 51, 60, 64
 isotopes 274–276, 279, 285, 286
 – stable 21, 141, 147, 149, 441
 – tracer 21

J
J_{max} 75–77, 91, 92, 257, 258, 261, 264–266

K
 K-strategists 394, 398, 399

L
 leaf
 – area 318
 – – index (LAI) 77, 78, 90, 91, 125, 134,
 182, 183, 201, 202, 218, 233, 237, 238,
 247, 248, 277, 344, 433
 – carbon accumulation 294, 304
 – litter 237, 241, 243, 248
 – mesophyll conductance (*g_m*) 75, 76

- nitrogen content 92, 200
- senescence 99
- specific area (SLA) 146, 147, 277, 278, 283
- legumes 158, 160, 165, 326, 337, 343, 346
- Leontodon autumnalis* 164
- light use efficiency (LUE) 54, 58, 238
- lignin 221
- limiting factor 8, 143, 303, 346, 347, 436
- linkage disequilibrium (LD) 360
- Liquidambar styraciflua* 10, 231–248
- litter 188, 189, 192, 201, 202, 206, 218, 225, 237, 241, 243, 244, 248, 279, 281, 374, 394, 416
 - decomposition 161, 188, 192, 203, 205, 225, 243, 244, 279, 285, 373, 435
 - quality 188, 218, 374, 386
- loblolly pine 10, 198
- lodging 101
- Lolium*
 - *multiflorum* 123, 124
 - *perenne* 139, 142, 145, 148, 152, 160, 168, 263–266, 274, 276, 279, 285, 286, 299, 302, 303, 326, 327, 330, 337, 343, 347
- Longidorus elongatus* 169
- long-term effect 338
- long-term experiments 152, 406, 407
- lucerne 144, 318, 319, 327

M

- magnesium 162
- management practices 374
- Medicago sativa* 144, 318, 319, 327
- Melampsora* rust 222
- membranes 418
- mesophyll 253, 254
 - conductance 75, 76
- meta-analysis 261, 296, 374–377, 433–436
- metabolomics 352–354, 361, 363, 366
- methane 102, 440, 441
- microorganisms 11, 132, 135, 148, 152, 330, 331, 379, 380, 383, 393, 439
 - activity 203, 204, 398
 - biomass 132, 135, 203, 245, 379, 383, 398
 - communities 400, 401
 - diversity 394
 - respiration 379, 383
- mixture 337, 339, 343

model

- growth 100
- monoculture 337, 339, 343
- mycorrhizae 184, 192, 397
 - arbuscular 327, 400

N

- ¹⁵N 141, 147, 149
- nematodes 245
- net ecosystem production (NEP) 242–244, 247
- net primary production (NPP) 174, 191, 192, 201, 202, 206, 236, 238, 241, 243, 246–248
 - above-ground (ANPP) 79–82
- New Zealand FACE 16, 20, 157–171
- nitrate
 - reductase 331
 - uptake 403
- nitrification 402–405
- nitrogen 22, 55–57, 59, 61, 63, 65, 174, 176, 178, 180–182, 184, 189, 263–266, 272–274, 276, 279–281, 283, 284, 301, 302, 381, 384, 385, 402
 - accumulation 93, 94, 99
 - assimilation 326
 - availability 205, 399
 - concentration 92, 97, 144, 145, 147, 200, 235, 237, 248, 328
 - - critical 346
 - cycling 329, 402, 440, 442
 - - by animals 162, 169
 - demand 326
 - distribution 96
 - fertilization 124–135, 326, 330, 340, 343, 344, 346
 - fertilizer 89, 101, 139, 141, 143, 152, 374, 382
 - fixation 144, 152, 325, 326, 330–332, 337, 344–346, 384, 402, 403, 407
 - gaseous 384, 385, 405
 - immobilization 384, 385
 - leaching 384
 - limitation 149, 152, 205, 207, 399, 408
 - - progressive 384, 385, 436
 - mineral 143, 144, 152, 325, 326, 329–331, 338, 344, 347, 402
 - mineralization 202, 328, 402
 - nutrition index 328, 346
 - organic 329
 - pools 329, 330, 402

- respiration 235, 236, 238
- retention 385
- sequestration 325, 436
- sink 328, 331
- soil 143–145, 148–152, 163, 244, 395, 396, 399, 402
- uptake 240
- yield 340, 341
- nitrous oxide 404, 405, 440
- nodule 326
- nutrients 59, 63, 65
 - acquisition 272, 279, 281–284
 - availability 142, 373, 381, 384
 - demand 202

- O**
- open-top chambers 4, 19, 21, 257, 259, 260
- ORNL FACE 16, 20
- Oryza sativa* 87
- oxygen
 - concentration 395
 - limitation 404
- ozone 15, 17, 18, 20, 30, 32, 34, 36, 38, 213, 216, 217

- P**
- parasites of plants 189, 221, 222, 397
- Paspalum dilatatum* 168
- perennial plants 405, 407
- perennial ryegrass 139, 142, 145, 148, 152, 160, 168, 263–266, 274, 276, 279, 285, 286, 299, 302, 303, 326, 327, 330, 337, 343, 347
- PGPR 396, 406
- phenol oxidases 395
- phenology 89, 90, 107, 111, 113
- phosphate 162, 163, 164
- phosphorus 327
 - limitation 143
 - supply 143
- photorespiration 254
- photosynthesis 74–77, 82, 91, 92, 110, 144, 150, 152, 179–181, 192, 200, 201, 216, 217, 223, 234, 235, 238, 248, 253–267, 432, 434
 - acclimation 294, 433
 - capacity 110
 - down-regulation 75, 76, 160, 256–258, 294, 295
 - light-limited 254, 258
 - light-saturated (A_{sat}) 91, 254, 255, 261, 262, 266
 - maximum quantum yield ($\phi_{\text{CO}_2, \text{max}}$) 78, 92, 432
 - stomatal limitation (l) 75, 76, 83, 255
- Pinus taeda* 10, 198
- plants
 - annual 405
 - C_3 72, 74, 75, 79, 82, 393, 408
 - C_4 72, 76, 77, 81, 83, 393
 - disease 101, 221, 222
 - growth 109
 - herbaceous 382, 383
 - parasites of 221, 222, 397
 - perennial 405, 407
 - productivity 9, 11
 - water relations 320
 - woody 382, 383
- polysaccharide utilizers 401
- PopFACE 16, 18, 20, 173–195
- Populus* 177–191
 - *temuloides* 213
- potassium 162
- Potato FACE 16, 18–20, 28, 105–119
- potato quality
 - chemical 116–118
 - physical 115, 116, 118
- precipitation 437, 438
- predation 419, 420
- priming effect 189, 191–194, 205, 286
- production
 - above-ground net primary (ANPP) 79–82
 - net ecosystem (NEP) 242–244, 247
 - net primary (NPP) 174, 191, 192, 201, 202, 206, 236, 238, 241, 243, 246–248
 - root and tuber crops 105, 201, 202, 206
- productivity 9, 11, 220, 433, 434
 - above-ground 432
 - below-ground 433
- profiles
 - metabolic 401
 - molecular fingerprinting 401
 - PLFA 400
 - T-RFLP 400
- protein content 167–169
- proteomics 352–354, 361, 366
- Pseudomonas* 395, 401, 405

Q

- quantitative trait loci (QTL) 352, 353, 358, 366
- quantitative trait nucleotides (QTN) 360
- quantum yield 78, 92, 432

R

- ratio
 - accumulation:fixation 304
 - C:N 145, 148, 327, 337, 346, 402
 - hexose:sucrose 304
 - root:shoot 145, 272, 276, 277, 328
 - source:sink 10, 146, 147, 264, 295, 298
- regrowth 161
- relative growth rate (RGR) 345
- relative yield (RY) 338, 340, 342, 346, 347
- replacement design 339
- resilience time 407
- resource
 - acquisition 90
 - complementarity 338, 345-347
 - transformation 114, 115, 119, 201, 202
- respiration 150-152, 218, 223, 253, 254, 272, 273, 282-287
 - microbial 379, 383
 - plant 235, 236, 238
 - root 203, 283-287
 - shoot 284
 - soil 133, 135, 188, 190, 192, 242-244, 415, 439
- Rhizobium* 327, 331
- rhizodeposition 166, 383, 394, 397
- rhizoplane 407
- rhizosphere 280, 285, 394-396
 - bacteria 327, 396, 406
 - population structure 331
- ribulose-1,5-bisphosphate (RuBP) 74, 255, 257, 258, 261, 265-267
- rice 87
- RiceFACE 16, 19, 20, 28, 87-104
- Robinia* 326
- roots 52, 53, 55, 62, 92, 184, 185, 188-192, 219, 220, 276, 278-287, 439
 - biomass 145, 151, 166
 - colonisation 419
 - competence 407, 408
 - exudation 167, 279, 280, 284, 397, 408, 413, 417-419
 - fine 236, 238, 241, 243, 246-248

- growth 131, 132, 134, 202, 205, 384
- ingrowth cores 165
- mucilage 401
- nitrogen concentration 145
- respiration 203, 283-287
- restriction 295, 296
- turnover 167, 202, 280, 281
- root:shoot ratio 145, 272, 276, 277, 328
- r-strategists 394, 398, 399, 408
- RT-PCR 407
- Rubisco 74, 75, 179, 253-266
- RuBP 74, 255, 257, 258, 261, 265-267

S

- scaling 6, 317
- sequestration
 - carbon 9, 149, 150, 152, 173, 174, 190, 191, 204, 245, 246, 271, 278, 279, 281, 286, 287, 325, 373, 381, 436
 - nitrogen 325, 436
- short rotation forestry (SRF) 173, 190, 191
- siderophore 406
- sink
 - capacity 76, 79, 295, 301, 303
 - - development 297
 - - limited 302, 303
 - - manipulation 298-300
 - - trees 298
 - carbon 146, 147, 150, 207
 - nitrogen 328, 331
- soil 176, 272, 278-281, 284-287
 - aggregates 374, 386
 - atmosphere 393
 - carbon 52, 54, 56, 62, 174, 188, 189, 192, 193, 243, 244, 248, 377, 381-383
 - - sequestration 149, 150, 152, 373, 381
 - - stabilisation 382, 386
 - characteristics 108
 - depth 381
 - disturbance 382, 383
 - enzymes 400
 - fauna 440
 - food web 413-423
 - microorganisms 11, 132, 135, 148, 152, 393
 - moisture 107, 163, 383
 - nitrogen 143-145, 148-152, 163, 244, 395, 396, 399, 402

- organic matter (SOM) 149, 152, 167, 208, 399, 400, 408, 415, 439
- respiration 133, 135, 188, 190, 192, 242–244, 415, 439
- water 319
- Sorghum bicolor* 57, 64
- source:sink ratio 10, 146, 147, 264, 295, 298, 299
- soybean 259–261, 263, 276, 277, 296, 300, 303, 304
- SoyFACE 16–20, 29, 30, 71–86
- specific leaf area (SLA) 146, 147, 277, 278, 283
- stable isotopes 177, 188, 441
 - ¹³C 21, 141, 149
 - ¹⁵N 141, 147, 149
- starch 293, 295, 296, 303
- stomata
 - aperture 253, 255
 - conductance (g_s) 74–77, 83, 181, 234–236, 238, 247, 248, 253–264, 432
 - limitation to photosynthesis (l) 75, 76, 83, 255
 - resistance 318
- sucrose 293–296, 299
- sugar beet 121–134, 284
- sugars 179, 181, 272–275, 280, 283
- sulfur 162
- sulfur dioxide 17, 28, 39
- supply function 255
- swards
 - pure 139, 337, 339, 343, 344, 347
 - mixed 337, 339, 343, 347
- Swiss FACE 16, 18, 20, 26, 34, 139–155, 276, 279, 325–350, 416

T

- temperature 437, 438
 - air 318
 - canopy 111, 112, 311, 315
- tiller 93, 278
- tracers, isotopic 21
- transcript profiling 353, 356, 357
- transpiration 238, 239, 247
- tree
 - architecture 184, 190
 - canopy 177
- Trifolium*
 - *micranthum* 164
 - *repens* 11, 139, 142, 144, 152, 160, 164, 166, 168, 263, 327, 330, 337, 343, 347

- *subterraneum* 160, 164, 166, 168
- Triticum aestivum* 55, 60, 121, 124–134, 257, 260, 262, 263, 277
- turnover 202, 206, 398, 408
- root 167, 202, 280, 281

U

- understorey 200, 201
- urine 162

V

- $V_{c,max}$ (maximum rate of carboxylation) 75–77, 91, 92, 257, 258, 261, 264–266
- variables, multiple 16, 21
- volatile organic compounds 282

W

- water 276, 286
 - consumption 113, 119
 - soil 319
 - use 54, 56–58, 62, 65, 200, 314, 315, 318
 - - efficiency 181, 190, 320
- WebFACE 29
- wheat 55, 60, 121, 124–134, 257, 260, 262, 263, 277
- white clover 11, 139, 142, 144, 152, 160, 164, 166, 168, 263, 327, 330, 337, 343, 347
- wood 240, 242, 245, 271, 276
 - increment 201, 205, 206
 - quality 189, 221
- woody plants 382, 383

Y

- yield 3, 52, 53, 55, 57, 62, 65, 96, 97, 142, 143, 145, 151
 - biomass 340, 341, 343
 - components 96, 97
 - nitrogen 340, 341
 - relative (RY) 338, 340, 342, 346, 347