
Author Index Volumes 101 – 172

Author Index Volumes 1–100 see Volume 100

- de, Abajo, J. and de la Campa, J. G.*: Processable Aromatic Polyimides. Vol. 140, pp. 23–60.
- Abetz, V.* see Förster, S.: Vol. 166, pp. 173–210.
- Adolf, D. B.* see Ediger, M. D.: Vol. 116, pp. 73–110.
- Aharoni, S. M. and Edwards, S. F.*: Rigid Polymer Networks. Vol. 118, pp. 1–231.
- Albertsson, A.-C., Varma, I. K.*: Aliphatic Polyesters: Synthesis, Properties and Applications. Vol. 157, pp. 99–138.
- Albertsson, A.-C.* see Edlund, U.: Vol. 157, pp. 53–98.
- Albertsson, A.-C.* see Söderqvist Lindblad, M.: Vol. 157, pp. 139–161.
- Albertsson, A.-C.* see Stridsberg, K. M.: Vol. 157, pp. 27–51.
- Albertsson, A.-C.* see Al-Malaika, S.: Vol. 169, pp. 177–199.
- Al-Malaika, S.*: Perspectives in Stabilisation of Polyolefins. Vol. 169, pp. 121–150.
- Améduri, B., Boutevin, B. and Gramain, P.*: Synthesis of Block Copolymers by Radical Polymerization and Telomerization. Vol. 127, pp. 87–142.
- Améduri, B. and Boutevin, B.*: Synthesis and Properties of Fluorinated Telechelic Monodispersed Compounds. Vol. 102, pp. 133–170.
- Amselem, S.* see Domb, A. J.: Vol. 107, pp. 93–142.
- Andrady, A. L.*: Wavelength Sensitivity in Polymer Photodegradation. Vol. 128, pp. 47–94.
- Andreis, M. and Koenig, J. L.*: Application of Nitrogen-15 NMR to Polymers. Vol. 124, pp. 191–238.
- Angiolini, L.* see Carlini, C.: Vol. 123, pp. 127–214.
- Anjum, N.* see Gupta, B.: Vol. 162, pp. 37–63.
- Anseth, K. S., Newman, S. M. and Bowman, C. N.*: Polymeric Dental Composites: Properties and Reaction Behavior of Multimethacrylate Dental Restorations. Vol. 122, pp. 177–218.
- Antonietti, M.* see Cölfen, H.: Vol. 150, pp. 67–187.
- Armitage, B. A.* see O'Brien, D. F.: Vol. 126, pp. 53–58.
- Arndt, M.* see Kaminski, W.: Vol. 127, pp. 143–187.
- Arnold Jr., F. E. and Arnold, F. E.*: Rigid-Rod Polymers and Molecular Composites. Vol. 117, pp. 257–296.
- Arora, M.* see Kumar, M. N. V. R.: Vol. 160, pp. 45–118.
- Arshady, R.*: Polymer Synthesis via Activated Esters: A New Dimension of Creativity in Macromolecular Chemistry. Vol. 111, pp. 1–42.
- Bahar, I., Erman, B. and Monnerie, L.*: Effect of Molecular Structure on Local Chain Dynamics: Analytical Approaches and Computational Methods. Vol. 116, pp. 145–206.
- Ballauff, M.* see Dingenouts, N.: Vol. 144, pp. 1–48.
- Ballauff, M.* see Holm, C.: Vol. 166, pp. 1–27.
- Ballauff, M.* see Rühle, J.: Vol. 165, pp. 79–150.

- Baltá-Calleja, F. J., González Arche, A., Ezquerro, T. A., Santa Cruz, C., Batallón, F., Frick, B. and López Cabarcos, E.:* Structure and Properties of Ferroelectric Copolymers of Poly(vinylidene) Fluoride. Vol. 108, pp. 1–48.
- Barnes, M. D.* see Otaigbe, J.U.: Vol. 154, pp. 1–86.
- Barshtein, G. R. and Sabsai, O. Y.:* Compositions with Mineralorganic Fillers. Vol. 101, pp. 1–28.
- Baschnagel, J., Binder, K., Doruker, P., Gusev, A. A., Hahn, O., Kremer, K., Mattice, W. L., Müller-Plathe, F., Murat, M., Paul, W., Santos, S., Sutter, U. W., Tries, V.:* Bridging the Gap Between Atomistic and Coarse-Grained Models of Polymers: Status and Perspectives. Vol. 152, pp. 41–156.
- Batallón, F.* see Baltá-Calleja, F. J.: Vol. 108, pp. 1–48.
- Batog, A. E., Pet'ko, I.P., Penczek, P.:* Aliphatic-Cycloaliphatic Epoxy Compounds and Polymers. Vol. 144, pp. 49–114.
- Barton, J.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Bell, C. L. and Peppas, N. A.:* Biomedical Membranes from Hydrogels and Interpolymer Complexes. Vol. 122, pp. 125–176.
- Bellon-Maurel, A.* see Calmon-Decriaud, A.: Vol. 135, pp. 207–226.
- Bennett, D. E.* see O'Brien, D. F.: Vol. 126, pp. 53–84.
- Berry, G. C.:* Static and Dynamic Light Scattering on Moderately Concentrated Solutions: Isotropic Solutions of Flexible and Rodlike Chains and Nematic Solutions of Rodlike Chains. Vol. 114, pp. 233–290.
- Bershtein, V. A. and Ryzhov, V. A.:* Far Infrared Spectroscopy of Polymers. Vol. 114, pp. 43–122.
- Bhargava R., Wang S.-Q., Koenig J. L.:* FTIR Microspectroscopy of Polymeric Systems. Vol. 163, pp. 137–191.
- Biesalski, M.:* see Rühle, J.: Vol. 165, pp. 79–150.
- Bigg, D. M.:* Thermal Conductivity of Heterophase Polymer Compositions. Vol. 119, pp. 1–30.
- Binder, K.:* Phase Transitions in Polymer Blends and Block Copolymer Melts: Some Recent Developments. Vol. 112, pp. 115–134.
- Binder, K.:* Phase Transitions of Polymer Blends and Block Copolymer Melts in Thin Films. Vol. 138, pp. 1–90.
- Binder, K.* see Baschnagel, J.: Vol. 152, pp. 41–156.
- Bird, R. B.* see Curtiss, C. F.: Vol. 125, pp. 1–102.
- Biswas, M. and Mukherjee, A.:* Synthesis and Evaluation of Metal-Containing Polymers. Vol. 115, pp. 89–124.
- Biswas, M. and Sinha Ray, S.:* Recent Progress in Synthesis and Evaluation of Polymer-Montmorillonite Nanocomposites. Vol. 155, pp. 167–221.
- Bogdal, D., Penczek, P., Pielichowski, J., Prociak, A.:* Microwave Assisted Synthesis, Cross-linking, and Processing of Polymeric Materials. Vol. 163, pp. 193–263.
- Bohrisch, J., Eisenbach, C.D., Jaeger, W., Mori H., Müller A.H.E., Rehahn, M., Schaller, C., Traser, S., Wittmeyer, P.:* New Polyelectrolyte Architectures. Vol. 165, pp. 1–41.
- Bolze, J.* see Dingenouts, N.: Vol. 144, pp. 1–48.
- Bosshard, C.:* see Gubler, U.: Vol. 158, pp. 123–190.
- Boutevin, B. and Robin, J. J.:* Synthesis and Properties of Fluorinated Diols. Vol. 102, pp. 105–132.
- Boutevin, B.* see Amédouri, B.: Vol. 102, pp. 133–170.
- Boutevin, B.* see Améduri, B.: Vol. 127, pp. 87–142.
- Bowman, C. N.* see Anseth, K. S.: Vol. 122, pp. 177–218.
- Boyd, R. H.:* Prediction of Polymer Crystal Structures and Properties. Vol. 116, pp. 1–26.
- Briber, R. M.* see Hedrick, J. L.: Vol. 141, pp. 1–44.

- Bronnikov, S. V., Vettegren, V. I. and Frenkel, S. Y.*: Kinetics of Deformation and Relaxation in Highly Oriented Polymers. Vol. 125, pp. 103–146.
- Brown, H. R.* see Creton, C.: Vol. 156, pp. 53–135.
- Bruza, K. J.* see Kirchhoff, R. A.: Vol. 117, pp. 1–66.
- Budkowski, A.*: Interfacial Phenomena in Thin Polymer Films: Phase Coexistence and Segregation. Vol. 148, pp. 1–112.
- Burban, J. H.* see Cussler, E. L.: Vol. 110, pp. 67–80.
- Burchard, W.*: Solution Properties of Branched Macromolecules. Vol. 143, pp. 113–194.
- Calmon-Decriaud, A., Bellon-Maurel, V., Silvestre, F.*: Standard Methods for Testing the Aerobic Biodegradation of Polymeric Materials. Vol. 135, pp. 207–226.
- Cameron, N. R. and Sherrington, D. C.*: High Internal Phase Emulsions (HIPEs)-Structure, Properties and Use in Polymer Preparation. Vol. 126, pp. 163–214.
- de la Campa, J. G.* see de Abajo, J.: Vol. 140, pp. 23–60.
- Candau, F.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Canelas, D. A. and DeSimone, J. M.*: Polymerizations in Liquid and Supercritical Carbon Dioxide. Vol. 133, pp. 103–140.
- Canva, M., Stegeman, G. I.*: Quadratic Parametric Interactions in Organic Waveguides. Vol. 158, pp. 87–121.
- Capek, I.*: Kinetics of the Free-Radical Emulsion Polymerization of Vinyl Chloride. Vol. 120, pp. 135–206.
- Capek, I.*: Radical Polymerization of Polyoxyethylene Macromonomers in Disperse Systems. Vol. 145, pp. 1–56.
- Capek, I.*: Radical Polymerization of Polyoxyethylene Macromonomers in Disperse Systems. Vol. 146, pp. 1–56.
- Capek, I. and Chern, C.-S.*: Radical Polymerization in Direct Mini-Emulsion Systems. Vol. 155, pp. 101–166.
- Cappella, B.* see Munz, M.: Vol. 164, pp. 87–210.
- Carlesso, G.* see Prokop, A.: Vol. 160, pp. 119–174.
- Carlini, C. and Angiolini, L.*: Polymers as Free Radical Photoinitiators. Vol. 123, pp. 127–214.
- Carter, K. R.* see Hedrick, J. L.: Vol. 141, pp. 1–44.
- Casas-Vazquez, J.* see Jou, D.: Vol. 120, pp. 207–266.
- Chandrasekhar, V.*: Polymer Solid Electrolytes: Synthesis and Structure. Vol. 135, pp. 139–206.
- Chang, J. Y.* see Han, M. J.: Vol. 153, pp. 1–36.
- Chang, T.*: Recent Advances in Liquid Chromatography Analysis of Synthetic Polymers. Vol. 163, pp. 1–60.
- Charleux, B., Faust R.*: Synthesis of Branched Polymers by Cationic Polymerization. Vol. 142, pp. 1–70.
- Chen, P.* see Jaffe, M.: Vol. 117, pp. 297–328.
- Chern, C.-S.* see Capek, I.: Vol. 155, pp. 101–166.
- Chevolot, Y.* see Mathieu, H. J.: Vol. 162, pp. 1–35.
- Choe, E.-W.* see Jaffe, M.: Vol. 117, pp. 297–328.
- Chow, T. S.*: Glassy State Relaxation and Deformation in Polymers. Vol. 103, pp. 149–190.
- Chujo, Y.* see Uemura, T.: Vol. 167, pp. 81–106.
- Chung, S.-J.* see Lin, T.-C.: Vol. 161, pp. 157–193
- Chung, T.-S.* see Jaffe, M.: Vol. 117, pp. 297–328.
- Cölfen, H. and Antonietti, M.*: Field-Flow Fractionation Techniques for Polymer and Colloid Analysis. Vol. 150, pp. 67–187.
- Comanita, B.* see Roovers, J.: Vol. 142, pp. 179–228.
- Connell, J. W.* see Hergenrother, P. M.: Vol. 117, pp. 67–110.

- Creton, C., Kramer, E. J., Brown, H. R., Hui, C.-Y.*: Adhesion and Fracture of Interfaces Between Immiscible Polymers: From the Molecular to the Continuum Scale. Vol. 156, pp. 53–135.
- Criado-Sancho, M.* see Jou, D.: Vol. 120, pp. 207–266.
- Curro, J. G.* see Schweizer, K. S.: Vol. 116, pp. 319–378.
- Curtiss, C. F. and Bird, R. B.*: Statistical Mechanics of Transport Phenomena: Polymeric Liquid Mixtures. Vol. 125, pp. 1–102.
- Cussler, E. L., Wang, K. L. and Burban, J. H.*: Hydrogels as Separation Agents. Vol. 110, pp. 67–80.
- Dalton, L.* Nonlinear Optical Polymeric Materials: From Chromophore Design to Commercial Applications. Vol. 158, pp. 1–86.
- Dautzenberg, H.* see Holm, C.: Vol. 166, pp. 113–171.
- Davidson, J. M.* see Prokop, A.: Vol. 160, pp. 119–174.
- Desai, S. M., Singh, R. P.*: Surface Modification of Polyethylene. Vol. 169, pp. 231–293.
- DeSimone, J. M.* see Canelas D. A.: Vol. 133, pp. 103–140.
- DiMari, S.* see Prokop, A.: Vol. 136, pp. 1–52.
- Dimonie, M. V.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Dingenouts, N., Bolze, J., Pötschke, D., Ballauf, M.*: Analysis of Polymer Latexes by Small-Angle X-Ray Scattering. Vol. 144, pp. 1–48.
- Dodd, L. R. and Theodorou, D. N.*: Atomistic Monte Carlo Simulation and Continuum Mean Field Theory of the Structure and Equation of State Properties of Alkane and Polymer Melts. Vol. 116, pp. 249–282.
- Doelker, E.*: Cellulose Derivatives. Vol. 107, pp. 199–266.
- Dolden, J. G.*: Calculation of a Mesogenic Index with Emphasis Upon LC-Polyimides. Vol. 141, pp. 189–245.
- Domb, A. J., Amselem, S., Shah, J. and Maniar, M.*: Polyanhydrides: Synthesis and Characterization. Vol. 107, pp. 93–142.
- Domb, A. J.* see Kumar, M. N. V. R.: Vol. 160, pp. 451–18.
- Doruker, P.* see Baschnagel, J.: Vol. 152, pp. 41–156.
- Dubois, P.* see Mecerreyes, D.: Vol. 147, pp. 1–60.
- Dubrovskii, S. A.* see Kazanskii, K. S.: Vol. 104, pp. 97–134.
- Dunkin, I. R.* see Steinke, J.: Vol. 123, pp. 81–126.
- Dunson, D. L.* see McGrath, J. E.: Vol. 140, pp. 61–106.
- Dziezok, P.* see Rühle, J.: Vol. 165, pp. 79–150.
- Eastmond, G. C.*: Poly(ϵ -caprolactone) Blends. Vol. 149, pp. 59–223.
- Economy, J. and Goranov, K.*: Thermotropic Liquid Crystalline Polymers for High Performance Applications. Vol. 117, pp. 221–256.
- Ediger, M. D. and Adolf, D. B.*: Brownian Dynamics Simulations of Local Polymer Dynamics. Vol. 116, pp. 73–110.
- Edlund, U. Albertsson, A.-C.*: Degradable Polymer Microspheres for Controlled Drug Delivery. Vol. 157, pp. 53–98.
- Edwards, S. F.* see Aharoni, S. M.: Vol. 118, pp. 1–231.
- Eisenbach, C. D.* see Bohrisch, J.: Vol. 165, pp. 1–41.
- Endo, T.* see Yagci, Y.: Vol. 127, pp. 59–86.
- Engelhardt, H. and Grosche, O.*: Capillary Electrophoresis in Polymer Analysis. Vol. 150, pp. 189–217.
- Engelhardt, H. and Martin, H.*: Characterization of Synthetic Polyelectrolytes by Capillary Electrophoretic Methods. Vol. 165, pp. 211–247.
- Eriksson, P.* see Jacobson, K.: Vol. 169, pp. 151–176.

- Erman, B.* see Bahar, I.: Vol. 116, pp. 145–206.
- Eschner, M.* see Spange, S.: Vol. 165, pp. 43–78.
- Estel, K.* see Spange, S.: Vol. 165, pp. 43–78.
- Ewen, B. and Richter, D.*: Neutron Spin Echo Investigations on the Segmental Dynamics of Polymers in Melts, Networks and Solutions. Vol. 134, pp. 1–130.
- Ezquerria, T. A.* see Baltá-Calleja, F. J.: Vol. 108, pp. 1–48.
- Fatkullin, N.* see Kimmich, R.: Vol. 170, pp. 1–113.
- Faust, R.* see Charleux, B.: Vol. 142, pp. 1–70.
- Faust, R.* see Kwon, Y.: Vol. 167, pp. 107–135.
- Fekete, E.* see Pukánszky, B.: Vol. 139, pp. 109–154.
- Fendler, J. H.*: Membrane-Mimetic Approach to Advanced Materials. Vol. 113, pp. 1–209.
- Fetters, L. J.* see Xu, Z.: Vol. 120, pp. 1–50.
- Förster, S., Abetz, V., Müller, A. H. E.*: Polyelectrolyte Block Copolymer Micelles. Vol. 166, pp. 173–210.
- Förster, S. and Schmidt, M.*: Polyelectrolytes in Solution. Vol. 120, pp. 51–134.
- Freire, J. J.*: Conformational Properties of Branched Polymers: Theory and Simulations. Vol. 143, pp. 35–112.
- Frenkel, S. Y.* see Bronnikov, S.V.: Vol. 125, pp. 103–146.
- Frick, B.* see Baltá-Calleja, F. J.: Vol. 108, pp. 1–48.
- Fridman, M. L.*: see Terent'eva, J. P.: Vol. 101, pp. 29–64.
- Fukui, K.* see Otaigbe, J. U.: Vol. 154, pp. 1–86.
- Funke, W.*: Microgels-Intramolecularly Crosslinked Macromolecules with a Globular Structure. Vol. 136, pp. 137–232.
- Furusho, Y.* see Takata, T.: Vol. 171, pp. 1–75.
- Galina, H.*: Mean-Field Kinetic Modeling of Polymerization: The Smoluchowski Coagulation Equation. Vol. 137, pp. 135–172.
- Ganesh, K.* see Kishore, K.: Vol. 121, pp. 81–122.
- Gaw, K. O. and Kakimoto, M.*: Polyimide-Epoxy Composites. Vol. 140, pp. 107–136.
- Geckeler, K. E.* see Rivas, B.: Vol. 102, pp. 171–188.
- Geckeler, K. E.*: Soluble Polymer Supports for Liquid-Phase Synthesis. Vol. 121, pp. 31–80.
- Gedde, U. W., Mattozzi, A.*: Polyethylene Morphology. Vol. 169, pp. 29–73.
- Gehrke, S. H.*: Synthesis, Equilibrium Swelling, Kinetics Permeability and Applications of Environmentally Responsive Gels. Vol. 110, pp. 81–144.
- de Gennes, P.-G.*: Flexible Polymers in Nanopores. Vol. 138, pp. 91–106.
- Georgiou, S.*: Laser Cleaning Methodologies of Polymer Substrates. Vol. 168, pp. 1–49.
- Geuss, M.* see Munz, M.: Vol. 164, pp. 87–210
- Giannelis, E. P., Krishnamoorti, R., Manias, E.*: Polymer-Silicate Nanocomposites: Model Systems for Confined Polymers and Polymer Brushes. Vol. 138, pp. 107–148.
- Godovsky, D. Y.*: Device Applications of Polymer-Nanocomposites. Vol. 153, pp. 163–205.
- Godovsky, D. Y.*: Electron Behavior and Magnetic Properties Polymer-Nanocomposites. Vol. 119, pp. 79–122.
- González Arche, A.* see Baltá-Calleja, F. J.: Vol. 108, pp. 1–48.
- Goranov, K.* see Economy, J.: Vol. 117, pp. 221–256.
- Gramain, P.* see Améduri, B.: Vol. 127, pp. 87–142.
- Grest, G. S.*: Normal and Shear Forces Between Polymer Brushes. Vol. 138, pp. 149–184.
- Grigorescu, G., Kulicke, W.-M.*: Prediction of Viscoelastic Properties and Shear Stability of Polymers in Solution. Vol. 152, p. 1–40.
- Gröhn, F.* see Rühle, J.: Vol. 165, pp. 79–150.
- Grosberg, A. and Nechaev, S.*: Polymer Topology. Vol. 106, pp. 1–30.

- Grosche, O.* see Engelhardt, H.: Vol. 150, pp. 189–217.
- Grubbs, R., Risse, W. and Novac, B.*: The Development of Well-defined Catalysts for Ring-Opening Olefin Metathesis. Vol. 102, pp. 47–72.
- Gubler, U. and Bosshard, C.*: Molecular Design for Third-Order Nonlinear Optics. Vol. 158, pp. 123–190.
- van Gunsteren, W. F.* see Gusev, A. A.: Vol. 116, pp. 207–248.
- Gupta, B. and Anjum, N.*: Plasma and Radiation-Induced Graft Modification of Polymers for Biomedical Applications. Vol. 162, pp. 37–63.
- Gusev, A. A., Müller-Plathe, F., van Gunsteren, W. F. and Suter, U. W.*: Dynamics of Small Molecules in Bulk Polymers. Vol. 116, pp. 207–248.
- Gusev, A. A.* see Baschnagel, J.: Vol. 152, pp. 41–156.
- Guillot, J.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Guyot, A. and Tauer, K.*: Reactive Surfactants in Emulsion Polymerization. Vol. 111, pp. 43–66.
- Hadjichristidis, N., Pispas, S., Pitsikalis, M., Iatrou, H., Vlahos, C.*: Asymmetric Star Polymers Synthesis and Properties. Vol. 142, pp. 71–128.
- Hadjichristidis, N.* see Xu, Z.: Vol. 120, pp. 1–50.
- Hadjichristidis, N.* see Pitsikalis, M.: Vol. 135, pp. 1–138.
- Hahn, O.* see Baschnagel, J.: Vol. 152, pp. 41–156.
- Hakkarainen, M.*: Aliphatic Polyesters: Abiotic and Biotic Degradation and Degradation Products. Vol. 157, pp. 1–26.
- Hakkarainen, M. and Albertsson, A.-C.*: Environmental Degradation of Polyethylene. Vol. 169, pp. 177–199.
- Hall, H. K.* see Penelle, J.: Vol. 102, pp. 73–104.
- Hamley, I. W.*: Crystallization in Block Copolymers. Vol. 148, pp. 113–138.
- Hammouda, B.*: SANS from Homogeneous Polymer Mixtures: A Unified Overview. Vol. 106, pp. 87–134.
- Han, M. J. and Chang, J. Y.*: Polynucleotide Analogues. Vol. 153, pp. 1–36.
- Harada, A.*: Design and Construction of Supramolecular Architectures Consisting of Cyclodextrins and Polymers. Vol. 133, pp. 141–192.
- Haralson, M. A.* see Prokop, A.: Vol. 136, pp. 1–52.
- Hassan, C. M. and Peppas, N. A.*: Structure and Applications of Poly(vinyl alcohol) Hydrogels Produced by Conventional Crosslinking or by Freezing/Thawing Methods. Vol. 153, pp. 37–65.
- Hawker, C. J.*: Dendritic and Hyperbranched Macromolecules Precisely Controlled Macromolecular Architectures. Vol. 147, pp. 113–160.
- Hawker, C. J.* see Hedrick, J. L.: Vol. 141, pp. 1–44.
- He, G. S.* see Lin, T.-C.: Vol. 161, pp. 157–193.
- Hedrick, J. L., Carter, K. R., Labadie, J. W., Miller, R. D., Volksen, W., Hawker, C. J., Yoon, D. Y., Russell, T. P., McGrath, J. E. and Briber, R. M.*: Nanoporous Polyimides. Vol. 141, pp. 1–44.
- Hedrick, J. L., Labadie, J. W., Volksen, W. and Hilborn, J. G.*: Nanoscopically Engineered Polyimides. Vol. 147, pp. 61–112.
- Hedrick, J. L.* see Hergenrother, P. M.: Vol. 117, pp. 67–110.
- Hedrick, J. L.* see Kiefer, J.: Vol. 147, pp. 161–247.
- Hedrick, J. L.* see McGrath, J. E.: Vol. 140, pp. 61–106.
- Heinrich, G. and Klüppel, M.*: Recent Advances in the Theory of Filler Networking in Elastomers. Vol. 160, pp. 1–44.
- Heller, J.*: Poly (Ortho Esters). Vol. 107, pp. 41–92.
- Helm, C. A.*: see Möhwalld, H.: Vol. 165, pp. 151–175.

- Hemielec, A. A.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Hergenrother, P. M., Connell, J. W., Labadie, J. W. and Hedrick, J. L.:* Poly(arylene ether)s Containing Heterocyclic Units. Vol. 117, pp. 67–110.
- Hernández-Barajas, J.* see Wandrey, C.: Vol. 145, pp. 123–182.
- Hervet, H.* see Léger, L.: Vol. 138, pp. 185–226.
- Hilborn, J. G.* see Hedrick, J. L.: Vol. 147, pp. 61–112.
- Hilborn, J. G.* see Kiefer, J.: Vol. 147, pp. 161–247.
- Hiramatsu, N.* see Matsushige, M.: Vol. 125, pp. 147–186.
- Hirasa, O.* see Suzuki, M.: Vol. 110, pp. 241–262.
- Hirotsu, S.:* Coexistence of Phases and the Nature of First-Order Transition in Poly-N-isopropylacrylamide Gels. Vol. 110, pp. 1–26.
- Höcker, H.* see Klee, D.: Vol. 149, pp. 1–57.
- Holm, C., Hofmann, T., Joanny, J. F., Kremer, K., Netz, R. R., Reineker, P., Seidel, C., Vilgis, T. A., Winkler, R. G.:* Polyelectrolyte Theory. Vol. 166, pp. 67–111.
- Holm, C., Rehahn, M., Oppermann, W., Ballauff, M.:* Stiff-Chain Polyelectrolytes. Vol. 166, pp. 1–27.
- Hornsby, P.:* Rheology, Compounding and Processing of Filled Thermoplastics. Vol. 139, pp. 155–216.
- Houbenov, N.* see Rühle, J.: Vol. 165, pp. 79–150.
- Huber, K.* see Volk, N.: Vol. 166, pp. 29–65.
- Hugenberg, N.* see Rühle, J.: Vol. 165, pp. 79–150.
- Hui, C.-Y.* see Creton, C.: Vol. 156, pp. 53–135.
- Hult, A., Johansson, M., Malmström, E.:* Hyperbranched Polymers. Vol. 143, pp. 1–34.
- Hunkeler, D., Candau, F., Pichot, C., Hemielec, A. E., Xie, T. Y., Barton, J., Vaskova, V., Guillot, J., Dimonie, M. V., Reichert, K. H.:* Heterophase Polymerization: A Physical and Kinetic Comparison and Categorization. Vol. 112, pp. 115–134.
- Hunkeler, D.* see Macko, T.: Vol. 163, pp. 61–136.
- Hunkeler, D.* see Prokop, A.: Vol. 136, pp. 1–52; 53–74.
- Hunkeler, D.* see Wandrey, C.: Vol. 145, pp. 123–182.
- Iatrou, H.* see Hadjichristidis, N.: Vol. 142, pp. 71–128.
- Ichikawa, T.* see Yoshida, H.: Vol. 105, pp. 3–36.
- Ihara, E.* see Yasuda, H.: Vol. 133, pp. 53–102.
- Ikada, Y.* see Uyama, Y.: Vol. 137, pp. 1–40.
- Ikehara, T.* see Jinnuai, H.: Vol. 170, pp. 115–167.
- Ilavsky, M.:* Effect on Phase Transition on Swelling and Mechanical Behavior of Synthetic Hydrogels. Vol. 109, pp. 173–206.
- Imai, Y.:* Rapid Synthesis of Polyimides from Nylon-Salt Monomers. Vol. 140, pp. 1–23.
- Inomata, H.* see Saito, S.: Vol. 106, pp. 207–232.
- Inoue, S.* see Sugimoto, H.: Vol. 146, pp. 39–120.
- Irie, M.:* Stimuli-Responsive Poly(N-isopropylacrylamide), Photo- and Chemical-Induced Phase Transitions. Vol. 110, pp. 49–66.
- Ise, N.* see Matsuoka, H.: Vol. 114, pp. 187–232.
- Ito, H.:* Chemical Amplification Resists for Microlithography. Vol. 172, pp. 37–245.
- Ito, K., Kawaguchi, S.:* Poly(macromonomers), Homo- and Copolymerization. Vol. 142, pp. 129–178.
- Ito, Y.* see Suginome, M.: Vol. 171, pp. 77–136.
- Ivanov, A. E.* see Zubov, V. P.: Vol. 104, pp. 135–176.
- Jacob, S. and Kennedy, J.:* Synthesis, Characterization and Properties of OCTA-ARM Polyisobutylene-Based Star Polymers. Vol. 146, pp. 1–38.

- Jacobson, K., Eriksson, P., Reitberger, T., Stenberg, B.:* Chemiluminescence as a Tool for Polyolefin. Vol. 169, pp. 151–176.
- Jaeger, W.* see Bohrisch, J.: Vol. 165, pp. 1–41.
- Jaffe, M., Chen, P., Choe, E.-W., Chung, T.-S. and Makhija, S.:* High Performance Polymer Blends. Vol. 117, pp. 297–328.
- Jancar, J.:* Structure-Property Relationships in Thermoplastic Matrices. Vol. 139, pp. 1–66.
- Jen, A. K.-Y.* see Kajzar, F.: Vol. 161, pp. 1–85.
- Jerome, R.* see Mecerreyes, D.: Vol. 147, pp. 1–60.
- Jiang, M., Li, M., Xiang, M. and Zhou, H.:* Interpolymer Complexation and Miscibility and Enhancement by Hydrogen Bonding. Vol. 146, pp. 121–194.
- Jin, J.* see Shim, H.-K.: Vol. 158, pp. 191–241.
- Jinnai, H., Nishikawa, Y., Ikehara, T. and Nishi, T.:* Emerging Technologies for the 3D Analysis of Polymer Structures. Vol. 170, pp. 115–167.
- Jo, W. H. and Yang, J. S.:* Molecular Simulation Approaches for Multiphase Polymer Systems. Vol. 156, pp. 1–52.
- Joanny, J.-F.* see Holm, C.: Vol. 166, pp. 67–111.
- Joanny, J.-F.* see Thünemann, A. F.: Vol. 166, pp. 113–171.
- Johannsmann, D.* see Rühle, J.: Vol. 165, pp. 79–150.
- Johansson, M.* see Hult, A.: Vol. 143, pp. 1–34.
- Joos-Müller, B.* see Funke, W.: Vol. 136, pp. 137–232.
- Jou, D., Casas-Vazquez, J. and Criado-Sancho, M.:* Thermodynamics of Polymer Solutions under Flow: Phase Separation and Polymer Degradation. Vol. 120, pp. 207–266.
- Kaetsu, I.:* Radiation Synthesis of Polymeric Materials for Biomedical and Biochemical Applications. Vol. 105, pp. 81–98.
- Kaji, K.* see Kanaya, T.: Vol. 154, pp. 87–141.
- Kajzar, F., Lee, K.-S., Jen, A. K.-Y.:* Polymeric Materials and their Orientation Techniques for Second-Order Nonlinear Optics. Vol. 161, pp. 1–85.
- Kakimoto, M.* see Gaw, K. O.: Vol. 140, pp. 107–136.
- Kaminski, W. and Arndt, M.:* Metallocenes for Polymer Catalysis. Vol. 127, pp. 143–187.
- Kammer, H. W., Kressler, H. and Kummerloewe, C.:* Phase Behavior of Polymer Blends – Effects of Thermodynamics and Rheology. Vol. 106, pp. 31–86.
- Kanaya, T. and Kaji, K.:* Dynamics in the Glassy State and Near the Glass Transition of Amorphous Polymers as Studied by Neutron Scattering. Vol. 154, pp. 87–141.
- Kandyrin, L. B. and Kuleznev, V. N.:* The Dependence of Viscosity on the Composition of Concentrated Dispersions and the Free Volume Concept of Disperse Systems. Vol. 103, pp. 103–148.
- Kaneko, M.* see Ramaraj, R.: Vol. 123, pp. 215–242.
- Kang, E. T., Neoh, K. G. and Tan, K. L.:* X-Ray Photoelectron Spectroscopic Studies of Electroactive Polymers. Vol. 106, pp. 135–190.
- Karlsson, S.* see Söderqvist Lindblad, M.: Vol. 157, pp. 139–161.
- Karlsson, S.:* Recycled Polyolefins. Material Properties and Means for Quality Determination. Vol. 169, pp. 201–229.
- Kato, K.* see Uyama, Y.: Vol. 137, pp. 1–40.
- Kautek, W.* see Krüger, J.: Vol. 168, pp. 247–290.
- Kawaguchi, S.* see Ito, K.: Vol. 142, p. 129–178.
- Kawata, S.* see Sun, H.-B.: Vol. 170, pp. 169–273.
- Kazanskii, K. S. and Dubrovskii, S. A.:* Chemistry and Physics of Agricultural Hydrogels. Vol. 104, pp. 97–134.
- Kennedy, J. P.* see Jacob, S.: Vol. 146, pp. 1–38.
- Kennedy, J. P.* see Majoros, I.: Vol. 112, pp. 1–113.

- Khokhlov, A., Starodybtzev, S. and Vasilevskaya, V.*: Conformational Transitions of Polymer Gels: Theory and Experiment. Vol. 109, pp. 121–172.
- Kiefer, J., Hedrick J. L. and Hiborn, J. G.*: Macroporous Thermosets by Chemically Induced Phase Separation. Vol. 147, pp. 161–247.
- Kihara, N.* see Takata, T.: Vol. 171, pp. 1–75.
- Kilian, H. G. and Pieper, T.*: Packing of Chain Segments. A Method for Describing X-Ray Patterns of Crystalline, Liquid Crystalline and Non-Crystalline Polymers. Vol. 108, pp. 49–90.
- Kim, J.* see Quirk, R. P.: Vol. 153, pp. 67–162.
- Kim, K.-S.* see Lin, T.-C.: Vol. 161, pp. 157–193.
- Kimmich, R., Fatkullin, N.*: Polymer Chain Dynamics and NMR. Vol. 170, pp. 1–113.
- Kippelen, B. and Peyghambarian, N.*: Photorefractive Polymers and their Applications. Vol. 161, pp. 87–156.
- Kirchhoff, R. A. and Bruza, K. J.*: Polymers from Benzocyclobutenes. Vol. 117, pp. 1–66.
- Kishore, K. and Ganesh, K.*: Polymers Containing Disulfide, Tetrasulfide, Diselenide and Ditelluride Linkages in the Main Chain. Vol. 121, pp. 81–122.
- Kitamaru, R.*: Phase Structure of Polyethylene and Other Crystalline Polymers by Solid-State ¹³C/MNR. Vol. 137, pp. 41–102.
- Klee, D. and Höcker, H.*: Polymers for Biomedical Applications: Improvement of the Interface Compatibility. Vol. 149, pp. 1–57.
- Klier, J.* see Scranton, A. B.: Vol. 122, pp. 1–54.
- v. Klitzing, R. and Tieke, B.*: Polyelectrolyte Membranes. Vol. 165, pp. 177–210.
- Klüppel, M.*: The Role of Disorder in Filler Reinforcement of Elastomers on Various Length Scales. Vol. 164, pp. 1–86
- Klüppel, M.* see Heinrich, G.: Vol. 160, pp. 1–44.
- Knuutila, H., Lehtinen, A., Nummila-Pakarinen, A.*: Advanced Polyethylene Technologies – Controlled Material Properties. Vol. 169, pp. 13–27.
- Kobayashi, S., Shoda, S. and Uyama, H.*: Enzymatic Polymerization and Oligomerization. Vol. 121, pp. 1–30.
- Köhler, W. and Schäfer, R.*: Polymer Analysis by Thermal-Diffusion Forced Rayleigh Scattering. Vol. 151, pp. 1–59.
- Koenig, J. L.* see Bhargava, R.: Vol. 163, pp. 137–191.
- Koenig, J. L.* see Andreis, M.: Vol. 124, pp. 191–238.
- Koike, T.*: Viscoelastic Behavior of Epoxy Resins Before Crosslinking. Vol. 148, pp. 139–188.
- Kokko, E.* see Löfgren, B.: Vol. 169, pp. 1–12.
- Kokufuta, E.*: Novel Applications for Stimulus-Sensitive Polymer Gels in the Preparation of Functional Immobilized Biocatalysts. Vol. 110, pp. 157–178.
- Konno, M.* see Saito, S.: Vol. 109, pp. 207–232.
- Konradi, R.* see Rühle, J.: Vol. 165, pp. 79–150.
- Kopecek, J.* see Putnam, D.: Vol. 122, pp. 55–124.
- Koßmehl, G.* see Schopf, G.: Vol. 129, pp. 1–145.
- Kozlov, E.* see Prokop, A.: Vol. 160, pp. 119–174.
- Kramer, E. J.* see Creton, C.: Vol. 156, pp. 53–135.
- Kremer, K.* see Baschnagel, J.: Vol. 152, pp. 41–156.
- Kremer, K.* see Holm, C.: Vol. 166, pp. 67–111.
- Kressler, J.* see Kammer, H. W.: Vol. 106, pp. 31–86.
- Kricheldorf, H. R.*: Liquid-Crystalline Polyimides. Vol. 141, pp. 83–188.
- Krishnamoorti, R.* see Giannelis, E. P.: Vol. 138, pp. 107–148.
- Krüger, J. and Kautek, W.*: Ultrashort Pulse Laser Interaction with Dielectrics and Polymers, Vol. 168, pp. 247–290.

- Kuchanov, S. I.*: Modern Aspects of Quantitative Theory of Free-Radical Copolymerization. Vol. 103, pp. 1–102.
- Kuchanov, S. I.*: Principles of Quantitative Description of Chemical Structure of Synthetic Polymers. Vol. 152, p. 157–202.
- Kudaibergenow, S. E.*: Recent Advances in Studying of Synthetic Polyampholytes in Solutions. Vol. 144, pp. 115–198.
- Kuleznev, V. N.* see *Kandyrin, L. B.*: Vol. 103, pp. 103–148.
- Kulichkhin, S. G.* see *Malkin, A. Y.*: Vol. 101, pp. 217–258.
- Kulicke, W.-M.* see *Grigorescu, G.*: Vol. 152, p. 1–40.
- Kumar, M. N. V. R., Kumar, N., Domb, A. J. and Arora, M.*: Pharmaceutical Polymeric Controlled Drug Delivery Systems. Vol. 160, pp. 45–118.
- Kumar, N.* see *Kumar M. N. V. R.*: Vol. 160, pp. 45–118.
- Kummerloewe, C.* see *Kammer, H. W.*: Vol. 106, pp. 31–86.
- Kuznetsova, N. P.* see *Samsonov, G. V.*: Vol. 104, pp. 1–50.
- Kwon, Y. and Faust, R.*: Synthesis of Polyisobutylene-Based Block Copolymers with Precisely Controlled Architecture by Living Cationic Polymerization. Vol. 167, pp. 107–135.
- Labadie, J. W.* see *Hergenrother, P. M.*: Vol. 117, pp. 67–110.
- Labadie, J. W.* see *Hedrick, J. L.*: Vol. 141, pp. 1–44.
- Labadie, J. W.* see *Hedrick, J. L.*: Vol. 147, pp. 61–112.
- Lamparski, H. G.* see *O'Brien, D. F.*: Vol. 126, pp. 53–84.
- Laschewsky, A.*: Molecular Concepts, Self-Organisation and Properties of Polysoaps. Vol. 124, pp. 1–86.
- Laso, M.* see *Leontidis, E.*: Vol. 116, pp. 283–318.
- Lazár, M. and Rychl, R.*: Oxidation of Hydrocarbon Polymers. Vol. 102, pp. 189–222.
- Lechowicz, J.* see *Galina, H.*: Vol. 137, pp. 135–172.
- Léger, L., Raphaël, E., Hervet, H.*: Surface-Anchored Polymer Chains: Their Role in Adhesion and Friction. Vol. 138, pp. 185–226.
- Lenz, R. W.*: Biodegradable Polymers. Vol. 107, pp. 1–40.
- Leontidis, E., de Pablo, J. J., Laso, M. and Suter, U. W.*: A Critical Evaluation of Novel Algorithms for the Off-Lattice Monte Carlo Simulation of Condensed Polymer Phases. Vol. 116, pp. 283–318.
- Lee, B.* see *Quirk, R. P.*: Vol. 153, pp. 67–162.
- Lee, K.-S.* see *Kajzar, F.*: Vol. 161, pp. 1–85.
- Lee, Y.* see *Quirk, R. P.*: Vol. 153, pp. 67–162.
- Lehtinen, A.* see *Knuuttila, H.*: Vol. 169, pp. 13–27.
- Leónard, D.* see *Mathieu, H. J.*: Vol. 162, pp. 1–35.
- Lesec, J.* see *Viovy, J.-L.*: Vol. 114, pp. 1–42.
- Li, M.* see *Jiang, M.*: Vol. 146, pp. 121–194.
- Liang, G. L.* see *Sumpter, B. G.*: Vol. 116, pp. 27–72.
- Lienert, K.-W.*: Poly(ester-imide)s for Industrial Use. Vol. 141, pp. 45–82.
- Lin, J. and Sherrington, D. C.*: Recent Developments in the Synthesis, Thermostability and Liquid Crystal Properties of Aromatic Polyamides. Vol. 111, pp. 177–220.
- Lin, T.-C., Chung, S.-J., Kim, K.-S., Wang, X., He, G. S., Swiatkiewicz, J., Pudavar, H. E. and Prasad, P. N.*: Organics and Polymers with High Two-Photon Activities and their Applications. Vol. 161, pp. 157–193.
- Lippert, T.*: Laser Application of Polymers. Vol. 168, pp. 51–246.
- Liu, Y.* see *Söderqvist Lindblad, M.*: Vol. 157, pp. 139–161
- López Cabarcos, E.* see *Baltá-Calleja, F. J.*: Vol. 108, pp. 1–48.

- Löfgren, B., Kokko, E., Seppälä, J.*: Specific Structures Enabled by Metallocene Catalysis in Polyethenes. Vol. 169, pp. 1–12.
- Löwen, H.* see Thünemann, A. F.: Vol. 166, pp. 113–171.
- Macko, T. and Hunkeler, D.*: Liquid Chromatography under Critical and Limiting Conditions: A Survey of Experimental Systems for Synthetic Polymers. Vol. 163, pp. 61–136.
- Majoros, I., Nagy, A. and Kennedy, J. P.*: Conventional and Living Carbocationic Polymerizations United. I. A Comprehensive Model and New Diagnostic Method to Probe the Mechanism of Homopolymerizations. Vol. 112, pp. 1–113.
- Makhija, S.* see Jaffe, M.: Vol. 117, pp. 297–328.
- Malmström, E.* see Hult, A.: Vol. 143, pp. 1–34.
- Malkin, A. Y. and Kulichkhin, S. G.*: Rheokinetics of Curing. Vol. 101, pp. 217–258.
- Maniar, M.* see Domb, A. J.: Vol. 107, pp. 93–142.
- Manias, E.* see Giannelis, E. P.: Vol. 138, pp. 107–148.
- Martin, H.* see Engelhardt, H.: Vol. 165, pp. 211–247.
- Marty, J. D. and Mauzac, M.*: Molecular Imprinting: State of the Art and Perspectives. Vol. 172, pp. 1–35.
- Mashima, K., Nakayama, Y. and Nakamura, A.*: Recent Trends in Polymerization of α -Olefins Catalyzed by Organometallic Complexes of Early Transition Metals. Vol. 133, pp. 1–52.
- Mathew, D.* see Reghunadhan Nair, C.P.: Vol. 155, pp. 1–99.
- Mathieu, H. J., Chevolut, Y., Ruiz-Taylor, L. and Léonard, D.*: Engineering and Characterization of Polymer Surfaces for Biomedical Applications. Vol. 162, pp. 1–35.
- Matsumoto, A.*: Free-Radical Crosslinking Polymerization and Copolymerization of Multivinyl Compounds. Vol. 123, pp. 41–80.
- Matsumoto, A.* see Otsu, T.: Vol. 136, pp. 75–138.
- Matsuoka, H. and Ise, N.*: Small-Angle and Ultra-Small Angle Scattering Study of the Ordered Structure in Polyelectrolyte Solutions and Colloidal Dispersions. Vol. 114, pp. 187–232.
- Matsushige, K., Hiramatsu, N. and Okabe, H.*: Ultrasonic Spectroscopy for Polymeric Materials. Vol. 125, pp. 147–186.
- Mattice, W. L.* see Rehahn, M.: Vol. 131/132, pp. 1–475.
- Mattice, W. L.* see Baschnagel, J.: Vol. 152, pp. 41–156.
- Mattozzi, A.* see Gedde, U. W.: Vol. 169, pp. 29–73.
- Mauzac, M.* see Marty, J. D.: Vol. 172, pp. 1–35.
- Mays, W.* see Xu, Z.: Vol. 120, pp. 1–50.
- Mays, J. W.* see Pitsikalis, M.: Vol. 135, pp. 1–138.
- McGrath, J. E.* see Hedrick, J. L.: Vol. 141, pp. 1–44.
- McGrath, J. E., Dunson, D. L., Hedrick, J. L.*: Synthesis and Characterization of Segmented Polyimide-Polyorganosiloxane Copolymers. Vol. 140, pp. 61–106.
- McLeish, T. C. B., Milner, S. T.*: Entangled Dynamics and Melt Flow of Branched Polymers. Vol. 143, pp. 195–256.
- Mecerreyes, D., Dubois, P. and Jerome, R.*: Novel Macromolecular Architectures Based on Aliphatic Polyesters: Relevance of the Coordination-Insertion Ring-Opening Polymerization. Vol. 147, pp. 1–60.
- Mecham, S. J.* see McGrath, J. E.: Vol. 140, pp. 61–106.
- Menzel, H.* see Möhwald, H.: Vol. 165, pp. 151–175.
- Meyer, T.* see Spange, S.: Vol. 165, pp. 43–78.
- Mikos, A. G.* see Thomson, R. C.: Vol. 122, pp. 245–274.
- Milner, S. T.* see McLeish, T. C. B.: Vol. 143, pp. 195–256.
- Mison, P. and Sillion, B.*: Thermosetting Oligomers Containing Maleimides and Nadiimides End-Groups. Vol. 140, pp. 137–180.

- Miyasaka, K.*: PVA-Iodine Complexes: Formation, Structure and Properties. Vol. 108, pp. 91–130.
- Miller, R. D.* see Hedrick, J. L.: Vol. 141, pp. 1–44.
- Minko, S.* see Rühle, J.: Vol. 165, pp. 79–150.
- Möhwald, H., Menzel, H., Helm, C. A., Stamm, M.*: Lipid and Polyampholyte Monolayers to Study Polyelectrolyte Interactions and Structure at Interfaces. Vol. 165, pp. 151–175.
- Monnerie, L.* see Bahar, I.: Vol. 116, pp. 145–206.
- Mori, H.* see Bohrisch, J.: Vol. 165, pp. 1–41.
- Morishima, Y.*: Photoinduced Electron Transfer in Amphiphilic Polyelectrolyte Systems. Vol. 104, pp. 51–96.
- Morton M.* see Quirk, R. P.: Vol. 153, pp. 67–162.
- Motornov, M.* see Rühle, J.: Vol. 165, pp. 79–150.
- Mours, M.* see Winter, H. H.: Vol. 134, pp. 165–234.
- Müllen, K.* see Scherf, U.: Vol. 123, pp. 1–40.
- Müller, A. H. E.* see Bohrisch, J.: Vol. 165, pp. 1–41.
- Müller, A. H. E.* see Förster, S.: Vol. 166, pp. 173–210.
- Müller, M.* see Thünemann, A. F.: Vol. 166, pp. 113–171.
- Müller-Plathe, F.* see Gusev, A. A.: Vol. 116, pp. 207–248.
- Müller-Plathe, F.* see Baschnagel, J.: Vol. 152, p. 41–156.
- Mukerherjee, A.* see Biswas, M.: Vol. 115, pp. 89–124.
- Munz, M., Cappella, B., Sturm, H., Geuss, M., Schulz, E.*: Materials Contrasts and Nanolithography Techniques in Scanning Force Microscopy (SFM) and their Application to Polymers and Polymer Composites. Vol. 164, pp. 87–210
- Murat, M.* see Baschnagel, J.: Vol. 152, p. 41–156.
- Mylnikov, V.*: Photoconducting Polymers. Vol. 115, pp. 1–88.
- Nagy, A.* see Majoros, I.: Vol. 112, pp. 1–11.
- Naka, K.* see Uemura, T.: Vol. 167, pp. 81–106.
- Nakamura, A.* see Mashima, K.: Vol. 133, pp. 1–52.
- Nakayama, Y.* see Mashima, K.: Vol. 133, pp. 1–52.
- Narasinham, B., Peppas, N. A.*: The Physics of Polymer Dissolution: Modeling Approaches and Experimental Behavior. Vol. 128, pp. 157–208.
- Nechaev, S.* see Grosberg, A.: Vol. 106, pp. 1–30.
- Neoh, K. G.* see Kang, E. T.: Vol. 106, pp. 135–190.
- Netz, R.R.* see Holm, C.: Vol. 166, pp. 67–111.
- Netz, R.R.* see Rühle, J.: Vol. 165, pp. 79–150.
- Newman, S. M.* see Anseth, K. S.: Vol. 122, pp. 177–218.
- Nijenhuis, K. te*: Thermoreversible Networks. Vol. 130, pp. 1–252.
- Ninan, K. N.* see Reghunadhan Nair, C.P.: Vol. 155, pp. 1–99.
- Nishi, T.* see Jinnai, H.: Vol. 170, pp. 115–167.
- Nishikawa, Y.* see Jinnai, H.: Vol. 170, pp. 115–167.
- Noid, D. W.* see Otaigbe, J. U.: Vol. 154, pp. 1–86.
- Noid, D. W.* see Sumpter, B. G.: Vol. 116, pp. 27–72.
- Novac, B.* see Grubbs, R.: Vol. 102, pp. 47–72.
- Novikov, V. V.* see Privalko, V. P.: Vol. 119, pp. 31–78.
- Nummila-Pakarinen, A.* see Knuutila, H.: Vol. 169, pp. 13–27.
- O'Brien, D. F., Armitage, B. A., Bennett, D. E. and Lamparski, H. G.*: Polymerization and Domain Formation in Lipid Assemblies. Vol. 126, pp. 53–84.
- Ogasawara, M.*: Application of Pulse Radiolysis to the Study of Polymers and Polymerizations. Vol. 105, pp. 37–80.

- Okabe, H.* see Matsushige, K.: Vol. 125, pp. 147–186.
- Okada, M.*: Ring-Opening Polymerization of Bicyclic and Spiro Compounds. Reactivities and Polymerization Mechanisms. Vol. 102, pp. 1–46.
- Okano, T.*: Molecular Design of Temperature-Responsive Polymers as Intelligent Materials. Vol. 110, pp. 179–198.
- Okay, O.* see Funke, W.: Vol. 136, pp. 137–232.
- Onuki, A.*: Theory of Phase Transition in Polymer Gels. Vol. 109, pp. 63–120.
- Oppermann, W.* see Holm, C.: Vol. 166, pp. 1–27.
- Oppermann, W.* see Volk, N.: Vol. 166, pp. 29–65.
- Osad'ko, I. S.*: Selective Spectroscopy of Chromophore Doped Polymers and Glasses. Vol. 114, pp. 123–186.
- Osakada, K., Takeuchi, D.*: Coordination Polymerization of Dienes, Allenes, and Methylene-cycloalkanes. Vol. 171, pp. 137–194.
- Otaigbe, J. U., Barnes, M. D., Fukui, K., Sumpter, B. G., Noid, D. W.*: Generation, Characterization, and Modeling of Polymer Micro- and Nano-Particles. Vol. 154, pp. 1–86.
- Otsu, T.* and *Matsumoto, A.*: Controlled Synthesis of Polymers Using the Iniferter Technique: Developments in Living Radical Polymerization. Vol. 136, pp. 75–138.
- de Pablo, J. J.* see Leontidis, E.: Vol. 116, pp. 283–318.
- Padias, A. B.* see Penelle, J.: Vol. 102, pp. 73–104.
- Pascault, J.-P.* see Williams, R. J. J.: Vol. 128, pp. 95–156.
- Pasch, H.*: Analysis of Complex Polymers by Interaction Chromatography. Vol. 128, pp. 1–46.
- Pasch, H.*: Hyphenated Techniques in Liquid Chromatography of Polymers. Vol. 150, pp. 1–66.
- Paul, W.* see Baschnagel, J.: Vol. 152, p. 41–156.
- Penczek, P.* see Batog, A. E.: Vol. 144, pp. 49–114.
- Penczek, P.* see Bogdal, D.: Vol. 163, pp. 193–263.
- Penelle, J., Hall, H. K., Padias, A. B.* and *Tanaka, H.*: Captodative Olefins in Polymer Chemistry. Vol. 102, pp. 73–104.
- Peppas, N. A.* see Bell, C. L.: Vol. 122, pp. 125–176.
- Peppas, N. A.* see Hassan, C. M.: Vol. 153, pp. 37–65
- Peppas, N. A.* see Narasimhan, B.: Vol. 128, pp. 157–208.
- Pet'ko, I. P.* see Batog, A. E.: Vol. 144, pp. 49–114.
- Pheyghambarian, N.* see Kippelen, B.: Vol. 161, pp. 87–156.
- Pichot, C.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Pielichowski, J.* see Bogdal, D.: Vol. 163, pp. 193–263.
- Pieper, T.* see Kilian, H. G.: Vol. 108, pp. 49–90.
- Pispas, S.* see Pitsikalis, M.: Vol. 135, pp. 1–138.
- Pispas, S.* see Hadjichristidis, N.: Vol. 142, pp. 71–128.
- Pitsikalis, M., Pispas, S., Mays, J. W., Hadjichristidis, N.*: Nonlinear Block Copolymer Architectures. Vol. 135, pp. 1–138.
- Pitsikalis, M.* see Hadjichristidis, N.: Vol. 142, pp. 71–128.
- Pleul, D.* see Spange, S.: Vol. 165, pp. 43–78.
- Plummer, C. J. G.*: Microdeformation and Fracture in Bulk Polyolefins. Vol. 169, pp. 75–119.
- Pötschke, D.* see Dingenouts, N.: Vol. 144, pp. 1–48.
- Pokrovskii, V. N.*: The Mesoscopic Theory of the Slow Relaxation of Linear Macromolecules. Vol. 154, pp. 143–219.
- Pospíšil, J.*: Functionalized Oligomers and Polymers as Stabilizers for Conventional Polymers. Vol. 101, pp. 65–168.

- Pospíšil, J.*: Aromatic and Heterocyclic Amines in Polymer Stabilization. Vol. 124, pp. 87–190.
- Powers, A. C.* see Prokop, A.: Vol. 136, pp. 53–74.
- Prasad, P. N.* see Lin, T.-C.: Vol. 161, pp. 157–193.
- Priddy, D. B.*: Recent Advances in Styrene Polymerization. Vol. 111, pp. 67–114.
- Priddy, D. B.*: Thermal Discoloration Chemistry of Styrene-co-Acrylonitrile. Vol. 121, pp. 123–154.
- Privalko, V. P.* and *Novikov, V. V.*: Model Treatments of the Heat Conductivity of Heterogeneous Polymers. Vol. 119, pp. 31–78.
- Prociak, A.* see Bogdal, D.: Vol. 163, pp. 193–263
- Prokop, A., Hunkeler, D., DiMari, S., Haralson, M. A., Wang, T. G.*: Water Soluble Polymers for Immunoisolation I: Complex Coacervation and Cytotoxicity. Vol. 136, pp. 1–52.
- Prokop, A., Hunkeler, D., Powers, A. C., Whitesell, R. R., Wang, T. G.*: Water Soluble Polymers for Immunoisolation II: Evaluation of Multicomponent Microencapsulation Systems. Vol. 136, pp. 53–74.
- Prokop, A., Kozlov, E., Carlesso, G.* and *Davidson, J. M.*: Hydrogel-Based Colloidal Polymeric System for Protein and Drug Delivery: Physical and Chemical Characterization, Permeability Control and Applications. Vol. 160, pp. 119–174.
- Pruitt, L. A.*: The Effects of Radiation on the Structural and Mechanical Properties of Medical Polymers. Vol. 162, pp. 65–95.
- Pudavar, H. E.* see Lin, T.-C.: Vol. 161, pp. 157–193.
- Pukánszky, B.* and *Fekete, E.*: Adhesion and Surface Modification. Vol. 139, pp. 109–154.
- Putnam, D.* and *Kopecek, J.*: Polymer Conjugates with Anticancer Activity. Vol. 122, pp. 55–124.
- Quirk, R. P., Yoo, T., Lee, Y. M., Kim, J.* and *Lee, B.*: Applications of 1,1-Diphenylethylene Chemistry in Anionic Synthesis of Polymers with Controlled Structures. Vol. 153, pp. 67–162.
- Ramaraj, R.* and *Kaneko, M.*: Metal Complex in Polymer Membrane as a Model for Photosynthetic Oxygen Evolving Center. Vol. 123, pp. 215–242.
- Rangarajan, B.* see Scranton, A. B.: Vol. 122, pp. 1–54.
- Ranucci, E.* see Söderqvist Lindblad, M.: Vol. 157, pp. 139–161.
- Raphaël, E.* see Léger, L.: Vol. 138, pp. 185–226.
- Reddinger, J. L.* and *Reynolds, J. R.*: Molecular Engineering of p-Conjugated Polymers. Vol. 145, pp. 57–122.
- Reghunadhan Nair, C. P., Mathew, D.* and *Ninan, K. N.*: Cyanate Ester Resins, Recent Developments. Vol. 155, pp. 1–99.
- Reichert, K. H.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Rehahn, M., Mattice, W. L., Suter, U. W.*: Rotational Isomeric State Models in Macromolecular Systems. Vol. 131/132, pp. 1–475.
- Rehahn, M.* see Bohrisch, J.: Vol. 165, pp. 1–41.
- Rehahn, M.* see Holm, C.: Vol. 166, pp. 1–27.
- Reineker, P.* see Holm, C.: Vol. 166, pp. 67–111.
- Reitberger, T.* see Jacobson, K.: Vol. 169, pp. 151–176.
- Reynolds, J. R.* see Reddinger, J. L.: Vol. 145, pp. 57–122.
- Richter, D.* see Ewen, B.: Vol. 134, pp. 1–130.
- Risse, W.* see Grubbs, R.: Vol. 102, pp. 47–72.
- Rivas, B. L.* and *Geckeler, K. E.*: Synthesis and Metal Complexation of Poly(ethyleneimine) and Derivatives. Vol. 102, pp. 171–188.
- Robin, J.J.*: The Use of Ozone in the Synthesis of New Polymers and the Modification of Polymers. Vol. 167, pp. 35–79.

- Robin, J. J.* see Boutevin, B.: Vol. 102, pp. 105–132.
- Roe, R.-J.*: MD Simulation Study of Glass Transition and Short Time Dynamics in Polymer Liquids. Vol. 116, pp. 111–114.
- Roovers, J., Comanita, B.*: Dendrimers and Dendrimer-Polymer Hybrids. Vol. 142, pp. 179–228.
- Rothon, R. N.*: Mineral Fillers in Thermoplastics: Filler Manufacture and Characterisation. Vol. 139, pp. 67–108.
- Rozenberg, B. A.* see Williams, R. J. J.: Vol. 128, pp. 95–156.
- Rühe, J., Ballauff, M., Biesalski, M., Dziezok, P., Gröhn, F., Johannsmann, D., Houbenov, N., Hugenberg, N., Konradi, R., Minko, S., Motorov, M., Netz, R. R., Schmidt, M., Seidel, C., Stamm, M., Stephan, T., Usov, D. and Zhang, H.*: Polyelectrolyte Brushes. Vol. 165, pp. 79–150.
- Ruckenstein, E.*: Concentrated Emulsion Polymerization. Vol. 127, pp. 1–58.
- Ruiz-Taylor, L.* see Mathieu, H. J.: Vol. 162, pp. 1–35.
- Rusanov, A. L.*: Novel Bis (Naphtalic Anhydrides) and Their Polyheteroarylenes with Improved Processability. Vol. 111, pp. 115–176.
- Russel, T. P.* see Hedrick, J. L.: Vol. 141, pp. 1–44.
- Rychly, J.* see Lazár, M.: Vol. 102, pp. 189–222.
- Ryner, M.* see Stridsberg, K. M.: Vol. 157, pp. 2751.
- Ryzhov, V. A.* see Bershtein, V. A.: Vol. 114, pp. 43–122.
- Sabsai, O. Y.* see Barshtein, G. R.: Vol. 101, pp. 1–28.
- Saburov, V. V.* see Zubov, V. P.: Vol. 104, pp. 135–176.
- Saito, S., Konno, M. and Inomata, H.*: Volume Phase Transition of N-Alkylacrylamide Gels. Vol. 109, pp. 207–232.
- Samsonov, G. V. and Kuznetsova, N. P.*: Crosslinked Polyelectrolytes in Biology. Vol. 104, pp. 1–50.
- Santa Cruz, C.* see Baltá-Calleja, F. J.: Vol. 108, pp. 1–48.
- Santos, S.* see Baschnagel, J.: Vol. 152, p. 41–156.
- Sato, T. and Teramoto, A.*: Concentrated Solutions of Liquid-Christalline Polymers. Vol. 126, pp. 85–162.
- Schaller, C.* see Bohrisch, J.: Vol. 165, pp. 1–41.
- Schäfer R.* see Köhler, W.: Vol. 151, pp. 1–59.
- Scherf, U. and Müllen, K.*: The Synthesis of Ladder Polymers. Vol. 123, pp. 1–40.
- Schmidt, M.* see Förster, S.: Vol. 120, pp. 51–134.
- Schmidt, M.* see Rühe, J.: Vol. 165, pp. 79–150.
- Schmidt, M.* see Volk, N.: Vol. 166, pp. 29–65.
- Scholz, M.*: Effects of Ion Radiation on Cells and Tissues. Vol. 162, pp. 97–158.
- Schopf, G. and Kofmehl, G.*: Polythiophenes – Electrically Conductive Polymers. Vol. 129, pp. 1–145.
- Schulz, E.* see Munz, M.: Vol. 164, pp. 97–210.
- Seppälä, J.* see Löfgren, B.: Vol. 169, pp. 1–12.
- Sturm, H.* see Munz, M.: Vol. 164, pp. 87–210.
- Schweizer, K. S.*: Prism Theory of the Structure, Thermodynamics, and Phase Transitions of Polymer Liquids and Alloys. Vol. 116, pp. 319–378.
- Scranton, A. B., Rangarajan, B. and Klier, J.*: Biomedical Applications of Polyelectrolytes. Vol. 122, pp. 1–54.
- Sefton, M. V. and Stevenson, W. T. K.*: Microencapsulation of Live Animal Cells Using Polycrylates. Vol. 107, pp. 143–198.
- Seidel, C.* see Holm, C.: Vol. 166, pp. 67–111.
- Seidel, C.* see Rühe, J.: Vol. 165, pp. 79–150.

- Shamanin, V. V.*: Bases of the Axiomatic Theory of Addition Polymerization. Vol. 112, pp. 135–180.
- Sheiko, S. S.*: Imaging of Polymers Using Scanning Force Microscopy: From Superstructures to Individual Molecules. Vol. 151, pp. 61–174.
- Sherrington, D. C.* see Cameron, N. R., Vol. 126, pp. 163–214.
- Sherrington, D. C.* see Lin, J.: Vol. 111, pp. 177–220.
- Sherrington, D. C.* see Steinke, J.: Vol. 123, pp. 81–126.
- Shibayama, M.* see Tanaka, T.: Vol. 109, pp. 1–62.
- Shiga, T.*: Deformation and Viscoelastic Behavior of Polymer Gels in Electric Fields. Vol. 134, pp. 131–164.
- Shim, H.-K., Jin, J.*: Light-Emitting Characteristics of Conjugated Polymers. Vol. 158, pp. 191–241.
- Shoda, S.* see Kobayashi, S.: Vol. 121, pp. 1–30.
- Siegel, R. A.*: Hydrophobic Weak Polyelectrolyte Gels: Studies of Swelling Equilibria and Kinetics. Vol. 109, pp. 233–268.
- Silvestre, F.* see Calmon-Decriaud, A.: Vol. 207, pp. 207–226.
- Sillion, B.* see Mison, P.: Vol. 140, pp. 137–180.
- Simon, F.* see Spange, S.: Vol. 165, pp. 43–78.
- Singh, R. P.* see Sivaram, S.: Vol. 101, pp. 169–216.
- Singh, R. P.* see Desai, S. M.: Vol. 169, pp. 231–293.
- Sinha Ray, S.* see Biswas, M: Vol. 155, pp. 167–221.
- Sivaram, S. and Singh, R. P.*: Degradation and Stabilization of Ethylene-Propylene Copolymers and Their Blends: A Critical Review. Vol. 101, pp. 169–216.
- Söderqvist Lindblad, M., Liu, Y., Albertsson, A.-C., Ranucci, E., Karlsson, S.*: Polymer from Renewable Resources. Vol. 157, pp. 139–161
- Spange, S., Meyer, T., Voigt, I., Eschner, M., Estel, K., Pleul, D. and Simon, F.*: Poly(Vinylformamide-co-Vinylamine)/Inorganic Oxid Hybrid Materials. Vol. 165, pp. 43–78.
- Stamm, M.* see Möhwald, H.: Vol. 165, pp. 151–175.
- Stamm, M.* see Rühle, J.: Vol. 165, pp. 79–150.
- Starodybtzev, S.* see Khokhlov, A.: Vol. 109, pp. 121–172.
- Stegeman, G. I.* see Canva, M.: Vol. 158, pp. 87–121.
- Steinke, J., Sherrington, D. C. and Dunkin, I. R.*: Imprinting of Synthetic Polymers Using Molecular Templates. Vol. 123, pp. 81–126.
- Stenberg, B.* see Jacobson, K.: Vol. 169, pp. 151–176.
- Stenzenberger, H. D.*: Addition Polyimides. Vol. 117, pp. 165–220.
- Stephan, T.* see Rühle, J.: Vol. 165, pp. 79–150.
- Stevenson, W. T. K.* see Sefton, M. V.: Vol. 107, pp. 143–198.
- Stridsberg, K. M., Ryner, M., Albertsson, A.-C.*: Controlled Ring-Opening Polymerization: Polymers with Designed Macromolecular Architecture. Vol. 157, pp. 27–51.
- Sturm, H.* see Munz, M.: Vol. 164, pp. 87–210.
- Suematsu, K.*: Recent Progress of Gel Theory: Ring, Excluded Volume, and Dimension. Vol. 156, pp. 136–214.
- Sugimoto, H. and Inoue, S.*: Polymerization by Metalloporphyrin and Related Complexes. Vol. 146, pp. 39–120.
- Suginome, M., Ito, Y.*: Transition Metal-Mediated Polymerization of Isocyanides. Vol. 171, pp. 77–136.
- Sumpter, B. G., Noid, D. W., Liang, G. L. and Wunderlich, B.*: Atomistic Dynamics of Macromolecular Crystals. Vol. 116, pp. 27–72.
- Sumpter, B. G.* see Otaigbe, J. U.: Vol. 154, pp. 1–86.
- Sun, H.-B., Kawata, S.*: Two-Photon Photopolymerization and 3D Lithographic Microfabrication. Vol. 170, pp. 169–273.

- Suter, U. W.* see Gusev, A. A.: Vol. 116, pp. 207–248.
Suter, U. W. see Leontidis, E.: Vol. 116, pp. 283–318.
Suter, U. W. see Rehahn, M.: Vol. 131/132, pp. 1–475.
Suter, U. W. see Baschnagel, J.: Vol. 152, p. 41–156.
Suzuki, A.: Phase Transition in Gels of Sub-Millimeter Size Induced by Interaction with Stimuli. Vol. 110, pp. 199–240.
Suzuki, A. and *Hirasa, O.*: An Approach to Artificial Muscle by Polymer Gels due to Micro-Phase Separation. Vol. 110, pp. 241–262.
Swiatkiewicz, J. see Lin, T.-C.: Vol. 161, pp. 157–193.
- Tagawa, S.*: Radiation Effects on Ion Beams on Polymers. Vol. 105, pp. 99–116.
Takata, T., Kihara, N., Furusho, Y.: Polyrotaxanes and Polycatenanes: Recent Advances in Syntheses and Applications of Polymers Comprising of Interlocked Structures. Vol. 171, pp. 1–75.
Takeuchi, D. see Osakada, K.: Vol. 171, pp. 137–194.
Tan, K. L. see Kang, E. T.: Vol. 106, pp. 135–190.
Tanaka, H. and *Shibayama, M.*: Phase Transition and Related Phenomena of Polymer Gels. Vol. 109, pp. 1–62.
Tanaka, T. see Penelle, J.: Vol. 102, pp. 73–104.
Tauer, K. see Guyot, A.: Vol. 111, pp. 43–66.
Teramoto, A. see Sato, T.: Vol. 126, pp. 85–162.
Terent'eva, J. P. and *Fridman, M. L.*: Compositions Based on Aminoresins. Vol. 101, pp. 29–64.
Theodorou, D. N. see Dodd, L. R.: Vol. 116, pp. 249–282.
Thomson, R. C., Wake, M. C., Yaszemski, M. J. and *Mikos, A. G.*: Biodegradable Polymer Scaffolds to Regenerate Organs. Vol. 122, pp. 245–274.
Thünemann, A. F., Müller, M., Dautzenberg, H., Joanny, J.-F., Löwen, H.: Polyelectrolyte complexes. Vol. 166, pp. 113–171.
Tieke, B. see v. Klitzing, R.: Vol. 165, pp. 177–210.
Tokita, M.: Friction Between Polymer Networks of Gels and Solvent. Vol. 110, pp. 27–48.
Traser, S. see Bohrisch, J.: Vol. 165, pp. 1–41.
Tries, V. see Baschnagel, J.: Vol. 152, p. 41–156.
Tsuruta, T.: Contemporary Topics in Polymeric Materials for Biomedical Applications. Vol. 126, pp. 1–52.
- Uemura, T., Naka, K.* and *Chujo, Y.*: Functional Macromolecules with Electron-Donating Dithiafulvene Unit. Vol. 167, pp. 81–106.
Usov, D. see Rühle, J.: Vol. 165, pp. 79–150.
Uyama, H. see Kobayashi, S.: Vol. 121, pp. 1–30.
Uyama, Y.: Surface Modification of Polymers by Grafting. Vol. 137, pp. 1–40.
- Varma, I. K.* see Albertsson, A.-C.: Vol. 157, pp. 99–138.
Vasilevskaya, V. see Khokhlov, A.: Vol. 109, pp. 121–172.
Vaskova, V. see Hunkeler, D.: Vol. 112, pp. 115–134.
Verdugo, P.: Polymer Gel Phase Transition in Condensation-Decondensation of Secretory Products. Vol. 110, pp. 145–156.
Vettegren, V. I. see Bronnikov, S. V.: Vol. 125, pp. 103–146.
Vilgis, T. A. see Holm, C.: Vol. 166, pp. 67–111.
Viovy, J.-L. and *Lesec, J.*: Separation of Macromolecules in Gels: Permeation Chromatography and Electrophoresis. Vol. 114, pp. 1–42.
Vlahos, C. see Hadjichristidis, N.: Vol. 142, pp. 71–128.

- Voigt, I.* see Spange, S.: Vol. 165, pp. 43–78.
- Volk, N., Vollmer, D., Schmidt, M., Oppermann, W., Huber, K.*: Conformation and Phase Diagrams of Flexible Polyelectrolytes. Vol. 166, pp. 29–65.
- Volksten, W.*: Condensation Polyimides: Synthesis, Solution Behavior, and Imidization Characteristics. Vol. 117, pp. 111–164.
- Volksten, W.* see Hedrick, J. L.: Vol. 141, pp. 1–44.
- Volksten, W.* see Hedrick, J. L.: Vol. 147, pp. 61–112.
- Vollmer, D.* see Volk, N.: Vol. 166, pp. 29–65.
- Wake, M. C.* see Thomson, R. C.: Vol. 122, pp. 245–274.
- Wandrey C., Hernández-Barajas, J. and Hunkeler, D.*: Diallyldimethylammonium Chloride and its Polymers. Vol. 145, pp. 123–182.
- Wang, K. L.* see Cussler, E. L.: Vol. 110, pp. 67–80.
- Wang, S.-Q.*: Molecular Transitions and Dynamics at Polymer/Wall Interfaces: Origins of Flow Instabilities and Wall Slip. Vol. 138, pp. 227–276.
- Wang, S.-Q.* see Bhargava, R.: Vol. 163, pp. 137–191.
- Wang, T. G.* see Prokop, A.: Vol. 136, pp. 1–52; 53–74.
- Wang, X.* see Lin, T.-C.: Vol. 161, pp. 157–193.
- Webster, O. W.*: Group Transfer Polymerization: Mechanism and Comparison with Other Methods of Controlled Polymerization of Acrylic Monomers. Vol. 167, pp. 1–34.
- Whitesell, R. R.* see Prokop, A.: Vol. 136, pp. 53–74.
- Williams, R. J. J., Rozenberg, B. A., Pascault, J.-P.*: Reaction Induced Phase Separation in Modified Thermosetting Polymers. Vol. 128, pp. 95–156.
- Winkler, R. G.* see Holm, C.: Vol. 166, pp. 67–111.
- Winter, H. H., Mours, M.*: Rheology of Polymers Near Liquid-Solid Transitions. Vol. 134, pp. 165–234.
- Wittmeyer, P.* see Bohrisch, J.: Vol. 165, pp. 1–41.
- Wu, C.*: Laser Light Scattering Characterization of Special Intractable Macromolecules in Solution. Vol. 137, pp. 103–134.
- Wunderlich, B.* see Sumpter, B. G.: Vol. 116, pp. 27–72.
- Xiang, M.* see Jiang, M.: Vol. 146, pp. 121–194.
- Xie, T. Y.* see Hunkeler, D.: Vol. 112, pp. 115–134.
- Xu, Z., Hadjichristidis, N., Fetters, L. J. and Mays, J. W.*: Structure/Chain-Flexibility Relationships of Polymers. Vol. 120, pp. 1–50.
- Yagci, Y. and Endo, T.*: N-Benzyl and N-Alkoxy Pyridium Salts as Thermal and Photochemical Initiators for Cationic Polymerization. Vol. 127, pp. 59–86.
- Yannas, I. V.*: Tissue Regeneration Templates Based on Collagen-Glycosaminoglycan Copolymers. Vol. 122, pp. 219–244.
- Yang, J. S.* see Jo, W. H.: Vol. 156, pp. 1–52.
- Yamaoka, H.*: Polymer Materials for Fusion Reactors. Vol. 105, pp. 117–144.
- Yasuda, H. and Ihara, E.*: Rare Earth Metal-Initiated Living Polymerizations of Polar and Nonpolar Monomers. Vol. 133, pp. 53–102.
- Yaszemski, M. J.* see Thomson, R. C.: Vol. 122, pp. 245–274.
- Yoo, T.* see Quirk, R. P.: Vol. 153, pp. 67–162.
- Yoon, D. Y.* see Hedrick, J. L.: Vol. 141, pp. 1–44.
- Yoshida, H. and Ichikawa, T.*: Electron Spin Studies of Free Radicals in Irradiated Polymers. Vol. 105, pp. 3–36.

Zhang, H. see Rühle, J.: Vol. 165, pp. 79–150.

Zhang, Y.: Synchrotron Radiation Direct Photo Etching of Polymers. Vol. 168, pp. 291–340.

Zhou, H. see Jiang, M.: Vol. 146, pp. 121–194.

Zubov, V. P., Ivanov, A. E. and Saburov, V. V.: Polymer-Coated Adsorbents for the Separation of Biopolymers and Particles. Vol. 104, pp. 135–176.

Subject Index

- Ablative photodecomposition 98
Abzymes 3
Acetal 64, 74, 81, 92, 97, 119, 123, 140
Acetal crosslink 76, 165, 170
4-Acetoxystyrene 60, 67, 70, 72, 77, 142, 149, 158, 170
Acid amplified imaging 221
Acid amplifier 53
Acid-breakable resin 76
Acid concentration 205
Acid diffusion 52, 91, 206, 217–221
– –, anisotropic 119
Acid gradient 119
Acid-hardening resist 159, 193, 194
Acid-labile end group 144
Acid sensitive dye 52, 205
Acidolysis, A_{AL}-1 55, 62
Acrylamide 5
Acrylate 5
Activated carbon filtration 90
Activation energy 64, 66, 78, 81, 91, 92, 106, 137, 142
Adamantyl methacrylate 99, 191
Adamantylmethyl methacrylate 101
Aerial image 220
Aerobic autooxidation 102
Airborne base contamination 89, 91, 92, 198, 217
Aldehyde 157
Aldol condensation 21
Alicyclic methacrylate 99
Alkyl vinylsulfonate 136
Alkylation 59
–, C- 58, 66, 82, 148, 153, 156, 158
–, O- 58, 82, 153, 156, 158
All-dry bilayer lithography 178, 188
All-dry development 188
Alternating copolymer 70, 71, 105, 108, 116, 129
Alternating phase shift 133
Amine gradient process 119
Amino acids 5
Amorphous molecule 87
Androstane 101
Androsterone 161
Anhydride 62, 114, 146–148, 161, 198
Anionic polymerization 64, 127, 129, 131
– –, living 59, 64, 67, 68, 72, 126, 140, 143, 144, 185
Anisotropy 27
Annealing 93, 95, 198
Annular illumination 180, 214
Antibody 2, 3, 19
Anti-reflection coating (ARC) 93
APEX resist 89, 95, 219
Aqueous base soluble polymer 59, 61
Aqueous system 14, 23
Argon fluoride (ArF) excimer laser 47, 70, 97, 98, 101, 161, 162, 193
Artificial receptor 19
Aspect ratio 174, 176
Associating PAG 91
Atomic absorption 137
Atomic force microscope (AFM) 174, 207, 216
Auger spectroscopy 207
2,2-Azobis(isobutyronitrile) (AIBN) 59, 66, 135, 149, 173, 181, 182, 198
Backbone cleavage 140, 143
Base hydrolysis 67, 84, 110, 157, 158
Beads 11
Benzopinacole 149, 150
Benzoyl peroxide (BPO) 59, 66
Benzyl acetate 155
Benzyl methacrylate 71, 187
Benzylic carbocation 142, 151, 155, 156

- Benzylic stabilization 150, 160
Bias 197, 201, 216, 217
Bilayer 52, 138, 141, 159, 175–185, 187, 198, 201, 214
Bilayer resist 139
Bile acid 101
Bis(4-*tert*-butylphenyl)iodonium cyclamate 106
1,4-Bis(2-hydroxyhexafluoroisopropyl)-benzene 126, 131
1,3-Bis(trimethylsilyl)isopropyl methacrylate 182
Bisazide 199
Blend 72, 81, 83, 129, 130, 141, 164, 183, 207
Block copolymers 71, 72, 119, 124, 126, 173, 182, 202
*t*BOC 55, 59–61, 64, 70–74, 82, 84, 89, 116, 123, 130, 131, 135, 143, 179, 184, 188, 191, 198
– resist 55–57, 71, 89, 90, 188, 190, 191, 208, 217–219
Bulk polymer 11
tert-Butyl acrylate (TBA) 77, 95, 106, 109, 131, 133, 191
tert-Butyl methacrylate (TBMA) 71, 82, 99, 109, 119, 126, 131, 133, 173, 181, 191, 198, 202
tert-Butyl 2-trifluoromethylacrylate (TBTFMA) 129, 130, 131, 132, 133
tert-Butyl 4-vinylbenzoate 64
4-*tert*-Butoxycarbonyloxystyrene (BOCST) 66, 70, 156, 157, 165
4-*tert*-Butyl(dimethyl)silyloxy- α -methylstyrene 143
4-*tert*-Butyl(dimethyl)silyloxystyrene 59, 67
4-*tert*-Butoxystyrene 64, 68
Butyllithium 127

C-alkylation 58
¹³C NMR 52, 57, 161, 205
–, inverse gated 57, 108, 205–206
–, solid state 106, 206
¹⁴C labeling 93, 208
Cage effect 49, 173
Calixarene 84, 87, 156
Calix[4]resocinarene 84
CAMP 59, 89
Capacity 13–16, 28
Capillary electrophoresis 18
Capillary force 175
Carbobenzoxy-L-phenylalanine 27, 28
Carbon dioxide 55, 59, 85, 172–175
Carbon monoxide 130, 133
Casting solvent 43
CASUAL 183
Catalyst 4
Catalytic antibody 20, 21
Catalytic chain length 55, 219
Cationic photoinitiator 164, 199
Cationic polymerization 58, 66, 75, 79, 114, 140–143, 199
– –, ring-opening 164
Ceiling temperature (T_c) 139–144
Cell membrane 23
Chain conformation 208
Chain dynamics 106, 206
Chain entanglement 86
Chain relaxation 10, 14
Chain transfer agent 112
Charge transfer 107, 109
Chemical amplification of resist lines (CARL) 197, 198
Chemical contrast 212
Chiral recognition 4
Chirality 5, 16
Chloromethyltriazine 153
Cholate 101, 106
–, *tert*-butyl 106, 113, 114
Cholesterol 9
Chromatographic stationary phase 16
Chromatographic support 4, 8
Chrome-on-glass (COG) 138, 180
Claisen rearrangement 148
COBRA 112–114, 118, 119
COMA 107, 110, 116, 119, 182, 206
Condensation 76, 84, 152, 156, 157, 159, 179, 193
Contact angle 207
Contact hole 96, 97, 154, 197, 214
Contrast 42, 44, 69, 172, 191, 193–195, 202, 211, 212
Contrast boosted resist 159
Contrast enhancement 159
Copolymerization 108
–, kinetics 206
Corona 202
Covalent interactions 4, 6
Cross polarization 106
Crosslinker 10, 23, 27, 155, 161, 193, 204

- Crosslinking 55, 69, 74, 75, 119, 152,
157–160, 164, 166, 192, 193, 196–203
–, thermal 170, 178, 192
18-Crown-6 127, 131
Crown ether 3
Cryptate 3
Cupric ion 26
Curing 196
–, photochemical 164
Cyclodextrine 3
Cyclohexenyl 148
Cyclohexylmercuric chloride 109
Cyclophane 3
Cyclopolymerization 80, 118, 119, 133,
140–146, 161, 185
Cyclopropyl 146
- 2D-NOESY 206
2D-WISE 206
Decarboxylation 172
De-crosslink 165, 170
Deep UV resist 139
Deesterification 146
Degree of crosslinking 10,11
Dehydration 151, 157, 159, 166
Dehydration, intermolecular 158
Dehydration, intramolecular 151, 152
Dehydrofluoration 20
Dehydrogenation 65
Delayed acid generation 91
Dendrimer 86, 156, 207
Depolymerization 53, 59, 92, 139–145, 185
Depolymerization, thermodynamically-
driven 185
Deprotection 54–139, 172, 173, 179, 181,
188, 190, 198–206, 212, 218, 219
Depth-of-focus (DOF) 176, 214–215
Desilylation 59, 67, 72, 143, 187, 198
DESIRE 192–194, 201
Detection 20
Developer selectivity 78, 128, 16172, 209,
212
Development 42
– contrast 85, 110, 123, 130, 180, 183, 212
Di-*tert*-butyl dicarbonate 61
Di(*tert*-butylphenyl)iodonium pentafluoro-
butanesulfonate 51, 69, 219
Di(*tert*-butylphenyl)iodonium trifluoro-
methanesulfonate 99
1,8-Diaminonaphthalene 27
Diazepam 19
Diazonaphthoquinone (DNQ) 45, 47, 55,
68, 133, 198
Dicyclopentyl methacrylate 165
Diels–Alder reaction 21, 61, 130
Differential scanning calorimetry (DSC)
204
Diffraction 220
Diffusion, Fickian/Case II 194
Diffusion coefficient 218, 219
Diffusion length 218
Diffusion promoter 194
Dihydrofuran 130
Dimerization 152
 α,α -Dimethylbenzyl methacrylate 71
N-(3,5-Dinitrobenzoyl)- α -methylbenzyl-
amine 17
vic-Diol 149, 150, 169
Diphenyliodonium salt 81
Diphenylsilanediol 159
Dissolution behavior 46, 102, 118, 208,
209
Dissolution contrast 96, 132
Dissolution inhibition 46, 52, 68, 84, 113,
133, 137, 150, 198
Dissolution inhibitor 46, 80, 81, 83, 101,
105, 106, 123, 124, 130, 137, 149, 159, 204
– –, multi-functional 84
Dissolution inhibitor precursor 158
Dissolution kinetics 69, 209
Dissolution modifying agent (DMA) 113
Dissolution promoter 80, 150, 159
Dissolution rate 48, 58, 68–71, 110, 116
DNA replication 2
Dose latitude 215
Drug 5
Dry development 175, 201
Dry etch 141, 176
– – resistance 42, 71, 98, 99, 101, 118, 124,
141, 172, 217
Dual solubility change 169
Dual tone imaging 53, 55, 62, 152, 165,
188
Dye 5, 190, 205
Dynamic random access memory (DRAM)
47, 56, 89, 97
- Electron beam projection lithography
(EPL) 137
Electron beam resist 126, 139, 144
Electron deficient monomer 129
Electron transfer 50

- Electrophilic substitution 153, 155
Ellipsometry 204, 211
Emulsion 12
Enantiomer 5, 10, 17
End cap 140, 185
Endo group 59
Ene reaction 126
Enthalpy/entropy of polymerization 142
Environmental stabilization 93
Enzyme 2–5, 9, 22
Epi-Rez SU-8 164
Epoxy resin 164
Equilibrium monomer concentration 142
ESCA 207
ESCAP 77, 78, 95–97, 122, 137, 181, 206–209, 218, 220
Ester, tertiary 62, 64, 96, 112, 123
Esterification 161, 162
Etching 42
Ethoxymethyl 126, 131, 132
Exposure latitude (EL) 194, 215
Extinction coefficient 211
Extraction, solid phase 18
- ^{19}F NMR 206
 F_2 excimer lasers 47, 61, 122
Fittig bis lactone 85
FLEX 214
Flood exposure 148, 188, 190, 192
Fluorescence 207
Fluoroalcohol 61, 184
Fluoroalkyl methacrylate 119
Fluorocarbon plasma 177, 178, 192
Fluoropolymer 80, 121, 122, 135
Focus latitude 214
Focused ion beam 198
Foot 216
Free volume 91–95, 204
Fries rearrangement 67
Functional monomer 4, 5, 8, 11, 23
Functional polymers 43
4-(3-Furyl-3-hydroxypropyl)styrene 157
- G_s 139, 212
 G_x 212
Gas chromatography 109
Gel dose 212
Gel layer 113, 211
Gel permeation chromatography (GPC) 74, 77, 203
Geometry optimization 136
- Glass transition temperature (T_g) 59, 64, 67–70, 87, 93, 95, 99, 101, 105, 115, 119, 143, 184, 191, 196, 198, 201–204
Glicoluril 161
Graft polymerization lithography 199
Grignard reagent 127
Group transfer polymerization 71, 119, 173, 202
- ^1H NMR 60, 160
– analysis, in situ 108, 127, 206
Half-wavelength lithography 96
Hard bake 178, 185, 194, 196
Hexafluoroacetone 61, 126
Hexafluoroisopropanol (HFA) 61, 80, 86, 116, 118, 122, 123, 126, 131, 136, 191
Hexafluoroisopropyl vinylsulfonate 135
Hexamethoxymelamine 159, 167
Host-guest ratio 8
meso-Hydrobenzoin 149
Hydrogel 24
Hydrogen bonding 8, 27, 68, 72, 80, 149, 150, 167, 206
Hydrogenation 66, 79, 114, 126
Hydrolysis 60, 76, 77, 119, 124, 132, 135, 138, 149, 167, 169, 187, 198
–, of anhydride 110, 114, 119, 198
–, of lactone 85, 104, 114, 162
Hydrolytic stability 48, 49, 62, 65, 95, 96, 204
Hydrophilic polymer 55, 112
Hydrophilicity 100–102, 123, 129, 151
Hydrophobic interactions 8
Hydrophobicity 101, 122, 202, 207
Hydrosilylation 184
 γ -Hydroxy acid 161
4-Hydroxy-2,3,5,6-tetrafluorostyrene 132
4-(2-Hydroxyhexafluoroisopropyl)styrene (STHFA) 131, 132, 135
Hydroxyphenyl methacrylate 61
4-Hydroxystyrene (HOST) 61, 65, 70–72, 77, 83, 95, 169, 181, 206
Hyperbranched polymer 86, 87
- Image blur 217–221
Image spread function model 220
Image spreading 219
Immersion lithography 121, 137, 223
Impedance 113
Imprinted site 9, 11
In situ materials 11

- Indenecarboxylic acid 46, 153
Industry roadmap 137, 222
Interactions, non-covalent 4, 8, 9
–, pi-pi 8
Interfacial layer 113, 207, 209
Interfacial mixing 91, 178
Interferometric lithography 220
Interferometry 113, 208, 209
Ion conductivity 52, 188
Ionic interactions 8
IR microscopy 206
IR spectroscopy 56, 110, 149, 161, 162, 188, 191, 194, 206, 211, 212
–, gas phase 206
–, in situ 109
–, reflectance-absorbance 138, 206
Isobornyl methacrylate 101, 131, 191
Isobutene 55, 59, 63
Isocyanate 190
Isomerisation 21
2-Isopropenyl-2-oxazoline 168, 169
- Ketal 64, 72, 92, 137, 206
 β -Keto carboxylic acid 172
KRS 97, 137, 138, 206
Krypton fluoride (KrF) excimer laser 46, 47
- Lactone 85, 114
 δ -Lactone 161
 γ -Lactone 161
 β -Lactone 85
Ladder polymer 178
Langmuir–Blodgett 24
Laser ablation microprobe mass spectroscopy (LAMMS) 207
Laser confocal microscope 52
Laser end-point detection 209
Latent electrophile 152, 155–157, 160, 167
Latent image 208, 220
Length scale of mixing 106, 206
Leu-enkephaline 19
Light scattering 203
Line collapse 138, 174, 175, 194, 216
Line edge roughness (LER) 87, 88, 97, 137, 140, 146, 184, 190–194, 201, 202, 217, 220
Linear resolution 213
Linewidth slimming 93
Linewidth variation 176
Lipophilic polymer 55, 88, 129
Lipophilicity 80, 141, 151
Liquid crystalline imprinted network 27
Liquid-crystal network 26
Lisocholate 101
Lithographic process, environmentally friendly 166
Lithography, 157-nm 80
–, 193-nm 79, 161, 181, 201
–, graft polymerization 199
–, photo/electron beam/X-ray 45
Lock-and-key 3
Low energy electron beam projection lithography (LEEPL) 138
Lyotropic phase 24
- Magic angle spinning (MAS) 106
Main chain scission 47, 59, 60, 63, 139–143, 146, 203
MALDI-TOF 184, 207
Maleic anhydride 61, 107, 109, 115, 118, 119, 161, 166, 198, 206
Malonic acid 172
Mass-persistent resist 85, 86
Mass spectroscopy 58, 207
Maximum dissolution rate 96
Mayo–Lewis model 142
Mechanistic study 156
Melamine 179, 193
Membrane 12
Membrane osmometry 203
Membrane receptor 2
Mercury method 108, 109
Mesogenic 27
Mesomorphic state 27
Mesomorphic polymer 27, 29
Metal content 203
Metal-ions 5
Metal-template bond 8
Methacrylate 79, 80, 126, 127, 187, 191, 201, 206
Methacrylate terpolymer resist 83, 101, 161, 183
Methacrylic acid (MAA) 82, 99, 101, 182
Methacrylonitrile 135
Methacryloxyethyltrimethylsilane 181
Methacryloxyethyltris(trimethylsilyl)silane 181
Methoxymethyl 126
N-Methoxymethylated melamine 153
Methyl methacrylate (MMA) 82, 99, 127, 182, 187

- Methyl styrenesulfonate 169
2-Methyladamantanol 129
2-Methyladamantyl 2-trifluoromethylacrylate 131
2-Methyladamantyl metacrylate 126
Methylcyclopentyl (MCP) 114
 α -Methylstyrene 71, 135
Mevalonic lactone 100
Micelle 202
Micelle 24
Michaelis–Menten 21
Microbridge 154
Micro-electromechanical system (MEMS) 164, 166
Microelectronic devices 41
Minimum dissolution rate 96
Molecular dynamics 68
Molecular mechanics 68
Molecular orbital 104, 136, 140
Molecular recognition 2, 3
Molecular resist 88
Monomer reactivity ratio 77, 142
Monomer-template complex 6
Monomer-template interactions 7
Moore's law 41
Morphine 19
Morphology of the network 13
Multi-functional phenolic compound 84
Multilayer 175, 176
Multiple anion nonvolatile acetal (MANA) 139
Multiple exposure 214

Naphthalene 105
Near edge X-ray absorption fine structure (NEXAFS) 207
Neutron reflectometry 208
Next generation lithography (NGL) 47, 137, 223
2-Nitrobenzyl benzenesulfonate 92
NMP uptake 93–95
NMR analysis 67, 156, 181, 203–206
Norbornene 61, 79, 80, 108, 127, 161, 206
Norbornene hexafluoroalcohol (NBHFA) 116–124, 127–130, 133, 150
Norbornene-maleic anhydride 79, 105–110
Norbornene-sulfur dioxide 79
Notching 216
Novolac 45, 55, 59, 61, 64, 65, 80–82, 84, 99, 106, 113, 141, 156, 164, 185, 194–196
– / DNQ positive photoresist 56, 72, 80, 89, 96, 153, 192, 195
Nucleotides 5
Numerical aperture (NA) 45, 96, 176, 213

Off-axis illumination 96, 191, 214
Onium salt 49, 57, 164
Organic media 14
Organometallic monomer 199
Organometallic polymer 176, 199
Organosilicon polymer 176
Oscillator strength 136
Outgas 137, 138, 146, 184, 206–209
Oxygen plasma 176, 178, 185, 187, 194, 201
Oxygen reactive ion etching (RIE) 97, 141, 176, 187, 188–193, 195, 198–202
Oxygen RIE pattern transfer 178, 185, 195, 196

PAG decomposition 206
PAG distribution 52, 207
Palladium (II) complex 112
Palladium catalyst 112, 123, 130
Pattern size bias 197
PEB temperature stability 217
Penultimate model 129, 132
1*H*,1*H*-Perfluorooctyl methacrylate 173
Pesticide 5
PF-APEX 131, 132
PF-ESCAP/PF²-ESCAP 131, 132
Phase separation 72, 130
Phase shift mask 96, 162, 214
Photoactive compound (PAC) 45, 47
Photobase 91
Photochemical ablation 97
Photochemical acid generator (PAG) 48–53, 70, 204
Photochemical base generator 48
Photochemical curing 164
Photodecomposable base 83, 91, 106
Photodecomposition, ablative 98
Photolysis product 50
Photomask 138, 166
Photo-oxidation 193
Photosensitive polymer 199
Piezoelectric quartz crystal oscillator 209
Pinacol-pinacolone rearrangement 149–151, 158, 169
Planarizing layer 176, 178, 185, 195, 198

- Plasma-developable photoresist (PDP) 176
- Plasticization 48, 94, 101, 146, 198, 204
- Polarity change 55, 62, 148, 157, 159, 188
- Polarity reversal 146, 166
- Polyaldehyde 140
- Polycarbonate 145
- Polyclonality 8
- Polyether 146
- Polyformal 145
- Polyhydroxybenzylsilsequioxane 179
- Polyimidazoles 5
- Polyisoprene 199
- Polymer-bound sulfonic acid 201
- Polymeric acid generator 51
- Polymeric dissolution inhibitor 82, 133, 141
- Polymerization 53
- , kinetics 127
- , rate 142
- Polymethacrylate 47, 62, 63, 98, 113
- Polynortricyclene 118
- Polyphenylacetylene 142
- Polyphenylmethylsilsequioxane 178
- Polyphthalaldehyde 92, 140, 184
- Polypyrroles 5
- Polysiloxane 159, 178, 201
- Polysiloxane 5
- Polysilsequioxane 122, 182, 184
- Polyurethane 5
- Poly(α -acetoxystyrene) 85, 141
- Poly(adamantly methacrylate) 99
- Poly[4,5-bis(trimethylsilyl)phthalaldehyde] 186
- Poly(4-*tert*-butoxycarbonyloxy- α -methylstyrene) 59
- Poly(4-*tert*-butoxycarbonyloxystyrene sulfone) 59, 60, 70, 89, 118
- Poly(4-*tert*-butoxycarbonyloxystyrene) (PBOCST) 55–62, 66, 72, 85, 89, 94, 205, 218, 219
- Poly(4-*tert*-butoxystyrene) 148
- Poly(*tert*-butyl 4-vinylbenzoate) 85, 146, 191
- Poly(*tert*-butyl methacrylate) (PTBMA) 63, 147, 148, 218
- Poly(4-chlorophthalaldehyde) 141
- Poly(2-cyclopropyl-2-propyl 4-vinylbenzoate) 146
- Poly(di-*tert*-butoxysiloxane) 179
- Poly(2,3-dichloropropyl acrylate) 176
- Poly(4-hydroxy- α -methylstyrene) 59, 143
- Poly[4-(1-hydroxyethyl)styrene] 157
- Poly[4-(2-hydroxyhexafluoroisopropyl)styrene (PSTHFA) 60, 133
- Poly[4-2-(hydroxyl-2-propyl)styrene] 151
- Poly(4-hydroxystyrene sulfone) 59, 60
- Poly(4-hydroxystyrene) (PHOST) 55, 59, 63–75, 82, 84, 95, 104, 141, 148, 153, 156–159, 164, 188–198, 205, 207, 208, 219
- Poly(methacrylic acid) 62, 91, 146
- Poly(3-*O*-methacryloyl-D-glucopyranose) 168
- Poly(methyl 2-trifluoromethylacrylate) (PMTFMA) 126
- Poly(methyl methacrylate) (PMMA) 98, 139, 217
- Poly(methyl vinylsulfonate) 133
- Poly(norbornene hexafluoroalcohol) (PNBHFA) 129, 130, 133, 211
- Poly(norbornene sulfone) 118, 122, 191
- Poly(3-methyl-2-(4-vinylphenyl)-2,3-butanediol) 149
- Poly(4-methylene-4*H*-1,3-benzodioxin-2-one) 85
- Poly(2,3-norbornene) 63, 111, 112
- Poly(4-phenoxyethylstyrene) 148
- Poly(4-trimethylsilyloxystyrene) 186, 187
- Poly(4-trimethylsilylphthalaldehyde) 178, 185
- Poly(4-vinylbenzoic acid) 62, 63, 178, 186
- Poly(vinyl alcohol) 124, 167
- Poly(vinylsulfonyl fluoride) 133
- Pores 13
- Porous material 12
- Positron annihilation spectroscopy (PALS) 204
- Postapply bake (PAB) 41, 95, 204
- Postexposure bake (PEB) 48, 58, 64, 91, 185
- Postexposure delay 90, 111
- Postexposure delay, stability 92, 94, 96, 217
- PREVAIL 137
- PRIME 192
- Process latitude 42
- Projection electron beam lithography (PEL) 97
- Propylene glycol methyl ether acetate (PGMEA) 43
- Protecting group 54–139
- Protective overcoat 91

- Proteins 3, 12, 26
 β -Proton elimination 62, 142, 145, 151
Proton spin diffusion 106
Proximity effect 138
- Quantification of acid 52
Quantum chemical calculation 50, 57, 133
Quantum yield 46–48, 52, 139, 212
Quartz crystal microbalance (QCM) 69, 113, 204, 208–211
Quencher 91
Quinone 25
- Racemic mixture 5, 7
Radiation sensitive polymers 41, 44
Radical polymerization 10, 58–61, 64–67, 77, 79, 85, 105, 114, 116, 126, 127, 132, 142, 149, 157, 198
–, living 67
Radius of gyration 67
Rayleigh's equation 45
Reactive ion etching (RIE) 59, 98
Real time infrared reflectance-absorbance spectroscopy 138
Rearrangement 146–151, 203
Receptor 3
Recognition sites 14, 23, 29
Reflectance 113, 211
REFLOW 119
Refractive index 94, 121, 137, 209, 211, 223
Regioselective 20, 21
RELACS 119
Relaxation agent 205
Residual acid 203
Residual casting solvent 93, 173, 204, 205
Residual base 203
Resistance 211
Resists 41, 159
–, acid-hardening 159, 193, 194
–, bilayer 139
–, contrast boosted resist 159
–, positive/negative 44
–, silicon-added bilayer (SABRE) 195
–, water-processable 166–172
Resolution 42, 44–46, 91, 96, 137, 139, 153, 164, 176, 188, 213, 217–221, 223
Resolution enhancement technique (RET) 45, 96, 213
Resolution factor 17
- Reverse polarity change 149–152, 158, 161, 169
Ring parameter 99
Ring-opening 85
Ring-opening metathesis polymerization (ROMP) 79, 85, 114
Rinse 174, 207, 216
Rutherford backscattering spectrometry (RBS) 53, 124, 194, 207
- ^{29}Si NMR 181, 206
SAFIER 119
Sameridine 18, 19
Sauerbery equation 209
SCALPEL 137
Scanning electron microscope (SEM) 207, 217
–, top-down/cross-sectional 216
Scanning probe microscope (SPM) 207
Scanning tunneling microscope (STM) 52, 207, 222
Scanning viscoelasticity microscope (SVM) 204
Scattering 220
Scintillation 208
Secondary ion mass spectroscopy (SIMS) 53, 207
Segregation 124, 207
Self-condensation 157–159, 166
Self-development 92, 140, 141
Semiconductor 41
Sensitivity 42, 43, 47, 48, 193, 212, 223
Sensitivity curve 44, 211, 212
Sensitivity enhancement 47, 137, 139
Sensitizing molecule 51
Sensors 4, 16, 20
Separation factor 10, 17, 18
Separation performance 17
Shelf life 93, 110, 161
Shot noise 137, 223
Silanol 159, 187
– condensation 178, 179
Silica gel 4, 5
Silicon-added bilayer resist (SABRE) 195
Silsequioxane 159
 β -Silyl carbocation 180
Silylating agent 188–191, 194, 198, 202
Silylation 195, 201
–, after wet development 195–198
–, bilayer 194
–, diffusion-controlled 188–194, 201

- , flood 198
- , gas phase 194, 197, 202, 209
- , liquid phase 194, 198, 202
- , reactivity-controlled 188–191, 201
- Silylation process after alkaline wet development (SILYAL) 196
- Simulation 154, 219
- Size exclusion chromatography (SEC) 203
- Skin 89, 90
- Small angle neutron scattering (SANS) 67, 208
- S_N2' addition-elimination 127
- Sol-gel reaction 179
- Solubility parameter 95, 102
- Solvent, dissociating power 13
- , environmentally benign 166
- Solvent-induced stress 143
- Spatial evolution 208
- Specificity 8–11, 14, 16
- Spirobornane 119
- Stability 16
- Stabilizing additive 91
- Standing wave 93
- Stationary phase 17
- Stereoselective 20, 21
- Steroid 5, 22, 101, 106, 111, 124
- Stochastic kinetics simulator (CKS) 218
- Stress cracking 101
- Strip 178, 187
- STUPID model 136
- SUCCESS 82
- Sugar derivatives 5
- Sulfonamide 114, 118
- Sulfonic acid ester 133
- Sulfur dioxide 58, 59, 61, 66, 116, 143, 194
- SUPER 193
- Supercritical CO₂ 43, 119, 150, 166, 172–175
- Supercritical fluid (SCF) 43, 173
- Supramolecular organisation 23
- Surface imprinting technique 12, 23
- Surface modification 198, 199
- Surface tension 173–175
- Surface-insoluble layer 89, 90, 208
- Surface-silylated single layer resist (SSS) 198
- Suspension 12
- Sweet PAG 106
- Swelling 55, 113, 114, 161, 164, 167, 169, 172, 194, 202, 211
- Symmetry adapted cluster configuration interaction (SAC-CI) 137
- T-top 89, 119
- Template extraction 12–14
- Template molecule 4–6
- TEMPO 67, 182
- Terminal model 129, 131
- Tetracyclododecene 107, 114
- Tetrafluoroethylene (TFE) 80, 122–124
- Tetrahydrofuranyl (THF) 184
- Tetrahydropyranyl (THP) 64, 72, 124, 132
- Tetrahydropyranyl methacrylate 71, 101, 119, 126, 173, 181
- Theophylline 19, 27, 28
- Thermal analysis 203–204
- Thermal development 141, 145, 146, 185
- Thermal expansion 208
- Thermal flow 93, 96, 119, 196, 202
- – resistance 46, 75
- Thermal probe 204
- Thermal stability 48, 49, 55, 62, 65, 72, 95, 96, 204
- Thermogradient plate (TGP) 206
- Thermogravimetric analysis (TGA) 62, 72, 204, 144, 206
- Thermolysis 66, 207
- , autocatalytic 59, 74
- Thin film imaging 138, 204
- Thin layer 12, 18
- Time-dependent density functional theory (TD-DFT) 133, 136
- Tool contamination 137, 141
- Topography 176–178, 188
- Top-surface imaging (TSI) 97, 188, 190–193, 201, 214
- Total internal reflection fluorescence spectroscopy 207
- Trace atmospheric gas analyzer (TAGA) 57, 58, 63
- Transannular polymerization 118
- Transesterification 162, 166
- Transetherification 166
- Transition energy 136
- Transition state 21
- Tricyclonone 130
- 2-[4-(2,2,2-Trifluoro-1-ethoxymethoxy-1-trifluoromethylethyl)cyclohexane]-hexafluoroisopropyl acrylate 132

- 2-[4-(2,2,2-Trifluoro-1-ethoxymethoxy-1-trifluoromethylethyl)cyclohexane]-hexafluoroisopropyl 2-trifluoromethylacrylate 131
- Trifluoroisopropanol 131
- 2-Trifluoromethylacrylate 80, 126, 127, 131
- 2-Trifluoromethylacrylic acid (TFMAA) 127, 129
- 5-Trifluoromethyl-5-hydroxy-2-norbornene 129
- 2-Trifluoromethylvinyl acetate 124, 132, 133
- Trilayer 177
- Trimethylsilyl 64
- Trimethylsilyl methacrylate 135, 187
- 4-Trimethylsilyloxy- α -methylstyrene 135
- Triphenylsulfonium hexafluoroantimonate 50, 56, 71, 82, 164, 173
- Triphenylsulfonium salt 49, 81, 82
- Triphenylsulfonium trifluoromethanesulfonate 50, 92, 161, 166
- 1,3,5-Tris-(2-(2-hydroxypropyl)benzene 159
- 1,3,5-Tris(bromoacetyl)benzene 159
- 3-[Tris(trimethylsilyloxy)silyl]propyl methacrylate 181
- Two step-swelling 11
- Two-dimensional wide line separation NMR 106
- Ultraviolet (UV) 45
- , deep 45, 47, 65, 89, 90, 95, 153, 192, 198
- , extreme 45, 75, 97, 137
- , mid 45, 133
- , near 45, 65, 192, 198
- , spectroscopy 204–205
- , vacuum 45, 133, 135
- Uril 179
- Ursocholate 101
- van der Waals volume 126, 136
- VEMA 115
- Vesicle 24
- Vinyl addition polymerization 79, 111, 123, 130
- – –, living 112
- Vinyl ether 74, 75, 80, 115, 129, 165, 170, 199, 206
- / maleic anhydride 79
- 4-Vinylbenzyl acetate 156
- Vinylene carbonate 130
- 4-Vinylphenylboronic acid 6
- Volatile organic compound (VOC) 166
- Water-castable and water-developable resist 148
- Water-processable resist 166–172
- Water-repellent compound 159
- Weak interactions 23
- Wet development 97
- Wittig reaction 66, 67
- Wolff rearrangement 46, 92
- X-ray lithography 45, 81, 137
- X-ray photoelectron spectroscopy 207
- X-ray reflectivity 204, 208