

---

## References

- Akamatsu, S., Sasaki, T., Fukamachi, H., Masui, N. & Suenaga, Y. (1992). "Robust Face Identification Scheme", *Proceedings of SPIE*, pp. 71–84.
- Alter, T. D. (1992). "3d pose from 3 corresponding points under weak-perspective projection", Technical Report 1378, MIT Artificial Intelligence Laboratory.
- Ashbourn, J. (1999). "Practical Biometrics", Springer-Verlag, London, UK.
- Atal, B. S. (1974). "Effectiveness of linear prediction characteristics of the speech wave for automatic speaker identification and verification", *Journal of the Acoustical Society of America*, Vol. 55, No. 6, pp. 1304–1312.
- Atanassov, K. (1999). "Intuitionistic Fuzzy Sets: Theory and Applications", Springer-Verlag, Heidelberg, Germany.
- Baker, J. E. (1987). "Reducing Bias and Inefficiency in the Selection Algorithms", Proceedings of the 2nd International Conference Genetic Algorithms, Hillsdale, NJ, pp. 14–21.
- Barna, G. & Kaski, K. (1990). "Choosing optimal network structure", Proceedings of the International Neural Network Conference (INNC90), pp. 890–893.
- Barr, J. M. (1986). "Speeded Phase Discrimination: Evidence for Global to Local Processing", Proceedings of Graphics Interface 1986, pp. 331–336.
- Barto, A. G., Sutton, R. S. & Anderson, C. (1983). "Neuron like Elements that can Solve Difficult Learning Control Problems", *IEEE Transactions on Systems, Man & Cybernetics*, Vol. 13, pp. 835–846.
- Bezdek, J.C. (1981). "Pattern Recognition with Fuzzy Objective Function Algorithms", Plenum Press, New York.
- Boers, E. & Kuiper, H. (1992). "Biological Metaphors and the Design of Modular Neural Networks", Thesis, Department of Computer Science, Leiden University, The Netherlands.
- Bryson, A. E. & Ho, Y.-C. (1969). "Applied Optimal Control", Blaisdell Press, New York, USA.

- Cantú-Paz, E. (1995). "A Summary of Research on Parallel Genetic Algorithms", IlliGAL Report No. 95007, Illinois Genetic Algorithm Laboratory, University of Illinois at Urbana-Champaign.
- Carpenter, G. A. & Grossberg, S. (1988). "The Art of Adaptive Pattern Recognition by a Self-Organizing Neural Network", *IEEE Computer*, Vol. 21 No. 3 pp. 77–88.
- Castillo, O. & Melin, P. (2001). "Soft Computing for Control of Non-Linear Dynamical Systems", Springer-Verlag, Heidelberg, Germany.
- Castillo, O. & Melin, P. (2002). "Hybrid Intelligent Systems for Time Series Prediction using Neural Networks, Fuzzy Logic and Fractal Theory", *IEEE Transactions on Neural Networks*, Vol. 13, No. 6, pp. 1395–1408.
- Castillo, O. & Melin, P. (2003). "Soft Computing and Fractal Theory for Intelligent Manufacturing", Springer-Verlag, Heidelberg, Germany.
- Castillo, O. & Melin, P. (2004). "A New Approach for Plant Monitoring using Type-2 Fuzzy Logic and Fractal Theory", *International Journal of General Systems*, Taylor and Francis, Vol. 33, pp. 305–319.
- Castillo, O., Huesca, G. & Valdez, F. (2004). "Evolutionary Computing for Fuzzy System Optimization in Intelligent Control", Proceedings of IC-AI'04, Las Vegas, USA, pp. 98–104.
- Chalmers, D. (1990). "The evolution of learning: an experiment in genetic connectionism". Proceedings of the 1990 Connectionist Models Summer School. Morgan Kaufmann.
- Chellapa, R. (1994). "Human and Machine Recognition of Faces: A Survey", Technical Report CAR-TR-731, University of Maryland Computer Vision Laboratory.
- Chen, G. & Pham, T. T. (2001). "Introduction to Fuzzy Sets, Fuzzy Logic, and Fuzzy Control Systems", CRC Press, Boca Raton, Florida, USA.
- Chen, V. C. & Pao, Y. H. (1989). "Learning Control with Neural Networks", Proceedings of the International Conference on Robotics and Automation, pp. 1448–1453.
- Chibelushi, C. C. (1996). "Design Issues for a Digital Audio-Visual Integrated Database", IEEE Colloquium of Integrated Audio-Visual Processing for Recognition, Synthesis and Communication, London, UK, pp. 1–7.
- Cho S.-B. (2002). "Fusion of neural networks with fuzzy logic and genetic algorithms", *Journal of Integrated Computer Aided Engineering*, IOS press, Vol. 9, pp. 363–372.
- Colombo, C., Del Bimbo, A., & De Magistris, S. (1995). "Human-Computer Interaction Based on Eye Movement Tracking", Computer Architectures for Machine Perception, pp. 258–263.
- Cox, I. J., Ghosn, J. & Yianilos, P. N. (1995). "Feature-Based Face Recognition using Mixture-Distance", Technical Report TR-95-09, NEC Research Institute.
- Craw, I., Tock, D., & Bennett, A. (1992). "Finding Face Features". Proceedings of the Second European Conference on Computer Vision, pp. 92–96.

- Cybenko, G. (1989). "Approximation by Superpositions of a Sigmoidal Function", *Mathematics of Control, Signals and Systems*, Vol. 2, pp. 303–314.
- DeJong, K. (1975). "The analysis and Behaviour of a Class of Genetic Adaptive Systems", PhD thesis, University of Michigan.
- Denker, J. S. (1986). "Neural Networks for Computation", In J.S. Denker, editor, AIP Conference Proceedings, p. 151, American Institute of Physics.
- Fahlman, S. E. (1988). "Faster-learning Variations on Back-propagation: an empirical study", Proceedings of the Connectionist Models Summer School, Carnegie Mellon University, pp. 38–51.
- Fahlman, S. E. & Lebiere C. (1990). "The Cascade-Correlation Learning Architecture", *Advances in Neural Information Processing Systems*, Morgan Kaufmann.
- Feldman, J. (1989). "Neural representation of conceptual knowledge", in *Neural connections, mental computation* (Nadel and et al., eds.), MIT Press.
- Fogelman-Soulie, F. (1993). "Multi-modular neural network-hybrid architectures: a review", Proceedings of 1993 International Joint Conference on Neural Networks.
- Fu, H.-C. & Lee, Y.-P. (2001). "Divide and Conquer Learning and Modular Perceptron Networks", *IEEE Transactions on Neural Networks*, Vol. 12, No. 2, pp. 250–263.
- Fu, H.-C., Lee, Y.-P., Chiang, C.-C., & Pao, H.-T. (2001). "Divide-and-Conquer Learning and Modular Perceptron Networks", *IEEE Transactions on Neural Networks*, Vol. 12, No. 2, pp. 250–263.
- Furui, S. (1981). "Cepstral analysis technique for automatic speaker verification", *IEEE Transactions on Acoustics, Speech and Signal Processing*, 29(2): pp. 254–272.
- Furui, S. (1986). "Research on individuality features in speech waves and automatic speaker recognition techniques", *Speech Communication*, 5(2): pp. 183–197.
- Furui, S. (1986). "Speaker-independent isolated word recognition using dynamic features of the speech spectrum", *IEEE Transactions on Acoustics, Speech and Signal Processing*, 29(1): pp. 59–59, 1986.
- Furui, S. (1989). "Digital Speech Processing, Synthesis, and Recognition". Marcel Dekker, New York.
- Furui, S. (1991). "Speaker-dependent-feature extraction, recognition and processing techniques", *Speech Communication*, 10(5-6): pp. 505–520.
- Furui, S. (1994). "An overview of speaker recognition technology", Proceedings of the ESCA Workshop on Automatic Speaker Recognition, Identification and Verification, pp. 1–9.
- Gillies, A. M. (1985). "Machine Learning Procedures for Generating Image Domain Feature Detectors", PhD thesis, University of Michigan.
- Goldberg, D. E. (1989). "Genetic Algorithms in Search, Optimization and Machine Learning", Addison Wesley Publishing.

- Graf, H. P., Chen, T., Petajan, E., & Cosatto, E. (1995). "Locating Faces and Facial Parts", Proceedings of the International Workshop on Automatic Face and Gesture Recognition, pp. 41–46.
- Hansen, L. K. & Salamon, P. (1990). "Neural Network Ensembles", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 12, No. 10, pp. 993–1001.
- Happel, B. & Murre, J. (1994). "Design and evolution of modular neural network architectures", *Neural Networks*, Vol. 7, pp. 985–1004.
- Higgins, A. L., Bahler, L. & Porter, J. (1991). "Speaker verification using randomized phrase prompting", *Digital Signal Processing*, Vol. 1, pp. 89–106.
- Holland, J. H. (1975). "Adaptation in Natural and Artificial Systems", University of Michigan Press.
- Homaifar, A. & McCormick, E. (1995). "Simultaneous Design of Membership Functions and Rule Sets for Fuzzy Controllers using Genetic Algorithms", *IEEE Transactions on Fuzzy Systems*, Vol. 3, pp. 129–139.
- Hopfield, J. J. (1982). "Neural Networks and Physical Systems with Emergent Collective Computational Abilities", Proceedings of the National Academy of Science, USA, pp. 2554–2558.
- Hollstien, R. B. (1971). "Artificial Genetic Adaptation in Computer Control Systems, PhD thesis, University of Michigan.
- Hsu, C. (2000). "Advanced Signal Processing Technology by Soft Computing", World Scientific Press, Singapore.
- Hunt, K. J., Sbarbaro, D., Zbikowski R. & Gawthrop, P. J. (1992). "Neural Networks for Control Systems-A Survey", *Automatica*, Vol. 28 No. 6, pp. 1083–1112.
- Jacobs, R. A., Jordan, M. I., Nowlan S. J. & Hinton, G. E. (1991). "Adaptive Mixtures of Local Experts", *Neural Computation*, Vol. 3, pp. 79–87.
- Jamshidi, M. (1997). "Large-Scale Systems: Modelling, Control and Fuzzy Logic", Prentice-Hall.
- Jain, A., Jain, A., Jain, S., & Jain, L. (2000). "Artificial Intelligence Techniques in Breast Cancer Diagnosis and Prognosis", World Scientific Press, Singapore.
- Jang, J.-S. R. (1993). "ANFIS: Adaptive-Network-Based Fuzzy Inference Systems", *IEEE Transactions on Systems, Man and Cybernetics*, Vol. 23, pp. 665–685.
- Jang, J.-S. R. & Gulley, N. (1997). "MATLAB: Fuzzy Logic Toolbox, User's Guide", The Math-Works, Inc. Publisher.
- Jang, J.-S. R. & Sun, C.-T. (1995). "Neuro-Fuzzy Modeling and Control", *Proceedings of the IEEE*, Vol. 83, pp. 378–406.
- Jang, J.-S. R., Sun, C.-T. & Mizutani, E. (1997). "Neurofuzzy and Soft Computing: A Computational Approach to Learning and Machine Intelligence", Prentice-Hall.

- Janikow, C. Z. & Michalewicz, Z. (1991). "An Experimental Comparison of Binary and Floating Point Representations in Genetic Algorithms", Proceedings of 4th International Conference Genetic Algorithms, pp. 31–36.
- Jenkins R. & Yuhas, B. (1993). "A simplified neural network solution through problem decomposition: The case of the truck backer-upper", *IEEE Transactions on Neural Networks*, Vol. 4, No. 4, pp. 718–722.
- Jennings, N. R. (1992). "Using GRATE to Build Cooperating Agents for Industrial Control", Proceedings of IFAC/IFIPS/IMACS Symposium on Artificial Intelligence in Real Time Control, pp. 691–696.
- Jordan M. & Jacobs R. (1994). "Hierarchical Mixtures of Experts and the EM Algorithm", *Journal of Neural Computations*, Vol. 5, pp. 181–214.
- Kanade, T. (1973). "Picture Processing System by Computer Complex and Recognition of Human Faces", Ph.D. Thesis, Kyoto University, Japan.
- Kandel, A. (1992). "Fuzzy Expert Systems", CRC Press Inc.
- Kantorovich, L. V. & Akilov, G. P. (1982). "Functional Analysis", Pergamon Press, Oxford, UK.
- Karnik, N. N & Mendel, J. M. (1998). "An Introduction to Type-2 Fuzzy Logic Systems", Technical Report, University of Southern California.
- Karr, C. L. & Gentry, E. J. (1993). "Fuzzy Control of pH using Genetic Algorithms", *IEEE Transactions on Fuzzy Systems*, Vol. 1, pp. 46–53.
- Kelly, M. F. (1995). "Annular Symmetry Operators: A Multi-Scalar for Locating and Describing Imaged Objects", Ph.D. Thesis, McGill University, Canada.
- Kirkpatrick, S., Gelatt, C. D. & Vecchi, M. P. (1983). "Optimization by Simulated Annealing", *Science*, Vol. 220, pp. 671–680.
- Kitano, H. (1990). "Designing neural networks using genetic algorithms with graph generation system", *Journal of Complex Systems*, Vol. 4, pp. 461–476.
- Klir G. J. & Yuan, B (1995). "Fuzzy Sets and Fuzzy Logic" Theory and Applications, Prentice Hall, New York, NY, USA.
- Kohonen, T. "The 'neural' phonetic typewriter", *Computer*, Vol. 21, No. 3, pp. 11–22.
- Kohonen, T. (1982). "Self-Organized Formation of Topologically Correct Feature Maps, *Biological Cybernetics*, Vol. 66 pp. 59–69.
- Kohonen, T. (1984). "Self-Organization and Associate Memory. Springer-Verlag, London.
- Kohonen, T. (1984). "The Neural Phonetic Typewriter", *Computer*, Vol. 21 pp. 11–22.
- Kohonen, T. (1989). "Self-Organization and Associate Memory. Springer-Verlag, London, 3rd Edition.
- Kohonen, T. (1990). "Improved Version of Learning Vector Quantization" Proceedings of the IJCNN'90 San Diego, CA, USA, Vol. 1 pp. 545–550.
- Kosko, B. (1992). "Neural Networks and Fuzzy Systems: A Dynamical Systems Approach to Machine Intelligence", Prentice-Hall.
- Kosko, B. (1997). "Fuzzy Engineering", Prentice-Hall.

- Kuncheva L. I. (2003). “Fuzzy” Versus “Nonfuzzy” in Combining Classifiers Designed by Boosting. *IEEE Transactions on Fuzzy Systems*, Vol. 11, No. 6, pp. 729–741.
- Lee, S. & Kil, R. M. (1991). “A Gaussian Potential Function Network with Hierarchically Self-Organizing Learning”, *Neural Networks* Vol. 4 No. 2, pp. 207–224.
- Lettvin, J. Y., Maturana, H. R., McCulloch, W. S., and Pitts, W. H. (1959). “What the Frog’s Eye tells the Frog’s Brain”, *Proceedings of IRE*, Vol. 47, pp. 1940–1959.
- Lippmann, R. P. (1987). “An Introduction to Computing with Neural Networks”, *IEEE Acoustics, Speech, and Signal Processing Magazine*, Vol. 4, pp. 4–22.
- Lowe, D. (1989). “Adaptive Radial Basis Function Nonlinearities, and the Problem of Generalization, Proceedings of the First IEEE International Conference on Artificial Neural Networks, London, pp. 171–175.
- Lowe, D. G. (1985). “Perceptual Organization and Visual Recognition”, Kluwer Academic Publishers.
- Lozano, A. (2004). “Optimizacion de un Sistema de Control Difuso por medio de Algoritmos Geneticos Jerarquicos”, Thesis, Dept. of Computer Science, Tijuana Institute of Technology, Mexico.
- Lu, B.-L. & Ito, M. (1998). “Task Decomposition and Module Combination Based on Class Relations: Modular Neural Network for Pattern Classification”, Technical Report, Nagoya, Japan.
- Lu, B.-L. & Ito, M. (1999). “Task Decomposition and Module Combination Based on Class Relations: A Modular Neural Network for Pattern Classification”, *IEEE Transactions on Neural Networks*, Vol. 10, No. 5, pp. 1244–1256.
- Mamdani, E. H. (1974). “Application of fuzzy algorithms for control of a simple dynamic plant”, *Proceedings of the IEEE*, Vol. 121, pp. 1585–1588.
- Mamdani, E. H. & Assilian, S. (1975). “An Experiment in Linguistic Synthesis with a Fuzzy Logic Controller”, *International Journal of Man-Machine Studies*, Vol. 7, pp. 1–13.
- Man, K. F., Tang, K. S. & Kwong, S. (1999). “Genetic Algorithms”. Springer-Verlag.
- Manjunath, B. S., Chellappa, R., & Malsburg, C. V. D. (1992). “A Feature Based Approach to Face Recognition” Proceedings of the IEEE Computer Society Conference on Computer Vision, pp. 373–378.
- Margaliot, M. & Langholz, G. (2000). “New Approaches to Fuzzy Modeling and Control”, World Scientific Press, Singapore.
- Masters, T. (1993). “Practical Neural Network recipe in C++”, Academic Press, Inc.
- Matsui, T. & Furui, S. (1993). “Comparison of text-independent speaker recognition methods using VQ-distortion and discrete/continuous HMMs”, Proceedings of ICASSP’93, pp. 157–160.

- Matsui, T. & Furui, S. (1993). "Concatenated phoneme models for text-variable speaker recognition", Proceedings of ICASSP'93, pp. 391–394.
- Matsui, T. and Furui, S. (1994). "Similarity normalization method for speaker verification based on a posteriori probability", Proceedings of the ESCA Workshop on Automatic Speaker Recognition, Identification and Verification, pp. 59–62.
- Matsui, T. and Furui, S. (1994). "Speaker adaptation of tied-mixture-based phoneme models for text-prompted speaker recognition. Proceedings of ICASSP'94, pp. 125–128.
- McCullagh, P. & Nelder, J. A. (1994). "Generalized Linear Models", Chapman and Hall, New York, USA.
- Melin, P. & Castillo, O. (2002) "Modelling Simulation and Control of Non-Linear Dynamical Systems: An Intelligent Approach Using Soft Computing and Fractal Theory", Taylor and Francis Publishers, London, United Kingdom.
- Melin, P., Acosta, M. L. & Felix, C. (2003). "Pattern Recognition Using Fuzzy Logic and Neural Networks", Proceedings of IC-AI'03, Las Vegas, USA, pp. 221–227.
- Melin, P. & Castillo, O. (2004). "A New Method for Adaptive Control of Non-Linear Plants Using Type-2 Fuzzy Logic and Neural Networks", *International Journal of General Systems*, Taylor and Francis, Vol. 33, pp. 289–304.
- Melin, P., Gonzalez, F. & Martinez, G. (2004). "Pattern Recognition Using Modular Neural Networks and Genetic Algorithms", Proceedings of IC-AI'04, Las Vegas, USA, pp. 77–83.
- Melin, P., Mancilla, A., Gonzalez, C. & Bravo, D. (2004). "Modular Neural Networks with Fuzzy Sugeno Integral Response for Face and Fingerprint Recognition", Proceedings of IC-AI'04, Las Vegas, USA, pp. 91–97.
- Mendel, J. (2001). "Uncertain Rule-Based Fuzzy Logic Systems: Introduction and New Directions", Prentice-Hall, New Jersey, USA.
- Messer, K., Matas, J., Kittler, J., Luettin, J. and Maitre, G. (1999). "XM2VTS: The Extended M2VTS Database", Proceedings of the International Conference on Audio and Video-based Biometric Person Authentication AVBPA'99", Springer-Verlag, New York, USA, pp. 72–77.
- Michalewicz, Z. (1996). "Genetic Algorithms + Data Structures = Evolution program", 3rd Edition, Springer-Verlag.
- Miller, G., Todd, P. & Hedge, S. (1989). "Designing Neural Networks using Genetic Algorithms", Proceedings of the Third International Conference on Genetic Algorithms", Morgan Kaufmann.
- Miller, W. T., Sutton, R. S. & Werbos P. J. (1995). "Neural Networks for Control", MIT Press.
- Minsky, M. & Papert, S. (1969). "Perceptrons", MIT Press.
- Mitchell, M. (1996). "An Introduction to Genetic Algorithms", MIT Press, Cambridge, MA, USA.
- Mitchell, M. (1998). "An Introduction to Genetic Algorithms", MIT Press, Cambridge, USA.

- Moghaddam, B., Nastar, C., & Pentland A. (1996). "Bayesian Face Recognition Using Deformable Intensity Surfaces", Technical Report 371, MIT Media Laboratory, Perceptual Computing Section.
- Monrocq, C. (1993). "A probabilistic approach which provides and adaptive neural network architecture for discrimination", Proceedings of the International Conference on Artificial Neural Networks, Vol. 372, pp. 252–256.
- Montana, G. & Davis, L. (1989). "Training feedforward networks using genetic algorithms", Proceedings of the International Joint Conference on Artificial Intelligence, Morgan Kaufmann.
- Moody, J. & Darken, C. (1989). "Fast Learning in Networks of Locally-Tuned Processing Units", *Neural Computation*, Vol. 1, pp. 281–294.
- Moulet, M. (1992). "A Symbolic Algorithm for Computing Coefficients Accuracy in Regression", Proceedings of the International Workshop on Machine Learning, pp. 332–337.
- Mühlenbein, H. & Schilierkamp, V. (1993). "Predictive Model for Breeder Genetic Algorithm". *Evolutionary Computation*. 1(1): 25–49.
- Murray-Smith, R. & Johansen, T. A. (1997). "Multiple Model Approaches for Modeling and Control", Taylor and Francis, United Kingdom.
- Naik, J. M., Netsch, L. P. & Doddington, G. R. (1989). "Speaker verification over long distance telephone lines", Proceedings of ICASSP'89, pp. 524–527.
- Nakamura, S. (1997). "Numerical Analysis and Graphic Visualization with MATLAB", Prentice Hall.
- Nastar, C., & Pentland, A. (1995). "Matching and Recognition Using Deformable Intensity Surfaces", Proceedings of the International Symposium on Computer Vision, pp. 223–228.
- Nixon, M. (1985). "Eye Spacing Measurement for Facial Recognition", *SPIE Proceedings*, pp. 279–285.
- Parker D. B. (1982). "Learning Logic", Invention Report S81-64, File 1, Office of Technology Licensing.
- Pentland, A., Moghaddam, B., & Starner, T. (1994). "View-Based and Modular Eigenspaces for Face Recognition", Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pp. 84–91.
- Pham, D. T. & Xing, L. (1995). "Neural Networks for Identification, Prediction and Control", Springer-Verlag.
- Pomerleau, D. A. (1991). "Efficient Training of Artificial Neural Networks for Autonomous Navigation", *Journal of Neural Computation*, Vol. 3, pp. 88–97.
- Powell, M. J. D. (1987). "Radial Basis Functions for Multivariable Interpolation: a review", In J. C. Mason & M. G. Cox, editors, Algorithms for approximation, pp. 143–167, Oxford University Press.
- Procyk, T. J. & Mamdani, E. M. (1979). "A Linguistic Self-Organizing Process Controller", *Automatica*, Vol. 15, No. 1, pp. 15–30.
- Psaltis, D., Sideris, A. & Yamamura, A. (1988). "A Multilayered Neural Network Controller", *IEEE Control Systems Magazine*, Vol. 8, pp. 17–21.



- O'Shaughnessy, D. (1986). "Speaker recognition", *IEEE Acoustics, Speech and Signal Processing Magazine*, Vol. 3, No. 4, pp. 4–17.
- Quezada, A. (2004). "Reconocimiento de Huellas Digitales Utilizando Redes Neuronales Modulares y Algoritmos Geneticos", Thesis of Computer Science, Tijuana Institute of Technology, Mexico.
- Rao, R. & Ballard, D. (1995). "Natural Basis Functions and Topographics Memory for Face Recognition", Proceedings of the International Joint Conference on Artificial Intelligence, pp. 10–17.
- Reisfeld, D. (1994). "Generalized Symmetry Transforms: Attentional Mechanisms and Face Recognition", Ph.D. Thesis, Tel-Aviv University, Israel.
- Reisfeld, D. & Yeshurun, Y. (1992). "Robust Detection of Facial Features by Generalized Symmetry", Proceedings of the IAPR International Conference on Pattern Recognition, pp. 117–120.
- Ritter, H. & Schulten, K. (1987). "Extending Kohonen's Self-Organizing Mapping Algorithm to Learn Ballistic Movements", In Rolf Eckmiller & Christoph v.d. Malsburg, editors, *Neural Computers*, pp. 393–406, Springer-Verlag, London.
- Rodieck, R. W. & Stone, J. (1965). "Response of Cat Retinal Ganglion Cells to Moving Visual Patterns", *Journal of Neurophysiology*, Vol. 28, No. 5, pp. 819–832.
- Roeder, N. & Li, X. (1995). "Face Contour Extraction from Front-View Images", *Pattern Recognition*, Vol. 28, No. 8, pp. 1167–1179.
- Ronco, E. & Gawthrop, P. J. (1995). "Modular Neural Networks: State of the Art", Technical Report CSC-95026, Faculty of Engineering, University of Glasgow, United Kingdom.
- Rosenberg, A. E. & Soong, F. K. (1991). "Recent research in automatic speaker recognition", In S. Furui and M. M. Sondhi, editors, *Advances in Speech Signal Processing*, Marcel Dekker, New York, pp. 701–737.
- Rosenblatt, F. (1962). "Principles of Neurodynamics: Perceptrons and the Theory of Brain Mechanisms", Spartan.
- Rumelhart, D. E., Hinton, G. E. & Williams, R. J. (1986). "Learning Internal Representations by Error Propagation", *Parallel Distributed Processing: Explorations in the Microstructure of Cognition*, Vol. 1, Chap. 8, pp. 318–362, MIT Press, Cambridge, MA, USA.
- Rumelhart, D. E., & Zipser, D. (1986). "Feature Discovery by Competitive Learning", In D. E. Rumelhart and James L. McClelland, editors, *Parallel Distributed Processing: Explorations in the Microstructure of Cognition*, Vol. 1, Chap. 5, pp. 151–193, MIT Press, Cambridge, MA, USA.
- Runkler, T. A. & Glesner, M. (1994). "Defuzzification and Ranking in the Context of Membership Value Semantics, Rule Modality, and Measurement Theory", Proceedings of European Congress on Fuzzy and Intelligent Technologies.
- Ruspini, E. H. (1982). "Recent Development in Fuzzy Clustering", *Fuzzy Set and Possibility Theory*, North Holland, pp. 133–147.

- Sackinger, E., Boser, B. E., Bromley, J., LeCun, Y. & Jackel, L. D. (1992). "Application of the Anna Neural Network Chip to High-Speed Character Recognition", *IEEE Transactions on Neural Networks*, Vol. 3, pp. 498–505.
- Schmidt, A. (1996). "Implementation of a Multilayer Backpropagation Network", Master's Thesis, Department of Computing, Manchester Metropolitan University, UK.
- Schmidt, A. & Bandar, Z. (1997). "A Modular Neural Network Architecture with Additional Generalization Capabilities for Large Input Vectors", Proceedings of the International Conference on Artificial Neural Networks and Genetic Algorithms (ICANNGA), Norwich, England.
- Sejnowski, T. J. & Rosenberg, C. R. (1987). "Parallel Networks that Learn to Pronounce English Text", *Journal of Complex Systems*, Vol. 1, pp. 145–168.
- Sharkey, A. (1999). "Combining Artificial Neural Nets: Ensemble and Modular Multi-Net Systems", Springer-Verlag, London, Great Britain.
- Simon, H. (1981). "The Sciences of the Artificial", MIT Press, Cambridge, USA.
- Soucek, B. (1991). "Neural and Intelligent Systems Integration: Fifth and Sixth Generation Integrated Reasoning Information Systems", John Wiley and Sons.
- Spears, W. M. & DeJong, K. (1991). "An Analysis of Multi-point Crossover", In G. J. E. Rawlins, editor *Foundations of Genetic Algorithms*, pp. 301–315.
- Staib, W. E. (1993). "The Intelligent Arc Furnace: Neural Networks Revolutionize Steelmaking", Proceedings of the World Congress on Neural Networks, pp. 466–469.
- Staib, W. E. & Staib, R. B. (1992). "The Intelligent Arc Furnace Controller: A Neural Network Electrode Position Optimization System for the Electric Arc Furnace", Proceedings of the International Conference on Neural Networks, Vol. 3, pp. 1–9.
- Su, H. T. & McAvoy, T. J. (1993). "Neural Model Predictive Models of Nonlinear Chemical Processes", Proceedings of the 8th International Symposium on Intelligent Control, pp. 358–363.
- Su, H. T., McAvoy, T. J. & Werbos, P. J. (1992). "Long-term Predictions of Chemical Processes using Recurrent Neural Networks: A Parallel Training Approach", *Industrial & Engineering Chemistry Research*, Vol. 31, pp. 1338–1352.
- Sugeno, M. (1974). "Theory of Fuzzy Integrals and its Applications", Ph.D. Thesis, Tokyo Institute of Technology, Japan.
- Sugeno, M. & Kang, G. T. (1988). "Structure Identification of Fuzzy Model", *Journal of Fuzzy Sets and Systems*, Vol. 28, pp. 15–33.
- Szmidt, E. & Kacprzyk, J. (2002). "Analysis of Agreement in a Group of experts via Distances between Intuitionistic Preferences", Proceedings of IPMU'2002, Universite Savoie, France, pp. 1859–1865.
- Takagi, T. & Sugeno, M. (1985). "Fuzzy Identification of Systems and its Applications to Modeling and Control", *IEEE Transactions on Systems, Man and Cybernetics*, Vol. 15, pp. 116–132.

- Tang, K.-S., Man, K.-F., Liu, Z.-F., & Kwong, S. (1998). "Minimal Fuzzy Memberships and Rules using Hierarchical Genetic Algorithms", *IEEE Transactions on Industrial Electronics*, Vol. 45, No. 1, pp. 162–169.
- Troudet, T. (1991). "Towards Practical Design using Neural Computation", Proceedings of the International Conference on Neural Networks, Vol. 2, pp. 675–681.
- Tsoukalas, L. H. & Uhrig, R. E. (1997). "Fuzzy and Neural Approaches in Engineering", John Wiley & Sons, Inc., New Jersey, USA.
- Tsukamoto, Y. (1979). "An Approach to Fuzzy Reasoning Method", In Gupta, M. M., Ragade, R. K. and Yager, R. R., editors, *Advanced in Fuzzy Set Theory and Applications*, pp. 137–149, North-Holland.
- Turk, M. A. and Pentland, A. P. (1991). "Face Recognition using Eigenfaces", Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pp. 586–591.
- Von Altrock, C. (1995). "Fuzzy Logic & Neuro Fuzzy Applications Explained", Prentice Hall.
- Wagenknecht, M. & Hartmann, K. (1988). "Application of Fuzzy Sets of Type 2 to the solution of Fuzzy Equation Systems", *Fuzzy Sets and Systems*, Vol. 25, pp. 183–190.
- Wang, L.-X. (1997). "A Course in Fuzzy Systems and Control", Prentice-Hall, Upper Saddle River, NJ, USA.
- Werbos, P. J. (1991). "An Overview of Neural Networks for Control", *IEEE Control Systems Magazine*, Vol. 11, pp. 40–41.
- Werbos, P. J. (1974). "Beyond Regression: New Tools for Prediction and Analysis in the Behavioral Sciences", Ph.D. Thesis, Harvard University.
- Widrow, B. & Stearns, D. (1985). "Adaptive Signal Processing", Prentice-Hall.
- White, H. (1989). "An Additional Hidden Unit Test for Neglected Non-linearity in Multilayer Feedforward Networks", Proceedings of IJCNN'89, Washington, D.C., IEEE Press, pp. 451–455.
- Woodward, J. D. (1997). "Biometrics: Privacy's Foe or Privacy's Friend?", *Proceedings of the IEEE*, Vol. 85, No. 9, pp. 1480–1492.
- Wright, A. H. (1991). "Genetic Algorithms for Real Parameter Optimization", In J. E. Rawlins, editor, *Foundations of Genetic Algorithms*, Morgan Kaufmann, pp. 205–218.
- Yager, R. R. (1980). "Fuzzy Subsets of Type II in Decisions", *Journal of Cybernetics*, Vol. 10, pp. 137–159.
- Yager, R. R. (1993). "A General Approach to Criteria Aggregation Using Fuzzy Measures", *International Journal of Man-Machine Studies*, Vol. 1, pp. 187–213.
- Yager R. R. (1999). Criteria Aggregations Functions Using Fuzzy Measures and the Choquet Integral, *International Journal of Fuzzy Systems*, Vol. 1, No. 2.
- Yager, R. R. & Filev, D. P. (1993). "SLIDE: A Simple Adaptive Defuzzification Method", *IEEE Transactions on Fuzzy Systems*, Vol. 1, pp. 69–78.

- Yager, R. R. & Filev, D. P. (1994). "Generation of Fuzzy Rules by Mountain Clustering", *Journal of Intelligent and Fuzzy Systems*, Vol. 2, No. 3, pp. 209–219.
- Yen, J., Langari, R. & Zadeh, L. A. (1995). "Industrial Applications of Fuzzy Control and Intelligent Systems", IEEE Computer Society Press.
- Yen, J. & Langari, R. (1999). "Fuzzy Logic: Intelligence, Control, and Information", Prentice Hall, New Jersey, USA.
- Yoshikawa, T., Furuhashi, T., & Uchikawa, Y. (1996). "Emergence of Effective Fuzzy Rules for Controlling Mobile Robots using DNA Coding Method", Proceedings of ICEC'96, Nagoya, Japan, pp. 581–586.
- Yuille, A., Cohen, D., and Hallinan, P. (1989). "Feature Extraction from Faces using Deformable Templates", Proceedings of IEEE Conference on Computer Vision and Templates, pp. 104–109.
- Zadeh, L. A. (1965). "Fuzzy Sets", *Journal of Information and Control*, Vol. 8, pp. 338–353.
- Zadeh, L. A. (1971a). "Similarity Relations and Fuzzy Ordering", *Journal of Information Sciences*, Vol. 3, pp. 177–206.
- Zadeh, L. A. (1971b). "Quantitative Fuzzy Semantics", *Journal of Information Sciences*, 3, pp. 159–176.
- Zadeh, L. A. (1973). "Outline of a New Approach to the Analysis of Complex Systems and Decision Processes", *IEEE Transactions on Systems, Man and Cybernetics*, Vol. 3, pp. 28–44.
- Zadeh, L. A. (1975). "The Concept of a Linguistic Variable and its Application to Approximate Reasoning-1", *Journal of Information Sciences*, Vol. 8, pp. 199–249.

---

## Index

- activation function
  - hyperbolic tangent function 59
  - identity function 59
  - logistic function 59
- adaptive learning rate 64
- adaptive network-based fuzzy inference system 75
- antecedent 19
- architecture
  - for face recognition 190
  - for fingerprint recognition 4, 207, 208, 212, 214, 216, 250
  - for human recognition 5, 241, 250
  - for voice recognition 5, 223, 234, 238, 239
- architecture optimization 157
- attractor 104
  
- backpropagation learning rule 56, 60
- binary fuzzy relations 14, 15
- biometric
  - information 1, 4, 5, 31, 42, 85, 94, 115, 116, 118, 119, 131, 132, 134, 141, 155, 158, 165, 169, 188, 208, 214, 215, 223, 230, 241, 246, 247, 250
  - measures 5, 64, 118–120, 142, 164, 176, 177, 187, 200, 214, 241, 245, 246, 248
  - modalities 246, 248
  - techniques 1, 4, 5, 16, 31, 32, 56, 58, 70, 72, 80, 94, 98, 122, 129, 131, 132, 139, 142, 143, 160, 164, 168, 169, 179, 187–189, 191, 207, 208, 223, 225, 226, 241, 242, 244, 246
- templates 188, 227, 244, 246–248
- bisector 20
  
- centroid 44–46, 237, 252
- cepstral coefficients 225, 226
- chromosome 133, 134, 140–144, 149, 151–153, 155, 156, 158, 161–163, 166, 214, 215
- chromosome representation 140, 166, 215
- cluster analysis 4, 169
- cluster centers 86–88, 94, 95, 171, 173, 174, 177–179
- clustering validity 175, 176, 184
- coding 131, 133, 135, 140
- committees of networks 110
- competitive learning 85, 87–89, 94, 107, 113, 182
- competitive networks 191, 193, 196
- complement 10, 38, 41, 99
- concentration 16, 165
- consequents 2, 19, 33, 43, 45, 47
- containment 10
- convergence theorem 173
- core 9, 10
- correlation-based method 207
- crossover 9, 13, 133–135, 137, 143, 146, 149–151, 153, 157, 159, 162, 166, 215
  
- defuzzification 19–21, 25, 26, 42–44, 46, 48

- derivative freeness 131
- diffusion 145
- dilation 16
- direct encoding 151–153
- divide and conquer principle 109
- encoding schemes 133
- energy minima 104
- ensemble 3, 109, 110, 128
- Euclidean distance 64, 87, 88, 91, 178, 188, 208
- evolutionary algorithms 131
- evolving
  - fuzzy systems 2, 5, 8, 15, 33, 34, 43, 49, 52, 160, 163, 164, 168, 223
  - learning rule 55, 59, 75, 86, 148, 155–157
  - network architecture 65, 94, 110, 148, 151, 153, 157, 215, 220, 238, 239
  - neural networks 1, 2, 4, 5, 55, 58, 67, 68, 72, 80, 85, 96, 107, 109, 110, 112–117, 121, 122, 125, 126, 128, 129, 133, 147–149, 151–153, 155, 159, 168, 169, 182, 184–188, 191, 195, 199, 207, 208, 211, 212, 214, 215, 217, 219, 220, 223, 232–234, 236, 238, 239, 242
  - weights 46, 60–62, 70, 72, 85–91, 95, 111, 114, 131, 147–153, 155–157, 168, 237
- extension principle 13, 14, 39
- face detection 185, 187
- face recognition 1, 4, 5, 185–190, 241–243, 246, 247, 251
- face recognition algorithms 189
- facial recognition 242
- feature localization 187
- feedforward adaptive network 56
- fingerprint image 208, 210–212, 244
- fingerprint recognition 1, 5, 207, 208, 210, 217, 238, 241, 244, 251
- fitness evaluation 133, 144
- footprint of uncertainty 37
- forecasting 47, 65, 66, 68, 70, 124–126, 128
- fuzzy C-means algorithm 169, 172
- fuzzy if-then rule 7, 8, 17, 26, 30, 31, 33, 44, 47, 75, 165
- fuzzy inference system 2, 7, 8, 13, 19–22, 25, 29–33, 49, 53, 55, 72, 74, 75, 83, 133, 165, 166
  - Mamdani 17, 19–22, 25, 26, 29, 47, 53, 99, 163, 252
  - Sugeno 7, 22, 25–29, 31, 47, 48, 53, 72, 75–77, 79, 118–121, 186, 200, 203, 208, 214, 217
  - Tsukamoto 22, 26, 29, 30, 75, 77, 78
- fuzzy integrals 118–120
- fuzzy modeling 8, 31, 32, 34, 53
- fuzzy reasoning 7, 8, 13, 18, 19, 22, 25, 32, 33, 53
- fuzzy relations 7, 13–15
- fuzzy set 2, 7–10, 13–19, 22, 25, 26, 32–39, 41–45, 47–49, 53, 75, 160, 236
- fuzzy Sugeno integral 4, 5, 118, 121, 185, 186, 207, 208
- fuzzy system for person recognition 252
- $g\lambda$ -fuzzy measure 118–121
- gate of Experts 113
- Gaussian type-2 fuzzy set 36
- genetic algorithms 1–3, 5, 124, 131, 132, 145–148, 151, 155, 157, 168, 223
- grammatical encoding 151–153, 155
- graph-generation grammar 153
- hard partition 170
- hardware platform 248
- hesitation margin 48–52
- heuristic guidelines 131
- hidden layers 61, 148, 155, 214
- Hidden Markov Model 229
- hierarchical genetic algorithm 160, 167, 215, 216, 219
- hierarchical mixture of experts 113
- hierarchical modular architecture 199
- Hopfield network 85, 104–107
- human recognition 5, 241, 250, 251, 256
- human recognition system 251
- human-interface 228
- hybrid learning algorithm 77

- hyperbolic tangent function 59
- identification 1, 3, 5, 31, 118, 121–124, 133, 157, 159, 160, 187, 207, 209–211, 223, 227, 234, 239, 241, 243–247, 251, 252, 256
- integration module 186, 200, 208, 213
- intersection 10, 17, 38, 39, 41, 170
  - type-1 2, 7, 8, 32–39, 41–48, 72
  - type-2 2, 5, 8, 33–48, 53, 223, 236, 238, 239, 252
- interval type-2 fuzzy set 36, 37
- intuitionistic fuzzy output 51
- intuitionistic fuzzy set 33, 34, 48, 49, 53
- intuitionistic fuzzy system 49–51
- iris recognition 242, 245
- join operation 39
- Kohonen maps 191, 196
- Kohonen self-organizing networks 85, 89, 92, 107
- largest of maximum 20
- Learning Vector Quantization 94
- Levenberg-Marquardt 64, 67–69, 122, 126, 128, 158
- linear combination 48, 49, 57, 72, 77, 189, 227
- linear predictive coding 225
- linear scaling 140
- linguistic variable 7, 8, 13, 16, 23, 24, 28, 33, 50, 99, 102–104, 250–254
- lower membership functions 37
- Mamdani model 21, 25
- max-min composition 15
- mean of maximum 20
- membership function 2, 3, 7–9, 11, 16, 21, 23, 24, 26, 33–46, 48–52, 73, 75, 77–79, 99, 102, 131, 160–164, 166, 168, 172, 174, 176, 181, 182, 252
  - Gaussian 12, 23, 24, 34–41, 70, 73, 74, 79, 91, 116, 143, 179, 228, 252
  - generalized bell 12, 75, 102
  - Sigmoidal 13
  - trapezoidal 11, 12
  - triangular 11, 12, 102, 229
- migration interval 144
- minutia points 210
- mixture model 226, 227
- mixture of experts 113
- modular 1, 3–5, 77, 109–115, 118, 121, 123–128, 157, 158, 160, 185, 186, 189, 199, 205–208, 212–214, 216–221, 236–239, 241
- modular approach 4, 110, 118, 121, 185, 205, 206, 221, 240
- modular eigenspaces 189
- modular neural networks 1, 3, 4, 109, 110, 125–128, 185, 186, 207, 208, 216, 236
- momentum 68
- mountain clustering method 184
- mountain function 178
- multilayer perceptron 59
- mutation 143, 153
- network topology 109
- non-singleton type-2 FLS 43
- normality 9
- normalization method 226
- objective function 166
- off-line learning 58
- on-line learning 58
- operations of type-2 fuzzy sets 38
- optimization 159
- optimizing the networks 220
- parallelism architecture 144
- partition
  - coefficient 177
  - grid 29
  - scatter 30
  - tree 30
- pattern recognition 2, 205
- peaks function 137
- perceptrons 58
- phonation 229
- photograph 200
- population 141
- power law scaling 141
- primary methods of biometric 242
- principle of incompatibility 16
- radial basis function 73

- recognition system 187
- response integration 118, 128
  
- secondary memberships 36
- selection mechanism 141
- selection operation 134
- sigma truncation 141
- singleton type-2 47
- smallest of maximum 20
- soft computing 2
- soft partitions 170
- softmax 111
- sound signal 238
- speaker identification 239
- speaker identity 225
- spectral equalization 225
- speech signal parameters 227
- subpopulations 146
- Sugeno fuzzy measure 120, 214
- Sugeno model 26
- support 9
  
- template matching algorithms 188
- text-dependent 223
- text-independent 223
- text-independent recognition 227
  
- text-prompted speaker recognition 228
- type-2 fuzzy logic 33
- type-2 fuzzy logic integration 236
- type-2 fuzzy rules 42
- type-2 fuzzy sets 33
- type-2 sets 43
- type-2 Sugeno FLS 47
  
- union
  - type-1 10
  - type-2 39
- unique identity 242
- unsupervised clustering 184
- unsupervised learning 94
- unsupervised neural networks 184
- upper membership function 38
  
- voice recognition 238, 239
- voting analysis 170
- voting methods 116
  
- weight vector 86
- weighted statistical average 208
- weighted-sum 60
- winner takes all 116
- world bank data 179, 182