

BIBLIOGRAPHY

Bellenot, S.F.

1. Factorable bounded operators and Schwartz spaces, Proc. Amer. Math. Soc. 42(1974), 551-554.

Brudovskii, B.S.

1. Associated nuclear topology, mappings of type s, and strong nuclear spaces, Dokl. Acad. Nauk SSSR (English translation) 178(1968), 271-273.
2. s-type mappings of locally convex spaces, Dokl. Acad. Nauk SSSR (English translation) 180(1968), 15-17.

Chaney, J.

1. Banach lattices of compact maps, Math. Z. 129(1972), 5-19.

Cohen, J.S.

1. Absolutely p-summing, p-nuclear operators and their conjugates, Math. Ann. 201(1973), 177-200.

Cristescu, R.

1. Topological vector spaces (Noordhoff (1977)).

Crofts, G. (see Dubinsky, Ed.,)

1. Concerning perfect Fréchet spaces and diagonal transformations, Math. Ann. 182(1969), 67-76.

Crone, L., Dubinsky, Ed. and W.B. Robinson,

1. Regular bases in products of power series spaces, J. Functional Analysis, 24(1977), 211-222.

Crone, L. and W.B. Robinson,

1. Diameters and diagonal maps in Köthe spaces.
2. Every nuclear Fréchet space with a regular basis has the quasi-equivalence property, Studia Math. T.L11(1975), 203-207.

Cross, J.,

1. The strong dual of a strongly nuclear space need not be nuclear,
Proc. Amer. Math. Soc. 57(2) (1976), 250.

Day, M.M.

1. Normed linear spaces (Springer-Verlag, Berlin, 1962).

De Grande-De Kimpe, N.

1. Generalized sequence spaces, Bull. Soc. Math. Belg. 23(1971), 123-166.
2. \wedge -mappings between locally convex spaces, Proc. Kon. Ned. Acad. v. Wet A74(1971), 261-274.

Diestal, J. and R.H. Lohman,

1. Applications of mapping theorem to Schwartz spaces and projections,
Michigan Math. J. 20(1973), 39-44.

Djakow P. and B.S. Mitiagin,

1. Modified construction of nuclear (F)-spaces without basis, Preprint.

Dollinger, M.B.

1. Nuclear topologies consistent with a duality, Proc. Amer. Math. Soc. 23(1969), 565-568.

Douglas, R.G.

1. Banach algebra techniques in operator theory (Acad. Press, New York and London, 1972).

Dragilev, M.M.

1. On regular bases in nuclear spaces, Amer. Math. Soc. Transl. (2) 93(1970), 61-82.

Dubinsky, Ed. (see Crofts, G., Retherford, J.R. and Ramanujan, M.S.)

1. Infinite type power series subspaces of finite type power series spaces, Israel J. Math. 15(1973), 257-281.

2. Infinite type power series subspaces of infinite type power series spaces, Israel J. Math. 20(1975), 359-368.
3. Concrete subspaces of nuclear Frechet spaces, Studia Math. T.L11 (1975), 209-219.

Dubinsky, Ed. and G. Crofts,

1. Nuclear maps in sequence spaces, Duke Math. J. 36(1969), 207-214.

Dubinsky, Ed. and M.S. Ramanujan,

1. On λ -nuclearity, Mem. Amer. Math. Soc. No. 128(1972).
2. Inclusion theorems for absolutely λ -summing maps, Math. Ann. 192 (1971), 177-190.

Dynin, A.S. and B.S. Mitiagin,

1. Criterion for nuclearity in terms of approximate dimension, Bull. Acad. Polon. Sci. 8(1960), 535-540.

Ellis, A.J.

1. Linear operators in partially ordered normed vector spaces, J. London Math. Soc. 41(1966), 323-332.

Figiel, T.

1. Factorization of compact operators and applications to the approximation problem, Studia Math. 45(1973), 191-210.

Fremlin, D.H.

1. Tensor products of Archimedean vector lattices, Amer. J. Math. 94 (1972), 777-798.
2. Tensor products of Banach lattices, Math. Ann. 211(1974), 87-106.

Gel'fand I.M. and N. Ya. Vilenkin,

1. Generalized functions vol.4 (Acad. Press, New York, London, 1964).

Greub, W.H.

1. Linear Algebra

Grothendieck, A.

1. Topological vector spaces (Gordon and Breach, New York, London, Paris, 1973).
2. Produits tensoriels topologiques et espaces nucleaires, Mem. Amer. Math. Soc. 16(1955).

Hasumi, M.

1. The extension property of complex Banach spaces, Tôhoku Math. J. 10(1958), 135-142.

Holub, J.R.,

1. Tensor product mappings, Math. Ann. 188(1970), 1-12.
2. Integral operators in Banach spaces, Proc. Amer. Math. Soc. 29(1) (1971), 75-80.
3. Hilbertian operators and reflexive tensor products, Pacific J. Math. 36(1) (1971), 185-194.

Horváth, J.,

1. Topological vector spaces and distributions (Addison Wesley Publishing Comp., London, Ontario, 1966).
2. Locally convex spaces (Summer School on topological vector spaces, Edited by L. Waelbroeck, Lecture Notes in Math. 331, Springer-Verlag, 1973), 41-83.

Johnson, W.B.,

1. Factorizing compact operators, Israel J. Math. 9(1971), 337-345.

Kelley, J.L.,

1. Banach spaces with the extension property. Trans. Amer. Math. Soc. 72(1952), 323-326.

Kōmura, T. and Y. Komura,

1. Über die Einbettung der nuklearen Raume in $(s)^A$, Math. Ann. 162(1966), 284-286.

Köthe, G.,

1. Topological vector spaces I (Springer-Verlag, Berlin, 1969).
2. Nuclear spaces (Lectures delivered at the University of California at Santa Barbara, 1969).
3. Über nukleare Folgenräume, Studia Math. T. XXXI(1968), 267-271.
4. Stark nukleare Folgenräume, J. Faculty of Science, Univ. of Tokyo Sec. I, vol. XVII(1970), 291-296.
5. Nukleare (F)-und (DF)-Folgenräume, Theory of sets and Topology (1972), 327-332.

Levin, V.L.

1. Tensor products and functors in categories of Banach spaces defined by KB-lineals, Trans. Moscow Math. Soc. 20(1969), 41-77.

Lindenstrauss, J. and H.P. Rosenthal,

1. The \mathcal{L}_p Spaces, Israel J. Math. 7(1969), 325-349.

Lindenstrauss, J. and A. Pełczyński,

1. Absolutely summing operators in \mathcal{L}_p -spaces and their applications, Studia Math. 29(1968), 275-326.

Mitiagin, B.S. (see N. Zobin and A.S. Dynin),

1. Approximative dimension and bases in nuclear spaces, Usp. Mat. Nauk 16[4](1961), 73-132.

Mitiagin, B.S. and N. Zobin,

1. Contre exemple à l'existence d'une base dans un espace de Fréchet nucléaire, C.R. Acad. Sci. 279(1974), 255-256, 325-327.

Mori, Y.,

1. Komura's theorem in $\lambda(P)$ -nuclear spaces, Math. Seminar Notes (Kobe Univ.) 5(1977), 41-46.
2. On bases in $\lambda(P)$ -nuclear spaces, Math. Seminar Notes (Kobe Univ.) 5(1977), 49-58.

3. An example of a $\lambda(P)$ -nuclear Fréchet space, Math. Seminar Notes (Kobe Univ.) 5(1977), 289-294.

Peressini, A.L. (see D.R. Sherbert),

1. Ordered topological vector spaces (Harper and Row, New York, 1967).

Peressini, A.L. and D.R. Sherbert,

1. Ordered topological tensor products, Proc. London Math. Soc. (3) 19(1969), 177-190.

Person, A.,

1. On some properties of p-nuclear and p-integral operators, Studia Math. T.XXIII(1969), 213-222.

Pietsch. A.,

1. Nuclear locally convex spaces (Springer-Verlag, Berlin, 1972).

Ramanujan, M.S., (also see Dubinsky, Ed., and Terzioglu, T.,)

1. Power series spaces $\wedge(\alpha)$ and associated $\wedge(\alpha)$ -nuclearity, Math. Ann. 169(1970), 161-168.
2. Absolutely λ -summing operators, λ a symmetric sequence space, Math. Z. 114(1970), 187-193.
3. Generalized nuclear maps in normed linear spaces, J. Reine Angew Math. 244(1970), 190-197.

Ramanujan, M.S., and T. Terzioglu,

1. Diametral dimension of cartesian products, stability of smooth sequence spaces and applications, J. fur reine ang. Math.

Randtke, D.,

1. Characterization of precompact maps, Schwartz spaces and nuclear spaces, Trans. Amer. Math. Soc. 165(1972), 87-101.
2. A factorization theorem for compact operators, Proc. Amer. Math. Soc. 34(1)(1972), 201-202.

3. Representation theorem for compact operators, Proc. Amer. Math. Soc. 37(2) (1973), 481-485.
4. A simple example of a universal Schwartz space, Proc. Amer. Math. Soc. 37(1) (1973), 185-188.
5. A structure theorem for Schwartz spaces, Math. Ann. 201 (1973), 171-176.
6. On the embedding of Schwartz spaces into product spaces, Proc. Amer. Math. Soc. 55(1) (1976), 87-92.

Robertson, A.P. and W.J. Robertson,

1. Topological vector spaces (Cambridge University Press, 1964).

Robinson, W., (see also Crone, L.),

1. On $\wedge_1(\alpha)$ -nuclearity, Duke Math. J. 40 (1973), 541-546.
2. Relationships between λ -nuclearity and Pseudo- μ -nuclearity, Trans. Amer. Math. Soc. 201 (1975), 291-303.

Rosenberger, B.,

1. Universal generators for varieties of nuclear spaces, Trans. Amer. Math. Soc. 184 (1973), 273-290.

Rosier, R.C.,

1. Dual spaces of certain vector sequence spaces, Pacific J. 46(2) (1973), 487-501.

Saxon, S.A.,

1. Embedding nuclear spaces in products of an arbitrary Banach space, Proc. Amer. Math. Soc. 34(1) (1972), 138-140.

Schaefer, H.H.,

1. Topological vector spaces (Springer-Verlag, Berlin, 1971, 3rd print).
2. Banach lattices and positive operators (Springer-Verlag, Berlin, 1974).

Schatten, R.,

1. A theory of cross-spaces (Princeton, 1950).

2. Norm ideals of completely continuous operators (Springer-Verlag, Berlin, 1960).

Stegall, C.P. and J.R. Retherford,

1. Fully nuclear and completely nuclear operators with applications to \mathcal{L} and \mathcal{L}_∞ spaces, Trans. Amer. Math. Soc. 163(1972), 457-492.

Swartz, C.,

1. Absolutely summing and dominated operators on spaces of vector-valued continuous functions, Trans. Amer. Math. Soc. 179(1973), 123-131.

Terzioglu, T.,

1. Approximation property of co-nuclear spaces, Math. Ann. 191(1971), 35-37.
2. A characterization of compact linear mappings, Arch. Math. 22(1971), 76-78.
3. On Schwartz spaces, Math. Ann. 182(1969), 236-242.
4. Nuclear and strongly nuclear sequence spaces, Rev. Fac. Sci. Univ. Istanbul. Sec. A 34(1969), 1-5.
5. Smooth sequence spaces and associated nuclearity, Proc. Amer. Math. Soc. 37(2)(1973), 497-504.
6. Smooth sequence spaces, Proc. Symposium on Functional Analysis, Istanbul (1973), 31-41.
7. Stability of smooth sequence spaces, J. für die reine und angewandte Math. (1975), 184-189.
8. Remarks on compact and infinite-nuclear mappings, Math. Balkanica 2(1972), 251-255.
9. Linear operators on smooth sequence spaces, Rev. Fac. Sci. Univ. Istanbul.
10. On the diametral dimension of the projective tensor products, Rev. Fac. Sci. Univ. Istanbul.

11. Symmetric bases of nuclear spaces, J. für die reine und ang. Math..
252(1972), 200-204.

Treves, F.,

1. Topological vector spaces, distributions and kernel (Acad. Press,
New York and London, 1967).

Wickstead, A.W.

1. Spaces of linear operators between partially ordered Banach spaces,
Proc. London Math. Soc. 28(1974), 141-158.

Wittstock, G.,

1. Ordered normed tensor products (Lecture Notes in Physics 29
Springer-Verlag, Berlin (1974), 67-84).

Wojtyński, W.,

1. On conditional bases in non-nuclear Fréchet spaces, Studia Math.
35(1970), 77-96.

Wong, Yau-Chuen,

1. The topology of uniform convergence on order-bounded sets (Lecture
Notes in Math. 531, Springer-Verlag, Berlin, 1976).
2. Locally o-convex spaces, Proc. London Math. Soc. 19(1969) 289-309.

Wong, Yau-Chuen and Kung-Fu Ng,

1. Partially ordered topological vector spaces (Oxford Math. Monographs,
Clarendon Press, Oxford, 1973).

INDEX AND SYMBOLS

Absolutely dominated	344	Biprojective ordering	361
- monotone	344	Bounded map	5
- order-convex	344	b_T	6
- summable	55	$B(E, F)$	6
- summing	69	$B^*(E, F)$	6
- summing norm	78	$B^*(X, Y; Z)$	233
- λ -summable	111	$B^n(E, F)$	185
- λ -summing mapping	132	$B^\alpha(X, Y)$	274
Approximately order-unit norm	390		
- order-unit normed space	390	Canonical map	234
- α -generating	369	Compact map	5
Approximation property	168	Cone	343
Associated bilinear form	6	Cone-absolutely summing	346
- norm of	275	co-nuclear space	180
α -bidual	89	co-Schwartz space	37
α -dual	89	Cross-norm	273
α -embedding map	53	C_π	359
α -family associated with	52	C_i	360
α -generating	369	C_π	361
α -normal	369	$C_\varepsilon(\wedge, E)$	346
$\alpha_n(V, W)$	10		
Base norm	389	Decomposable	344
- normed space	389	- kernel	343
Basis	202	Diagonal map	105
Bijection associated with	2	Dual nuclear space	180
Bilinear norm	240	- Schwartz space	37
Biorthogonal sequence to	202	$D(\lambda, \mu)$	105
Biprojective cone	360	$D_\pi(A)$	362

$D_i(A)$	363	Grothendieck-Pietsch condition	195
$D(V)$	343	G_1 -space	204
		G_∞ -space	204
		Γ	206
Embedding	53		
Equicontinuous basis	202	Hilbert-Schmidt operator	85
-	family	62	
Extension property	170	$h(A)$	88
ϵ -norm	242		
ϵ -topology	57	Induced map	6
ϵ -topology of	306	-	bilinear form of
$E \otimes_{\pi} F$	301		308
$E \tilde{\otimes}_{\pi} F$	301	Infracomplete subset	4
$E \otimes_{\varepsilon} F$	306	Injection associated with	2
$E \tilde{\otimes}_{\varepsilon} F$	306	Integral bilinear form	257
$E \otimes_s F$	313	-	norm
$E \tilde{\otimes}_s F$	313		257
$E \otimes_{\ell} F$	355	-	operator
$E \tilde{\otimes}_{\ell} F$	355		258
$E \otimes_{ \pi } F$	379	$J(X, Y)$	257
$E \otimes_{ \varepsilon } F$	385		
(ϵ, γ) -topology	116	Köthe bidual	89
$\epsilon(S, V)$	116	-	dual
ϵ_p	116		89
$\epsilon(p, \lambda)$	116	-	set
			190
Families	52	-	space
Fréchet space of rapidly			190
decreasing sequences	197	-	topology
Fundamentally λ -bounded	128		92
$\mathcal{F}(\Lambda)$	52	$k(A)$	88
$F(V)$	343		
$F_\pi(A)$	363	Lifting of	144
$F_i(A)$	363	Locally decomposable	345
		-	- topology
			associated with
		-	o-convex
			346

Locally o-convex topology associated with	λ_{∞}	204
- solid	λ_1	204
- - topology associated with	λ_{∞}	205
λ_1	λ_1	205
ℓ -topology	$\lim_{\leftarrow} T_{\alpha, \mu}(X_{\mu})$	31
$\lambda_{\infty}(P_o)$ -nuclear space	225	
$\lambda_{\infty}(P_o)$ -nuclear map	227	
λ -summable	111	Mapping of type-s 226
$L^{\ell b}(E, F)$	5	Metric approximation property 249
$L^c(E, F)$	5	Monotone 344
$L^p(E, F)$	5	
$L^c(E, F_{\sigma})$	5	
$L^{\ell b}(P(V, B))$	6	Natural cone 359
$L^{eq}(E, F(\mathcal{T}))'$	7	- topology determined by 191
$L^*(E, F)$	1	Nearly α -generating 369
$L(E, F)$	1	Net in $E^{(\lambda)}$ associated with 53
$L_2(E, F)$	1	Normal in 87
$L^{pb}(E, F)$	24	- hull of 88
$L^i(X, Y)$	258	- kernel of 88
$L_{\varepsilon}(E', F)$	304	- topologizing family for 96
$L^{\ell}(E, F)$	347	- topology 91
$\ell_w^1(\lambda, E)$	56	- - on λ associated with 103
$\ell^1(\lambda, E)$	56	Nuclear norm 134
$\ell^1[\lambda, E]$	56	- bilinear form 185
$\ell_w^1(E)$	56	- map 133, 144
$\ell^1(E)$	56	- representation of 133
$\ell^1[E]$	56	- space 149
$\ell^1<\lambda, E>$	346	Null family 235
λ^x	89	n-th diameter of V w.r.t 9
λ^{xx}	89	n-th section 87
$\lambda_{\omega}(E)$	112	$N_{\ell^1}(X, Y)$ 134
$\lambda(E)$	112	$N_{\ell^1}^{(p)}(E, F)$ 156
$\lambda[E]$	112	$N_{\ell^1}^{(q)}(E, F)$ 163

$N_{\lambda_\infty(P_0)}^{(q)}(E, F)$	226	Perfect	90
$N_{\lambda_\infty(P_0)}(E, F)$	227	Power set of finite type	204
$\ \cdot\ _{(s)}$	78	- - - infinite type	203
$\ \cdot\ _{(n)}$	134	- series space of finite type	205
$\ \cdot\ _{(gn)}$	166	- - - - infinite type	205
$\ \cdot\ $	240	Polar topology	41
$\ \cdot\ _{(\iota)}$	257	Precompact	5
$\ \cdot\ _{(\alpha)}$	274	- - bounded	24
$\ \cdot\ _{(\pi)}$	288	- projective limit	31
$\ \cdot\ _{(\ell)}$	348	- seminorm	14
$\ \cdot\ _{ \pi }$	381	Prenuclear map	56
$\ \cdot\ _{ \varepsilon }$	387	- seminorm	146
$\ \ \cdot\ $	240	- set	67
Operator of trace class	143	Prenuclear-bounded map	156
- of type α	274	Projective cone	359
Order-convex hull	343	- ordering	361
Ordered biprojective norm	388	- topology	300
- - topology	385	Proper	343
- convex space	343	Pseudo $\lambda_\infty(P_0)$ -nuclear map	227
- projective norm	383	φ^0	41
- - topology	379	p_w	56
- normed space	343	p_ε	56
- vector space	343	p_π	57
Order-unit norm	390	p_w	57
- - normed space	390	p_ε	57
ω -linearly disjoint	233	p_π	57
$\circ(E, E')$	346	p_D	346
\leq_π	361	p_F	346
\leq	361	p_S	346
		$p \otimes_\pi q$	241
		$p \otimes_\varepsilon q$	241
		$p \otimes_s q$	278
		$p \otimes_\ell q$	349
		$p_V \otimes_\pi q_U$	301
		$p_V \otimes_\varepsilon q_U$	306

$p_V \otimes_s q_U$	313	Reasonable cross-norm	275
$p_V \otimes_\ell q_U$	354	Regular ordered normed space	388
$p_V \otimes_{ \pi } q_W$	375	- seminorm	344
$p_V \otimes_{ \varepsilon } q_W$	383	- seminorm on a sequence space	95
$p \otimes_\pi$	300	- subspace of	104
$p \otimes_\varepsilon$	306	Riesz seminorm	344
$p \otimes_s$	313	Schwartz space	17
$p \otimes_\ell$	355	- topology	48
$p \otimes_{ \pi }$	379	Sequence space	87
$p \otimes_{ \varepsilon }$	385	Sectional sequence associated with	87
π -topology		Solid	344
π (E, F)	69	Smooth sequence space	204
ℓ^1		- - - of infinite type	204
$\pi(S, V)$	112	- - - of finite type	204
$\pi(p, \pi)$	113	Space of coefficienty of power series	
π_p	113	expansions of entire functions	206
π -norm	242	Summable	53, 55
π -topology	300	Strongly monotone	344
(π, π) -topology	113	Summing norm	281
$\psi(V, W)$	308	s-norm	281
Quasi-normable	20	s-topology	313
- Schwartz	24	s	197
Quasi-nuclear-bounded map	113	$S_\varepsilon(E_\sigma^*, F_\sigma^*)$	304
- - norm	166	$S_\pi(A)$	363
- - seminorm	161	$S_i(A)$	363
Quasimimilar	203	$S(V)$	343
Quasi- $\lambda_\infty(P_0)$ -nuclear seminorm	225	$S(E, F)$	6
- - - - bounded map	225	$\sigma_S(E, E^*)$	346
		$\sigma_K(\lambda, \lambda^\times)$	92
		Tensor product	233
		Topology of bi-equicontinuous	
		convergence on	304

Trace of	289	Weak integral	261
- norm	143	Weakly compact	5
$T_{(V,B)}$	6	- summable	55
T^{\wedge}	69	- λ -summable	
$T^{(\wedge)}$	69	${}^W(S,V)$	116
$T^{(IN)}$	69	${}^W(P,L)$	116
[T]	80		
\mathcal{T}_P	191	$X \otimes_{\pi} Y$	242
$T_1 \tilde{\otimes}_{\pi} T_2$	318	$X \otimes_{\epsilon} Y$	242
$T_1 \tilde{\otimes}_{\epsilon} T_2$	318	$X \tilde{\otimes}_{\pi} Y$	242
$T_1 \otimes T_2$	318	$X \tilde{\otimes}_{\epsilon} Y$	242
$T_1 \tilde{\otimes}_s T_2$	319	$X \tilde{\otimes}_{\alpha} Y$	273
$T_1 \tilde{\otimes}_{\mathcal{L}} T_2$	320	$X \otimes_{\alpha} Y$	273
Unconditionally Cauchy	55	$X \otimes_s Y$	281
Uniformly $\lambda_{\infty}(P_0)$ -nuclear space	229	$X \tilde{\otimes}_s Y$	281
\mathcal{U}_{π}	300		
\mathcal{U}_{ϵ}	306		