

Index

- ab initio calculations, 78, 247, 265, 331
ab initio theory, 73, 74, 79, 225
ALD, 3, 7, 15–28, 53, 55, 58, 60, 61, 63, 65–68, 73–83, 87–91, 94, 95, 127–129, 131–134, 137, 138, 140, 141, 153, 154, 157, 162, 204–206, 208, 214, 218, 274, 280
alkoxide, 18, 21, 53, 55, 57, 60, 61, 64, 65, 67, 68
alternative gate oxid, 123
amide, 18, 23, 53, 56
amidinate, 18, 23, 24
amorphization, 172, 238
atomic force microscopy, 42, 168
atomic layer deposition, 3, 24, 73, 128, 204

band edge, 4, 6, 197, 270, 285, 286, 289–291, 293–295, 297, 298, 300–304, 307, 308, 320
band gap, 2, 5, 6, 9, 35, 101, 127, 153, 155, 160, 162, 166, 169, 170, 172, 204–206, 250, 253, 256, 258, 259, 265, 270–273, 275–278, 285, 286, 292, 293, 298, 301, 302, 305, 313–319, 321, 322, 324, 326, 331, 336, 340, 367, 369, 380, 403
band offset, 2, 3, 5, 9, 35, 115, 123, 124, 127, 198, 203, 204, 206, 249, 251, 255, 269, 270, 272, 275, 285, 300, 308, 313, 314, 319, 321–326, 369, 374, 386
band structure, 2–5, 159, 165, 273, 290, 315–318, 321, 324, 332, 336, 340
 β -diketonate, 15, 18–21, 26–28, 36, 59, 68, 203, 204
bond constrain theory (BCT), 181, 186–188, 190, 306
boron, 247, 264, 265, 408
capacitance–voltage characteristic, 22, 42, 190, 205
CBO, 5–7, 127, 206, 269–272, 274–279
 Ce_2O_3 , 386
 CeO_2 , 4, 6–8, 18–20, 25, 105, 153, 203, 204, 336, 380, 381, 385–387
charge order, 396, 397
charge trap, 211, 249, 250, 265, 375, 386
charge traps, 247
chemical bonding changes, 182, 186
chemical potential, 248
of electrons, 249
CMOS, 2, 3, 10, 101, 102, 115, 116, 127, 128, 135, 140, 156, 182, 196, 247, 285, 303, 304, 308, 313, 367, 368, 379, 380
complex stoichiometry, 87, 89, 91, 95
coordination, 4, 53–56, 58, 75–77, 167, 187, 191, 235, 239, 257, 289, 295, 297, 392, 394–396
cyclopentadienyl, 15, 18, 21, 27, 55, 62, 63, 67, 68, 203–207

dangling bond, 102, 181, 184, 185, 188, 194–196, 213, 249, 250, 255–260, 262, 321, 367
defect, 8, 43, 123, 162, 179, 181, 182, 184–191, 194–197, 203, 206, 207, 209, 213, 215, 218, 247–265, 268, 285–287, 292, 295, 301–306, 308, 321, 367, 369, 375, 381, 383, 403, 426
density functional theory, 5, 74, 332
density of states, 160, 172, 238, 241, 273, 315–317, 323, 324, 335, 339

- dielectric constant, 1, 2, 7, 35, 42, 102, 115, 116, 121, 124, 127, 153, 155, 196, 203–205, 212, 216, 218, 225, 228, 234, 235, 237, 238, 240, 242, 243, 247, 257, 269, 285, 307, 308, 313, 367, 371, 373, 380, 394, 395, 403
- dioxide, 1, 15, 33, 41, 101, 271, 331, 332, 334–336, 338, 341, 367
- Dy_2O_3 , 118, 204, 205, 385
- DyScO_3 , 118, 119, 121–124, 204, 301, 380
- EELS, 154–156, 158–162, 164–167, 169, 170, 172, 369
- effective charge, 226–229, 231, 234, 237–240
- electron beam evaporation, 157, 401, 406, 408, 418, 419
- electron spin resonance, 181, 206
- electronic structure, 73, 75, 83, 127, 154, 155, 159, 172, 191, 247, 254, 285, 286, 301, 313, 314, 326, 331, 332, 335, 336, 341
- ELNES, 154, 159, 160, 164, 166, 168, 172
- EOT, 18, 20, 26, 28, 102, 123, 124, 155, 179, 196, 197, 204, 205, 207, 287, 304, 307, 308, 367, 368, 373, 375, 379, 380, 383, 384, 387
- epitaxial oxide, 102, 116
- equivalent oxide thickness, 18, 123, 153, 155, 179, 203, 204, 207, 367, 379
- Er_2O_3 , 204, 205
- Eu_2O_3 , 8, 205, 380
- EuO , 1, 4, 8, 103
- EXAFS, 286, 295, 307
- feature scale, 73
- Fermi energy, 249, 251
- ferroelectric, 89, 102, 225, 228, 236, 391–397
- fine structures, 154, 160, 172
- first generation precursor, 35, 36, 45, 46
- fixed charge, 5, 43, 190, 192–194, 197, 205, 210, 216, 218, 247, 250, 253, 254, 258, 260, 262, 264–266, 304, 308
- mobile, 265
- negative, 253
- positive, 251, 253
- self-compensation, 253, 254
- formation energy, 249, 250, 252–256, 258, 260–264
- gate dielectric, 15, 33, 101, 102, 112, 115, 124, 127, 140, 153–156, 159–161, 172, 179, 181, 250, 285, 307, 308, 367, 369, 373–375, 379, 380, 384, 386, 387
- Gd_2O_3 , 8, 118, 203–205, 275, 322, 323, 380, 385
- GdScO_3 , 116, 121–124, 204, 275, 301, 380
- GIXRD, 162, 168, 207–209, 215
- growth rate, 15, 16, 20, 21, 23, 24, 27, 28, 40, 67, 75, 80, 82, 83, 92–94, 105, 265, 408
- high mobility semiconductor, 10
- high mobility semiconductor, 387
- Ho_2O_3 , 205
- HREM, 154, 157, 169
- hydrogen, 260, 263
- hygroscopic, 204, 206
- hygroscopicity, 8
- impurity
- boron, 264
 - hydrogen, 260, 263
 - moisture, 260
 - silicon, 261
 - titanium, 265
- infrared spectra, 158
- interface, 2, 3, 5, 6, 9, 28, 40–43, 79, 90, 101, 102, 104, 107, 108, 110–112, 115, 127, 138, 140, 141, 155–157, 159–161, 169–172, 179–185, 187–197, 203, 206, 207, 209–218, 226, 247, 249, 252, 258, 260, 269–272, 277–279, 286, 287, 303, 304, 313, 314, 319–321, 323–326, 369, 373, 380–382, 384, 386, 403, 415, 416
- interface formation, 101, 102, 111, 112, 196
- interfacial layer, 3, 7, 101, 102, 110, 128, 135–139, 141, 153, 167, 209, 212,

- 214, 216, 218, 266, 276, 373–375, 383, 384, 386
- interfacial transition region, 179
- internal dielectric interface, 179
- internal photoemission, 6, 123, 269, 322–324
- interstitial, 250, 251, 253–258, 260–265, 268, 333, 425, 426
- ionic radius, 2, 9, 37, 41, 55, 76, 313, 315, 392, 394, 395
- IPE, 6, 7, 270, 271, 274–279
- Jahn–Teller, 4, 285, 288, 295
- La_2O_3 , 8, 91, 118, 204–206, 229, 230, 234, 275, 313, 315–319, 322–324, 326, 380
- LaAlO_3 , 15, 25, 26, 28, 88, 115, 204, 205, 235–242, 275, 295, 297–300, 313, 317, 322, 323, 380
- LaMnO_3 , 25, 26, 88, 91, 93, 394
- lanthanide, 2, 8, 36, 40, 53–65, 67, 76, 101, 103–105, 108, 110, 112, 192, 193, 205, 225, 229, 285, 304, 308, 313, 314, 318, 323–326, 338, 340
- LaScO_3 , 119–124, 204, 275, 295, 297–300, 380
- laser, 39, 115, 117, 118, 124, 129, 132, 157, 172, 182, 203, 392, 401–409, 418–420
- lattice image, 155
- LEIS, 127–130, 136, 139, 140
- linear response, 228, 238, 241
- Lu_2O_3 , 127, 128, 130–141, 158, 162–168, 203, 204, 206, 207, 214–218, 229, 230, 232, 233, 235, 269, 270, 274–279, 313, 315–317, 319, 322–324, 381, 402, 403, 406, 415
- Lu_2SiO_5 , 139, 170
- luminescence, 16, 44, 182, 185, 186, 188, 415–417, 419
- magnetoelectric, 9, 10
- manganite, 9, 394–396
- MBE, 3, 7, 8, 38, 42, 89, 101, 102, 105, 106, 112, 116, 120, 121, 157, 254, 381, 382
- microelectronic, 115, 116, 225, 226, 230, 242, 269
- microwave contact-less photoconductive resonance (MWCL-PCR), 206
- MIS, 123, 124, 207, 209, 215, 383–386, 403
- mobility, 3, 9, 10, 14, 154, 155, 203, 250, 269, 270, 341, 367, 369, 371, 373, 375, 379, 380, 384, 387, 409, 424
- MOCVD, 7, 34–38, 40, 42–47, 53, 55, 58, 60, 61, 63–68, 73–75, 77, 81, 83, 89, 116, 157, 204, 205, 374
- moisture, 260
- molecular beam epitaxy, 3, 101, 116, 157, 203, 274, 381
- monoxide, 2
- multiple scattering, 167
- nanocrystalline, 161, 162, 172, 238, 285–290, 294, 301–308
- nanoelectronics, 379, 387
- nanolaminate, 17, 25, 26
- NcO (Nitrogen-Coordinated Oxygen), 258
- Nd_2O_3 , 204, 205
- optoelectronics, 10, 403
- oxidation
- of Pr_2O_3 , 253, 254
 - of Si, 250, 252, 256, 258, 260, 263
 - of Ti, 265
- oxidation state, 1, 3, 4, 20, 34, 39, 53, 54, 90, 103, 127, 252, 379, 381, 386, 387
- oxygen, 248–250, 258
- interstitial, 251
 - interstitial
 - charge states, 251, 253
 - vacancy, 251
 - charge states, 251
- ozone, 15, 18–21, 24, 27, 28, 77, 90, 91, 94, 203–205, 218
- PDA, 253, 254
- periodic property, 1
- perovskite, 15, 89, 92, 102, 235–237, 241, 242, 295, 313, 380, 391–395, 397
- phase separation, 185–188, 192–194, 197, 285, 287, 288, 297, 304, 306–308, 369, 375

- phonon, 3, 9, 226–228, 238, 269, 373, 401, 405
- photoconductivity, 123, 166, 270, 271, 276, 285, 286, 291, 293, 294, 301
- PLD, 89, 115, 117, 118, 120, 129, 130, 132, 133, 392, 402, 406, 408, 409, 411, 413, 414, 417–419
- PMA, 195
- point defects, 247
- impurities, 260
 - native, 251
- post-deposition annealing, 250
- PrAlO_x, 45
- praseodymium, 247
- interstitial, 251, 265
 - vacancy, 251
- second generation precursor, 37
- self-interaction correction, 5, 333
- self-limiting growth, 20, 67
- sesquioxide, 1, 4, 34, 74, 167, 225, 229–231, 233, 234, 242, 331, 332, 334, 336–338, 340, 341, 401–403, 406–408, 411, 414, 417–419
- silicates, 255
- silicon, 261
- interstitial, 261
 - substitutional, 262
- silicon dioxide, 258
- SiNcO (Si-related NcO, 258
- SiO₂, 258
- SiO₂, 1–3, 5, 8, 20, 27, 40–42, 101, 102, 110–112, 153, 155–157, 159–161, 164–170, 172, 179–198
- Sm₂O₃, 8, 204, 275, 380
- SmO, 1
- solid solution, 15, 25, 27, 242, 406
- spintronics, 1
- synchrotron radiation, 411
- TEM, 40, 41, 45, 106–110, 153–156, 158–163, 172, 371, 372, 374
- ternary compound, 9, 25, 87, 88, 90, 205, 274, 380
- thermodynamical stability, 2, 9, 153, 154, 269
- threshold voltage instability, 384
- titanium, 265
- Tm₂O₃, 205
- transistor, 79, 153, 155, 225, 250, 313, 367, 369, 371, 373–375, 379, 380, 384, 385, 387, 403
- transition metal, 2, 3, 17, 23, 54, 55, 62, 64, 66, 73, 74, 179, 193, 225, 274, 300, 304, 306–308, 314, 368, 392, 393, 395
- Trap Assisted Tunneling, 247, 249, 265
- vacancy, 4, 105, 250–255, 257, 286, 287, 302, 305
- Valence Alternation, 250, 252, 257–259, 262
- valence alternation, 251, 252, 257–259
- valency, 331, 333, 334, 338, 381
- VBO, 269–277, 279
- Vegard's law, 406
- water, 260
- waveguide, 402, 403, 410, 418, 419
- X-ray absorption spectroscopy, 285, 286
- X-ray photoelectron spectroscopy, 40, 101, 102, 127, 128, 158, 180, 269, 285
- X-ray reflectivity, 3, 105, 139, 155, 207
- XAES, 230
- XANES, 286–291, 294, 295, 301, 307
- XAS, 286, 287, 298, 305
- XPS, 3, 6, 7, 9, 25, 40–42, 45, 102, 105, 110, 111, 127–132, 134–137, 139, 140, 158, 161, 165, 168, 270, 272, 274, 275, 277, 279, 287, 305–307, 309
- XRD, 26, 27, 39, 40, 44, 106, 115, 118–120, 122, 162, 214, 238, 287, 295, 297, 305, 307, 409, 411, 413, 414, 419
- XRR, 3, 105, 139, 155, 164, 168, 170, 207–209, 214–216
- Y₂O₃, 191, 194, 203–205, 275, 295–297, 303, 315, 316, 319, 322, 323, 403, 406, 407, 409–418
- Yb₂O₃, 127–129, 132, 133, 135, 137, 138, 140, 141, 203, 204, 206, 208–213, 216–218, 275
- YbO, 1, 154