
Index

- Γ -convergence, 8, 177, 269
- Γ -convergence of Ginzburg-Landau, 271
- Γ -convergence along a trajectory, 277
- Γ -convergence of gradient-flows, 275
- Γ^+ -convergence, 245

- tree-like Gasket, 152

- approximate differentiability, 92
- approximate discontinuity set, 91
- approximate jump point, 91
- approximate limit, 91
- asymptotic expansion in Γ^+ -convergence, 256

- Bernoulli free boundary problem, 243
- Blake-Zisserman model, 36
- Bochner identity, 299
- boundary layer, 22

- Cantor part, 91
- Cantor set, 152
- capacitary potential, 239
- capacity, 239
- clearing out, 299
- co-area formula, 90, 122
- coerciveness, 82
- collisions of vortices, 289
- compact set, 82
- Concentration-compactness alternative, 237
- conservative solution, 278
- convergence of discrete functions, 8
- convex functional, 8

- correctors, 215
- crease energy, 52
- curvature equation, 312

- De Giorgi's Rectifiability Theorem, 90
- De Giorgi-Letta measure criterion, 121
- density, 297
- diffusion driving process, 225
- direct methods, 83
- Dirichlet form, 155
- dynamics of vortices, 286

- eigenform of a fractal, 161

- finitely ramified fractals, 152
- function of bounded variation, 58, 88
- function, discrete, 8
- fundamental solution, 239

- Gasket, 142
- generalized Sobolev inequality, 244
- Ginzburg-Landau simplified model, 269
- gradient-flow solution, 278
- Green's function, 253

- harmonic center, 255
- harmonic extension, 150
- harmonic radius, 255
- harmonic transplantation, 260
- higher-order Γ -limit, 55
- homogenization of perforated domains, 191
- homogenization on the Gasket, 173
- homogenization, discrete, 34

- integral representation, 125
- interior boundary, 90
- invariant measure, 226
- isoperimetric inequality for the capacity, 240
- jump set, 38, 91
- Lennard-Jones potentials, 52
- localization of the generalized Sobolev inequality, 249
- long-range interactions, 10, 14
- lower density, 297
- lower semicontinuity, 82
- lower semicontinuous envelope, 83
- maximum correlation coefficient, 212
- mean curvature, 311
- minimal surface, 311
- mixing coefficients, 211
- modulus estimates, 308
- monotonicity formula, 295
- multi-phase limit, 28, 29
- nearest-neighbour interactions, 9, 11
- nesting property, 156
- next-to-nearest neighbour interactions, 12
- non-local limit, 31
- one-dimensional BV functions, 92
- one-dimensional relaxation, 93
- oscillating Dirichlet boundary conditions, 190
- oscillating Fourier boundary conditions, 193
- perimeter, 90
- Perron-Frobenius Theorem, 183
- phase transition, 22
- piecewise-Sobolev functions, 38
- Pohozaev identity, 295
- potential estimates, 308
- quasiconvex function, 113
- recovery sequence, 246
- rectifiable set, 90, 307
- reduced boundary, 90
- regularity theorems for Ginzburg-Landau, 299
- relaxation, 83
- renormalization factor, 163
- renormalization group, 58
- renormalization operator, 164
- renormalized energy, 273
- rescaled energy, 295
- Robin function, 254, 263
- SBV, 85
- scaling properties, 294
- second-difference energies, 35
- sequential coerciveness, 82
- set of finite perimeter, 90
- Sierpinski Carpet, 152
- Sierpinski Gasket, 142
- small energy regularity, 299
- snowflake, 152
- Sobolev inequality, 235
- special functions of bounded variation, 85, 92
- strange term, 190
- strongly connected fractal, 181
- subadditive envelope, 96, 132
- uniform mixing coefficient, 212
- upper density, 297
- vector measure, 86
- Vicsek set, 152
- vortex, 268
- weak mean curvature, 311
- weak* convergence, 89

Editor in Chief: Franco Brezzi

Editorial Policy

1. The UMI Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are also welcome.
2. Manuscripts should be submitted (preferably in duplicate) to
Redazione Lecture Notes U.M.I.
Dipartimento di Matematica
Piazza Porta S. Donato 5
I – 40126 Bologna
and possibly to one of the editors of the Board informing, in this case, the Redazione about the submission. In general, manuscripts will be sent out to external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted. The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.
4. For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps- files. Authors are asked, if their manuscript is accepted for publication, to use the LaTeX2e style files available from Springer's web-server at <ftp://ftp.springer.de/pub/tex/latex/mathegl/mono.zip>
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: A brief written (or e-mail) request for formal permission is sufficient.