

# Index

## A

AAm 162  
— gel 163  
acceleration of oxygen dissolution 66  
acrolein 333  
acrylamide 162  
acrylamid gel 208  
activated carbon fiber 300  
ADP 332  
adsorption isotherm 153  
aerosol particle 333  
— formation 339  
agarose 241  
— gel 207  
Ag<sup>+</sup> ion 82  
air convection 102  
alcohol 297  
aligned buckypaper composite 227  
aligned urea crystal 201  
alignment of SWNT 219  
Al<sup>3+</sup> ion 82, 84  
*n*-alkane 279  
alloy  
Bi-Mn — 237  
Bi-Sn — 239  
Fe-Mn-C — 167  
Fe-Ni — 167, 168  
Fe-Ni-C — 167  
Fe-Pt — 167  
shape memory — 175  
Al(OH)<sub>3</sub> 242, 332  
AIOOH 332  
alternating magnetic field 136  
aminoxyl radical 276  
amphiphilic molecule 151  
angular dependence of aggregate 18  
aniline 31  
anisotropic hyperfine interaction 251

anisotropic magnetic energy 17  
anisotropic magnetic susceptibility 20  
anisotropic Zeeman interaction 251  
anodic oxidation 24  
anomalous solidification 184  
anthraquinone 259  
anthrasemiquinone radical 253  
apophyllite 332  
aspect ratio 198  
asymmetrical fluctuation 117

## B

ball-drop method 208  
behavior of diamagnetic N<sub>2</sub> gas 100  
benzene 297, 303  
benzhydrol 255  
— peroxide 32  
benzophenone 192, 255  
— crystal 192  
— ketyl radical 255  
benzoyl peroxide 32  
benzyl methacrylate 93  
*B*-factor 73  
billet cast 139  
Bi-5 mass% Sn alloy 239  
BiMn alloy 237  
biotite 244  
biphenyl 192, 195  
biradical 28, 252  
birefringence 210  
bismuth 237  
— particle 45  
black lipid membrane 155  
BLM 155  
blood cell 241  
BR 252  
Brij35 259  
Brillouin function 283  
Brownian motion 89

- brucite 244  
*Bs-M* relationship 244  
 buckypaper 219  
 build-up rate of alignment 200  
 bulk diffusion mode 289  
 buoyancy 47  
   — driven convection 71  
*t*-butanol 303  
*n*-butyllithium 31  
*B*<sub>1/2</sub> value 32
- C**
- cadmium sulfide 267  
 cage product 28  
 calculation of solid fraction 97  
 carbazole radical cation 253  
 carbon  
   — black 300  
   — disulfide 333  
   — fiber 197  
   — nanotube 214  
   distribution of direction of — 215  
   — tetrabromide 80  
 catalytic combustion 106  
 cathode reaction 106  
 Cd<sub>1-x</sub>Mn<sub>x</sub>S 267  
 C<sub>60</sub>-doped poly-*N*-vinylcarbazole 263  
 cellulose fiber 197  
 cellulose triacetate 203  
 ceramics 229  
 C<sub>6</sub>F<sub>5</sub>CH<sub>2</sub>Cl 31  
 chemical potential 10  
 chemically induced polarization 25  
 chirality 130  
 C<sub>4</sub>H<sub>9</sub>Li 31  
 chrysotile asbestos 302  
 CIDEP effect 30  
 CIDNP 30  
 Clapeyron-Clausius equation 16  
 Clapeyron equation 204, 324  
 clay mineral 241  
 cluster formation 281  
 C-M effect 316  
 CO<sup>2+</sup> ion 82, 84  
 CO<sub>2</sub> laser furnace 51  
 combustion 103, 106  
   — reaction 103  
   — in diffusion flame 104
- containerless  
   — crystal growth 42, 49  
   — melting of BK7 glass 52  
   — technique 42  
 continuous casting of steel 136  
 convection  
   — cell 119  
   — of solution 23  
   magnetically-induced — 104  
   magneto- — 118  
   magneto catalytic — 296  
   Marangoni — 52  
   MHD-induced — 24  
   natural — 75  
   thermal — 46, 77  
 copper deposition 116  
 copper dissolution 117  
 copper metal-silver ion system 121, 125  
 corrosion 115  
 corundum 242, 332  
 Cotton-Mouton effect 151, 316  
 Cr<sup>3+</sup> ion 82, 84  
 critical magnet field 167  
 cross-linkage 163  
 cross-linked hydrogel 162  
 cryocooler-cooled superconducting magnet 36  
 crystal  
   — axis 20  
   — growth of NH<sub>4</sub>Cl 49  
   — -liquid crystal transition 325  
   — orientation 229  
   classification of — 230  
   plasticity of — 289  
   sedimentation of — 71  
 crystalline hexagonal ice 313  
 crystalline polymer 197, 202  
 cubic porcine insulin 76  
 Cu<sup>2+</sup> ion 82  
 curvature-elastic modulus 159  
 CuSO<sub>4</sub> 58  
 cut off mode 289
- D**
- deformation 288  
 degree of freedom 12  
 Δ*χ*<sub>BO</sub> value 331  
 (Δ*χ*)<sub>DIA</sub> 242, 332  
 Δ*χ*-*T* relationship 245

- demagnetization field 5, 7  
 dendrimer 260  
 dendrite 121  
 diamagnetic anisotropy  
   — of basic inorganic oxide 330  
   — of inorganic insulator 327  
   origin of — 330  
 diamagnetic levitation 57  
 diamagnetic solid 42  
 dibenzyl ketone 32  
 1,2-dichano-1,2-bis(2,4,5-trimethyl-3-thienyl)ethene 77  
*N, N'*-dicyclohexyl-2,6-naphthalenedicarboxamide 201  
 didodecyl phosphite 155  
 differential scanning calorimeter 319  
 diffusion coefficient 64  
 diffusion flame 103  
 diffusion-type polarizer 200  
 diluted magnetic semiconductor 267  
 dimethylaniline 257  
 dioctadecyldimethylammonium chloride 155  
 dipalmitoylphosphatidylcholine 155  
 diphenylamine 80  
 diphenylaminy radical 255  
 diphenylmethane 255  
 diphenylmethyl radical 257  
 dipole-dipole interaction 42, 68, 251  
 dislocation displacement 288  
 dislocation obstacle 285  
 disordered Fe-Pt Invar alloy 167  
 distribution of direction of crystal 193  
 DKDP 324  
 DMA 220  
 DNA 213  
   electrophoretic velocity of — 213  
 D<sub>2</sub>O 320  
 double dwell process 185, 186  
 DSC 319  
 DTBN 275  
 dynamic light scattering 160  
 dynamic magnetic susceptibility 324  
 dynamic mechanical analysis 220  
 dynamic spin chemistry 1, 24  
**E**  
 easy axis 178  
 EBBA 325  
 effective gravity 71  
 effect of temperature 244  
 effect of weight 244  
 Einstein relation 89  
 electrical resistivity 220, 224  
   — anisotropy 224  
 electrodeposition 114, 115  
 electroless plating 115, 117  
 electromagnetic force 136  
 electromotive force 14  
 electron dipole-dipole interaction 251  
 electron-hole pair 269, 270  
 electrophoresis 212  
 elliptic magnetic field 206  
 epitaxial growth of polymer chain 201  
 equilibrium  
   — constant 13  
   — hydrogen pressure 142  
   condition of — 11  
 escape product 28  
 ESR 151, 272  
   — adsorption 308  
*N*-ethylcarbazole 260  
*N-p*-ethoxybenzylidene-*p'*-butylaniline 325  
 Eu<sup>2+</sup> 281, 282  
 exciplex 257  
   — fluorescence 257  
**F**  
 fabrication of buckypaper 220, 221  
 fabrication of nanocomposite 226  
 face-centered cubic lattice 129  
 Faraday force 4  
 fast diffusion mode 290  
 Fe(CO)<sub>5</sub> 342  
 Fe<sup>3+</sup> ion 82, 84  
 Fe-Ni alloy 167  
 FeOOH polymorph 296  
 δ-FeOOH 299  
 ferricyanide-ferrocyanide reaction 120  
 ferromagnetic metal hydride 141  
   — -hydrogen reaction 3  
 ferromagnetic shape memory alloy 175  
 fibrin fiber 241  
 fibrinogen protein 207  
 Fick's second law 89  
 field modulator 90  
 field of full alignment *B*<sub>s</sub> 241  
 first-order structural phase transition 165

- flame temperature 103  
 fructose-1,6-bisphosphatase 75  
 forced volume magnetostriction 168  
 forsterite 332  
 four-probe method 224  
 Frank model 317  
 free energy 10, 166
- G**
- gallium 136  
 gas-phase photochemical method 342  
 gas separation 308  
 $GdCo_5H_{2.5}$  146  
 gelatin 207  
 gel-gel volume transition 207  
 gel-sol phase transition 208  
 Gibbs-Duhem relation 12  
 Gibbs free energy 166  
 Gibbs phase rule 12  
 glass bead 68  
 glass transition temperature 205  
 glyoxal/acrolein mixture 334  
 glyoxal/ $CS_2$  mixture 336  
 gold sphere 68  
 Gouy method 95  
 graphite 242, 244  
 gravitational buoyancy 47  
 gypsum 242, 332
- H**
- HDTCI 259  
 heat transfer behavior 46  
 Helfrich theory 159  
 helical tube 130, 131  
 hen egg-white lysozyme 73  
 hexadecyltrimethylammonium bromide  
   152  
 hexagonal ice 332  
*n*-hexane 313  
 HFC 29, 251  
   — mechanism 251  
 HFI 31  
 HGMS 61  
 high-field generation 33  
 high gradient magnetic separation 61  
 $H_2O$  320  
 homogeneous magnetic force 111  
 homolytic bond cleavage 28  
 hybrid magnet 38
- hydrodynamic torque 197  
 hydrogel 162  
 hydrogen 302  
   — abstraction 28  
   — bond 312, 313  
   — composition 147  
 hydroxyphenylmethyl radical 257  
 hyperfine coupling 26, 29  
 hyperfine interaction 28  
 hypergravity 71, 72
- I**
- in situ* birefringence measurement 203  
*in situ* filtration of SWNT 228  
*in situ* magnetic birefringence measurement  
   203  
*in situ* magnetic susceptibility 182  
 induction period of crystallization 203  
 internal energy 10  
 intersystem crossing 26  
 Invar alloy 167, 168  
 ionic crystal 281  
 iron oxyhydroxide 299  
 $\gamma$ -irradiation 280  
*N*-isopropylacrylamide 162  
 isotactic polypropylene 201, 203  
 isotactic polystyrene 203  
 isotope enrichment 32  
 isotropic  $\Delta g$  251  
 isotropic hyperfine coupling 251
- K**
- kaolinite 244  
 KDP 242, 332  
 $KD_2PO_4$  324  
 Kramers-Kronig relation 313
- L**
- $LaCo_5H$ , 3, 141  
 laser photolysis 28, 31  
 levitating crystal growth 48  
 levitating rice grain 46  
 levitation experiment 42  
 levitation polymerization 93  
 light scattering intensity 152  
 lipid 151  
 liposome 155  
 liquid chromatography 276  
 liquid crystal

- molecule 241
- transition 325
- liquid crystalline polymer 201
- local magnetic field gradient 306
- long-chained *n*-alkane 279
- Lorentz force 4, 22, 23
- low gravity environment 71
- lysozyme 73

## M

MAD 296

- H dependence of — 304
- $p_0$  dependence of — 304
- quantum mechanical aspect of — 305
- temperature dependence of — 304

maghemite 299

magnetic alignment 4, 182, 196, 220

- of carbon nanotube 214
- of crystal 200
- of crystalline polymer 202
- of liquid crystalline polymer 201
- of polymer gel 207
- of solidifying crystal 180
- of YBaCuO 181
- nonrotation type — 204

magnetically-induced convection 104

magnetic anisotropy 327

magnetic Archimedes effect 4

magnetic attraction of O<sub>2</sub> gas 100

magnetic axis 20

magnetic Clapeyron-Clausius equation 16

magnetic control

- of hybrid structure 152

magnetic convection 42

magnetic deformation

- of liposome 151
- of membrane 151
- of micelle 151, 152

magnetic dipole interaction 68

magnetic energy 9

- anisotropy 191

magnetic field

- control 67
- dependence 208, 272
- gradient 106, 107, 306
- influence on Eu<sup>2+</sup> cluster 281, 287
- quenching 25
- strength 5

- on martensitic transformation

- temperature 165

calculation of — 33

characterization of — 33

circular — 206

critical — 167

elliptic — 206

high — 35

rotating — 198

rotation under — 232

time-dependent — 206

magnetic field effect

- for agarose gel 208

- in photochemical reaction 249

- in silver metal deposition 121

- on adsorption 295, 296, 298

- on chemical composition 338

- on diamagnetic gas 301

- on dynamical behavior 25

- on electrochemical system 143

- on electrode potential 144

- on equilibrium state 142

- on exciton emission 269

- on ferroelectric transition 324

- on fuel cell 106

- on hydrogen composition 147

- on hydrogen pressure 145

- on melting transition 320

- on nucleation 335

- on oxygen dissolution 62

- on paramagnetic gas 299

- on phase diagram 145

- on phase transition 208, 318

- on photoconductivity 263

- on photocurrent 263

- on photoelectrochemical reaction 265

- on plasticity of crystal 289

- on thermodynamic parameter 148

- on thermodynamic quantity 13

- on water vaporization 66

- on yield of bixanthy 273

- on yield of pyrene 31

classification of — 2

magnetic field-induced

- adsorption 296

- change 14, 15, 16

- desorption 296

- division 155

- effect 141

- fusion 155
- martensite 174
- martensitic transformation 171
- structural change 153
- giant — strain 175
- steady — 155, 160
- magnetic flux density 5
- magnetic force 4, 22, 111
  - effect 1, 55
  - characteristics of — 22
  - heterogeneous — 111
- magnetic free energy 3, 142
  - change 11, 15
- magnetic isotope effect 25, 32, 255, 260
- magnetic levitation 41, 45
  - furnace 42, 51
  - experiment on — 43
- magnetic orientation 17
  - against gravity 195
  - due to anisotropy 17, 21
  - of crystal 191
  - temperature dependence of — 218
- magnetic polarization 5
- magnetic promotion 103
- magnetic protection 117
- magnetic regulation 154
- magnetic response 314
- magnetic separation 61, 82
- magnetic susceptibility
  - anisotropy 191, 217
  - gradient 81
  - measurement 95
  - of Bi 96
- magnetic torque 4, 20, 197
- magnetic trapping 93
- magnetite 299
- magnetization 5
- magnetoadsorption 297, 299
- magnetoaerodynamics 100
- magneto-Archimedes
  - effect 55
  - levitation 57, 59
  - levitation state 69
  - separation 59, 60
  - technique 55
- magnetocatalytic
  - conversion 296
  - effect 305
  - H<sub>2</sub>-O<sub>2</sub> reaction 296
- magneto-chemical potential 11
- magneto-Clapeyron equation 204, 324
- magneto-convection 118
- magnetocrystalline anisotropy 128, 170, 180
- magnetodeformation 159, 160
- magnetodesorption 299
- magnetodivision 155, 159
- magnetoelastic martensitic transformation 171
- magneto-electrochemical processing 111
- magnetofusion 155, 159
- magneto-hydrodynamics 5, 23
  - boundary-assisted — 130, 134
- magnetomicropore filling 299
- magneto-optical behavior 316
- magneto-photoadsorption 308
- magnetoplasticity 290
- magneto-sensitive cluster 284
- magneto-thermodynamic effect 1, 3
- magnetoundulation 155
- Marangoni convection 52
- martensite morphology 173
- martensitic transformation 4, 165
- maximum resolution 73
- Maxwell relation 16
- MCM-41 272
- mechanism
  - chirality induction — 135
  - $\Delta g$  — 29
  - helical growth — 134
- melting
  - droplet of paraffin 52
  - temperature 321
  - transition 320, 326
  - of bismuth 95
  - of zinc 95
- membrane
  - potential 155
  - resistance 155
  - tube 130
- mesophase 151, 203
- mesoporous material 152, 272
- metal
  - corrosion 116
  - dendrite 121
  - hydride 141
    - electrode 143
  - hydrogen system 141

- -organic composite particle 342
- methanol 303
- methyl cellulose 208
- N, N'*-methylenebisacrylamide 162
- methylene-chain-linked molecule 253
- MFE
  - of chain-linked biradical 252
  - of RPs 258
  - on electromotive force 14
  - on equilibrium pressure 15
  - reversal of — 253
- MgO 332
- Mg(OH)<sub>2</sub> 332
- MHD 4
  - effect 5
    - micro- — 24, 111, 114
  - electrode 112
    - vertical — 115
  - flow 112, 113
    - micro- — 113
  - induced convection 24
  - boundary-assisted — 130, 134
- mica 241
- micelle 151, 272
- microgravity 4, 71, 72
- micro-mystery circle 115
- micropatterning 92
  - of particle 89, 90
- microviscosity 260
- micro-vortex 114
- minimum field intensity 240
- minute convection cell 119
- minute vortex 113
- molten metal 136
- morphological chirality 130
- mosaicity 73
- Moses effect 4, 22, 55
  - enhanced — 55
  - micro — 91
  - reversed — 56
- muscovite 244, 332
- N**
  - NaCl 281, 283
  - NaCl : Eu 283
  - nanochannel 272, 275
  - nanocomposite 226
  - nanospace 272
  - naphthalene 192, 195
  - natural convection 75
  - Navier-Stokes equation 65
  - NiCl<sub>2</sub> 314
  - NiO 299
  - NIPA 162
  - nitrogen 301
  - nitro oxide 295
  - nitrous oxide 299
  - NMR 158
  - NO 295
  - non-Invar Fe-Mn-C alloy 167
  - non-Invar Fe-Ni-C alloy 167
  - N*-nonylcarbazole 260
  - nucleating agent 201
  - nylon fiber 199
- O**
  - O<sub>2</sub> 296
  - ordered Fe-Pt Invar alloy 167
  - order parameter 19, 241
  - organic polymer 42
  - organometal compound/CS<sub>2</sub> 342
  - organosilicon compound/CS<sub>2</sub> 340
  - orientation relaxation time 20
  - orientation time 181
  - orthoclase 242, 244, 332
  - ortho*-hydrogen interconversion 25
  - orthorhombic lysozyme crystal 73
  - oscillation 329
  - overall *B*-factor 73
  - overheating effect 187
  - oxygen 300
    - dissolution kinetics 63
    - gas 62
- P**
  - paraffin 203
  - para*-hydrogen interconversion 25
  - paramagnetic anisotropy 244
    - orientation due to — 240
  - paramagnetic ion 84, 85
  - paramagnetic volume susceptibility 66
  - Pascal's law 330
  - patterning of SiO<sub>2</sub> particle 92
  - PCT* curve 145
  - PEM 106
  - PEMA 201
  - pentafluorobenzyl chloride 31
  - permanent magnet 36

permeability 6  
   — of vacuum 5  
 petalite 244, 332  
 phase separation 279  
 phase shift of surfactant 151  
 phenanthrene 257  
 phenothiazine radical 253  
 phenyl-*t*-butylnitron 273  
*m*-phenylenebis (phenylmethylene) 260  
 phenylethanol 255  
 phlogopite 244  
 phospholipid molecule 151  
 photocatalyst 261  
 photocatalytic reaction 271  
 photochemical particle formation 333  
 photocurrent 264  
 photoelectrochemical reaction 264  
 photo-induced intramolecular electron transfer  
   260  
   — reaction 255  
 photo-isomerization reaction 77  
 photoreaction of diphenylamine 80  
 photosensitive electrode 264  
 plastic deformation of crystal 281  
 platinum catalyst 106  
 PMMA 54  
 Poiseuille's law 274  
 polycarbonate 203  
 polyetherester 203  
 polyethylene fiber 197  
 poly(ethylene-2,6-naphthalate) 203  
 poly(ethylene oxide) 203  
 poly(ethylene terephthalate) 93, 203  
   — fiber 197  
 poly(ethyl methacrylate) 200  
 polymer chain 201  
 polymer gel 197  
 polymerization of large polymer 89  
 polymethylmethacrylate 54, 93  
 poly(*N*-methylpyrrole) 270  
 poly(*p*-phenylene-2,6-benzobisoxazole) fiber  
   199  
 polypropylene 93  
 polystyrene 93  
 poly-*N*-vinylcarbazole film 263  
 Portevin-Le Chatelier effect 291  
 position sensitive detector 311  
 potassium nitrate 192  
 potential energy curve 27

PrCo<sub>3</sub>H<sub>4,3</sub> 146  
 precursor effect 186  
 preferential alignment 204  
 preferential crystallization 204  
 prolate ellipsoid 198  
 protein crystal 71  
   quality improvement of — 76  
 proton exchange membrane 106  
 PSD 311  
 pseudoelasticity effect 166  
 pseudo-hypergravity 23  
 pseudo-microgravity 23  
 Pt catalyst 106  
 pulsed magnet 39  
 pulse radiolysis 28, 30  
 pyrene 31

## Q

quantitative evaluation of transitional rate  
   95  
 quantum  
   — confinement effect 268  
   — effect 2  
   — mechanical aspect 305  
   — mechanical effect 1  
   — size effect 267, 268

## R

*R*<sub>merge</sub> 73  
 radical ion pair 28  
 radical pair 25, 28  
   — mechanism 3, 25, 249  
   — model 25  
 radical polymerization 162  
 refractive index 310  
 refractive indice 314  
 relaxation mechanism 251  
 resistive magnet 37  
 rice 45  
   — grain 45, 46  
 rocking curve 73  
 Rodrun LC-3000 202  
 rotator transition 326  
 RP 249

## S

scapolite 244, 332  
 SDS 259  
 sedimentary aerosol 341



- sedimentation pattern 337
  - self-organization of magnetic material 67
  - SEM 125, 214
  - semiconductor nanocrystal 266
  - separation 93
    - of biological material 61
    - of glass particle 59
    - of KCl and NaCl 61
    - of polymer 89
  - shape anisotropy 21
  - shape magnetic anisotropy 128
  - shape memory alloy 176
  - shape memory effect 166, 175
  - shaping of molten metal 136
  - shear stress 178
  - shrinking state 162
  - silicate garden reaction 130
  - silicate hybrid 152
  - silicon nitride 230
  - silver dendrite 121, 129
    - precession of — 128
  - silver-displacement plating 118
  - singlet-sensitized photolysis 32
  - singlet-triplet spin conversion 28
  - single-walled nanotube 219
  - SiO<sub>2</sub> 303
  - slip casting 229, 230
  - SLR 251, 255
  - SmCo<sub>5</sub>H<sub>1.8</sub> 146
  - SnO<sub>2</sub> thin film 296
  - SOC 252
  - sodium silicate aqueous solution 130
  - soft contacting solidification 136
  - sol-gel method 152
  - solidification 188
    - nuclei 187
    - process 237
    - of water droplet 48
  - solidifying 95
  - solution crystal growth 49
  - spherulitic grain 185
  - spin
    - chemistry 24
    - electrode 120
    - Hamiltonian 25
    - -lattice relaxation 251
    - -orbit-coupling 252
    - -probe 277
    - -spin relaxation 255
    - -trapping 273
  - spontaneous magnetization 171
  - SPR 310
  - squalene 30
  - SQUID 59
  - stable levitation condition 43
  - standard melt texture growth 183
  - S-T<sub>1</sub> level crossing 251
  - steady magnetic field effect 155, 160
  - Stokes-Einstein-Debye equation 257
  - Stokes relation 86
  - superconducting magnet 36
  - superconducting YBaCuO 179
  - supercooling behavior 186
  - super-cooling effect 320
  - supramolecule 197
  - surface plasmon resonance 310
  - surfactant 151
    - hybrid 152
  - susceptibility 6
  - swelling state 162
  - SWNT 219
  - symmetrical fluctuation 117
- T**
- taic 244, 332
  - T-B*s relationship 244
  - TEM 214
  - TEMPO 273, 275
  - TEMPOL 275
  - tetracyanobenzene 260
  - 1,2,4,5-tetrachanobenzene-doped poly(*N*-vinylcarbazole) film 261
  - tetraethyl orthosilicate 152
  - tetragonal lysozyme 76
  - 2,2,5,5-tetramethylpiperidine-1-oxyl radical 273
  - thermal behavior of levitating material 53
  - thermal convection 46
    - of benzene solution 77
    - control of — 77
  - three-dimensional alignment 198
  - 3D-morphological chirality induction 130
  - tin 136
  - TiO<sub>2</sub> 261, 271, 303
  - titanium oxide 261
  - TMPSi 340
  - trans*-azobenzene 192
  - transformation temperature 166

trapping of polystyrene sphere 92  
trimethyl(2-propynyloxy)silane 340  
twinning plane movement 178

**U**

ultrafine particle 271, 333  
uniaxial alignment 197  
uniform-current-density solenoid coil 33  
urea crystallite 200

**V**

van't Hoff  
— plot 149  
— relation 142  
vesicle 155  
viologen radical 253  
volume  
— expansion 211  
— phase transition 162  
— shrinkage 211  
— transition 211

**W**

wall-contact-free crystal growth 51  
water 42, 46, 297, 302  
refractive index of — 310  
thermal convection in — 46  
vaporization of — 66  
Wen model 317

wood 42

**X**

xanthene 272  
xanthenyl radical 253  
xanthone 255, 272  
— ketyl radical 255  
XPS 341  
X-ray  
— azimuthal peak 202  
— diffraction 73, 181  
— photoelectron spectra 341

XRD 125

**Y**

YAG laser furnace 52  
YBaCuO 179, 180  
YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> 179  
YBa<sub>2</sub>Cu<sub>3</sub>O<sub>x</sub> 307  
Y<sub>2</sub>Co<sub>7</sub>H<sub>2.5</sub> 146

**Z**

Zeeman effect 2  
zeolite 296, 300, 302  
zinc 237  
— crystal 239  
— metal-silver ion system 126  
— powder dissolution 117  
— tetraphenylporphyrin 255, 264