

INDEX

	page		page
Barnes G-function	113	norm of $\{P\}_T$	47
canonical factorization	157	order (of growth)	118
classical entire automorphic form	109	Phragmén-Lindelöf principle	123, 125, 135
cofinite group	15	Poincaré series	45
cuspidal form	16	primitive elliptic element	61
cuspidal form	39	primitive hyperbolic element	50
degree of singularity	28	principal branch of logarithm	17
dimension formula	110	regular	28
eigenpacket	36	resolvent	25
eigenvalue problem	25	resolvent equation	40,44
Eisenstein series	29	resolvent kernel	26
equivalent modulo Γ	15	resolvent set	25
Euler-Mascheroni constant	86	resolvent trace formula	106,108
expansion theorem	37	Riemann Hypothesis	117
factor system	18	Riemann zeta-function	117
finite order of growth	117	Roelcke's conjecture	36
Fourier expansion	30	scattering matrix	33
fundamental domain	15	Selberg conjecture	144
Hadamard's factorization theorem	145	Selberg Trace Formula	162
hyperbolic plane	14	Selberg zeta-function	57,116
hypergeometric function	26	singular	28
Jensen's theorem	136	stabilizer	16
Maaß differential operator	24	Weierstraß factorization	155
multiplier system	20	weight	18,20
		Weyl's asymptotic formula	127
		Weyl-Selberg asymptotic formula	138

INDEX OF NOTATIONS

	page		page
\mathbb{C}	14	$R(T)$	138
\mathbb{H}	14	$R_1(T)$	151
\mathbb{N}, \mathbb{N}_0	14	$SL(2, \mathbb{R})$	14
\emptyset	14	$S(T)$	138
\mathbb{R}	14	T_1, \dots, T_T	32
\mathbb{Z}	14	$U = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$	16
A_1, \dots, A_T	32	$U^x = \begin{pmatrix} 1 & x \\ 0 & 1 \end{pmatrix}$	18
B	164	v	19
D_λ	18	$Z(P)$	50
$E(z, s; v, A, k, \chi)$	29	$Z(R)$	16, 60
$E_{jp}(z, s)$	32	a_0, a_1, a_2	146
$E_{jp}^Y(z, \frac{1}{2}+it)$	94	a_{jp}	38
$F(a, b; c; z)$	26	ax	48
$G(z)$	113	b_{jp}	38
$G_{k\lambda}(z_1, z_2)$	26	d	19
$G_{k\lambda ell}$	61	d_n	108
$G_{k\lambda hyp}$	51	$d_{\frac{1}{2}}$	145
$G_{k\lambda par, reg}$	70	f_n	37
$H(z_1, z_2)$	26	$f(t; s, a)$	78
L	149	m_1, \dots, m_T	28, 32
$L^2(\mathcal{F}, \omega)$	23	m_k	123
M	96	$m(\Gamma)$	122
M_k	123	P_1, \dots, P_M	96
N	96	q_1, q_2, \dots	96
$N(P)$	47, 50	r_n	46, 106
P_0	50		
$PSL(2, \mathbb{R})$	14		
$Q(\Gamma, -2k, \chi)$	110		
R_0	60		
R_1, \dots, R_ρ	66		

	page		page
tr A	40	\mathfrak{g}_n	33
v_{jp}	32	$j_S(z)$	19
$w(A,B)$	17	k_s	26
$w_{jp,\lambda}$	37	$k_{s,a}$	78
Y_1, \dots, Y_T	17	$n(r)$	136
L_k	118	p_{jp}	32
P	118	q	30
R_k	118	u	30
R_T	128	$u_{jp,1}$	32
S_k	123	Γ	15
g	16	Γ_ζ	16
n	128	$\Gamma(s)$	26
A	147	Δ_k	24
D_k	25	$\tilde{\Delta}_k$	25
\tilde{D}_k	25	z	57, 116
E_k	35	$J[f]$	38
F	15	K_k	24
F_P	51	Λ_k	24
F_R	62	\mathbb{E}	115
F_{T_j}	71	E_{ell}	68
F^Y	82	E_{hyp}	56
H_k	23	E_I	114
$N(T)$	127	E_{par}	105
$\tilde{N}(T)$	128	Φ	33
$U(V)$	19	$\alpha_j(1), \tilde{\alpha}_j(1)$	68
\mathbb{W}_j	79	α_{jp}	66

	page		page
$\alpha_{jP}(1), \tilde{\alpha}_{jP}(1)$	67	τ	16
β_j	107	τ^*	28
β_{jP}	32	φ	33
γ	86	$\varphi_{jP,1q}$	32
γ_n	96	χ	19
$\gamma_{\Xi P}(\sigma)$	153	χ^S	21
$\gamma_{\Xi P}$	153	ψ	45
$\zeta_1, \dots, \zeta_\tau$	32	ω	14
ϑ_θ	18	$ z, w $	14
η_n	96	$\cdot [S, k] $	19
λ_n	38	\langle , \rangle	19, 22
ν	16, 60	$ \quad $	22
ν_1, \dots, ν_ρ	16, 66	$(,)$	23
$\pi(x)$	47	$\ \quad \ $	23
ρ	16	$\ G_{k\lambda}(z,) \ $	35
$\rho(-\tilde{\Delta}_k)$	25	$\{P\}_\Gamma$	47
σ_k	18	$\{R\}_\Gamma$	61
$\sigma(z, w)$	14	$\{\Gamma, -2k, \chi\}$	110

REFERENCES

- [B] BOAS, R.P., Entire functions. New York, Academic Press 1954.
- [DIPS] DESHOILLERS, J.-M., IWANIEC, H., PHILLIPS, R., SARNAK, P., Maass cusp forms. Proc.Natl.Acad.Sci. USA, Vol. 82 (1985), 3533-3534.
- [E1] ELSTRODT, J., Die Resolvente zum Eigenwertproblem der automorphen Formen in der hyperbolischen Ebene, Teil I. Math. Ann. 203 (1973), 295-230.
- [E2] ELSTRODT, J., _____, Teil II. Math. Z. 132 (1973), 99-134.
- [E3] ELSTRODT, J., _____, Teil III. Math. Ann. 208 (1974), 99-132.
- [E4] ELSTRODT, J., Die Selbergsche Spurformel für kompakte Riemannsche Flächen. Jahresber.d.Dt.Math.Verein. 83 (1981), 45-77.
- [EGM] ELSTRODT, J., GRUNEWALD, F., MENNICKE, J., The Selberg zeta-function for cocompact discrete subgroups of $PSL(2, \mathbb{C})$. Banach Center Publ., Vol. 17, PWN-Polish Scientific Publ., Warszawa 1985, pp. 83-120.
- [GGPS] GEL'FAND, I.M., GRAEV, M.I., PIATETSKI-SHAPIRO, I.I., Representation theory and automorphic functions. Philadelphia, London, Toronto, W.B. Saunders Co. 1969.
- [GR] GRADSHTEYN, I.S., RYZHIK, I.M., Table of integrals, series and products. Fourth edition. New York, Academic Press 1965.
- [He 1] HEJHAL, D.A., The Selberg trace formula for $PSL(2, \mathbb{R})$, Vol. 1, Lecture Notes in Mathematics 548. Berlin-Heidelberg-New York, Springer 1976.

- [He 2] HEJHAL, D.A., _____, Vol. 2, Lecture Notes in Mathematics 1001. Berlin-Heidelberg -New York - Tokyo, Springer 1983.
- [He 3] HEJHAL, D.A., The Selberg trace formula and the Riemann zeta function. Duke Math. J. 43 (1974), 441-482.
- [He 4] HEJHAL, D.A., Some observations concerning eigenvalues of the Laplacian and Dirichlet L-series, in Recent progress in analytic number theory. London, Academic Press 1981.
- [He 5] HEJHAL, D.A., A continuity method for spectral theory on Fuchsian groups, in Modular forms. Proc.Symp. Durham 1983, Ellis Horwood Ltd. 1984, pp. 107-140.
- [Hu] HUXLEY, M.N., Scattering matrices for congruence subgroups, in Modular forms. Symp. Durham 1983, Ellis Horwood Ltd. 1984, pp. 141-156.
- [HW] HARDY, G.H., WRIGHT, E.M., An introduction to the theory of numbers. Fifth edition. Oxford University Press 1979.
- [I] IWANIEC, H., Non-holomorphic modular forms and their applications, in Modular forms. Proc.Symp. Durham 1983, Ellis Horwood Ltd. 1984, pp. 157-196.
- [K] KINKELIN, Ueber eine mit der Gammafunktion verwandte Transcendente und deren Anwendung auf die Integralrechnung. Journal für die reine und angewandte Mathematik (Crelle) 57 (1859), 2. Heft, 122-138.
- [La] LANG, S., $SL_2(\mathbb{R})$. Addison Wesley Publ. Co. 1975.
- [L1] LANGLANDS, R., On the functional equations satisfied by Eisenstein series. Lecture Notes in Mathematics 544. Berlin - Heidelberg - New York, Springer 1976.

- [Ma 1] MAASS, H., Über eine neue Art von nichtanalytischen automorphen Funktionen und die Bestimmung Dirichletscher Reihen durch Funktionalgleichungen. Math. Ann. 121 (1949), 141-183.
- [Ma 2] MAASS, H., Lectures on modular forms of one complex variable. Tata Institute, Bombay, 1964.
- [MOS] MAGNUS, W., OBERHETTINGER, F., SONI, R.P., Formulas and theorems for the special functions of mathematical physics. Third edition. New York, Springer 1966.
- [N] NEUNHÖFFER, H., Über die analytische Fortsetzung von Poincaréreihen. S.-ber. Heidelberger Akad. Wiss., math.-naturwiss. Kl. 1973, 2. Abh., 62 pp.
- [Pa 1] PATTERSON, S.J., The Laplacian operator on a Riemann surface, I. Compositio Math. 31 (1975), 83-107.
- [Pa 2] PATTERSON, S.J., _____, II. Compositio Math. 32 (1976), 71-112.
- [Pa 3] PATTERSON, S.J., _____, III. Compositio Math. 33 (1976), 227-259.
- [Pe 1] PETERSSON, H., Zur analytischen Theorie der Grenzkreisgruppen. Math. Ann. 115 (1938), 23-67, 175-204, 518-572, 670-709, und Math. Z. 44 (1939), 127-155.
- [Pe 2] PETERSSON, H., Über den Bereich der absoluten Konvergenz der Poincaréschen Reihen. Acta Math. 80 (1948), 23-63.
- [PS1] PHILLIPS, R., SARNAK, P., On cusp forms for cofinite subgroups of $PSL(2, \mathbb{R})$. Invent. math. 80 (1985), 339-364.
- [PS2] PHILLIPS, R., SARNAK, P., The Weyl theorem and the deformation of discrete groups. Comm. Pure Appl. Math. 38 (1985), 853-866.
- [Ra] RANDOL, B., The Riemann hypothesis for Selberg's zeta function and the asymptotic behavior of eigenvalues of the Laplace operator. Trans. Amer. Math. Soc. 236 (1978), 209-223.

- [RSzN] RIESZ, F., SZ.-NAGY, B.v., Leçons d'analyse fonctionnelle. Quatrième édition. Paris: Gauthiers-Villars, Budapest: Akadémiai Kiadó 1965.
- [Ro 1] ROELCKE, W., Das Eigenwertproblem der automorphen Formen in der hyperbolischen Ebene, I. Math. Ann. 167 (1966), 292-337.
- [Ro 2] ROELCKE, W., _____, II. Math. Ann. 168 (1967), 261-324.
- [Ro 3] ROELCKE, W., Über die Wellengleichung bei Grenzkreisgruppen erster Art. S.-ber. Heidelberger Akad.Wiss., math.-naturw. Kl. 1953/55, 4. Abh., 109 pp.(1956).
- [Ru] RUDIN, W., Real and complex analysis. Mc Graw-Hill Book Co. 1966.
- [Se 1] SELBERG, A., Harmonic analysis. Lecture Notes, Göttingen, 1954, 96 pp.
- [Se 2] SELBERG, A., Harmonic analysis and discontinuous groups in weakly symmetric Riemannian spaces with applications to Dirichlet series. J. Indian Math.Soc. 20 (1956), 47-87.
- [Se 3] SELBERG, A., Discontinuous groups and harmonic analysis. Proc.Internat.Congr.Math. Stockholm 1962, pp. 177-189. Stockholm 1963.
- [Sh] SHIMURA, G., Introduction to the arithmetic theory of automorphic functions. Iwanami Shoten, Publishers, and Princeton University Press 1971.
- [Si] SIEGEL, C.L., Vorlesungen über ausgewählte Kapitel der Funktionentheorie. Teil II. Drittes Kapitel: Automorphe Funktionen.
- [St] STARK, H.M., Fourier coefficients of Maass waveforms, in Modular forms. Proc.Symp. Durham 1983, Ellis Horwood Ltd. 1984, pp. 263-269.
- [T1] TITCHMARSH, E.C., The theory of functions. Second edition. Oxford University Press 1939.

- [T2] TITCHMARSH, E.C., The theory of the Riemann zeta-function. Oxford University Press 1951.
- [Ve 1] VENKOV, A.B., Spectral theory of automorphic functions, the Selberg zeta-function, and some problems of analytic number theory and mathematical physics. Russian Math. Surveys 34 (1979) No. 3, 79-153.
- [Ve 2] VENKOV, A.B., On the remainder term in the Weyl-Selberg asymptotic formula. J. Soviet. Math. 17, No. 5 (1981), 2083-2097.
- [Ve 3] VENKOV, A.B., Spectral theory of automorphic functions. Proc. Steklov Institute of Mathematics (1982), issue 4.
- [Vi] VIGNERAS, M.-F., L'équation fonctionnelle de la fonction zêta de Selberg du groupe modulaire $PSL(2, \mathbb{Z})$. Soc.Math. de France, Astérisque 61 (1979), 235-249.
- [Vo] VOROS, A., Spectral functions, special functions and the Selberg zeta function, CEN Saclay 1986, submitted to Comm. in Math. Phys.
- [Wa] WALLACH, N., On the Selberg trace formula in the case of compact quotient. Bull.Amer.Math.Soc. 82 (1976), 171-195.
- [WW] WHITTAKER, E.T., WATSON, G.N., A course of modern analysis. Fourth edition. Cambridge University Press 1965.