

References

- [Aggarawal-Yu 1998] C. Aggarawal and P. Yu, A new framework for itemset generation. In: *Proceedings of Symposium on Principles of Database Systems*, 1998: 18-24.
- [Agrawal-Imielinski-Swami 1993a] R. Agrawal, T. Imielinski, and A. Swami, Database mining: A performance perspective. *IEEE Trans. Knowledge and Data Eng.*, 5(6) (1993): 914-925.
- [Agrawal-Imielinski-Swami 1993b] R. Agrawal, T. Imielinski, and A. Swami, Mining association rules between sets of items in large databases. In: *Proceedings of the ACM SIGMOD Conference on Management of Data*, 1993: 207-216.
- [Agrawal-Srikant 1994] R. Agrawal and R. Srikant, Fast algorithms for mining association rules. In: *Proceedings of International Conference on Very Large Data Bases*, 1994: 487-499.
- [Agrawal-Shafer 1996] R. Agrawal, J. Shafer: Parallel mining of association rules. *IEEE Trans. on Knowledge and Data Engg.*, 8(6) (1996): 962-969.
- [Baralis-Psaila 1998] E. Baralis and G. Psaila, Incremental refinement of association rule mining. In: *Proceedings of SEBD*, 1998: 325-340.
- [Bayardo 1998] B. Bayardo, Efficiently mining long patterns from databases. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data International Conference on Management of Data*, 1998: 85-93.
- [Berry 1994] J. Berry, Database marketing. *Business Week*. 5 September 1994: 56-62
- [Brin-Motwani-Silverstein 1997] S. Brin, R. Motwani and C. Silverstein, Beyond market baskets: generalizing association rules to correlations. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1997: 265-276.
- [Brin-Motwani-Ullman-Tsur 1997] S. Brin, R. Motwani, J. Ullman and S. Tsur, Dynamic itemset counting and implication rules for market basket data. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1997: 255-264.
- [Cai-Cerccone-Han 1991] Y. Cai, N. Cerccone, and J. Han, Attribute-oriented induction in relational databases. In G. Piatetsky-Shapiro and W. Frawley, *Knowledge discovery in databases*, 1991: 213-228.
- [Chan 1996] P. Chan, An Extensible meta-learning approach for scalable and accurate inductive learning. *PhD Dissertation*, Dept of Computer Science, Columbia University, New York, 1996.
- [Chattratchat 1997] J. Chattratchat, etc., Large scale data mining: challenges and responses. In: *Proceedings of International Conference on Knowledge Discovery and Data Mining*, 1997: 143-146.
- [Chen-Han-Yu 1996] M. Chen, J. Han and P. Yu, Data mining: an overview from a database perspective, *IEEE Trans. Knowledge and Data Eng.*, 8(6) (1996): 866-881.

- [Chen-Park-Yu 1998] M. Chen, J. Park and P. Yu, Efficient data mining for path traversal patterns. *IEEE Trans. Knowledge and Data Eng.*, 10(2) (1998): 209-221.
- [Cheung-Ng-Fu-Fu 1996] D. Cheung, V. Ng, A. Fu and Y. Fu, Efficient mining of association rules in distributed databases, *IEEE Trans. on Knowledge and Data Engg.*, 8(6) (1996): 911-922.
- [Cheung-Han-Ng-Wong 1996] D. Cheung, J. Han, V. Ng and C. Wong, Maintenance of discovered association rules in large databases: an incremental updating technique. In: *Proceedings of ICDE*, 1996: 106-114.
- [Clearwater-CHB 1989] S. Clearwater, T. Cheng, H. Hirsh, H., and B. Buchanan, Incremental batch learning. In: *Proceedings of the Sixth International Workshop on Machine Learning*. Morgan Kaufmann, 1989, 366-370.
- [Cooper 1987] G. Cooper, Probabilistic inference using belief networks is NP-hard. *Technical Report KSL-87-27*, Medical Computer Science Group, Stanford University, Stanford, 1987.
- [Cooper 1990] G. Cooper, The computational complexity probabilistic inference using belief networks, *Artificial Intelligence*, 42(1990): 393-405.
- [Cooper 1997] G. Cooper, A simple constraint-based algorithm for efficiently mining observational databases for causal relationships. *Data mining and Knowledge Discovery*, 2(1997): 203-224.
- [Cooper-Herskovits 1991] G. F. Cooper and E. Herskovits, A Bayesian method for constructing Bayesian belief networks from databases. In: *Proceedings of the Conference on Uncertainty in Artificial Intelligence*, 1991: 86-94.
- [Cromp-Campbell 1993] R. Cromp and W. Campbell: Data mining of multi-dimensional remotely sensed images. *Proceedings of CIKM*. 1993: 471-480.
- [Dey-Sarkar 1996] D. Dey and S. Sarkar, A probabilistic relational model and algebra, *ACM Trans. on database systems*, 21(3) (1996): 339-369.
- [Dong-Li 1998] G. Dong and J. Li, Interestingness of discovered association rules in terms of neighborhood-based unexpectedness. In: *Proceedings of the second Pacific-Asia Conference on Knowledge Discovery and Data Mining*, 1998: 72-86.
- [Dong 1999] G. Dong and J. Li, Efficient mining of emerging patterns: Discovering trends and differences. In: *Proceedings of International Conference on Knowledge Discovery and Data Mining*, 1999: 43-52.
- [Durrett 1996] R. Durrett, *Probability: Theory and Examples*, Duxbury Press, 1996.
- [Ester-Kriegel-Sander 1997] M. Ester, H. Kriegel, and J. Sander, Spatial data mining: a database approach, *Proceedings of SDD97*, 1997: 47-66.
- [Etzioni-HJKMW 1996] O. Etzioni, S. Hanks, T. Jiang, R. Karp, O. Madani, and O. Waarts: efficient information gathering on the Internet. In: *Proceedings of FOCS*, 1996: 234-243
- [Fayyad-Piatetsky 1996] U. M. Fayyad, G. Piatetsky-Shapiro, and P. Smyth, From data mining to knowledge discovery: an overview. In: *Advances in Knowledge Discovery and Data Mining*. AAAI Press/MIT Press, 1996: 1-36.
- [Fayyad-Simoudis 1997] U. M. Fayyad and E. Simoudis, Data mining and knowledge discovery. In: *Proceedings of 1st International Conf. Prac. App. KDD& Data Mining*, 1997: 3-16.
- [Fayyad-Stolorz 1997] U. Fayyad and P. Stolorz, Data mining and KDD: promise and challenges. *Future Generation Computer Systems*, 13(1997): 99-115.
- [Feldman-AFLRS 1999] R. Feldman, Y. Aumann, M. Fresko, O. Liphstat, B. Rosenfeld, and Y. Schler, Text mining via information extraction. In: *Principles of Data Mining and Knowledge Discovery9*, 1999: 165-173.
- [Fortin-Liu 1996] S. Fortin and L. Liu, An object-oriented approach to multi-level association rule mining. In: *Proceedings of CIKM*, 1996: 65-72.

- [Frawley-Piatetsky 1992] W. Frawley, G. Piatetsky-Shapiro, and C. Matheus, Knowledge discovery in databases: an overview. *AI Magazine*, 13(3) (1992): 57-70.
- [Godin-Missaoui 1994] R. Godin and R. Missaoui, An incremental concept formation approach for learning from databases. *Theoretical Computer Science*, 133(1994): 387-419.
- [Goethals-Bussche 2000] B. Goethals, J. Bussche, On supporting interactive association rule mining. In: *Proceedings of DaWaK*, 2000: 307-316.
- [Good 1950] I. Good, *Probability and the weighting of evidence*. Charles Griffin, London, 1950.
- [Hagerup-R 1989] T. Hagerup and C. Rub, A guided tour of Chernoff bounds. *Information Processing Letters*, 33(1989): 305-308.
- [Han 1999] J. Han, Data Mining. In: J. Urban and P. Dasgupta (eds.), *Encyclopedia of distributed computing*, Kluwer Academic Publishers, 1999.
- [Han-Cai-ercone 1992] J. Han, Y. Cai, and N. Cercone, Knowledge discovery in databases: an attribute-oriented approach. In: *Proceedings of International Conference on Very Large Data Bases*, 1992: 547-559.
- [Han-Cai-Cercone 1993] J. Han, Y. Cai and N. Cercone, Data-driven discovery of quantitative rules in relational databases. *IEEE Trans. on Knowledge and Data Engineering*, 5(1) (1993): 29-40.
- [Han-Huang-Cercone-Fu 1996] J. Han, Y. Huang, N. Cercone, and Y. Fu, Intelligent query answering by knowledge discovery techniques. *IEEE Trans. on Knowledge and Data Engineering*, 8(3) (1996): 373-390.
- [Han-Karypis-Kumar 1997] E. Han, G. Karypis and V. Kumar, Scalable parallel data mining for association rules. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1997: 277-288.
- [Han-KS 1997] K. Han, J. Koperski, and N. Stefanovic, GeoMiner: a system prototype for spatial data mining, *SIGMOD Record*, 26(2) (1997): 553-556.
- [Han-Pei-Yin 2000] J. Han, J. Pei, and Y. Yin, Mining frequent patterns without candidate generation. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 2000: 1-12.
- [Heckerman-GC 1995] D. Heckerman, D. Geiger, and D. Chickering, Learning Bayesian networks: the combinations of knowledge and statistical data, *Machine Learning*, 20(1995): 197-243.
- [Hidber 1999] C. Hidber, Online association rule mining. In: *Proceedings of the ACM SIGMOD Conference on Management of Data*, 1999: 145-156.
- [Hipp-GN 2000] J. Hipp, U. Gontzer, and G. Nakhaeizadeh, Algorithms for association rule mining — a general survey and comparison. *SIGKDD Explorations*, 2(1) (2000): 58-64.
- [Hosking-Pednault-Sudan 1997] J. Hosking, E. Pednault and M. Sudan, A statistical perspective on data mining. *Future Generation Computer Systems*, 13 (1997): 117-134.
- [Houtsma-Swami 1995] M. Houtsma and A. Swami, Set-oriented data mining in relational databases. *Data & Knowledge Engineering*, 17 (1995): 245-262.
- [Hristovski-DPR 2000] D. Hristovski, S. Dzeroski, B. Peterlin, A. Rozic-Hristovski, Supporting discovery in medicine by association rule mining of bibliographic databases. In: *Proceedings of PDKK*, 2000: 446-451.
- [Hussain-Liu-Suzuki-Lu 2000] F. Hussain, H. Liu, E. Suzuki, and H. Lu, Exception rule mining with a relative interestness measure. In: *Proceedings of Pacific-Asia Conference on Knowledge Discovery and Data Mining*, 2000: 86-97.
- [Jain-Murty-Flynn 1999] A. Jain, M. Murty, and P. Flynn, Data clustering: a review. *ACM Computing Surveys*, 31(3) (1999): 264-323.

- [Kohavi-John 1997] R. Kohavi and G. John, Wrappers for feature subset selection. *Artificial Intelligence*, 97(1997): 273-324.
- [Lakshmanan-Ng-Han-Pang 1999] L. Lakshmanan, R. Ng, J. Han and A. Pang, Optimization of constrained frequent set queries with 2-variable constraints. In: *Proceedings of the ACM SIGMOD Conference on Management of Data*, 1999: 157-168.
- [Lesser-HKRWZ 1998] V. Lesser, B. Horling, F. Klassner, A. Raja, T. Wagner, and S. Zhang. A next generation information gathering agent. In: *Proceedings of the 4th International Conference on Information Systems, Analysis, and Synthesis; in conjunction with the World Multiconference on Systemics, Cybernetics, and Informatics (SCT'98)*, Orlando, FL, July 1998.
- [Lesser-HKRWZ 2000] V. Lesser, B. Horling, F. Klassner, A. Raja, T. Wagner, and S. Zhang, BIG: An company for resource-bounded information gathering and decision making. *Artificial Intelligence Journal, Special Issue on Internet Information Agents*, 118(1-2) (2000): 197-244.
- [Li-Shen-Topor 1999] J. Li, H. Shen and R. Topor, An adaptive method of numerical attribute merging for quantitative association rule mining. In: L. Hui and D. Lee (Eds.): *Internet Applications, 5th International Computer Science Conference*, 1999: 41-50.
- [Liu-Hsu-Ma 1998] B. Liu, W. Hsu, and Y. Ma, Integrating classification and association rule mining. In: *Proceedings of International Conference on Knowledge Discovery and Data Mining*, 1998: 80-86.
- [Liu-Lu-Feng-Hussain 1999] H. Liu, H. Lu, L. Feng, and F. Hussain, Efficient search of reliable exceptions. In: *Proceedings of The Third Pacific Asia Conference on Knowledge Discovery and Data Mining*, 1999: 194-204.
- [Liu-Motoda 1998] H. Liu and H. Motoda *Feature selection for knowledge discovery and data mining*, Kluwer Academic Publishers, July 1998.
- [Liu-Motoda 2001] H. Liu and H. Motoda, *Instance selection and construction for data mining*. Kluwer Academic Publishers, February 2001.
- [Liu-S 1998] H. Liu and R. Setiono, Incremental feature selection. *Applied Intelligence*, 9(1998): 217-230.
- [Martin-E 2000] P. Martin and P. Eklund, Knowledge retrieval and the World Wide Web. *IEEE Intelligent Systems & Their Applications*, 15(3) (2000): 18-24.
- [Massey-Newing 1994] J. Massey and R. Newing, Trouble in mind. *Computing*. May 1994: 44-45.
- [Miller-Yang 1997] R. Miller and Y. Yang, Association rules over interval Data. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1997: 452-461.
- [Ng-H 1994] R. Ng and J. Han, Efficient and effective clustering methods for spatial data mining. *Proceedings of International Conference on Very Large Data Bases*, 1994: 144-155.
- [Ng-Lakshmanan-Han-Pang 1998] R. Ng, L. Lakshmanan, J. Han and A. Pang, Exploratory mining and pruning optimizations of constrained associations rules. In: *Proceedings of the ACM SIGMOD Conference on Management of Data*, 1998: 13-24.
- [Omicinski-Savasere 1998] E. Omiecinski and A. Savasere, Efficient mining of association rules in large dynamic databases. In: *Proceedings of 16th British National Conference on Databases BNCOD 16*, 1998: 49-63.
- [Park-Chen-Yu 1995] J. S. Park, M. S. Chen, and P. S. Yu, An effective hash based algorithm for mining association rules. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1995: 175-186.
- [Park-Chen-Yu] J. Park, M. Chen, P. Yu: Efficient parallel and data mining for association rules. In: *Proceedings of CIKM*, 1995: 31-36.

- [Park-Chen-Yu 1997] J. Park, M. Chen, and P. Yu, Using a hash-based method with transaction trimming for mining association rules. *IEEE Trans. Knowledge and Data Eng.*, 9(5) (1997): 813-824.
- [Parthasarathy 1998] S. Parthasarathy, M. J. Zaki, Wei Li: Memory placement techniques for parallel association mining. *Proceedings of International Conference on Knowledge Discovery and Data Mining*, 1998: 304-308.
- [Pearl 1988] Pearl J., *Probabilistic reasoning in intelligent systems: networks of plausible inference*, Morgan Kaufmann Publishers, 1988.
- [Piatetsky 1991] G. Piatetsky-Shapiro, Discovery, analysis, and presentation of strong rules. In: *Knowledge discovery in Databases*, G. Piatetsky-Shapiro and W. Frawley (Eds.), AAAI Press/MIT Press, 1991: 229-248.
- [Piatetsky-Matheus 1992] G. Piatetsky-Shapiro and C. Matheus, Knowledge discovery workbench for exploring business databases. *International Journal of Intelligent Systems*, 7(1992): 675-686.
- [Pramudiono-STK 1999] I. Pramudiono, T. Shintani, T. Tamura, M. Kitsuregawa, Parallel SQL based association rule mining on large scale PC cluster: performance comparison with directly coded C implementation. In: *Principles of Data Mining and Knowledge Discovery*, 1999: 94-98.
- [Prodromidis-S 1998] A. Prodromidis, S. Stolfo. Pruning meta-classifiers in a distributed data mining system. In: *Proceedings of the First National Conference on New Information Technologies*, Athens, Greece, October 1998: 151-160.
- [Prodromidis-Chan-Stolfo 2000] A. Prodromidis, P. Chan, and S. Stolfo, Meta-learning in distributed data mining systems: issues and approaches, In: *Advances in Distributed and Parallel Knowledge Discovery*, H. Kargupta and P. Chan (eds), AAAI/MIT Press, 2000.
- [Provost-Kolluri 1999] F. Provost and V. Kolluri, A survey of methods for scaling up inductive algorithms. *Data Mining and Knowledge Discovery*, 3(2) (1999): 131-169.
- [Rasmussen-Yager 1997] D. Rasmussen and R. Yager, Induction of fuzzy characteristic rules. In: *Principles of Data Mining and Knowledge discovery*, 1997: 123-133.
- [Ribeiro-Kaufman-Kerschberg 1995] J. Ribeiro, K. Kaufman, and L. Kerschberg, Knowledge discovery from multiple databases. In: *Proceedings of International Conference on Knowledge Discovery and Data Mining*. 1995: 240-245.
- [Santos 1996] JR. E. Santos, On linear potential functions for approximating Bayesian computations, *Journal of The ACM*, 43(1996): 399-430.
- [Sarawagi-Thomas-Agrawal 2000] S. Sarawagi, S. Thomas, and R. Agrawal, Integrating association rule mining with relational database systems: alternatives and implications. *Data Mining and Knowledge Discovery*, 4(2/3) (2000): 89-125.
- [Savasere-Omicinski-Navathe 1995] A. Savasere, E. Omicinski, and S. Navathe, An efficient algorithm for mining association rules in large databases. In: *Proceedings of International Conference on Very Large Data Bases*. 1995: 688-692.
- [Savasere-Omicinski-Navathe 1998] A. Savasere, E. Omicinski, and S. Navathe, Mining for strong negative associations in a large database of customer transactions. In: *Proceedings of the International Conference on Data Engineering*. 1998: 494-502.
- [Seshadri-WS 1995] V. Seshadri, S. Weiss and R. Sasisekharan, Feature extraction for massive data mining. In: *The First International Conference on Knowledge Discovery & Data Mining*, 1995: 258-262.
- [Shafer 1976] G. Shafer, *A mathematical theory of evidence*. Princeton University Press, Princeton, 1976.

- [Shimony-Charniak 1990] S. Shimony and E. Charniak, A new algorithm for finding map assignments to belief networks. In: *Proceedings of the Conference on Uncertainty in Artificial Intelligence*, Morgan Kaufmann, 1990.
- [Shimony 1993] S. Shimony, The role of relevance in explanation, I: irrelevance as statistical independence, *Int. J. Approx. Reasoning*, 1993.6.
- [Shintani-Kitsuregawa 1998] T. Shintani and M. Kitsuregawa, Parallel mining algorithms for generalized association rules with classification hierarchy. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1998: 25-36.
- [Shintani-Kitsuregawa 1999] T. Shintani and M. Kitsuregawa, Parallel generalized association rule mining on large scale PC cluster. In: M. Zaki and C. Ho (Eds.): *Large-Scale Parallel Data Mining, Workshop on Large-Scale Parallel KDD Systems, SIGKDD*, 1999: 145-160.
- [Shortliffe 1976] E. Shortliffe, *Computer based medical consultations: MYCIN*. Elsevier, New York, 1976.
- [Shyu-Chen-Kashyap 2001] M. Shyu, S. Chen, and R. Kashyap, Generalized affinity-based association rule mining for multimedia database queries. *Knowledge and Information Systems*, 3(3) (2001): 319-337.
- [Silverstein-BMU 1998] C. Silverstein, S. Brin, R. Motwani and J. Ullman, Scalable techniques for mining causal structures. In: *Proceedings of ACM SIGMOD Workshop on Research Issues in Data Mining and Knowledge Discovery*, 1998: 51-57.
- [Smyth-Goodman 1991] P. Smyth and R. Goodman, Rule induction using information theory. In: *Knowledge Discovery in Databases*, AAAI/MIT Press, 1991: 159-176.
- [Smyth-Goodman 1992] P. Smyth and R. Goodman, An information theoretic approach to rule induction from databases. *IEEE Trans. on Knowledge and Data Engg.*, 4(4) (1992): 652-669.
- [Srikant-Agrawal 1996] R. Srikant and R. Agrawal, Mining Quantitative Association Rules in Large Relational Tables. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1996: 1-12.
- [Srikant-Agrawal 1997] R. Srikant and R. Agrawal, Mining generalized association rules. *Future Generation Computer Systems*, 13(1997): 161-180.
- [Srivastava-CDT 2000] J. Srivastava, R. Cooley, M. Deshpande, and P. Tan: web usage mining: discovery and applications of usage patterns from web data. *SIGKDD Explorations*. 1(2) (2000): 12-23.
- [Tsai-Lee-Chen 1999] P. Tsai, C. Lee and A. Chen, An efficient approach for incremental association rule mining. In: *Principles of Data Mining and Knowledge Discovery*, 1999: 74-83.
- [Ting-Witten 1997] K. Ting and I. Witten, Stacked generalization: when does it work? In: *Proceedings of IJCAI-97*, 1997: 866-871.
- [Toivonen 1996] H. Toivonen, Sampling large databases for association rules. In: *Proceedings of International Conference on Very Large Data Bases*, 1996: 134-145.
- [Tsumoto 1999] S. Tsumoto, Rule discovery in large time-series medical databases. In: *Principles of Data Mining and Knowledge Discovery*, 1999: 23-31.
- [Tsur-Ullman-Abiteboul-Clifton 1998] D. Tsur, J. Ullman, S. Abiteboul, C. Clifton, R. Motwani, S. Nestorov and A. Rosenthal, Query flocks: a generalization of association-rule mining. In: *Proceedings of the ACM SIGMOD International Conference on Management of Data*, 1998: 1-12.
- [Tung-Han-Lakshmanan-Ng 2001] A. Tung, J. Han, L. Lakshmanan, and R. Ng, Constraint-based clustering in large databases. In: *Proceedings of International Conference on Database Theory*, Jan. 2001.

- [Webb 2000] G. Webb, Efficient search for association rules. In: *Proceedings of International Conference on Knowledge Discovery and Data Mining*, 2000: 99-107.
- [Wolpert 1992] D.H. Wolpert, Stacked generalization. *Neural Networks*, 5(1992): 241-259.
- [Wu 1995] X. Wu, *Knowledge acquisition from databases*, Ablex Publishing Corp., U.S.A., 1995.
- [Wu 2000] X. Wu, Building intelligent learning database systems, *AI Magazine*, 21(3) (2000): 59-65.
- [Wu-Lo 1998] X. Wu and W. Lo, Multi-layer incremental induction. In: *Proceedings of the 5th Pacific Rim International Conference on Artificial Intelligence*, 1998: 24-32.
- [Wu-Zhang 2002] X. Wu and S. Zhang, Synthesizing high-frequency rules from different data sources. *IEEE Transactions on Knowledge and Data Engineering*, accepted, forthcoming.
- [Yao-Liu 1997] J. Yao and H. Liu, Searching multiple databases for interesting complexes. In: *Proceedings of Pacific-Asia Conference on Knowledge Discovery and Data Mining*, 1997: 198-210.
- [Yip-LKCC 1999] C. Yip, K. Loo, B. Kao, D. Cheung and C. Cheng, LGen - a lattice-based candidate set generation algorithm for I/O efficient association rule mining. In: *Principles of Data Mining and Knowledge Discovery*, 1999: 54-63.
- [Zhang 1996] N. Zhang, Irrelevance and parameter learning in Bayesian networks. *Artificial Intelligence*, 88(1996): 359-373.
- [Zhang 1989] S. Zhang, Discovering knowledge from databases. In: *Proceedings of National Conference on Artificial Intelligence and Its Applications*, 1989: 161-164.
- [Zhang 1993] S. Zhang, Premonitory dependency based on historical data. *Chinese Journal of Computing Technology*, 20 (3) (1993): 50-54
- [Zhang 1999] S. Zhang, Aggregation and maintenance for databases mining. *Intelligent Data Analysis: An international journal*, 3(6) (1999): 475-490.
- [Zhang 2000] S. Zhang, A nearest neighborhood algebra for probabilistic databases. *Intelligent Data Analysis: an international journal*, 4(1) 2000.
- [Zhang-Liu 2002] S. Zhang and L. Liu, Causality discovery in databases. In: *Proceedings of ICAIS'2002*, 2002.
- [Zhang-Luo-Zhang 1998c] S. Zhang, X. Luo and C. Zhang, A model of integrating statistical and probabilistic techniques to uncertainty reasoning. In: *The Proceedings of International Symposium on Intelligent Data Engineering and Learning*, 1998: 14-16.
- [Zhang-Qin 1997] S. Zhang and Z. Qin, A robust learning model. *Computer Sciences*, 24(4) (1997): 34-37.
- [Zhang-Qiu-Luo 1999] S. Zhang, Y. Qiu, and X. Luo, Weighted values acquisition from applications. In: *Proceedings of 8th International Conference on Intelligent Systems*, 1999: 24-26.
- [Zhang-Wu 2001] S. Zhang and X. Wu, Large scale data mining based on data partitioning. *Applied Artificial Intelligence*, 15(2) (2001): 129-139.
- [Zhang-Yan 1992] S. Zhang and X. Yan, CTRCC: an analogical forecast model. In: *Proceedings of ICYCS'91*, 1991: 553-556.
- [Zhang-Zhang 2001] C Zhang and S. Zhang, Collecting quality data for database mining. In: *Proceedings of The 14th Australian Joint Conference on Artificial Intelligence*, 2001: 593-604.
- [Zhang-Zhang 2002] C. Zhang and S. Zhang, Identifying quality association rules by external data. In: *Proceedings of ICAIS'2002*, Feb. 2002.

- [Zhang-Zhang 1998] S. Zhang and C. Zhang, A method of learning probabilities in Bayesian networks. In: *Proceedings of ICCIMA'98*, Australia, 1998: 119 - 124.
- [Zhang-Zhang 2000] S. Zhang and C. Zhang, Tractable problems in Bayesian networks. *Information: an international journal*, 3(3) (2000): 361-378.
- [Zhang-Zhang 2001] S. Zhang and C. Zhang, Mining small databases by collecting knowledge. In: *Proceedings of DASFAA01*, 2001: 174-175.
- [Zhang-Zhang 2001a] S. Zhang and C. Zhang, Estimating itemsets of interest by sampling. In: *Proceedings of the 10th IEEE International Conference on Fuzzy Systems*, 2001.
- [Zhang-Zhang 2001b] S. Zhang and C. Zhang, Discovering causality in large databases. *Applied Artificial Intelligence*, to appear in 2002.
- [Zhang-Zhang 2001c] S. Zhang and C. Zhang, Pattern discovery in probabilistic databases. In: *Proceedings of The 14th Australian Joint Conference on Artificial Intelligence*, 2001: 619-630.
- [Zhang-Zhang 2002a] . Zhang and C. Zhang, Anytime Mining for Multi-User Applications, *IEEE Transactions on Systems, Man and Cybernetics (Part B)*, accepted, forthcoming in 2002.
- [Zilberstein 1987] S. Zilberstein, Using anytime algorithms in intelligent systems. *AI Magazine*, 17(3) (1996): 73-83.
- [Zhong-Yao-Ohsuga 1999] N. Zhong, Y. Yao, and S. Ohsuga, Peculiarity oriented multi-database mining. In: *Principles of Data Mining and Knowledge Discovery*, 1999: 136-146.

Subject Index

- anytime algorithm, 193
- anytime search algorithm, 196
- approximate causality, 121
- approximate frequent itemset, 169
- approximate itemset, 52
- approximate polynomial causality, 149
- Apriori algorithm, 33
- association, 1k18
- association rule, 1, 25, 26
- association rule mining, 1

- bad quantitative item, 93
- believable data, 203

- candidate itemsets, 34
- case-based learning, 16
- causal relationship, 132
- causal rule, 85, 88
- causal rule analysis, 121
- causality, 85
- chi-squared test, 40
- class characterization, 8
- class description, 8
- classification, 8, 10
- clustering, 8, 9
- competitive set approach, 187
- computational overhead, 59
- conceptual clustering, 14
- conditional associated semantic, 206
- conditional probability matrix, 86
- confidence, 26
- contingency table, 79
- credible rule, 45

- data cleaning, 4
- data collecting, 4
- data mining, 1, 5
- data mining system, 7
- data mining tool, 21
- data mining task, 7

- data partitioning, 90
- data preprocessing, 4
- data selection, 4
- data transformation, 4
- data-source, 200
- database-independent measurement, 226
- decision tree, 11
- deep-level association rule, 226
- discretization technique, 15

- encoder, 133
- exception, 75
- external data, 199
- external data collecting, 204

- feature selection, 6
- FP-tree, 43
- frequent itemsets, 33

- good quantitative item, 94
- good partition, 93

- high-correlation, 47

- identical property, 130
- incremental mining, 179
- instance selection, 161, 164
- infrequent itemset, 48
- interest itemset, 36
- interestingness, 77
- irrelevant feature, 162
- item variable, 86, 87
- item-based association rule, 85
- itemset, 25

- knowledge discovery in databases, 4
- knowledge presentation, 5
- knowledge discovery process, 5

- maintenance, 5
- marketing, 17
- minimal confidence, 26
- minimal support, 26
- minimal interest, 33, 57
- mining probabilistic database, 105
- multi-database mining, 227
- multi-value variable, 85

- naive-Bayes classification, 12
- nearest neighbor classification, 13
- negation, 26
- negative association rule, 47, 55
- negative itemsets of interest, 50, 59
- neighbourhood of *minconf*, 176
- neural networks, 13
- non-good quantitative item, 94

- OLAP, 6
- OPUS based algorithm, 44

- partition search algorithm, 118
- partitioning, 86
- pattern evaluation, 5
- Piatetsky-Shapiro argument, 32
- positive association rule, 48
- positive itemset of interest, 57
- positive rule, 47
- post data mining, 5
- post-analysis, 204
- pre-analysis, 204
- prediction, 8
- probabilistic causal rule, 111
- probabilistic database, 85
- probabilistic dependency, 110
- probability ratio, 68
- promising itemset, 180
- pruning, 66

- quality external data, 203
- quantitative item, 87
- quantitative association rule, 86, 87

- random patterns, 75
- random search algorithm, 115
- regression, 16
- relevant data-source, 209

- sampling, 162
- shallow-level rule, 227
- similarity measurement, 207
- small database mining, 199
- strong pattern, 75
- summarization, 15

- support, 26
- support-confidence framework, 26

- time-series analysis, 8k22, 17

- uncontradictable data-source, 211
- uninteresting itemset, 36, 57
- unnecessary information, 126

- weak pattern, 75
- weighting, 183