

## Bibliography

- [1] J. Arthur, *The Selberg trace formula for groups of  $F$ -rank one*, Annals of Math. (2) 100 (1974), 326-385.
- [2] \_\_\_\_\_, *Automorphic representations and Number theory*, Canad. Math. Soc. Vol. 1 (1983), 49 pages.
- [3] \_\_\_\_\_, *A trace formula for reductive groups I: terms associated to classes in  $G(\mathbb{Q})$* , Duke Math. J. 45(1978), 911-952.
- [4] \_\_\_\_\_, *The trace formula in invariant form*, Annals of Math. 114(1981), 1-74.
- [5] \_\_\_\_\_, *The characters of discrete series as orbital integrals*, Invent. Math. 32(1976), 205-261.
- [6] \_\_\_\_\_, *The trace formula and Hecke operators*, in [95], 11-27.
- [7] \_\_\_\_\_, *A measure on the unipotent variety*, Canad. J. Math. 37(1985), 1237-1274.
- [8] \_\_\_\_\_, *Local behaviour of weighted orbital integrals*, Duke Math. J. 56(1988), 233-293.
- [9] \_\_\_\_\_, *Eisenstein series and the trace formula*, Proc. Sympos. Pure Math. A.M.S. Vol. 33, Part 1 (1979), 27-61.
- [10] \_\_\_\_\_, *A trace formula for reductive groups II: applications of a truncation operator*, Comp. Math. 40(1980), 87-121.
- [11] \_\_\_\_\_, *On a family of distributions obtained from orbits*, Canad. J. Math. Vol. 38, N<sup>o</sup> 1 (1986), 179-214.
- [12] \_\_\_\_\_, *The invariant trace formula I: local theory*, J. Amer. Math. Soc. Vol. 1, N<sup>o</sup> 2 (1988), 323-383.
- [13] \_\_\_\_\_, *The invariant trace formula II: global theory*, J. Amer. Math. Soc. Vol. 1, N<sup>o</sup> 3 (1988), 501-554.
- [14] \_\_\_\_\_, *Intertwining operators and residues I: weighted characters*, J. Funct. Analysis, Vol. 84, N<sup>o</sup> 1 (1989), 19-84.
- [15] \_\_\_\_\_, *The  $L^2$ -Lefschetz number of Hecke operators*, Invent. Math. 97 (1989), 257-290.
- [16] \_\_\_\_\_, *On some problems suggested by the trace formula*, Lie Groups Representations II, Lect. Notes Vol. 1041, Springer-Verlag, Berlin - Heidelberg - New York - Tokyo (1984), 1-49.
- [17] \_\_\_\_\_, *Unipotent automorphic representations: conjectures*, Soc. Math. de France, Astérisque 171-172(1989), 13-71.

- [18] \_\_\_\_\_, *Unipotent automorphic representations: global motivations*, Automorphic Forms, Shimura Varieties, and  $L$ -Functions, Vol. 1, Acad. Press (1990), 1-75.
- [19] \_\_\_\_\_, *A local trace formula*, Preprint 1990, to appear.
- [20] \_\_\_\_\_ and L. Clozel, *Simple Algebras, Base Change, And The Advanced Theory Of The Trace Formula*, Annals of Math. Studies Vol. 120 (1989) Princeton Univ. Press.
- [21] E. Artin, *Über eine neue Art von  $L$ -Reihen*, Abh. math. Sem. Univ. Hamburg, 3 (1923), 89-108.
- [22] W. L. Baily, Jr. and A. Borel, *Compactification of arithmetic quotients of bounded symmetric domains*, Annals of Math. (2) 84 (1966), 442-528.
- [23] D. Barbasch and H. Moscovici,  *$L^2$ -index and the Selberg trace formula*, J. Func. Analysis, 53 (1983), 151-201.
- [24] A. Borel, *Compact Clifford-Klein forms of symmetric spaces*, Topology 2 (1963), 111-122.
- [25] \_\_\_\_\_, *Introduction aux groupes arithmétiques*, Hermann Paris (1969).
- [26] \_\_\_\_\_, *Some finiteness properties of adèle groups over number fields*, Publication Math. IHES, 16 (1963), 5-30.
- [27] \_\_\_\_\_ and G. Harder, *Existence of discrete cocompact subgroups of reductive groups over local fields*, J. Reine Angew. Math. 298 (1978), 53-64.
- [28] \_\_\_\_\_ and H. Jacquet, *Automorphic forms and automorphic representations*, Proc. Sympos. Pure Math. 33, Part 1 A.M.S. (1979), 189-202.
- [29] \_\_\_\_\_ and J.-P. Serre, *Corners and arithmetic groups*, Comment. Math. Helv. 48 (1973), 436-491.
- [30] J.W.S. Cassels and A. Fröhlich, *Algebraic Number Theory*, Academic Press (1967).
- [31] L. Clozel, *On limit multiplicities of discrete series representations in spaces of automorphic forms*, Invent. math. 83 (1986), 265-284.
- [32] \_\_\_\_\_, *Numbers de Tamagawa des groupes semi-simples (d'après Kottwitz)*, Sem Bourbaki, 41 ème année (1988-89), n<sup>o</sup> 702, Soc. Math. de France Astérisque 177-178 (1989), 61-82.
- [33] \_\_\_\_\_, *Base change for  $GL(n)$* , Proceeding of I.C.M. Berkeley, California U.S.A. (1986), 791-797.
- [34] \_\_\_\_\_ and P. Delorme, *Pseudo-coefficients et cohomologie des groupes de Lie réductifs reels*, C.R. Academic Sc. Paris, t. 300, series 1, n<sup>o</sup> 12 (1985), 385-387.
- [35] P. Deligne, *La conjecture de Weil I*, Publication Math. IHES, 43 (1974), 273-307.

- [36] M. Duflo and J.-P. Labesse, *Sur la formule des traces de Selberg*, Ann. Sci. Éc. Norm. Sup. 4<sup>e</sup> serie, t.4, (1971), 193-284.
- [37] M. Eichler, *Lectures on Modular Correspondences*, Tata Inst. of Fund. Research (1957).
- [38] S. Eilenberg and N. Steenrod, *Fundations Of Algebraic Topology*, (1952) Princeton Univ. Press.
- [39] D. Flath, *Decomposition of representations into tensor products*, Automorphic Forms, Representations and  $L$ -Functions Part 1, A.M.S. (1979), 179-183.
- [40] Y.Z. Flicker, *The Trace Formula and Base Change for  $GL(3)$* , Lect. Notes Vol. 927 (1982) Springer-Verlag, Berlin-Heidelberg-New York.
- [41] J. Fischer, *An Approach to Selberg Trace Formula via the Selberg Zeta-Function*, Lect. Notes Vol. 1253 (1987), Springer-Verlag, Berlin-Heidelberg-New York.
- [42] S. Gelbart, *Automorphic Forms On Adèle Groups*, Annals of Math. Studies Vol. 83 (1975) Princeton Univ. Press.
- [43] \_\_\_\_\_ and H. Jacquet, *Forms of  $GL(2)$  from the analytic point of view*, Automorphic Forms, Representations and  $L$ -Functions. Part, 1 A.M.S., 213-251.
- [44] \_\_\_\_\_ and F. Shahidi, *Analytic Properties of Automorphic  $L$ -Functions*, Perspective in Math. Vol. 6 (1988), Academic Press.
- [45] R. Godement, *Série de Poincaré et Spitzenformen*, Expo. 10 Séminaire H. Cartan Éc. Norm. Sup. 1957/58.
- [46] \_\_\_\_\_, *Domaines fondamentaux des groupes arithmétiques*, Semi. Bourbaki 15e année 1962/63, n<sup>o</sup> 257.
- [47] D. Goldfeld, *Explicit formulae as trace formulae*, in [95], 281-288.
- [48] Harish-Chandra, *Automorphic Forms on Semisimple Lie Groups*, Lect. Notes Vol. 62 (1968) Springer-Verlag, Berlin-Heidelberg-New York.
- [49] \_\_\_\_\_, *Discrete series for semisimple Lie groups II*, Acta Math. 116 (1966), 1-111.
- [50] \_\_\_\_\_, *Harmonic analysis on  $p$ -adic groups*, Proc. Sympos. Pure Math. 26 A.M.S. (1973), 167-192.
- [51] H. Heilbronn, *Zeta functions and  $L$ -functions*, in [30], 204-230.
- [52] D. A. Hejhal, *The Selberg Trace Formula for  $PSL(2, \mathbb{R})$* , Vol. 1, Lect. Notes Vol. 548 Springer-Verlag (1976) Berlin-Heidelberg-New York.
- [53] \_\_\_\_\_, *The Selberg Trace Formula for  $PSL(2, \mathbb{R})$* , Vol 2, Lect. Notes Vol. 1001 Springer-Verlag (1983) Berlin-Heidelberg-New York.

- [54] F. Hirzebruch, *Automorphe Formen und der Satz von Riemann-Roch*, Symp. Int. Top. Alg. Univ. de Mexico (1958), 92-104.
- [55] \_\_\_\_\_, *Topological Methods in Algebraic Geometry*, Grund. der Math. Wiss. Vol. 131, corrected printing of the third edition (1978), Springer-Verlag, Berlin-Heidelberg-New York.
- [56] H. Jacquet, *On the residual spectrum of  $GL(n)$* , Lie Group Representations II, Lect. Notes Vol. 1041, Springer-Verlag, Berlin-Heidelberg-New York-Tokyo (1984), 185-208.
- [57] \_\_\_\_\_ and R.P. Langlands, *Automorphic Forms on  $GL(2)$* , Lect. Notes Vol. 114 (1970), Springer-Verlag, Berlin-Heidelberg-New York.
- [58] R. Kottwitz, *Tamagawa numbers*, Annals of Math. 127 (1988), 629-646.
- [59] J.-P. Labesse, *Cohomologie,  $L$ -groupes et functorialité*, Comp. Math. 55(1984), 163-184.
- [60] \_\_\_\_\_, *The present state of the trace formula, Automorphic Forms, Shimura Varieties, and  $L$ -functions Vol. 1*, Academic Press (1990), 211-226.
- [61] \_\_\_\_\_, *La formule des traces d'Arthur-Selberg*, Semi. Bourbaki 37e année, 1984-85, n° 636, Soc. Math. de France, Astérisque 133-134 (1986), 73-88.
- [62] R.P. Langlands, *Base Change For  $GL(2)$* , Annals of Math. Studies Vol. 96 (1980), Princeton Univ. Press.
- [63] \_\_\_\_\_, *Euler Products*, Yale Univ. Press, New Haven 1971.
- [64] \_\_\_\_\_, *Problems in the theory of automorphic forms*, Lect. Notes Vol 170, Springer-Verlag, Berlin-Heidelberg-New York (1970), 18-86.
- [65] \_\_\_\_\_, *Eisenstein series, the trace formula, and the modern theory of automorphic forms*, in [95], 125-155.
- [66] \_\_\_\_\_, *Les D'ebuts d'une Formule des Traces Stable*, Publ. Math. Univ. Paris VII, Vol. 13 (1983) Paris.
- [67] \_\_\_\_\_, *Review of the book "The Theory of Eisenstein System"*, Bull. A.M.S. Vol. 9, N° 3 (1983), 351-361.
- [68] \_\_\_\_\_, *On The functional Equations Satisfied By Eisenstein Series*, Lect. Notes Vol. 544 (1976), Springer-Verlag, Berlin-Heidelberg-New York.
- [69] \_\_\_\_\_, *Modular forms and  $\ell$ -adic representations*, Modular Functions of One Variable II, Lect. Notes Vol. 349 Springer-Verlag, Berlin-Heidelberg-New York (1973), 361-500.
- [70] \_\_\_\_\_, *The dimension of spaces of automorphic forms*, Amer. J. Math. 85 (1963), 99-125.

- [71] \_\_\_\_\_, *Shimura varieties and the Selberg trace formula*, *Canad. J. Math.* Vol. 29, N<sup>o</sup> 5 (1977), 1292-1299.
- [72] P.D. Lax and R.S. Phillips, *Scattering Theory For Automorphic Functions*, *Annals of Math. Studies* Vol. 87 (1976) Princeton Univ. Press.
- [73] H. Maass, *Über eine neue Art von nichtanalytischen automorphen Functionen und die Bestimmung Dirichletscher Reihen durch Functionalgleichungen*, *Math. Ann.* 121 (1949), 141-183.
- [74] \_\_\_\_\_, *Lectures On Modular Functions Of One Complex Variables*, Tata Inst. of Fund. Research Bombay, (1964) revised (1983).
- [75] Y. Matsushima, *On the first Betti number of compact quotient spaces of higher-dimensional symmetric spaces*, *Annals of Math.* (2)75 (1962), 312-330.
- [76] \_\_\_\_\_, *A formula for Betti numbers of compact locally symmetric Riemannian manifolds*, *J. Diff. Geom.* 1 (1967), 99-109.
- [77] \_\_\_\_\_ and S. Murakami, *On vector bundle valued harmonic forms and automorphic forms on symmetric spaces*, *Annals of Math.* (2)78 (1963), 365-416.
- [78] H. Minkowski, *Zur Theorie der positiven quadratischen Formen*, *J. Cerelle* 101 (1887), 196-202.
- [79] C. Moeglin and J.-L. Waldspurger, *Le spectre résiduel de  $GL(n)$* , *Ann. Scient. Éc. Norm. Sup.* 4<sup>e</sup> serie, t. 22 (1989), 605-674.
- [80] *Morning Seminar* : L. Clozel, J.-P. Labesse and R.P. Langlands, *Inst. Adv. Study*, Princeton (1984).
- [81] G.D. Mostow, *Strong rigidity for locally symmetric spaces*, *Annals of Math Studies* Vol. 78 (1973) Princeton Univ. Press.
- [82] \_\_\_\_\_ and T. Tamagawa, *On the compactness of arithmetically defined homogeneous spaces*, *Annals of Math.* Vol. 76, N<sup>o</sup> 3 (1962), 446-463.
- [83] W. Müller, *The trace class conjecture in the theory of automorphic forms*, *Annals of Math.* 130 (1989), 473-529.
- [84] \_\_\_\_\_, *Manifolds with cusps of rank one, Spectral theory and  $L^2$ -index theorem*, *Lect. Notes* Vol. 1244 (1987) Springer-Verlag, Berlin-Heidelberg-New York.
- [85] S.S. Rangachari and S. Shokranian, *On the dimension of the space of cusp forms for orthogonal groups of signature  $(n, 2)$ ,  $n = 3, 4$* , Preprint Tata Inst. Fund. Research, Bombay 1984.
- [86] M. Raghunathan, *Discrete Subgroups of Lie Groups*, *Ergebnisse der Math. Grenz.* Vol. 68 (1972) Springer-Verlag.
- [87] R. Rao, *Orbital integrals in reductive groups*, *Annals of Math.* 96 (1972), 505-510.

- [88] I. Satake, *Linear Algebra*, Marcel Dekker (1975) New York.
- [89] \_\_\_\_\_, *Algebraic Structures of Symmetric Domains*, Iwanami Shoten and Princeton Univ. Press (1980).
- [90] \_\_\_\_\_, *Theory of spherical functions on reductive algebraic groups over  $p$ -adic fields*, Publ. Math. IHES, 18 (1963), 229-293.
- [91] \_\_\_\_\_ and S. Ogata, *Zeta functions associated to cones and their special values*, Automorphic Forms and Geometry of Arithmetic Varieties, Adv. Studies in Pure Math. 15 (1989), 1-27.
- [92] G. Savin, *Limit multiplicities of cusp forms*, Invent. Math. 95 (1989), 149-159.
- [93] A. Selberg, *Harmonic analysis and discontinuous groups in weakly symmetric Riemannian spaces with applications to Dirichlet series*, J. Indian Math. Soc. Vol. 20 (1956), 47-87.
- [94] \_\_\_\_\_, *Automorphic functions and integral operators*, Seminars on analytic functions, Inst. Adv. Study Princeton Vol. 2 (1957), 152-161.
- [95] *Selberg's Symposium*, Number Theory, Trace Formula and Discrete Groups, Acad. Press (1989).
- [96] F. Shahidi, *Langlands' functoriality conjecture*, Preprint 1990 (to appear).
- [97] G. Shimura, *Introduction To Arithmetic Theory of Automorphic Functions*, Iwanami Shoten and Princeton Univ. Press (1971).
- [98] S. Shokranian, *Trace formula and Topology*, Coll. Brazilian Math. Soc. (1989) IMPA-Rio de Janeiro.
- [99] \_\_\_\_\_, *Limit of traces of irreducible components of supercuspidal Hecke operators*, Atas 10<sup>a</sup> Escola de Álgebra (1990), 139-143.
- [100] \_\_\_\_\_, *Some results on the dimension of space of cusp forms on classical domains of type IV*, Thesis Univ. California Berkeley (Dec. 1982).
- [101] \_\_\_\_\_, *On the twisted  $L^2$ -Lefschetz numbers for Hecke operators*, Preprint 1991.
- [102] \_\_\_\_\_,  *$L^2$ -cohomology and Hecke operators*, Preprint 1991.
- [103] \_\_\_\_\_, *Euler-Poincaré characteristic of  $GL(n) \rtimes \langle \epsilon \rangle$* , Abstract Int. Cong. Math. Kyoto 1990 Japan.
- [104] \_\_\_\_\_, *A Local Lefschetz number*, Proc. School of Algebra São Paulo 1990.
- [105] B. Speh, *Unitary representations of  $GL(n, \mathbb{R})$  with non-trivial  $(\mathcal{G}, K)$ -cohomology*, Invent. Math. 71 (1983), 443-465.

- [106] G. Springer, *Introduction to Riemann Surfaces*, Addison-Wesley Pub. (1957) U.S.A.
- [107] J. Tate, *Global class field theory*, in [30], 162-203.
- [108] *The Selberg Trace formula and related topics*, Proceedings of a summer research conference, Contemporary Math. A.M.S. Vol. 53 (1984).
- [109] A.B. Venkov, *Spectral theory of automorphic functions, the Selberg zeta function, and some problems of analytic number theory and mathematical physics*, Russian Math. Surv. 34: 3 (1979), 79-153.
- [110] \_\_\_\_\_, *Spectral Theory of Automorphic Functions*, Proc. Steklov Inst. of Math. N<sup>o</sup> 4 (1982).
- [111] D. Vogan, *The unitary dual of  $GL(n)$  over an archimedean field*, Invent. Math. 84 (1986), 449-505.
- [112] A. Weil, *Sur les "formules explicites" de la théorie des nombres premiers*, Comm Sém. Math. Univ. Lund 1952, Tome supplémentaire (1952), 252-265.
- [113] \_\_\_\_\_, *Sur quelques résultats de Siegel*, Summa Brasiliensis Mathematicae 1 (1946), 21-39.
- [114] \_\_\_\_\_, *L'intégration dans les groupes topologiques et ses applications*, Deuxième édition, Hermann (1979) Paris.
- [115] \_\_\_\_\_, *Basic Number Theory*, Grundlehren Math. Wiss. Band 144, Third edition (1974), Springer-Verlag, New York-Heidelberg-Berlin.
- [116] \_\_\_\_\_, *Adeles and Algebraic Groups*, Progress in Math. Vol. 23 (1982) Birkhäuser, Boston-Basel-Stuttgart.
- [117] S. Zucker, *Satake compactification*, Comment. Math. Helv. 58 (1983), 313-343.

# Subject Index

page

## [A]

Adèles .....	5, 41
Adèlic Siegel domain .....	44
Artin's conjecture .....	3
Arthur's invariant trace formula .....	83
Arthur's kernel function .....	34
Arthur program .....	86
Arthur's trace formula .....	78
Associated parabolic subgroups .....	71
Automorphic representation .....	7
Auxiliary kernel function .....	34

## [B]

Base change problem .....	85
Bessel .....	4
Boundary components .....	11
Bi-invariant .....	12

## [C]

Characteristic function .....	28, 32
Closure property .....	82
Conjecture of Ramanujan and Petersson .....	10
Cusps .....	11
Cuspidal automorphic datum .....	73
Cusp form .....	72
Cusp forms of weight $2k$ .....	4

## [D]

Descent property .....	82, 83
Discrete co-compact subgroup .....	11
Discrete series .....	85
Distribution .....	16, 47
Dual chamber .....	28

## [E]

Equivalent cuspidal automorphic data .....	73
--	----

## [F]

Frobenius class .....	1
Frobenius reciprocity .....	18



Fourier transform .....	17, 80
Fundamental weights .....	28
$\Gamma$ -function .....	48
[G]	
General position .....	61
Geometric expansion .....	15
Geometric expansion of the trace formula .....	68
[H]	
Hecke algebra .....	79
Hecke operators .....	9, 11
Highest weight vector .....	30
Hirzebruch proportionality .....	23
Holomorphic modular form of weight $2k$ .....	3
$H_P$ -function .....	27
[I]	
Ideles .....	18
Index .....	22
Induced space .....	82
$i$ -th wall .....	28
Intertwining operator .....	6
Invariant distribution .....	16
Irreducible .....	6
Irreducible tempered .....	79
[J]	
Jordan decomposition .....	45
[K]	
Kronecker's theorem .....	8
[L]	
Langlands-Arthur formula .....	75
Langlands functoriality conjecture .....	9
Lattice .....	11
Levi component .....	24
$L$ -function .....	3
$L$ -group .....	9
Local $L$ -function .....	3
Local trace formula .....	86

## [M]

Maas form ..... 4

## [N]

Neat ..... 22  
 Non-abelian class field theory ..... 2  
 Normalized automorphy factor ..... 7

## [O]

Orbital integral ..... 15

## [P]

Paley-Wiener space ..... 80  
 $\mathfrak{p}$ -closed ..... 82  
 Parabolic ..... 26  
 Partition ..... 1  
 Partial Arthur's kernel function ..... 46  
 Partial kernel function ..... 46, 73  
 Partial spectral Arthur's kernel function ..... 74  
 Partial spectral decomposition ..... 69  
 Poisson summation formula ..... 18  
 Positive Weyl chamber ..... 28

## [Q]

$\mathcal{Q}$ -elliptic ..... 67

## [R]

Reducible ..... 6  
 Regular element ..... 29  
 Regular representation ..... 5  
 Restricted direct product topology ..... 5

## [S]

Selberg's kernel function ..... 14  
 Selberg's trace formula ..... 12, 15  
 Semi-standard parabolic subgroup ..... 58  
 Siegel domain ..... 31  
 Siegel's reduction theory ..... 31  
 Siegel set ..... 31  
 Simple roots ..... 28  
 Spectral Arthur's kernel function ..... 74  
 Spectral expansion ..... 17  
 Split component ..... 25

Splits completely .....	2
Splitting property .....	82
Stable trace formula .....	86
Standard parabolic subgroup .....	58
Strong approximation .....	42
Supported on characters .....	80

## [T]

$t$ -cuspidal .....	83
The function $\Gamma_P(H, X)$ .....	48
The generalized Hirzebruch conjecture .....	23
The parabolic subgroup associated to the partition $\ell$ .....	24
Trace class .....	14
Trace class operator .....	14
Truncation operator .....	74
Twisted centralizer .....	22
Twisted orbital integral .....	21
Twisted Selberg kernel function .....	21
Twisted Selberg trace formula .....	21

## [U]

Uniform lattice .....	11
Unimodular group .....	12
Unipotent .....	24
Unipotent radical .....	25
Unitarily equivalent .....	8
Unitary dual .....	16
Unitary representation .....	79
Unramified principal series .....	8

## [W]

Weighted characters .....	82
Weight function .....	51, 59
Weighted orbital integral .....	60
Weil's explicit formula .....	19