

---

## References

1. M.E. Rose: *Elementary Theory of Angular Momentum* (Wiley New York 1957)
2. A.R. Edmonds: *Angular Momentum in Quantum Mechanics* (Princeton University Press, Princeton 1960)
3. A. Messiah: *Quantum Mechanics*, vol 1 (North-Holland Amsterdam 1961)
4. A. Messiah: *Quantum Mechanics*, vol 2 (North-Holland Amsterdam 1964)
5. D.M. Brink, G.R. Satchler: *Angular Momentum* (Clarendon Oxford 1968)
6. E. Merzbacher: *Quantum Mechanics* (Wiley New York 1970)
7. D.A. Varshalovich, A.N. Moskalev, V.K. Khersonskii: *Quantum Theory of Angular Momentum* (World Scientific Singapore 1988)
8. A.M. Lane: *Nuclear Theory* (Benjamin New York 1964)
9. A. deShalit, H. Feshbach: *Theoretical Nuclear Physics* (Wiley New York 1974)
10. A. de-Shalit, I. Talmi: *Nuclear Shell Theory* (Academic New York 1963)
11. G.E. Brown: *Unified Theory of Nuclear Models* (North-Holland Amsterdam 1964)
12. A. Bohr, B.R. Mottelson: *Nuclear Structure*, vol 1 (Benjamin New York 1969)
13. J.M. Eisenberg, W. Greiner: *Nuclear Models* (North-Holland Amsterdam 1970)
14. D.J. Rowe: *Nuclear Collective Motion* (Methuen London 1970)
15. J.M. Blatt, V.F. Weisskopf: *Theoretical Nuclear Physics* (Springer New York 1979)
16. P. Ring, P. Schuck: *The Nuclear Many-Body Problem* (Springer New York 1980)
17. K.L.G. Heyde: *The Nuclear Shell Model* (Springer Berlin 1990)
18. I. Talmi: *Simple Models of Complex Nuclei* (Harwood Switzerland 1993)
19. R.D. Lawson: *Theory of the Nuclear Shell Model* (Clarendon Oxford 1980)
20. M. Rotenberg, R. Bivins, N. Metropolis, J.K. Wooten Jr: *The 3j and 6j Symbols* (M.I.T. Technology Press Cambridge MA 1959)
21. B.L. Cohen: *Concepts of Nuclear Physics* (TATA McGraw-Hill New Delhi 1971)
22. A. Lindner: *Drehimpulse in der Quantenmechanik* (Taubner Stuttgart 1984)
23. W.T. Sharp et al.: *Tables of Coefficients for Angular Distribution Analysis*, AECL No 97 (Atomic Energy of Canada Ltd 1954)
24. E.P. Wigner: *Gruppentheorie* (Vieweg Braunschweig 1931)
25. C. Eckart: *Rev. Mod. Phys.* **2**, 305 (1930)
26. G. Racah: *Phys. Rev.* **62**, 438 (1942)
27. W. Pauli: *Z. Phys.* **43**, 601 (1927)

28. P.J. Brussaard, P.W.M. Glaudemans: *Shell-Model Applications in Nuclear Spectroscopy* (North-Holland Amsterdam 1977)
29. W. Magnus, F. Oberhettinger, R.P. Soni: *Formulas and Theorems for the Special Functions of Mathematical Physics* (Springer Berlin 1966)
30. J. Blomqvist, A. Molinari: Nucl. Phys. A **106**, 545 (1968)
31. M. Baranger: Phys. Rev. **120**, 957 (1960)
32. E.U. Condon, G.H. Shortley: *The Theory of Atomic Spectra* (Cambridge University Press, Cambridge, 1935)
33. L.C. Biedenharn, M.E. Rose: Rev. Mod. Phys. **25**, 729 (1953)
34. G.C. Wick: Phys. Rev. **80**, 268 (1950)
35. D.R. Hartree: Proc. Camb. Phil. Soc. **24**, 89 (1928)
36. V.A. Fock: Z. Phys. **61**, 126 (1930)
37. R.B. Firestone, V.S. Shirley, S.Y.F. Chu, C.M. Baglin, J. Zipkin: *Table of Isotopes* (Wiley-Interscience New York 1996)
38. See website <http://ie.lbl.gov/ensdf/>
39. S.A. Moszkowski: Theory of Multipole Radiation. In: *Alpha-, Beta- and Gamma-Ray Spectroscopy*, ed by K. Siegbahn (North-Holland Amsterdam 1965) pp 863–886
40. S.G. Nilsson: Kgl. Danske Videnskab. Selskab, Mat. Fys. Medd. **29**, 16 (1955)
41. V.F. Weisskopf: Phys. Rev. **83**, 1073 (1951)
42. See website [http://www.nndc.bnl.gov/nndc/stone\\_moments/moments.html](http://www.nndc.bnl.gov/nndc/stone_moments/moments.html)
43. S. Weinberg: Phys. Rev. Lett. **32**, 438 (1974)
44. A. Salam: *Proc. 8th Nobel Symposium*, ed by N. Svartholm (Stockholm 1968)
45. S.L. Glashow, J. Iliopoulos, L. Maiani: Phys. Rev. D **2**, 1285 (1970)
46. Super-Kamiokande Collaboration, S. Fukuda et al.: Phys. Rev. Lett. **86**, 5651 (2001)
47. SNO Collaboration, Q.R. Ahmad et al.: Phys. Rev. Lett. **89**, 011302 (2002)
48. KamLAND Collaboration, K. Eguchi et al.: Phys. Rev. Lett. **90**, 021802 (2003)
49. M. Apollonio et al.: Phys. Lett. B **466**, 415 (1999)
50. B. Pontecorvo: Zh. Eksp. Teor. Fiz. **33**, 549 (1957)
51. J. Suhonen, O. Civitarese: Phys. Rep. **300**, 123 (1998)
52. J.D. Vergados: Phys. Rep. **361**, 1 (2002)
53. F. Halzen, A.D. Martin: *Quarks and Leptons: An Introductory Course in Modern Particle Physics* (Wiley New York 1984)
54. H.F. Schopper: *Weak Interactions and Nuclear Beta Decay* (North-Holland Amsterdam 1966)
55. H. Behrens, W. Bühring: *Electron Radial Wave Functions and Nuclear Beta Decay* (Clarendon Oxford 1982)
56. J.C. Hardy, I.S. Towner, V.T. Koslowsky, E. Hagberg, H. Schmeing: Nucl. Phys. A **509**, 429 (1990)
57. E. Fermi: Z. Phys. **88**, 161 (1934)
58. G. Gamow, E. Teller: Phys. Rev. **49**, 895 (1936)
59. N.B. Gove, M.J. Martin: Nucl. Data Tables **10**, 205 (1971)
60. H. Primakoff, S.P. Rosen: Rep. Prog. Phys. **22**, 121 (1959)
61. C.S. Wu, S.A. Moszkowski: *Beta Decay* (Interscience New York 1966)
62. M.T. Mustonen, M. Aunola, J. Suhonen: Phys. Rev. C **73**, 054301 (2006)
63. A. Balysh et al.: Phys. Rev. Lett. **77**, 5186 (1996)
64. V. Brudanin et al.: Phys. Lett. B **495**, 63 (2000)
65. J. Toivanen, J. Suhonen: Phys. Rev. C **57**, 1237 (1998)

66. D.S. Delion, J. Suhonen: *Phys. Rev. C* **67**, 034301 (2003)
67. N. Ullah, D.J. Rowe: *Nucl. Phys. A* **163**, 257 (1971)
68. H.J. Lipkin, N. Meshkov, A.J. Glick: *Nucl. Phys.* **62**, 188, 199, 211 (1965)
69. J. Bardeen, L.N. Cooper, J.R. Schrieffer: *Phys. Rev.* **108**, 1175 (1957)
70. A. Bohr, B.R. Mottelson, D. Pines: *Phys. Rev.* **110**, 936 (1958)
71. S.T. Belyaev: *Mat. Fys. Medd. Dan. Vid. Selsk.* **31**, no 11, 1 (1959)
72. N.N. Bogoliubov: *Sov. Phys. JETP* **7**, 41 (1958)
73. J.G. Valatin: *Phys. Rev.* **122**, 1012 (1961)
74. H.J. Lipkin: *Ann. Phys. (N.Y.)* **9**, 272 (1960)
75. Y. Nogami: *Phys. Rev.* **134**, B313 (1964)
76. Y. Nogami, I.J. Zucker: *Nucl. Phys.* **60**, 203 (1964)
77. Y. Nogami: *Phys. Lett.* **15**, 335 (1965)
78. G. Audi, A.H. Wapstra: *Nucl. Phys. A* **565**, 1 (1993)
79. G. Audi, A.H. Wapstra: *Nucl. Phys. A* **595**, 409 (1995)
80. K. Ikeda: *Prog. Theor. Phys.* **31**, 434 (1964)
81. J.D. Anderson, C. Wong, J.W. McLure: *Phys. Rev. B* **138**, 615 (1965)
82. D.J. Horen et al.: *Phys. Lett. B* **99**, 383 (1981)
83. A. Bohr, B.R. Mottelson: *Nuclear Structure*, vol 2 (Benjamin Reading 1975)
84. R.F. Casten: *Nuclear Structure from a Simple Perspective* (Oxford University Press New York 1990)
85. R.F. Casten, N.V. Zamfir: *Phys. Rep.* **264**, 81 (1996)
86. J. Toivanen, J. Suhonen: *Phys. Rev. Lett.* **75**, 410 (1995)

---

# Index

- D* function 25, 26
- LS* coupling scheme 21
- Q* value 161, 171
- log ft* value (*see ft* value in beta decay, electron capture) 166
- ft* value (*see* beta decay, electron capture) 166
- g* factor 119, 123
- jj* coupling scheme 21
- l*-forbidden allowed beta decay (*see also* beta decay) 172
- m* table 11, 382
  
- Allowed beta transitions (*see also* beta decay)
  - and pnQRPA 610–621
  - and pnQTDA 539–554
  - and pnTDA 298–303
  - Fermi and Gamow–Teller matrix elements 167
  - Ikeda sum rule 543–549, 614–618
  - in odd-*A* nuclei 454, 456, 458–461
  - in one-particle and one-hole nuclei 173–175
  - in particle–hole nuclei 176–180, 182
  - in two-particle and two-hole nuclei 182–189, 238–240
  - involving two-quasiparticle states 462–467, 471–475
  - phase-space factors 168–170
  - selection rules 165
- Angular momentum
  - coupling 6, 7, 11, 15
  - definition 4
  - orbital 55
  - raising and lowering operators 4, 5
  - total 55
- Annihilation operator for
  - BCS quasiparticles 395
  - particles 64
- Anticommutation of
  - particle operators 65
  - Pauli spin matrices 31, 32
  - quasiparticle operators 396
- Anticommutator relations 311, 312
- Antiparticle 160
- Antisymmetry of
  - many-nucleon states 57
  - two-nucleon interaction matrix elements 69
- Associated Laguerre polynomial 49, 50
- Atomic mass 373, 500, 501
- Average particle number 400, 401, 406, 419, 420, 433, 438, 440, 532–535, 606, 607
- Axial-vector coupling constant 166
  
- Baranger’s notation for
  - isospin representation 107
  - QTDA matrix 491
  - single-particle orbitals 55, 394
  - two-body matrix elements 485, 486
- Bardeen–Cooper–Schrieffer theory (*see* BCS) 393
- Barn 120
- Barrier
  - centrifugal 51

- Coulomb 51
- Bartlett spin-exchange force 214
- BCS (Bardeen–Cooper–Schrieffer theory)
  - auxiliary Hamiltonian 401
  - connection to electron theory 393
  - equations 404, 419
  - for Lipkin model 410–415
  - for single  $j$  shell 409, 410
  - for two-level model 414–416
  - gap equation 404, 419
  - ground state 394, 395
  - ground-state energy 404, 410, 412, 415
  - iterative solution 420–422
  - phase conventions 403
  - transformation (Bogoliubov–Valatin) 395
  - vacuum 396
  - variational problem 402, 403
- Beta decay (*see also* allowed, forbidden)
  - $Q$  value 161, 171
  - $ft$  value 166, 170, 192, 198, 203
  - $l$ -forbidden allowed 172, 182
  - classification 161, 162, 172, 173, 195, 196, 203
  - endpoint energy 169
  - Fermi function 169, 170
  - half-life (total) 165, 171
  - hindrance factor 173, 178
  - partial decay half-life 171
  - Primakoff–Rosen approximation 169
  - processes 161, 162
  - reduced transition probability 165, 192, 198
  - shape function 169, 192, 193, 196, 203
  - superallowed 172, 174, 185
  - transition strength 543
  - unfavoured allowed 172, 177
- Beta vibration 589
- Biedenharn–Rose phase convention for BCS 403
  - electromagnetic decays 122, 123
  - forbidden beta decays 193, 197
  - pairing interaction 376
  - pnQTDA matrix 527
  - QRPA correlation matrix 564
  - QTDA matrix 491
  - single-particle wave functions 56, 66
  - two-body matrix elements 212
- Binding energy 501
- Blomqvist–Molinari formula 49
- Bogoliubov–Valatin transformation 395
- Bose-like excitations 309
- Boson
  - commutator 590
  - ideal 590
  - identical 589, 590
  - massive vector 163, 164
- Branching probability 171
- Breaking point of
  - pnQRPA 600
  - QRPA 569
  - RPA 333, 334
- Brillouin’s theorem 247
- Broken pair 388, 405
- Canonical transformation 396
- Cartesian
  - coordinate system 24, 25
  - tensor 28
- Central (mean-field) potential 43
  - force 213
- Centrifugal barrier 51
- Charge
  - conservation 491, 598
  - effective 123, 124, 145, 276
  - independent interaction 504
- Charge-changing particle–hole excitations 100, 289
- Charge-conserving particle–hole excitations 100
- Chemical potential 406, 410, 412, 421, 422, 424, 446, 447
- Clebsch–Gordan coefficient (*see also* Wigner  $3j$  symbol)
  - definition 6
  - special relations 9
  - symmetry properties 8
- Closed-shell nucleus 74, 100
- Coherence 273
- Collective excitations in
  - open-shell nuclei 372, 581, 589–591
  - pnQRPA 614

- QRPA 580, 581
- QTDA 511–514
- RPA 348–351
- TDA 258, 273, 274
- Commutator relations 311, 312
- Comparative or reduced half-life ( $ft$  value, *see* beta decay, electron capture) 166
- Complete set of commuting operators 5, 6
- Completeness of
  - angular momentum states 6, 8, 12, 16
  - Clebsch–Gordan coefficients 8
  - Hartree–Fock wave functions 82
  - many-nucleon configurations 60
  - pnQRPA wave functions 599
  - pnQTDA wave functions 527
  - pnTDA wave functions 290
  - QRPA wave functions 566–568
  - QTDA wave functions 493
  - RPA wave functions 323, 324
  - single-particle states 56
  - spin- $\frac{1}{2}$  spinors 56
  - TDA wave functions 254
- Condon–Shortley phase convention for
  - BCS 403
  - electromagnetic decays 122, 123
  - forbidden beta decays 193, 196
  - pairing interaction 376
  - pnQTDA matrix 527
  - QRPA correlation matrix 564
  - QTDA matrix 491
  - single-particle wave functions 56, 66
  - two-body matrix elements 212
- Configuration 58
- Conservation of
  - baryon and lepton number 159
  - charge 159, 491, 598
  - parity 121, 491
- Constrained variational problem 401
- Contraction
  - definition 71, 72
  - for arbitrary operators 84
  - for BCS vacuum 397
  - for particle–hole vacuum 76
- Contravariant
  - coordinates 24
  - spherical components of vectors 27
  - unit basis vectors 28
- Core 88
- Correlation matrix
  - pnQRPA 598, 602
  - QRPA 561–564, 571–573
  - RPA 317–320
- Coulomb
  - barrier 51
  - energy 94, 107, 146, 551
  - potential of a sphere 46
- Coupled
  - basis 6
  - tensor operators 32, 35
- Covariant
  - spherical components of tensors 27
  - unit basis vectors 24, 28
- Creation operator for
  - BCS quasiparticles 395
  - particles 64
- Critical strength 333, 334, 412, 569
- Current–current interaction 163
- Decay
  - amplitude 68
  - energy (*see*  $Q$  value) 161
  - rate 170
- Deformed nucleus 43, 508, 589
- Degenerate model
  - RPA 333, 334, 357, 358
  - TDA 257, 258, 281, 282
- Delta-function interaction 85, 213
- Diagonalization of
  - Hamiltonian matrix with good isospin 227, 263, 264, 341, 342
  - pnQRPA matrix 602–605
  - pnQTDA matrix 528–532
  - pnTDA matrix 290–292
  - QRPA matrix 571–575
  - QTDA matrix 494, 495, 498–500
  - RPA matrix 337–344
  - TDA matrix 262–267
  - two-by-two matrix 223–225, 335, 336
  - two-hole Hamiltonian matrix 233, 235–237
  - two-particle Hamiltonian matrix 226–232
  - Woods–Saxon Hamiltonian 50, 51
- Dipole moment

- magnetic 37, 38, 130
    - single-particle value 130, 136, 137
  - Dirac neutrino 160
  - Direct (Hartree) term 81
  - Dispersion equation for
    - RPA 331
    - TDA 256, 260
    - two-particle spectrum 390, 391
  - Dot product 28
  - Double
    - beta decay 160, 206
    - commutator 309
  - Doubly magic nucleus 74, 99, 150
  - Doubly reduced
    - matrix element 108
    - one-body transition density 108
    - single-particle matrix element 108
  - E2/M1 mixing ratio 122, 135
  - Effective
    - charge 123, 124, 145, 276
    - interaction 503, 508
  - Eigenvalue equation (*see also* diagonalization)
    - Hamiltonian matrix 221–223
    - Hartree–Fock 83
    - pnQRPA 598
    - pnQTDA 491, 526
    - pnTDA 289, 290
    - QRPA 561
    - QTDA 490
    - RPA 316
    - TDA 254
  - Electric
    - dipole operator 37
    - multipole matrix elements 122, 124
    - multipole moments 128, 130
    - multipole operator 119–121
    - polarization constant 124
    - quadrupole moment 37, 38, 130
    - quadrupole operator 37, 38
  - Electromagnetic (gamma) transitions
    - and isospin selection rules 151, 152
    - and pnQRPA 607–610
    - and pnQTDA 535–539
    - and pnTDA 296–298
    - and QRPA 577–588
    - and QTDA 508–520
    - and RPA 346–362
  - and TDA 267–283
  - and two-phonon states 590, 591
  - classification 121, 122
  - E2/M1 mixing ratio 122, 135
  - half-life (total) 118, 120
  - in odd- $A$  nuclei 455, 457, 458
  - in one-particle and one-hole nuclei 132–135
  - in particle–hole nuclei 140–148, 150
  - in two-particle and two-hole nuclei 137–140, 151, 152, 238, 239, 241
  - involving two-quasiparticle states 461, 462, 468–471, 475, 476
  - isoscalar 149
  - isovector 149
  - partial decay half-life 120
  - reduced transition probability 118, 119, 131
  - selection rules 121, 122
  - single-particle matrix elements 122, 124, 127, 128
  - transition operators 119, 121
  - transition probability 118, 120, 131
  - Weisskopf units 130, 131
- Electron capture
    - $Q$  value 161, 171
    - $ft$  value 170, 192, 198, 203
    - phase-space factor 168, 192, 197
    - process 161, 162
  - Endpoint energy 169
  - Energy-weighted sum rule (EWSR)
    - QRPA 581–583
    - RPA 351–355
  - Equations-of-motion method (EOM)
    - and Hartree–Fock equations 312–314
    - and particle–hole RPA 314–316
    - and QRPA 560, 561
    - and QTDA 486–490
    - basic principles 307–310
    - derivation 308, 309
    - examples of applications 310, 311
  - Euler angles 25
  - Exchange
    - (Fock) term 81
    - forces 214
  - Excitations
    - Bose-like 309
    - Fermi-like 309

- Extreme collective model 348
- Fermi
  - constant 163, 164
  - energy 59
  - function 169, 170
  - level (surface) 59, 74
  - matrix element 167
  - operator 190
- Fermi-like excitations 309
- First-forbidden beta decay (*see* Forbidden beta transitions) 190
- Flavour
  - conservation 159
  - oscillations 160
- Fock
  - (exchange) term 81
  - space 64
- Forbidden beta transitions (*see also* beta decay)
  - and pnQRPA 611, 612, 620, 622–626
  - and pnQTDA 540, 552
  - and pnTDA 299, 300
  - classification 195, 203
  - first-forbidden 190, 192
  - first-forbidden unique 192–195, 299, 300, 622–626
  - higher-forbidden unique 195–201
  - in few-particle and few-hole nuclei 201, 202
  - in odd- $A$  nuclei 456
  - involving two-quasiparticle states 464, 474
  - matrix elements 193, 196, 197
  - non-unique decays 203
  - operators 191
  - phase-space factors 191, 193, 194, 196, 198, 199
  - suppression factors 190, 191
- Force
  - central 213
  - central with spin and isospin 214, 215
  - empirical 626
  - exchange 214
  - Rosenfeld 215
  - Serber 215
- Gamma
  - unstable nucleus 589
  - vibration 589
- Gamma decay (*see* electric, electromagnetic, magnetic) 117
- Gamow–Teller
  - giant resonance 550, 551, 618, 626
  - matrix element 167
  - operator 190
- Gap equation
  - BCS 404, 419
  - LNBCS 436
- Gaunt formula 36
- Gaussian units 117–119, 130, 131
- Generalized
  - Pandya transformation 485
  - particle–hole matrix elements 485, 495
  - seniority 393
- Giant resonance
  - dipole 261
  - Gamow–Teller 550, 551, 618, 626
  - octupole 274
- Graphical solution of
  - RPA dispersion equation 331
  - TDA dispersion equation 257, 260, 261
  - two-particle spectrum 390, 391
- Ground state
  - BCS 394, 395
  - LNBCS 433
  - many-nucleon configurations 58
  - particle–hole 74
  - particle–hole RPA 324–326
  - pnQRPA 600
  - QRPA 569
  - rotational band 589
- Ground-state correlations
  - particle–hole RPA 320, 321, 328, 329, 333
  - pnQRPA 607, 625, 626
  - QRPA 568, 569
- Ground-state energy
  - BCS 404, 410, 412, 415
  - Hartree–Fock 81
  - Lipkin–Nogami BCS 433, 437, 439, 444–446, 448, 449
  - many-nucleon configurations 58
- Gyromagnetic ratio ( $g$  factor) 119, 123



- Half-life
  - beta decay 165, 171
  - gamma decay 118, 120
- Hamiltonian matrix (*see* eigenvalue equation) 221
- Harmonic oscillator
  - potential 44
  - radial integrals 124, 126
  - wave function 49, 50
- Hartree
  - (direct) term 81
  - wave function 41
- Hartree–Fock
  - and equations-of-motion method 312–314
  - and Wick’s theorem 78, 79
  - as eigenvalue problem 81, 83
  - equation 42, 80, 81
  - for delta-function interaction 85
  - ground-state energy 81
  - mean field 43
  - quasiparticles 75
  - wave function 42, 43, 82
- Hartree–Fock–Bogoliubov 310, 311, 374
- Hat factor 9
- Heaviside step function 248, 381, 382
- Heisenberg isospin-exchange force 214
- Hermitian tensor operator 30, 366
- Higher
  - pnQRPA 601
  - QRPA 570, 571
  - RPA 310, 329
- Hindrance factor 173, 178
- Hole
  - operators 74
  - orbitals 74
  - type of transitions 456, 471
- Ideal boson 590
- Ikeda sum rule
  - pnQRPA 614–618
  - pnQTDA 543–549
- Impulse approximation 163
- Interaction
  - central two-body 213
  - delta-function 213
  - effective 503, 508
  - empirical 626
  - general separable 216, 217
  - isovector and isotensor 218
  - multipole–multipole 216, 217
  - pairing-plus-quadrupole 216
  - realistic 212
  - renormalized 503
  - schematic 212
  - separable schematic (*see also* separable interactions) 213
  - surface delta (*see* surface delta interaction) 213
- Internal conversion 121
- Isobar 94
- Isobaric analogue state 551
- Isomeric state 613
- Isoscalar
  - operator 108
  - transition 150–152
- Isospin
  - and electromagnetic decay operator 149
  - and particle–hole nuclei 112, 113, 150
  - and two-particle and two-hole nuclei 109–112, 151, 152
  - breaking 146, 276, 278
  - definition 105
  - formalism (representation) 105
  - raising and lowering operators 105
  - representation of tensor operators 107, 108
  - symmetry 104, 106, 107, 504
  - total 106
- Isospinor 105
- Isovector
  - operator 108
  - transition 150–152
- Iteration 42, 329, 420–422, 447, 448, 571
- Koopmans’ theorem 86
- Ladder operators
  - angular momentum 4, 26
  - isospin 105
- Lagrange undetermined multiplier 401
- Laguerre polynomials 50
- Landé formula 36
- Legendre polynomial 25, 213

- Levi-Civita permutation symbol 4, 31, 105
- Lifetime 118
- Lipkin model 387, 388, 410–415, 440–445
- Lipkin–Nogami BCS (LNBCS)
  - auxiliary Hamiltonian 432
  - chemical potential 446, 447
  - equations 436
  - gap equation 436
  - general characteristics 444, 445
  - ground state 433
  - ground-state energy 433, 437, 439, 444–446, 448, 449
  - iterative solution 447, 448
  - phase conventions 436
- Local potential 81
- Lowering operators
  - angular momentum 4, 5, 26
  - isospin 105
- Magic
  - nucleus 87
  - numbers 44, 46
- Magnetic
  - dipole moment 37, 38, 130, 136, 137
  - multipole matrix elements 123, 124
  - multipole moments 128–130
  - multipole operator 119–121
- Majorana
  - particle 160
  - spatial-exchange force 214
- Mass
  - atomic 373, 500, 501
  - nuclear 373, 501
  - nucleon 40
  - proton 119
- Mean field
  - approximation 40, 41
  - Hamiltonian 40, 41
  - quasiparticle 405
  - shell model 87
- Mirror nuclei 504, 505, 528, 601, 620
- Mixing ratio ( $E2/M1$ ) 122, 135
- Model space 88
- Modified surface delta interaction (MSDI) 220, 243
- Multipole
  - expansion of central two-body interaction 213, 214, 216, 217
  - operators 26, 119, 121, 122
- Multipole–multipole force 216, 217
- Muon-to-electron conversion 160
- Nearly magic nucleus 88
- Nine- $j$  ( $9j$ ) symbol
  - definition 16
  - special relations 18, 19
  - symmetry properties 17
- Non-energy-weighted sum rule (NEWSR)
  - QTDA 515–518
  - TDA 269–273
- Non-local potential 81
- Normal ordering 70, 71, 80, 399, 400
- Nuclear
  - magneton 119
  - mass 373, 501
  - radius 44
- Nucleon mass 40
- Number operator (*see* particle number operator) 66
- Number parity 407
- Numerical tables for
  - BCS observables 423, 424
  - correlation matrix elements 320–322
  - electromagnetic single-particle matrix elements 127–129
  - electromagnetic transition probabilities 132
  - Gamow–Teller matrix elements 168
  - generalized particle–hole matrix elements 496–498
  - particle–hole matrix elements 251–253
  - radial integrals 125
  - single-particle matrix elements of forbidden unique beta decay 194, 197, 198
  - two-body matrix elements of SDI 220–223
  - Woods–Saxon energies and wave functions 51, 52
- Occupation amplitude 396, 403, 436
- Occupation number representation of BCS quasiparticles 396, 397

- of Hartree–Fock quasiparticles 75
- of one-body operators 67
- of particle number operator 66
- of particle operators 64
- of two-body operators 69
- particle–hole 74, 77
- Wick’s theorem 72
- Odd-*A* (odd-mass) nuclei 89
- Odd–even effect 373, 408
- Odd–odd (doubly odd) nuclei 94
- One-body
  - operator 67
  - transition density 68
- One-hole
  - density 328
  - nuclei 91–93
- One-particle
  - density 326–328
  - nuclei 89, 90
- One-quasiparticle density 570, 571, 600, 601
- Open-shell nucleus 74, 372
- Orthogonality of
  - Clebsch–Gordan coefficients 8
  - unit basis vectors 28
- Orthonormality of
  - angular momentum states 4, 6
  - Hartree–Fock wave functions 82
  - many-nucleon configurations 59
  - oscillator functions 49
  - particle–hole wave functions 100
  - pnQRPA wave functions 599
  - pnQTDA wave functions 527
  - pnTDA wave functions 290
  - QRPA wave functions 565, 566
  - QTDA wave functions 492, 493
  - RPA wave functions 323
  - single-particle states 56
  - spin- $\frac{1}{2}$  spinors 56
  - TDA wave functions 254
  - Woods–Saxon wave functions 48
- Oscillator function
  - asymptotic properties 49
  - definition 49
  - orthonormality 49
  - recursive generation 50
- Oscillator length 49
- Overlap of
  - two-hole wave functions 114, 115
  - two-hole wave functions with isospin 115
  - two-particle wave functions 114
  - two-particle wave functions with isospin 115
- Pair
  - basis 384
  - creation operator 310, 486
- Pairing
  - correlations 372
  - energy 372, 405
  - gap 372, 373, 405, 410, 412, 413, 422, 424, 502
  - interaction (*see also* pure pairing interaction) 372
  - parameters 500
  - spectrum 376, 377
- Pairing-plus-quadrupole interaction 216
- Pandya transformation 249, 250, 262, 290, 485, 491, 494, 495, 526
- Parity
  - conservation 121, 491
  - of a quasiparticle pair 486
- Partial decay half-life
  - beta decay 171
  - gamma decay 120
- Particle
  - orbitals 74
  - type of transitions 456, 471
- Particle number
  - average 400, 401, 406, 419, 420, 433, 438, 440, 532–535, 606, 607
  - constraint 406, 409, 411, 419, 421, 433, 438, 440
  - fluctuations 407, 410, 432, 433, 532, 533, 606
  - operator 66, 379, 384, 401, 407, 433, 434
- Particle–hole
  - excitations 77
  - interaction strength 551, 626
  - nuclei 99–104
  - operators 74
  - representation 74–77
  - vacuum 75
- Particle–hole wave function
  - for pnTDA 296

- for RPA 314, 346
  - for TDA 253, 254
  - one-component 100
- Particle-particle interaction strength 626
- Pauli exclusion principle 58, 328, 571, 601
- Pauli matrices
  - isospin 106
  - spin 31, 32, 34
- Phonon
  - ideal 590
  - in a lattice 393
  - particle-hole RPA 320
  - QRPA 565
  - QTDA 492
- Plane wave 85
- pnQRPA
  - average particle number 606, 607
  - beta transitions between a QRPA and a pnQRPA state 618–621
  - beta transitions involving even-even ground state 610–614
  - breaking point 600
  - collective excitations 614
  - correlation matrix 598, 602
  - electromagnetic transitions 607–610
  - first-forbidden unique beta decay in 0f-1p-0g<sub>9/2</sub> shell 622–626
  - ground state 600
  - Ikeda sum rule 614–618
  - matrix equation 598
  - properties of solutions 598–601
  - wave function 597, 598
- pnQTDA
  - and EOM 525
  - average particle number 532–535
  - beta-decay transitions between a QTDA and a pnQTDA state 552–554
  - beta-decay transitions involving ground state 539–543
  - electromagnetic transitions 535–539
  - equation of motion 491, 526
  - Ikeda sum rule 543–549
  - matrix 491, 526–529
  - properties of solutions 527
  - wave function 527
- pnTDA
  - beta-decay transitions 298–303
  - electromagnetic transitions 296–298
  - matrix and its diagonalization 289–292
  - wave function 296
- Polarization constant 124
- Primakoff–Rosen approximation 169
- Principal quantum number 49, 55
- Proton–neutron formalism (representation) 105
  - QRPA (*see* pnQRPA) 597
  - QTDA (*see* pnQTDA) 525
  - TDA (*see* pnTDA) 289
- Pure pairing interaction
  - definition 375, 376
  - seniority model 378–383
  - Two particles in many  $j$  shells 389–391
  - two-level model 383–388
  - two-particle spectrum 376, 377
- Quadrupole moment 37, 130
- Quasiboson approximation (QBA) 314, 322, 323, 325, 326, 358, 565–568, 578, 584, 606, 607, 611, 612, 619
- Quasiparticle
  - BCS 372, 395
  - energy 403, 405, 409–411, 422, 424, 426, 436, 502
  - excitations 405, 407
  - Hartree–Fock 40, 41, 75
  - mean field 405
  - representation of nuclear Hamiltonian 399, 400, 481–485
  - spectra 426–432
- Quasiparticle random-phase approximation (QRPA)
  - and EOM 310, 311, 560, 561
  - correlation matrix 561–564, 571–573
  - diagonalization of QRPA matrix 573–575
  - electromagnetic transitions to ground state 577–582
  - energy-weighted sum rule (EWSR) 581–583
  - equation of motion 561
  - gamma transitions between excited states 584–588

- properties of solutions 564–571
- vacuum 565, 569
- wave function 565
- Quasiparticle Tamm–Dancoff approximation (QTDA)
  - and EOM 310, 311, 486–490
  - collective states 511–514
  - electromagnetic transitions to ground state 508–514
  - equation of motion 490
  - gamma transitions between excited states 517–520
  - matrix 490, 494, 495, 498–500
  - non-energy-weighted sum rule (NEWSR) 515–518
  - properties of solutions 492, 493
  - wave function 492
- Racah symbol ( $W$  coefficient) 13
- Radial
  - integral 48–50, 124–126, 131, 215–217, 219
  - oscillator function 49, 50
  - quantum numbers 49
  - Schrödinger equation 48
  - Woods–Saxon function 48, 51
- Raising operators
  - angular momentum 4, 5, 26
  - isospin 105
- Random-phase approximation (*see* RPA) 314
- Realistic interactions 212
- Recursion relation for
  - Associated Laguerre polynomials 50
  - Clebsch–Gordan coefficients 20
  - radial integrals 126
- Reduced
  - one-body transition density 68
  - single-particle matrix element 68
  - transition probability 37, 118, 119, 131, 165, 192, 198
- Reduced matrix element
  - examples 30, 31, 34–36
  - for coupled tensor operators 33, 35
  - in coordinate space 29
  - in isospace 108
  - single-particle 68
  - symmetries 30
- Reduced or comparative half-life ( $ft$  value, *see* beta decay, electron capture) 166
- Reference nucleus 100, 426
- Renormalized
  - interaction 503
  - pnQRPA (pnRQRPA) 601
  - RPA (RRPA) 329
- Residual interaction 40, 80, 248–250, 399, 400, 481–485, 488
- Restricted summation 487, 560
- Rigid rotor 19
- Rosenfeld force 214, 215
- Rotations 23–25
- RPA (random-phase approximation)
  - and graphical solution 331
  - correlation matrix 317–320
  - degenerate model 333, 334, 357, 358
  - derivation of equations of motion 314–316
  - diagonalization 337–344
  - dispersion equation 331
  - electromagnetic transitions 346–362
  - energy-weighted sum rule 351–355
  - extreme collective model 348
  - ground state 324–326
  - matrix equation 316
  - one-level model solved 334–336
  - properties of solutions 320, 322–324
  - schematic separable model 329–331, 333, 355–357
  - wave function 314, 346
- Scalar (dot) product of
  - spherical tensors 32, 33, 35
  - two vectors 32, 36
- Schematic interactions 212, 213
- Schematic model
  - and isospin channels 258, 259
  - degenerate 257, 258, 281, 282, 333, 334, 357, 358
  - extreme collective 348
  - for particle–hole RPA 329–331, 333, 355–357
  - for particle–hole TDA 255–261, 280–283
  - for single  $j$  shell 409, 410, 438, 439
  - for two levels 383–388, 414–416, 445, 447

- for two particles in many  $j$  shells 389–391
- of Lipkin 387, 388, 410–415, 440–445
- of seniority 378–383
- with pure pairing force 374–377
- Schmidt lines 136
- Schrödinger equation
  - $A$ -nucleon 41
  - in matrix form 221–223
  - one-nucleon 41, 54
  - radial 48
- SDI (*see* surface delta interaction) 213
- Second quantization (*see* occupation number representation) 64
- Selection rules for
  - beta-decay transitions 165, 196, 203
  - electromagnetic transitions 121, 122
- Self-conjugate nucleus 276, 530
- Self-consistent
  - mean field 43
  - RPA (SCRPA) 329
- Self-energy 406, 410, 412, 421, 422, 424, 426, 434, 435, 439, 440, 442, 448
- Semi-magic nucleus 88
- Seniority model
  - comparison with BCS 410
  - comparison with LNBCS 439
  - definition of seniority 379
  - for  $0f_{7/2}$  shell 382, 383
  - spectra 379–382
- Separable interactions 213–217, 255, 329, 330
- Separation energy 86, 500, 502
- Serber force 215
- Shape function (*see* beta decay) 169
- Similarity transformation 25, 337–339
- Single-particle energy 54
  - estimate (Weisskopf unit) 130, 131
  - Hamiltonian 41, 46
  - matrix element 68
  - wave function 55, 66
- Six- $j$  ( $6j$ ) symbol
  - definition 12
  - explicit expressions 14, 15
  - special relations 14
  - symmetry properties 13
- Slater determinant 42, 57, 59, 60, 246, 247
- Spherical
  - component 27, 28
  - harmonic 25, 27, 36, 55, 56, 119, 121, 154, 213
  - nucleus 43
  - tensor operator 26
- spin- $\frac{1}{2}$  eigenspinor (*see also* isospinor) 56
- Spin-orbit
  - interaction 45–47, 62
  - partners 54, 547
- Spurious centre-of-mass motion 145, 276, 575–577
- Standard model (of electroweak interactions) 159, 160
- Stretched state 4, 20
- Sum rule
  - energy-weighted (EWSR) 351–355, 581–583
  - Ikeda 543–549, 614–618
  - non-energy-weighted (NEWSR) 269–273, 515–518
- Superallowed beta decay (*see also* beta decay) 172
- Superfluid 372
- Surface delta interaction
  - definition 213, 214
  - modified (MSDI) 220, 243
  - two-body matrix elements 217–220
- Symmetries of
  - beta-decay operators 202, 611
  - beta-decay single-particle matrix elements 167, 193, 197
  - electromagnetic single-particle matrix elements 124
  - two-nucleon interaction matrix elements 69, 211, 212, 417
- Tamm–Dancoff approximation (TDA)
  - and graphical solution 260, 261
  - and particle–hole matrix elements 248–252
  - degenerate model 257, 258, 281, 282
  - diagonalization of TDA matrix 262–267
  - electromagnetic transitions 267–283
  - matrix equation 254

- non-energy-weighted sum rule (NEWSR) 269–273
- properties of solutions 253, 254
- schematic model with isospin 258, 259
- schematic separable model 255–258, 280–283
- separable model with SDI 259–261
- wave function 253, 254
- Tensor
  - Cartesian 24
  - operator 26
  - product 32
  - spherical 26
- Thouless theorem 325, 569
- Three- $j$  ( $3j$ ) symbol
  - definition 9
  - special relations 10, 11
  - symmetry properties 10
- Time-reversal operator 403
- Transition
  - amplitude 68
  - probability 118–120, 131, 165, 170, 171
  - strength 515, 543
  - strength distribution 548–550, 615–617
- Triangular condition 7
- Triple-barred matrix element 108
- Two-body operator 69
- Two-hole nuclei
  - and beta-decay transitions 185, 189, 238, 239
  - and electromagnetic transitions 137, 139, 238, 239
  - eigenvalue problem 233, 235–237
  - isospin selection rules 151
  - matrix elements of Hamiltonian 233, 235
  - wave function 97, 226, 227
  - wave function with isospin 109–112
- Two-level model
  - application 388
  - BCS solution of 414–416
  - LNBCS solution of 445, 447
  - matrix elements 385–388
  - pair basis 383–385
- Two-nucleon interaction matrix element
  - antisymmetrized 69, 73
  - coupled 208–211
  - for MSDI 220
  - for SDI 217–220
  - relation to pairing interaction 376
  - relations between isospin and proton–neutron 211
  - symmetries 69, 211, 212, 417
  - uncoupled 69
  - with good isospin 210, 211
- Two-particle nuclei
  - and beta-decay transitions 182–189, 238–240
  - and electromagnetic transitions 137–141, 238–241
  - eigenvalue problem 221–223, 226–232
  - isospin selection rules 151
  - matrix elements of Hamiltonian 225, 226
  - wave function 93, 226, 227
  - wave function with isospin 109–112
- Two-phonon states 589–591
- Two-quasiparticle excitation 372, 405, 453, 469, 470
- Ullah–Rowe diagonalization method 337–344
- Uncoupled
  - basis 6
  - two-nucleon interaction matrix element 69
- Unfavoured allowed beta decay (*see also* beta decay) 172
- Unit basis vectors 24, 28
- Unitarity of  $6j$  symbols 14
- Unoccupation amplitude 396, 403, 436
- Vacuum
  - BCS 396
  - Lipkin–Nogami BCS 433
  - particle 65
  - particle–hole (Hartree–Fock) 74, 75
  - particle–hole RPA 324, 325
  - pnQRPA 598
  - QRPA 565
- Valence space 88
- Variational problem
  - and particle–hole RPA 315
  - and QRPA 560

- BCS 401–403
- for equations-of-motion method 308–311
- for particle–hole TDA 245–247
- for QTDA 487
- Hartree–Fock 42, 312–314
- Lipkin–Nogami BCS 435
- Vector (cross) product of
  - spherical tensors 33
  - two vectors 32
- Vector coupling coefficients (*see* Wigner  $nj$  symbols) 11
- Vector coupling constant 166
- Vibrational (collective) states in
  - closed-shell nuclei 273, 274, 350
  - open-shell nuclei 372, 511–514, 580, 581, 589–591
- Weak interaction
  - coupling constant 163, 164
  - currents 163, 164, 166
  - vertex 163
- Weisskopf single-particle estimate (unit) 130, 131
- Wick’s theorem 72, 78
- Wigner
  - $3j$  symbol and properties 9–11
  - $6j$  symbol and properties 11–15
  - $9j$  symbol and properties 15–19
  - $D$  function 25, 26
- Wigner–Eckart theorem 29
- Woods–Saxon
  - Hamiltonian 46, 47, 50
  - potential 44
  - wave functions 47, 48, 51



# Theoretical and Mathematical Physics

---

## **From Nucleons to Nucleus**

Concepts of Microscopic Nuclear Theory  
By J. Suhonen

## **Concepts and Results in Chaotic Dynamics:**

### **A Short Course**

By P. Collet and J.-P. Eckmann

## **The Theory of Quark and Gluon Interactions**

4th Edition  
By F. J. Ynduráin

## **From Microphysics to Macrophysics**

Methods and Applications of Statistical Physics  
Volume I  
By R. Balian

## **From Microphysics to Macrophysics**

Methods and Applications of Statistical Physics  
Volume II  
By R. Balian

---

### **Titles published before 2006 in *Texts and Monographs in Physics***

## **The Statistical Mechanics of Financial Markets**

3rd Edition  
By J. Voit

## **Magnetic Monopoles**

By Y. Shnir

## **Coherent Dynamics of Complex Quantum Systems**

By V. M. Akulin

## **Geometric Optics on Phase Space**

By K. B. Wolf

## **General Relativity**

By N. Straumann

## **Quantum Entropy and Its Use**

By M. Ohya and D. Petz

## **Statistical Methods in Quantum Optics I**

By H. J. Carmichael

## **Operator Algebras and Quantum Statistical Mechanics I**

By O. Bratteli and D. W. Robinson

## **Operator Algebras and Quantum Statistical Mechanics 2**

By O. Bratteli and D. W. Robinson

## **Aspects of Ergodic, Qualitative and Statistical Theory of Motion**

By G. Gallavotti, F. Bonetto and G. Gentile

## **The Frenkel-Kontorova Model**

Concepts, Methods, and Applications  
By O. M. Braun and Y. S. Kivshar

## **The Atomic Nucleus as a Relativistic System**

By L. N. Savushkin and H. Toki

## **The Geometric Phase in Quantum Systems**

Foundations, Mathematical Concepts, and Applications in Molecular and Condensed Matter Physics

By A. Bohm, A. Mostafazadeh, H. Koizumi, Q. Niu and J. Zwanziger

## **Relativistic Quantum Mechanics**

2nd Edition  
By H. M. Pilkuhn

## **Physics of Neutrinos**

and Applications to Astrophysics  
By M. Fukugita and T. Yanagida

## **High-Energy Particle Diffraction**

By E. Barone and V. Predazzi

## **Foundations of Fluid Dynamics**

By G. Gallavotti

## **Many-Body Problems and Quantum Field Theory** An Introduction

2nd Edition  
By Ph. A. Martin, F. Rothen, S. Goldfarb and S. Leach

## **Statistical Physics of Fluids**

Basic Concepts and Applications  
By V. I. Kalikmanov

## **Statistical Mechanics** A Short Treatise

By G. Gallavotti

**Quantum Non-linear Sigma Models**

From Quantum Field Theory  
to Supersymmetry, Conformal Field Theory,  
Black Holes and Strings  
By S. V. Ketov

**Perturbative Quantum Electrodynamics and  
Axiomatic Field Theory**

By O. Steinmann

**The Nuclear Many-Body Problem**

By P. Ring and P. Schuck

**Magnetism and Superconductivity**

By L.-P. Lévy

**Information Theory and Quantum Physics**

Physical Foundations for Understanding the  
Conscious Process  
By H. S. Green

**Quantum Field Theory in Strongly  
Correlated Electronic Systems**

By N. Nagaosa

**Quantum Field Theory in Condensed Matter  
Physics**

By N. Nagaosa

**Conformal Invariance and Critical  
Phenomena**

By M. Henkel

**Statistical Mechanics of Lattice Systems**

Volume 1: Closed-Form and Exact Solutions  
2nd Edition  
By D. A. Lavis and G. M. Bell

**Statistical Mechanics of Lattice Systems**

Volume 2: Exact, Series  
and Renormalization Group Methods  
By D. A. Lavis and G. M. Bell

**Fields, Symmetries, and Quarks**

2nd Edition  
By U. Mosel

**Renormalization** An Introduction

By M. Salmhofer

**Multi-Hamiltonian Theory of Dynamical  
Systems**

By M. Błaszak

**Quantum Groups and Their Representations**

By A. Klimyk and K. Schmüdgen

**Quantum** The Quantum Theory of Particles,  
Fields, and Cosmology

By E. Elbaz

**Effective Lagrangians for the Standard Model**

By A. Dobado, A. Gómez-Nicola,  
A. L. Maroto and J. R. Peláez

**Scattering Theory of Classical  
and Quantum  $N$ -Particle Systems**

By J. Dereziński and C. Gérard

**Quantum Relativity** A Synthesis

of the Ideas of Einstein and Heisenberg  
By D. R. Finkelstein

**The Mechanics and Thermodynamics  
of Continuous Media**

By M. Šilhavý

**Local Quantum Physics** Fields, Particles,  
Algebras

2nd Edition  
By R. Haag

**Relativistic Quantum Mechanics  
and Introduction to Field Theory**

By F. J. Ynduráin

**Supersymmetric Methods in Quantum  
and Statistical Physics**

By G. Junker

**Path Integral Approach  
to Quantum Physics** An Introduction

2nd printing  
By G. Roepstorff

**Finite Quantum Electrodynamics**

The Causal Approach  
2nd edition  
By G. Scharf

**From Electrostatics to Optics**

A Concise Electrodynamics Course  
By G. Scharf

**Geometry of the Standard Model  
of Elementary Particles**

By A. Derdziński

**Quantum Mechanics II**

By A. Galindo and P. Pascual

**Generalized Coherent States**

and Their Applications  
By A. Perelomov

**The Elements of Mechanics**

By G. Gallavotti

**Essential Relativity** Special, General,  
and Cosmological Revised

2nd edition  
By W. Rindler