

Index

A

ABC transporter, 45, 46
Abscisic acid (ABA), 316
Acetolactate, 16
Actinomycin D, 260
Agrobacterium tumefaciens, 8, 12, 15
Alexho, 307
Alexho synthetic, 306
Amylase, 350, 352, 354
Androgenesis, 128, 129, 132
Anther culture, 132, 137
Antisense, 83
Apomixis, 132
Association mapping, 173–190
Avidin, 93, 96, 100

B

Bacillus thuringiensis (Bt), 31–39
Beijing High Oil (BHO), 306, 307
BIBAC, 22
Bio-factory, 91
Biofuels, 358
Biomass, 95, 98, 99
Biomass compositions, 348, 355–357, 359
Biotechnology improvement
 commercialization, 73
 genes, 73, 75
 strategies, 75
Bt corn
 Bt1, 32
 DAS 59122, 32, 33
 economic benefit, 35–37
 environmental, 31, 33, 37–38
 herculex corn borer, 32
 herculex rootworm, 32, 33
 MON 810, 32

MON 863, 32, 33

TC1507, 32
yieldgard corn borer, 32, 36
yieldgard rootworm, 32, 33

Bundle sheath, 260, 337

C

Callus type I, 8, 9, 13
Carbon precursor, import of
 basal endosperm transfer layer, 310
 hexose metabolism, 310
 invertase, 310
 sucrose resynthesis, 310
Cellulose, 95, 98, 100, 355, 357, 358
Cellulose ethanol, 347–350, 355, 356, 358,
 360, 361
Centromeres, 243–245
Chromatin, 242
Chromosome expansion, 222–223
Chromosome number, 220
Chromosomes
 B chromosome, 245, 246
CODDL_e, 164, 166
Colchicines, 131, 132, 134, 137
Comparative safety, 115
Complex trait dissection, 173, 176, 187
Confinement
 risk, 99
 segregation, 99
Corn, 347–356, 359–361
Corn borer, 31–33, 36, 37
Corn fiber, 352, 353, 355
Corn rootworm, 31, 33, 36
Corn stover, 348, 349, 355, 359–361
Cytogenetics, 241–246
Cytoplasmic male sterile, 129

D

- D-amino acids, 17, 18
- Defective endosperm B-30 (De-B30)*, 276
- Deregulated, 98, 99
- DGAT, 314, 315
- Dihydrodipicolinate synthase, 80
- Direct delivery, 98, 99
- Distillers dry grains, 43
- DNA
 - amplification, 329, 331, 332
 - recombination, 329, 332, 333, 335
 - replication, 326, 329–332, 339
- Doubled haploid, 127, 129, 132–134, 136
- Drought tolerance, 56–62

E

- Embryo, 95, 96, 100
- Embryo culture, 132
- Endonuclease(s), 20, 21
- Endoplasmic reticulum, 309, 313–315
- Endosperm, 95, 96, 98, 100, 270–282
- Endosperm mutant
 - amylose-extender*, 295
 - dull1*, 294
 - miniature seed1*, 288
 - shrunken1*, 288
 - sugary2*, 294
- Ethanol, 287, 347–361
- Ethanol fermentation process, 348–352, 356–359, 361
- Ethanol process, 356
- Ethanol production
 - cellulose conversion, 348, 353
 - corn stover, 348, 349, 355, 359, 360
 - DDGS, 355, 359
- Expression profiling, 251–262

F

- Fatty acids, 303–305, 309–316
- Floury1 (fl1)*, 276–278
- Floury2 (fl2)*, 276–278
- Fluorescence-activated sorting, 255
- Fluorescence microscopy, 328, 329, 335
- Food risk, 118
- Food safety, 107, 110, 111, 113, 115–116
- Functional genomics, 67, 71
 - QTL, 71
 - RNA profiles, 71
 - transgenes, 71

G

- Gamete selection, 135–136
- Gene enrichment methods, 215–218
- Gene expression, 251–260, 262
- Genes, 57–63
- Genetic maps
 - IBM2, 236
 - IBM2 2005, 236
 - IBM Gnp2004, 236
 - ISU-IBM Map4, 236
 - ISU-IBM Map7, 236
 - neighbors, 236
- Genome, 252–254, 256–259
- Genomics, 57
- Germination, 46, 47
- Germplasm
 - centers, 197
 - CIMMYT, 198, 204–205
 - genetic, 197, 203, 205
 - Maize Genetics Cooperation Stock Center, 197–203, 205, 206
 - NCGRP, 198, 205, 206
 - North Central Regional Plant Introduction Station, 198, 203–206
- Globoids, 45
- Globulin1*, 80
- Globulins, 269–271, 278, 279
- Glycosylation, 93, 94
- GMO, 109, 110, 115, 117–121
- Grain composition, 303
- Grain yield, 65–75
 - kernel number, 67, 69, 72
 - N response, 71, 74
 - protein concentration, 70
 - without fertilizer, 74

H

- Haploids, 128–138
- Haplotype variation, 225–227
- Hetero-fertilization, 129
- High-density gene map, 218
- His-Asp phosphorelay pathway, 48, 49
- Histone, 242, 243
- Hybrid, 97
- Hybrid vigor, 3
- Hygromycin, 16

I

- Illinois high oil (IHO), 306, 307, 315, 317
- Inbreds, 97
- Inclusion bodies, 92

Indeterminate gametophyte, 129, 130
 Inositol polyphosphate kinases, 50

K

Kernel morphology, 304–306
 Kernel oil, effects of environment on
 drought, 305
 high plant density, 305
 high temperature, 305
 location, 305
 nitrogen, 305
 year of planting, 305

L

Laccase, 93, 95, 97, 100
 α -Lactalbumin, 86
 Laser-capture, 258
 Laser capture microdissection (LCM), 255,
 258, 259, 261
 Level of expression
 gene silencing, 97
 germplasm, 97
 Linkage disequilibrium, 173–190
 Low phytic acid, 41–44
 Lysine, 79–87, 273, 279–282
 Lysineketoglutarate reductase/saccharopine
 dehydrogenase, 80

M

Maize, 56, 57, 61, 62
 use of, 303
 Mannose, 17
 Mapping populations, 136
 IBM, 236
 RILs, 235–236
 Marker-assisted selection, 136
 Meristem, 10–13
 Mesophyll, 260, 337
 Microarrays
 dynamic range(s), 252–254, 261
 tiling, 253, 260
 Microdissection, 258
 Microspore culture, 132, 136, 137
 Milling
 dry, 351–353, 355
 wet, 351–353, 355
 Minichromosomes, 22, 242, 244–246
 Molecular markers, 4
 detection, 231, 232
 discovery, 234–235
 IDPs, 232–234, 236

RFLPs, 232, 233
 SNPs, 232–235
 SSLPs, 232
 SSRs, 232–234
 TGCE, 234
 utility, 231–232
 MPSS, 254, 261, 262
Mucronate (Mc), 276, 277
 Mutagenesis, of pollen
 assessment, 163
 conditions, 162
 pollen viability, 162–163
 Mutants, chromosome aberrations, 200, 202
 Mutant screening
 MTM, Biogemma's, 151, 152
 Bristol, 151–153
 Trait Utility System for Corn (TUSC), 151
 Mutation study, 136
Mutator RescueMu, 200
 Mycotoxins, 36
 Myo-inositol synthetic, 43

N

Neomycin, 16
 Nitrous oxide, 129, 134
 Nuclease protection, 253

O

Oil biosynthetic pathway
 acetyl-CoA, 309
 acetyl-CoA carboxylase (ACCase), 312
 acyltransferases, 314
 carbon precursors, 310–311
 cofactors, 311
 Δg^9 desaturase, 313
 diacylglycerol acyltransferase (DGAT),
 314, 315
 fatty acid synthase (FAS), 312
 glycolysis, 310, 311
 Kennedy pathway, 314
 β -ketoacyl-ACP synthases (KAS), 313
 plastidial transporters, 309
 plastid translocator, 311
 reducing equivalents, 311
 thioesterases (TEs), 313
 Oil QTL, 306–308, 317
 Oil storage
 oil bodies, 309, 315
 oleosin, 309, 315
 TAG, 305, 309, 315
Opaque 15 (o15), 276
Opaque2, 81–87

Opaque2 (o2), 276–282
Opaque2 modifiers (*mo2* genes), 279, 280
 Organelles, 92, 93
 Organogenesis, 8, 11–12
 Over-production of proteins, 91

P

Parthenogenesis, 128, 130, 132
 Particle, 12–15, 19, 21, 22
 Pentatricopeptide repeat (PPR), 336
 Pericycle, 259
 Phosphate
 fertilizer, 41
 inorganic P, 41–43, 46, 48, 50
 manure, 43
 seed, 42, 46, 50
 transporters, 48, 49
 Phosphinothricin acetyltransferase, 17
 Photosynthesis, 326, 335, 340
 Physiological processes
 N remobilization, 69
 N uptake, 67
 regulation, 70
 Phytase, 44, 46
 Phytic acid synthesis, 43–47, 49, 50
 Plastid
 chromosome(s), 325, 326, 339
 etioplasts, 335
 genetic engineering, 326, 337, 338
 genome, 325, 326, 330–333, 338, 339
 nucleoids, 334
 proplastids, 333, 334, 336
 rolling circle mechanism, 331
 transformation, 338–340
 Poly-embryony, 129
 Post-translational modifications, 93
 Precautionary principle, 110
 Processing
 extraction, 98
 milling, 98
 storage, 98
 Product examples, 100
 Prolamin, 270, 271, 273
 Promoter
 constitutive, 96
 globulin, 96
 inducible, 96
 seed preferred, 96
 35S, 96
 ubiquitin, 96
 zein, 96
 Protease cleavage, 92

Protein storage vacuoles, 44, 45, 269
 Protein synthesis, 94, 95
 Protoplasts, 13, 21, 255
 Pulsed-field gel electrophoresis (PFGE), 328, 329, 335

Q

Quality protein maize (QPM), 84, 279–282
 Quantitative trait locus, 137

R

Recombinant protein, 92, 94, 95, 97, 98
 Recombinase, 19
 Recombination
 homologous, 20, 21
 illegitimate, 20, 21
 Recurrent selection, 135, 138
 Regulations, 107, 109
 RNAi, 80, 83

S

Saccharification, 351–355, 358
 SAGE, 260
 Seed
 inorganic P, 41, 46
 total P, 41–43, 45, 47, 48, 50
 Seed protein
 globulins, 81
 zeins, 81
 Sequencing
 454, 235
 Solexa, 235
 SOLiD, 235
 Shotgun DNA sequencing, 214
 Signal sequence, 94
 SNP, 253, 256, 257, 259
 Somatic embryogenesis, 8–11
 Sorghum, 55–57, 59, 61, 62
 Spontaneous mutation, 127, 136
 Starch, 348–355, 357, 359–362
 amylase, 288, 293, 294, 297
 amylopectin, 288, 293–297
 phytylglycogen, 288, 297
 synthesis, 287–289, 291, 294, 296–298
 Stock 6, 129–131
 Stocks
 mutant, 201, 202
 recombinant inbred lines, 198, 200
 Storage protein, 95
 Substantial equivalence, 115

T

- Targeted resequencing (TRUMP)
 methodology, 168–169
- Teosinte, 7
- Tilling, 201
 EcoTILLING, 166–167
 pre-screening procedure, 166
 stocks, 166
- Transcription factor
 ABI3, 316
 FUS3, 316
 GLABRA2 (GL2), 316
 LEC1, 316
 LEC2, 316
 PICKLE, 316
 VIVIPAROUS1 (VP1), 316
 WRINKLED1 (WRI1), 316
- Transgenic crop, 107, 109–111, 113, 117–122
- Transgenic maize, 107, 109–111, 113,
 117–122
- Translocators, 309, 311
- Transposable elements, 143, 144, 146,
 215–217, 219
- Transposons
 activator, 144

- dissociation, 144
enhancer/suppressor-mutator, 144
mutagenesis, 144
mutator, 144
tagging, 144–146, 149–155

- Trifluralin, 131, 132
Trypsin, 93, 95, 96, 100

V

- Vaccine, 91, 94, 95, 98, 100

W

- WhiskersTM, 14

Y

- Yield, 3–6

Z

- Zein, 269–282
Zein reduction, 79, 81–86
Zymogen, 96