
Index

A

Abiotic factors in emergence, 8

Adaptation

SARS Coronavirus to humans, 3, 5, 7,
20, 34, 40, 60, 62, 92, 140,
326, 328, 337, 338, 380,
468, 481

zoonotic virus to a new host, 4–7, 16,
21, 408, 423

Adaptive radiation, 16, 94

Adenovirus, 42, 449

Aerosol, 5, 21, 122, 203, 205, 207, 225,
239, 276, 352, 407, 499

Africa, 162–172, 174–179, 181–188

African wild dogs, 12, 162, 175, 400

Aggression, 227, 230, 241

AIDS, 171, 173, 175, 326, 479, 480

Allpahuayo virus, 255–257

Amapari virus, 255–257, 264

Amblyomma americanum, 289–294,
296, 299, 304–306, 309–314

other pathogens, 310

range expansion, 304–306

as vectors of Ehrlichiae and
Borreliae, 293

Anaplasma phagocytophilum, 298, 311,
397, 452

Androgens, (testosterone), 224, 227,
228, 230

Animal-trade

animals, 491

cattle, 486

legislation banning, 416

pet, 10, 351, 352, 397, 416,
419, 469

wildlife, 410, 416, 468–470, 478,
479, 495

Anthrax, 392, 397

Anthropogenic factors in zoonotic
disease emergence

demography, 12, 87, 404

domestic animals, 11, 12

habitat modification and farming
practices, 11

modern medicine, 13–16, 355, 356

modern transport, 13

urbanization, 12, 13, 453

Antibiotics, priority for human-based
interventions, 406

Anticoagulants, 409, 421

Antivirals, priority for human-based
interventions, 406

Arbovirus, 310, 396

Arctic wolves, 400

Atypical pneumonia, 327

Australian bat lyssavirus (ABL),
discovery, 380, 392, 489

Avian Influenza, 55, 60, 72, 449, 469, 482,
see also Influenza virus A virus,
subtype H5N1

B

Babesia microti, 311

Babesiosis, 291, 310, 311

Badger (s), 197, 198

culling, 200, 201

vaccination, 409, 410, 413

Bangladesh, 115, 124, 125, 134, 138, 139,
142, 145, 151, 154, 380, 465,
480, 481

- Bank vole (*Myodes glareolus*), 220, 224
 Basic reproductive number (r_0), 36, 37
 Basic reproductive rate, 40, 59
 Bat virus ecosystems, 126
 Bats, 17, 19, 56, 115–118, 124, 126, 128, 139, 141, 144, 146, 147, 152, 161, 162, 165–168, 174
 chinese horseshoe, 20, 325, 326, 334, 340, 410, 420, 468, 481
 fruit bats, 125, 133, 134, 177, 363, 371, 372, 374–376, 382, 383, 480
 horseshoe bats, 334–336, 340, 481
 pteropid bats and henipaviruses, 13, 116, 117, 123, 125, 126, 134, 142, 412, 480
 reservoir host for Australian bat lyssavirus (ABL), 92, 183, 380, 392
 reservoir hosts for rabies virus, 19, 44, 93, 162, 163, 176, 177, 179, 180
 reservoir hosts for SARS Coronavirus, 5, 20, 56
 vampire bats, 421
 Bear Canyon virus, 255–257, 264, 266
 Binomial distribution, 40–42
 Biosafety, 499, 500
 Biowarfare, 238
 Birds
 domestic, 72, 73, 77, 142, 402, 410–412, 422
 ducks and influenza subtype H5N1, 424
 migration, 10, 72, 73, 422, 469
 poultry, 71, 72, 74
 waterfowl and shorebirds, 71–73, 395, 399, 401, 402, 413, 421, 422
 wild, 10, 12, 70–76, 395, 422, 423, 448, 453, 455
 Black creek canal virus, 222, 228, 230, 233
 Blood transfusion, 13, 15, 102, 105, 486
Bordetella pertussis, 42
Borrelia burgdorferi, 98, 291, 298, 309, 311, 413
Borrelia lonestari, 290, 292, 294–299, 309
 Bovine tuberculosis (TB), 89, 96, 197, 199, 200, 205, 210, 397, 449, 492, *see also Mycobacterium bovis*
 culling, 409, 410
 transmission, 196, 197, 199, 200, 203, 206
 BSE, 397
 culling strategies, 410, 411
 public health vs. veterinary health, 485, 486, 488
Bunyaviridae, 218, 221, 269
 Bushmeat, 105, 354, 371, 381, 464, 467–469
 C
 Case acquisition, 447
 carcass persistence, 448
 convenience sampling, 449
 cross-sectional study, 449
 disease discovery, 449
 public reporting, 448
 submissions, 448
 Case-control study, 122, 125
 Cathepsin, 127
 Cattle, 88, 92, 96, 102, 136, 166–168, 196, 197
 products, 416, 486
 Cell receptors, 55, 58, 60, 94
 Chain binomial, 37, 40
 Chemokines
 Ccl5, 235, 237
 Cxcl10, 235, 237
 Chickens, 401, 402, 411–413, 422, 497
 culling, 411–413, 420, 421
 vaccination, 410, 412, 413, 415, 416
 Chimpanzee, 21, 92, 368, 370
 China, 13–15, 70, 72, 218, 326, 328, 330, 332–337, 410, 420
 Chinese ferret badger, 328, 332, 410
 Classical swine fever virus, 40
 Clinical
 Hendra virus, 135
 Nipah virus, 136, 145
 Confirmed cases of disease, 308

- Conservation, 399, 400, *see also*
 Specific species
- Contact rate, 6, 99, 103, 374
- Coronavirus, 95, 98, 326, 328, 336,
 481, 489
- Coxiella burnetii*, 310
- Critical community size, 87
- Cross-species transmission, 3, 4, 6, 7, 14,
 16, 20, 22, 53, 55, 56, 58–61, 91,
 337, 352, 407, 408
 defined as spillover, 3, 6, 337
 process, 3, 4, 6, 7
 species jumps, 58, 89, 92, 94, 104, 105
 spillover of rabies to domestic
 animals, 117
- Cryptosporidium parvum*, 42
- Culling, 409–411, *see also* Badgers; Bovine
 TB, BSE; Public health; Rabies,
 Raccoons; SARS Coronavirus
- Cupixi virus, 255–257, 264
- D**
- Data
 denominator, 395, 452
 negative, 452, 453
- Deer mice (*Peromyscus maniculatus*), 44,
 222, 223, 228–230, 233, 239,
 240, 291
- Dengue virus, 19, 57, 59
 sustained human to human
 transmission by vectors, 19,
 57, 59
- Diagnostic tests, 450
 field performance, 451
 sensitivity, 451
 specificity, 451
 validation, 452
- Dogs, 10, 12, 59, 69, 92, 94, 118,
 120, 123, 124, 136, 138, 142,
 366, 369
 dogs and rabies, 415, 416
- Domestication, 11, 87, 88
- Duiker, 367, 382
- Duvenhage virus, 176, 182
- E**
- Eastern equine encephalitis virus
 (EEE), 396
- Ebola virus, 42, 56, 98, 103, 364, 369, 371,
 377, 383, 400, 464
- Ebola virus-Sudan, 42
- Ehrlichia canis*, 308
- Ehrlichia chaffeensis*, 290, 292–299, 305,
 306, 314, 315, 456
 in white-tailed deer, 298, 456
- Ehrlichia ewingii ehrlichiosis*,
 290–292, 308
- Ehrlichia ewingii*, 290–299, 308, 309, 311
- El Nino Southern Oscillation (ENSO)
 factor in emergence, 8, 223
- Emergence, 2–18, 61, 88, 90, 96, 104, 114,
 260, 291, 336, 357, 383
- Hendra virus, 134–137, 140
- I. scapularis*- *A. americanum*-
 transmitted zoonoses, 290–296,
 299, 304, 311, 312
- Lyme disease, human babesiosis, and
 HGA, 290, 291, 310
 modifying factors, 6–8, 14
- Nipah virus, 137–140, 147
- pathogen characteristics, 391
 process defined, 2, 3, 6, 17, 18, 21
 schematized representation (Fig. 1), 6, 7
 zoonotic viruses, 2, 3, 8, 11, 18, 21, 334,
 336, 340, 411
- Emerging Infectious Diseases (EIDs), 87,
 106, 464, 478, 479, 488, *see also*
 Lyme disease
- EMPRES, 492
- “Endemic”, 19, 37, 73, 74, 138, 145,
 166–168, 277, 307, 355, 469
- Ephrin b2, 126, 127
- Estimated number of wild turkeys
 (*Meleagris gallopavo*), 312, 313
- Estrogens (estradiol), 224, 230
- Ethiopian wolves, 12, 162, 165, 175
- Evolution
 to new host, 5, 9, 11
 virulence, 5, 9, 53, 54, 61, 62, 68, 69, 93

- Experimental infections, 116, 117, 122, 142, 451, 452, 454, 457
of cats, 123
Export bans, 411, 486
Extinction, 7, 12, 162, 165, 347, 415, 469
- F**
F protein, 127, 467
FAO, 394, 423, 470, 483, 489, 492, 496
Fitness, 6, 9, 52, 55, 61, 63, 268, 346
 hantaviruses and hosts, 4
Flavivirus, *see also* Specific viruses
Flexal virus, 255–257, 264
Foot and mouth disease, 94, 418, 419
Force of infection, 35
Francisella tularensis, 310
- G**
Gabon, 365–370, 374, 375, 494
Genetic drift, 52, 54
Genetic modification, 408
Genomic constraints, 93
GLEWS, 497
Glucocorticoids, 232
GOARN (Global Outbreak Alert and Response Network), 491, 493
Gorilla, 367, 368, 370, 371
Group 2b coronaviruses, 336
Guanarito virus, 255–257, 260, 264, 276
- H**
Habitat change, 97
 abandonment of farmland, 301
 farmlands to forests, 300
 hardwood forests, 299–301
 logging, 301
 longleaf pine (*Pinus palustris*), 300
 loss of habitat, 301
Hantaan virus, 218, 232, 236, 238
Hantavirus pulmonary syndrome (HPS), 4, 218, 220, 222, 236, 393
Hantaviruses
 SNV and HPS, 4, 8, 17, 218–223, 234–238, 339, 393, 394, 398, 399
 Person-to-person spread, 125, 139
Heat shock protein
 Hsp70, 232, 236
Helper T cell type 1 (Th1), 237
Helper T cell type 2 (Th2), 237
Hemorrhagic fever with renal syndrome (HFRS), 4, 218–220, 222, 236
Hendra virus, *see also* Henipaviruses
Henipaviruses
 Hendra virus, 115, 118, 119, 126, 135, 137, 141–143, 147, 149, 151, 152
 Nipah virus control by culling, 3, 115, 118, 119, 126, 134, 137, 141–143, 145–147, 151, 411, 420
Hepatitis, 56, 57, 92
Herpesvirus B, 4
Heterakis gallinarum, 40
H_p, defined as intermediate host population, 4, 407–408
Highly pathogenic avian influenza, 482–484, 491, 492, 494
Hispid cotton rats (*Sigmodon hispidus*), 222, 228–230, 233
HME, 290–292, 296, 306–308
Horizontal transmission, 116, 117, 142, 150, 203, 272, 483
Horses, 11, 68, 69, 115, 118–120, 124, 136–138, 140
 Hendra virus infection, 119, 134
Host
 dead end, 196
 maintenance, 196, 199, 203
 range, 69, 86, 90, 91, 94, 95, 149, 180, 185, 347, 348
 spillover, 196, 207
 switching, 94, 105
Host-parasite co-evolution, 228
H_R, 420
H_R, defined as reservoir host population, 7, 408
H_S, 420
H_S, defined as secondary host population, 6, 7, 408
Human granulocytic anaplasmosis (HGA), 290, 311

- Human host, 5, 7, 20, 21, 97, 124, 140, 153, 328, 338, 354–357, 415, 419, 465, 468
- Human Immunodeficiency Virus (HIV), 5, 7, 9, 17, 22, 37, 60, 89, 423
adaptation to a new host, 421
origins of HIV-1, 21, 57, 89, 90, 464, 465, 467
origins of HIV-2, 21, 22, 57, 89, 90, 421
RNA virus, 45, 53, 56, 63, 93, 162, 269
- Human monocytic (or monocytotropic) ehrlichiosis (HME), 290
national surveillance data, 306
- Human-animal interactions, implications for surveillance, 405
- Hunter-gatherer communities, 87
- H_v and mosquito and ticks, 10
- H_v , defined as vector host population, 4, 408
- I**
- IHR (International Health Regulations), 490, 491, 493
- Immune barriers, 412–415
contraception, 408, 411, 412
- Immunity, 69, 86, 87, 146, 184, 225, 233, 237, 238, 241, 355, 382, 408, 415, 456
- Immunosuppression, 13, *see also* Immunity
- Impact
ecological, 489
economic, 479, 480, 482, 484, 491, 501
psychosocial, 479
social, 491, 500
unintended, 485
- Incubation period (δ), 35, 39, 125
- Infectious period (γ), 6, 35, 38–40, 43, 87
- Infectiveness, 34, 36
- Influenza A virus, 60, 68–76, 98, 413, 449, 464, 497
permissive cell type, 21
preparations for pandemic, 421, 422
reassortment, 9
reservoir hosts, 71, 73, 77, 395, 401, *see also* Birds
subtype H5N1, chickens and culling, 3, 72, 77, 92, 401, 411, 422, 482–484, 491, 497
subtype H7N3, 411
subtype H9N2, 497
surveillance for, 394, 395
transmission, 59, 61, 407
vaccination, 412
- Insectivorous bats, 141, 186, *see also* Bats
- Integrins, 221, 235
- Interferons
IFN α , 234, 237
IFN β , 234, 237
IFN γ , 230, 234, 237, 238
- Invasion biology, 16
- Investigation
Hendra virus, 137, 141
Nipah virus, 141, 142, 145
- Ippy virus, 255–258, 260, 263
- Isolations, 72, 116, 117, 151, 177, 179, 180
- J**
- Japanese encephalitis virus, 10, 137, 380, 412, 414
- Junin virus, 255, 256, 260, 264, 274
- K**
- Key transitions, 87
- Koch's postulates, 391
- Kudu, 168, 169, 175
- L**
- Lagos bat virus, 176, 183, 184
- Lassa virus, 254–257, 260, 263, 268, 272, 277–279
- Latent period (τ), 35, 39
- Latino, 255–257, 264
- Legislation, *see also* Public health, animal-trade
- Leporipoxviruses, 347
- List A and B agents, (OIE), 396, 397

- Livestock, 478–481, 483–485, 488–490, 492, 494–496, 500, *see also* Specific names
 culling, 127, 410, 411
 surveillance of (USDA), 396, 397, 399
- Lone star tick infestations, 290, 293, 295, 296, 298, 304, 305, 308–310, 313
- Lone star tick, *see Amblyomma americanum*
- Lyme disease, 146, 290, 291, 304, 309–312, 413, 470
- Lymphocytic choriomeningitis virus, 253–256, 273, 274
- Lyssavirus*, 19, 162, 163, 167, 176, 177, 180–187, *see also* Specific viruses
- M**
- Machupo virus, 255–257, 260, 264, 275
- Maintenance, 19, 52, 72, 115, 141, 147, 149, 174, 187, 196, 203, 207, 223, 398, 404, 407
- Major histocompatibility complex (MHC), 58
- Malaysia, 115, 118, 120, 123, 124, 127, 137, 139, 141, 411, 419
- Management
 Hendra virus, 135, 149–151
 Nipah virus, 142, 150, 151
- Marburg virus, 167, 187, 364, 375–378, 381, 489
- Masked palm civet, 5, 20, 92, 140, 325, 327, 328, 330, 332–334, 339, 420, 421, 468
- Masters disease, 309
- Maternal immunity (antibody), 233
- Measles, 37, 57, 87, 92, 152, 355, 465
- 6-methoxy-2-benzoxazolinone (6-MBOA), 224
- Minimum infectious dose, 117
- Mobala virus, 255–257, 263
- Mokola virus, 161, 163, 174
- Molecular epidemiology, 45, 56, 328, 329, 335, 338, 481, 495
- Molecular pathogenesis, 118, 126, 127
- Monkeypox viruses, 3, 42, 347, 349–356, 416
 historic observations, 349
 human transmission, 351
 potential evolution of virus, 349, 356
 potential for new enzootic cycles, 351
 recognition of clades, 350
 U.S. outbreak, 350–353
- Mopeia virus, 255–257, 259, 263, 268
- Mosquito, 10, 11, 16, 19, 55, 59, 269, 412, *see also* Vectors
Flavivirus reassortment, 19, 380
 translocation and zoonotic disease
 emergence, 4, 6, 8, 10, 11, 14, 34, 88, 98, 103, 106, 187
- Multiple hosts, 90
- Mutation rates, 9, 18, 63, 93
- Mx proteins
 Mx2, 232, 234
 MxA, 232, 234
- Mycobacterium bovis*, 197–202, *see also* Bovine tuberculosis
- Myxoma virus rabbit hosts, 346
- N**
- National case counts, 307
- Natural predators, 202, 303
- Natural selection, 52, 54, 59, 268
- Neisseria meningitidis*, 42
- Nephropathia epidemica, 222
- Neutralizing antibody, 237
- Nipah virus, 105, 114, 115, 120–123, *see also* Henipaviruses
- Nitric oxide, 236
- Noninvasive sampling, 45
- Norwalk-like virus, 42
- Norway rats (*Rattus norvegicus*), 219, 222, 224, 227–230, 233
- O**
- OIE, 470, 482, 485, 491, 496
- Oliveros virus, 255–257, 264
- Opportunities for transmission, 118

- Orthopoxviruses
 future potential pathogenic disease, 357
 host range patterns, 347
- P**
- Palm civets, *see* Masked Palm civet
- Pampa virus, 255, 257, 261, 264, 275
- Pandemics, 59, 69, 72, 479, 484
 influenza virus adaptation to a new host, 69–72, 479
 prerequisites for, *see* Transition stages in zoonotic disease emergence
- Panola Mountain *Ehrlichia* (PME), 310
- Parana virus, 255–257, 264
- Parapoxvirus-like virus squirrel hosts, 346, 347
- Passive integrated transponder (PIT) tags, 44
- Pathogen taxonomy, 91, 92
- Pathogenesis and pathology
 Hantaviruses, 229, 230, 232, 233, 238
 reservoir host vs secondary host, 3–4
 SARS Coronavirus, 3, 5, 7, 10, 13–15, 20, 21, 34, 36, 40, 56
- Pertussis, 39, 42
- Pet-trade, *see* Animal-trade
- Phocine distemper virus, 94, 151
- Phylogenetic analysis, 45, 52, 69, 140, 151, 171, 181, 182, 259, 270
- Phytoestrogen, 224
- Pichinde virus, 255–257, 264
- Pigs, 11, 75, 92, 114, 115, 117, 118, 122–124, 126
 culling, 411, 420
 Nipah virus infection, 120
 vaccination, 412
- Piritral virus, 255–257, 264
- Plasmodium falciparum*, 35
- Polymorphism, 199, 206, 207, 209, 237, 240
- Population declines, 19, 301, 446
- Possum, 202
 culling, 204
- Poxviruses, 345–355
- Precipitation, 223, 239
- Pregnancy, 117, 149, 376
- Proinflammatory cytokines, 233
- Pteropid bats, 13, 116, 117, 123, 125, 126, 142, 412, 480,
 see also Bats
- Public health, *see also* Case acquisition
 case-isolation, contact tracing, 407
 interventions for BSE, 410, 411
 interventions for rabies, 402
 interventions for SARS, 407
 legislation, 415, 416
 priorities for human-based interventions, 406, 407, 417, 418
 quarantine, 415, 416
 targets and types of interventions for wildlife (Fig. 2), 407–409
- Q**
- Quarantine, *see* Public health
- Quasispecies, 21, 277
- R**
- R_0 , basic reproduction potential of infection, 6, 16
 evolution above unity, 7, 9, 22
 HIV, 22, 37
 SARS Coronavirus, 15, 36
- Rabies virus
 culling, 409
 direct transmission, 144, 149, 203
 endangered species, 414
 surveillance for, 402–406
 transmission dynamics, 19, 60
 transplant, 13, 16, 105, 308, 312
 vaccination of wildlife (ORV), 412–415
- Rabies, 162–174
- Raccoon dog, 328, 330, 332, 410
- Raccoons, 402, 403, 412
- Radio transmitters, 44
- Rat, 276, *see also* Norway rat
- Rate of contact, 35, 43, 57, 98, 468

- Recombination, genetic, 7, 9, 14, 15, 18–20, 22, 53, 61, 62, 93, 97, 268, 269, 421
 Flavivirus, 19
 SARS Coronavirus, 20
- Reassortment, 9, 61, 69, 73, 74, 267–269, 271
- Research
 biological considerations, 455
 epidemiologic, 454
 experimental, 457
- Reservoirs, 34, 56, 68, 69, 71, 72, 74, 88, 89, 95
- Reston virus, 375–379
- RFLP, 199, 206, 207
- Rhabdovirus, 165
- Rhinolophus, *see* Bats,
 Chinese horseshoe
- Rickettsia amblyommii*, 310
- Rickettsia parkeri*, 310
- Rickettsialpox, 392, 393
- Rift Valley fever virus, 8
- Rinderpest virus, 35
- Risk
 analysis, 489, 491
 animal health emergencies, 478
 assessment, 485, 486, 488, 489, 498, 499, 501
 beef products, 486, 487
 bovine offal, 485
 communication, 493
 Hendra virus, 134, 141, 145–149
 human health, 479, 483, 489, 492, 499
 import, 484–486
 laboratory, 498–500
 Nipah virus, 138–140
 occupations, 495
 of exposure, 479
 pandemic influenza, 483, 484
 reduction, 478–489, 491
 scrapie, 484, 485
 settings, 494, 495
 spillover, 489
 transmission, 481, 487, 497
 TSE, 488
- Risk factors, 89, 96–98, 100, 103, 141, 143, 145, 149
- RNA viruses, 45, 53–56, 58, 62, 63, 91, 93, 114, 162, 221, 254
 properties and role in emergence, 8, 9, 18
- Rocky Mountain spotted fever, 290
- Rodent population density, 275
- Ross River virus, 8
- Rousettus leschenauti*, 337
- S**
- Sabia virus, 255–257, 260, 264, 277
- Saint Louis encephalitis virus (SLEV), 374
- Samplers, 98–104
- SARS Coronavirus (SARS-CoV), 10, 20, 21, 34, 36, 40, 56, 60, 92, 102, 325–335, 337–340, 407, 410, 416, 417, 420, 468, 481
 recombination, 7, 61, 62
 reservoir host, 3, 7, 125, 140, 331, 334, 335
 sustained human to human transmission, 5, 7, 9, 18, 20, 89, 330, 338
- Secondary attack rate, 38, 40–42
- Secondary infections, 36, 38, 39, 330, 352
- Sentinel, 105, 306, 311, 348, 354, 392, 393, 396, 423, 495,
see also Surveillance,
 sentinel-based
- Seoul virus, 222, 225, 227–230, 232, 233, 236, 237
- Serological studies, 115, 124, 125, 136, 180, 369
- Severe acute respiratory syndrome (SARS), 3, 5, 7, 10, 13–15, 20, 21, 34, 36, 40, 56, 60–62
- Sex differences, 230, 232
- Sexual maturity (puberty), 229
- Sexually transmitted disease, 40
- Shorebirds, *see also* Birds
- Simian foamy virus (SFV), 45, 54

- Simian immunodeficiency virus (SIV), 7, 14, 22, 45, 279, 421, 465, 480
chimpanzee origin of HIV-1, 21, 92
reservoir hosts, 3, 22
sootey manglebe origin of HIV-2, 21, 57
- Sin Nombre virus, 44, 218, 222–224, 228, 230, 233, 237–240, 446
- Smallpox evolution
evolution as human agent, 355–357
human transmissibility, 355, 356
prototypic zoonotic potential, 356
- Southern tick-associated rash illness (STARI), 290–292, 309–311, 315
- Spatial spread, 45
- Species diversity, effects on zoonotic disease emergence, 421
- Species Jumps, *see* Cross-species transmission
- Spillover, *see* Cross-species transmission
- Spoligotyping, 199, 209
- Spreader, 98, 104, 105
- Surveillance, 479, 482, 484–486, 489–493, *see also* Case acquisition
active, 449, 450
animal-based, 399–402
case-based, 493
event-based, 493
human-based, national notifiable disease surveillance system (NNDSS), 393, 395, 400, 401
infrastructure to conduct animal-based surveillance, 399, 401–406, 447, 453, 454
laboratory, 495, 496
livestock-based, 396, 397, 399, 401
methods used for zoonotic diseases, 393
mortality, 494
passive, 447–449
pathogen, 491
population-based, 395, 396, 399
rabies, 403–406, 454
risk-based, 494, 495
sentinel-based, 105, 306, 311, 348, 354, 392, 393, 396, 423, 495
syndromic surveillance for anthrax-rickettsialpox, 392
veterinary medical vs public health, 400
wildlife-based, 396, 397, 403, 407
- Surveys
long-term and longitudinal, 398, 399
short-term, 397, 398
- Susceptibility, 9, 53, 74, 75, 98–100, 104, 118, 122
- Susceptible host, *see* H_s
- Swine, *see* pigs
- Symptomatic period (σ), 35, 39
- T**
- Tacaribe virus, 253–257, 262, 264
- Tamiami virus, 255–257, 264, 266
- Temporal associations, 298
- Terrestrial Code, 491, 492
- Tick-bite records, 304
- Ticks, 19, 290, 291, 293–296, 298, 304, 305
- Tissue tropisms, 119
- Trade, *see* Animal-trade
- Transition stages in zoonotic disease emergence
prerequisite for emergence, 4
prerequisite for pandemic emergence, 4, 5
schematized representation, 6, 7
- Translocation
extrinsic biotic factor, 10
infected reservoir or secondary host species, 3, 374, 382, 383, 419
infected vector species, 3
legislation prohibiting, 415, 416
rabies, 416
- Transmissible spongiform encephalopathy (TSE)
BSE (bovine spongiform encephalopathy), 484, 492
chronic wasting disease, 487, 488

- Transmissible spongiform encephalopathy (TSE) (*Continued*)
- Creutzfeldt-Jakob disease, 415, 485, 486
 - prion, 484, 485, 488
 - scrapie, 484, 485
 - transmissible mink encephalopathy, 487
 - vCJD (variant Creutzfeldt-Jakob disease), 486–488
- Transmissions, 70
- Hantaviruses, 233, 238, 239
 - Hendra virus, 142–144
 - Nipah virus, 142, 145
 - probability, 6, 34, 36–38, 40–42
 - rate, 34, 39, 40
 - SARS Coronavirus, 5, 7, 14, 15, 34, 40, 56, 326, 380, 464, 468
 - social behavior, 225
 - sustained with adaptation to new host, 5, 7, 15, 16, 21, 58–60, 94, 336–338
- Transplants and zoonotic disease emergence, 13–15, 392–395
- Treatment post-exposure for rabies, 187
- Trophic cascade theory, 8, 223, 239, 240, 399
- Tropism, 55, 93, 116, 119–121, 126, 480
- TSE, *see* Transmissible spongiform encephalopathy
- Tumor necrosis factor, 230, 233, 234, 237
- U**
- United Nations Food and Agriculture Organization, 483
- Urbanization, *see* Anthropogenic factors in zoonotic disease emergence
- V**
- Vaccines, 406
- influenza A, 394
 - priority for human-based interventions, 406
 - wildlife, 403, 412–415, 423
- Vaccinia-like viruses, 412–415
- distribution, 348
 - reservoir potential, 348, 349
- Vampire bats, *see* Bats
- Variables
- age, 450
 - scale, 456, 457
 - spatial, 450, 456, 457
 - temporal, 450, 456
- Vectors, *see* H_v and mosquito and ticks
- Vertebrate reservoir host, 311
- Veterinary public health, 402, *see also* Public health
- Viral persistence
- Hantaviruses, 221, 224, 227, 232
- Virulence influenza subtype H1, 422
- Virulence, 9, 183, 184, 329, 369, 422, 457, 496
- Virus evasion, 238
- VNTR, 199
- W**
- Waterfowl, 71, 72, *see also* Birds
- Weather
- abiotic factor in emergence, 8
 - drought, 8, 364
 - rainfall, 8, 399
- West Nile virus, 3, 89, 95, 98, 447, 469, 470, 488, 494
- transmission dynamics, 19
 - transplant, 13
- Western equine encephalitis virus (WEE), 8, 396, 414
- Wet markets, 13, 14, 410, 468
- White-footed mouse, *Peromyscus leucopus*, 146, 219, 222, 311, 413, 470
- White-tailed deer (*Odocoileus virginianus*), 196, 397, 448
- contemporary range extensions, 305
 - feeding, 206–208
 - geographic distribution, 115, 305
 - as Hosts for *A. americanum*, 291
 - hunting, 301

-
- White-tailed deer (*Odocoileus virginianus*) (*Continued*)
population attributes, 290, 296, 298, 299, 301–303, 308, 310, 312, 314, 315, 399
as Reservoirs of Ehrlichiae and Borreliae, 296–299
vehicle collisions, 303
- Wild turkey (*Meleagris gallopavo*), 312, 313
- Wildlife, 2, 4, 12–14, 17, 34, 36, 38, 43, 45, *see also* Individual names and surveillance
- Withewater Arroyo virus, 255–257, 264, 266, 270, 271
- World Health Organization (WHO), 410, 417, 422, 470, 482–484, 490, 491, 493, 495–499
- Wounding, 225–227
- Y**
- Yellow fever virus
sustained human to human
transmission by vectors, 5, 19, 57
- Z**
- Zoonoses, 17, 86, 88–91, 94–98, 104–106
- Zoonotic diseases, 8, 95, 96, 103, 392–395, 470, 471, 497

Current Topics in Microbiology and Immunology

Volumes published since 1989 (and still available)

Vol. 271: **Koehler, Theresa M. (Ed.):** Anthrax. 2002. 14 figs. X, 169 pp. ISBN 3-540-43497-6

Vol. 272: **Doerfler, Walter; Böhm, Petra (Eds.):** Adenoviruses: Model and Vectors in Virus-Host Interactions. Virion and Structure, Viral Replication, Host Cell Interactions. 2003. 63 figs., approx. 280 pp. ISBN 3-540-00154-9

Vol. 273: **Doerfler, Walter; Böhm, Petra (Eds.):** Adenoviruses: Model and Vectors in Virus-Host Interactions. Immune System, Oncogenesis, Gene Therapy. 2004. 35 figs., approx. 280 pp. ISBN 3-540-06851-1

Vol. 274: **Workman, Jerry L. (Ed.):** Protein Complexes that Modify Chromatin. 2003. 38 figs., XII, 296 pp. ISBN 3-540-44208-1

Vol. 275: **Fan, Hung (Ed.):** Jaagsiekte Sheep Retrovirus and Lung Cancer. 2003. 63 figs., XII, 252 pp. ISBN 3-540-44096-3

Vol. 276: **Steinkasserer, Alexander (Ed.):** Dendritic Cells and Virus Infection. 2003. 24 figs., X, 296 pp. ISBN 3-540-44290-1

Vol. 277: **Rethwilm, Axel (Ed.):** Foamy Viruses. 2003. 40 figs., X, 214 pp. ISBN 3-540-44388-6

Vol. 278: **Salomon, Daniel R.; Wilson, Carolyn (Eds.):** Xenotransplantation. 2003. 22 figs., IX, 254 pp. ISBN 3-540-00210-3

Vol. 279: **Thomas, George; Sabatini, David; Hall, Michael N. (Eds.):** TOR. 2004. 49 figs., X, 364 pp. ISBN 3-540-00534X

Vol. 280: **Heber-Katz, Ellen (Ed.):** Regeneration: Stem Cells and Beyond. 2004. 42 figs., XII, 194 pp. ISBN 3-540-02238-4

Vol. 281: **Young, John A. T. (Ed.):** Cellular Factors Involved in Early Steps of Retroviral Replication. 2003. 21 figs., IX, 240 pp. ISBN 3-540-00844-6

Vol. 282: **Stenmark, Harald (Ed.):** Phosphoinositides in Subcellular Targeting and Enzyme Activation. 2003. 20 figs., X, 210 pp. ISBN 3-540-00950-7

Vol. 283: **Kawaoka, Yoshihiro (Ed.):** Biology of Negative Strand RNA Viruses: The Power of Reverse Genetics. 2004. 24 figs., IX, 350 pp. ISBN 3-540-40661-1

Vol. 284: **Harris, David (Ed.):** Mad Cow Disease and Related Spongiform Encephalopathies. 2004. 34 figs., IX, 219 pp. ISBN 3-540-20107-6

Vol. 285: **Marsh, Mark (Ed.):** Membrane Trafficking in Viral Replication. 2004. 19 figs., IX, 259 pp. ISBN 3-540-21430-5

Vol. 286: **Madhus, Inger H. (Ed.):** Signalling from Internalized Growth Factor Receptors. 2004. 19 figs., IX, 187 pp. ISBN 3-540-21038-5

Vol. 287: **Enjuanes, Luis (Ed.):** Coronavirus Replication and Reverse Genetics. 2005. 49 figs., XI, 257 pp. ISBN 3-540-21494-1

Vol. 288: **Mahy, Brain W. J. (Ed.):** Foot-and-Mouth-Disease Virus. 2005. 16 figs., IX, 178 pp. ISBN 3-540-22419X

Vol. 289: **Griffin, Diane E. (Ed.):** Role of Apoptosis in Infection. 2005. 40 figs., IX, 294 pp. ISBN 3-540-23006-8

Vol. 290: **Singh, Harinder; Grosschedl, Rudolf (Eds.):** Molecular Analysis of B Lymphocyte Development and Activation. 2005. 28 figs., XI, 255 pp. ISBN 3-540-23090-4

Vol. 291: **Boquet, Patrice; Lemichez Emmanuel (Eds.):** Bacterial Virulence Factors and Rho GTPases. 2005. 28 figs., IX, 196 pp. ISBN 3-540-23865-4

Vol. 292: **Fu, Zhen F. (Ed.):** The World of Rhabdoviruses. 2005. 27 figs., X, 210 pp. ISBN 3-540-24011-X

Vol. 293: **Kyewski, Bruno; Suri-Payer, Elisabeth (Eds.):** CD4+CD25+ Regulatory T Cells: Origin, Function and Therapeutic Potential. 2005. 22 figs., XII, 332 pp. ISBN 3-540-24444-1

Vol. 294: **Caligaris-Cappio, Federico, Dalla Favera, Ricardo (Eds.):** Chronic Lymphocytic Leukemia. 2005. 25 figs., VIII, 187 pp. ISBN 3-540-25279-7

- Vol. 295: **Sullivan, David J.; Krishna Sanjeev (Eds.):** Malaria: Drugs, Disease and Post-genomic Biology. 2005. 40 figs., XI, 446 pp. ISBN 3-540-25363-7
- Vol. 296: **Oldstone, Michael B. A. (Ed.):** Molecular Mimicry: Infection Induced Auto-immune Disease. 2005. 28 figs., VIII, 167 pp. ISBN 3-540-25597-4
- Vol. 297: **Langhorne, Jean (Ed.):** Immunology and Immunopathogenesis of Malaria. 2005. 8 figs., XII, 236 pp. ISBN 3-540-25718-7
- Vol. 298: **Vivier, Eric; Colonna, Marco (Eds.):** Immunobiology of Natural Killer Cell Receptors. 2005. 27 figs., VIII, 286 pp. ISBN 3-540-26083-8
- Vol. 299: **Domingo, Esteban (Ed.):** Quasispecies: Concept and Implications. 2006. 44 figs., XII, 401 pp. ISBN 3-540-26395-0
- Vol. 300: **Wiertz, Emmanuel J.H.J.; Kikkert, Marjolein (Eds.):** Dislocation and Degradation of Proteins from the Endoplasmic Reticulum. 2006. 19 figs., VIII, 168 pp. ISBN 3-540-28006-5
- Vol. 301: **Doerfler, Walter; Böhm, Petra (Eds.):** DNA Methylation: Basic Mechanisms. 2006. 24 figs., VIII, 324 pp. ISBN 3-540-29114-8
- Vol. 302: **Robert N. Eisenman (Ed.):** The Myc/Max/Mad Transcription Factor Network. 2006. 28 figs., XII, 278 pp. ISBN 3-540-23968-5
- Vol. 303: **Thomas E. Lane (Ed.):** Chemokines and Viral Infection. 2006. 14 figs. XII, 154 pp. ISBN 3-540-29207-1
- Vol. 304: **Stanley A. Plotkin (Ed.):** Mass Vaccination: Global Aspects – Progress and Obstacles. 2006. 40 figs. X, 270 pp. ISBN 3-540-29382-5
- Vol. 305: **Radbruch, Andreas; Lipsky, Peter E. (Eds.):** Current Concepts in Autoimmunity. 2006. 29 figs. IIX, 276 pp. ISBN 3-540-29713-8
- Vol. 306: **William M. Shafer (Ed.):** Antimicrobial Peptides and Human Disease. 2006. 12 figs. XII, 262 pp. ISBN 3-540-29915-7
- Vol. 307: **John L. Casey (Ed.):** Hepatitis Delta Virus. 2006. 22 figs. XII, 228 pp. ISBN 3-540-29801-0
- Vol. 308: **Honjo, Tasuku; Melchers, Fritz (Eds.):** Gut-Associated Lymphoid Tissues. 2006. 24 figs. XII, 204 pp. ISBN 3-540-30656-0
- Vol. 309: **Polly Roy (Ed.):** Reoviruses: Entry, Assembly and Morphogenesis. 2006. 43 figs. XX, 261 pp. ISBN 3-540-30772-9
- Vol. 310: **Doerfler, Walter; Böhm, Petra (Eds.):** DNA Methylation: Development, Genetic Disease and Cancer. 2006. 25 figs. X, 284 pp. ISBN 3-540-31180-7
- Vol. 311: **Pulendran, Bali; Ahmed, Rafi (Eds.):** From Innate Immunity to Immunological Memory. 2006. 13 figs. X, 177 pp. ISBN 3-540-32635-9
- Vol. 312: **Boshoff, Chris; Weiss, Robin A. (Eds.):** Kaposi Sarcoma Herpesvirus: New Perspectives. 2006. 29 figs. XVI, 330 pp. ISBN 3-540-34343-1
- Vol. 313: **Pandolfi, Pier P.; Vogt, Peter K. (Eds.):** Acute Promyelocytic Leukemia. 2007. 16 figs. VIII, 273 pp. ISBN 3-540-34592-2
- Vol. 314: **Moody, Branch D. (Ed.):** T Cell Activation by CD1 and Lipid Antigens, 2007, 25 figs. VIII, 348 pp. ISBN 978-3-540-69510-3