
Index

- accelerated electrons, 124
 - anisotropy, 78
 - bump-on-tail distributions, 167
 - distribution functions, 167
 - energy content, 35, 44, 58
 - energy spectrum, 35, 60, 96–97
 - and photon spectrum, 74–77
 - cutoff, 73
 - dip, 77
 - interacting vs. escaping, 78–79
 - loss-cone distributions, 167, 172
 - power-law energy distribution, 176
 - ultrarelativistic, 90
- accelerated ions, 51
 - energy spectrum, 97
- accelerated particles
 - distribution function, 95
 - energy content, 16
 - energy distribution, 20
 - number, 17
 - precipitation, 26
 - trapping, 26, 29, 96
- AD Leo, 246
- AIP Potsdam spectrometer (OSRA), 89, 254, 264, 265, 267, 269
- Alfvén solitons, 269, 273
- Alfvén speed, 89, 108, 110, 128, 130, 146, 149, 157, 158, 174, 191, 212–214, 224, 226, 237, 247, 255, 258, 266, 269
- Alfvén-Carlquist Model, 242
- Alfvén-Carlquist model, 244
- anomalous resistivity, 244
- Atacama Large Millimeter Array (ALMA), 82, 98
- avalanche, 24
- ballooning instability, 244
- ballooning mode, 233–234, 238–242
- beam instability, 268
- betatron acceleration, 209
- bi-Maxwellian distribution, 191, 195, 196, 201
- Buneman instability, 244
- Chinese Radio Heliograph, 94
- chromospheric evaporation, 43, 71, 73, 86, 255
- collisions, 26, 191, 192, 198–199, 201
 - mean free path, 192
- Compton GRO/BATSE, 93
- Compton scattering, 77
- conductive evaporation, 71
- conductivity, 234, 243
- coronal dimming, 116, 125, 126
- coronal hole, 193, 194
- coronal magnetic field, 20, 97, 132, 269–271
 - extrapolation, 23, 27, 267, 270, 274
 - in post flare loops, 270
- coronal mass ejection (CME), 16, 89, 94, 108, 116, 204–207
 - acceleration, 85, 128, 129, 144, 145, 147, 206, 208, 209
 - and wave phenomena, 124–127
 - breakout model, 205
 - energy, 59

- interaction, 148–152
 - onset, 90
 - speed, 144, 145, 147, 207, 208
 - tether cutting model, 205
 - width, 144, 145, 147, 207, 208
- coronal seismology, 131–132, 221, 229, 233, 235, 247, 252
- CORONAS/RESIK, 36
- Coulomb collisions, 55, 192, 198
- Cowling resistance, 242
- cross-field diffusion, 27
- cross-field drift, 163, 166, 187
- CSHKP model, 85
- current sheet, 1, 16–24, 27, 29, 30, 40–43, 61, 70, 74, 87–88, 95, 186, 255, 261–263, 273
 - free energy, 23
 - stability, 17
- double plasma resonance, 264, 268, 272, 273
- electric circuit, 233, 242–247
- electric current, 242–247
- electric field, 20, 200, 243
 - ambipolar, 200
 - motional, 186, 187
 - stochastic, 19
- electron beam, 97, 165, 204
 - density, 70
 - filamentation, 74
 - injection area, 74
 - rate, 70, 74
- electron cyclotron maser, 264
- electron distribution function
 - gyrotropic, 195
 - halo, 192, 195, 196
 - solar wind, 192–196
 - strahl, 192, 195
 - thermal core, 192, 195, 196
- electron foreshock, 165, 172, 173
- energy losses
 - collisional, 68, 75, 77
 - non collisional, 69
- EUV irradiation, 124
- extended flare, 88–90
- fast solar wind, 191, 193
- Fermi acceleration, 161, 173, 175, 177, 182, 184
- filament, 122, 131
- flare ejecta, 94, 127
- flare kernels
 - motion, 206, 210
- flare ribbons, 50, 69, 70, 84–87, 95, 271
- flare spray, 121, 127, 129
- flare/CME
 - breakup model, 17–20, 27, 28
 - loop model, 19–22, 28, 29
- flare/CME energetics, 58–60
- flare/CME event
 - 1991 March 24, 245
 - 1992 October 05, 93, 262
 - 1994 October 25, 254, 267, 269
 - 1996 August 19, 210
 - 1997 April 07, 114, 270, 271
 - 1997 November 03, 116, 120
 - 1997 November 04, 122
 - 1997 November 14, 265
 - 1997 October 07, 210
 - 1998 August 08, 119
 - 1998 August 24, 118
 - 1998 May 02, 113, 115, 122
 - 1998 May 08, 238
 - 2000 August 25, 263
 - 2000 December 18, 211
 - 2000 February 08, 205
 - 2000 January 12, 236, 259
 - 2000 March 13, 96
 - 2001 April 12, 91
 - 2001 April 14, 149
 - 2001 April 15, 149
 - 2001 May 07, 142
 - 2002 April 14, 89
 - 2002 April 14/15, 70, 73
 - 2002 April 15, 41, 42, 87
 - 2002 April 16, 43
 - 2002 April 21, 59, 94
 - 2002 February 20, 43–45, 59, 67, 68
 - 2002 February 26, 45, 58
 - 2002 July 17, 86
 - 2002 July 18, 210
 - 2002 July 20, 150
 - 2002 July 23, 38, 46, 47, 49–51, 53–55, 57, 59, 66, 68, 69, 77, 94, 97, 151
 - 2002 March 14, 69
 - 2003 April 26, 36, 37

- 2003 March 18, 261, 264
- 2003 November 03, 88–90, 93, 117, 209
- 2003 November 04, 92
- 2003 November 05, 60
- 2003 October 28, 52–54, 57, 91, 92
- 2004 July 05, 39, 40
- flux rope, 125, 205, 206
- Fokker-Planck equation, 22, 198
- fragmentation of energy release, 16, 26, 27, 29
- Frequency Agile Solar Radio Telescope (FASR), 26, 94, 98, 274

- gamma rays, 26, 51–58
 - 0.511 MeV line, 51–53, 55, 91
 - 2.223 MeV line, 52, 54–56
 - imaging, 57, 66
 - bremsstrahlung, 52, 55
 - de-excitation lines, 53–54
 - from pion decay, 91
 - imaging, 56–58, 60
 - line broadening, 54
 - nuclear lines, 33, 55
 - redshift, 54, 55, 60
- geocentric solar ecliptic (GSE) system, 181
- Giant Metrewave Radio Telescope (GMRT), 82

- Hall current, 243
- hard X-rays, 26, 43–51, 83–94, 261, 262, 264, 265
 - albedo, 46, 77, 78
 - and microwaves, 27, 95–97
 - bremsstrahlung, 33, 57
 - corona, 41, 42, 50, 71
 - directivity, 78
 - partially ionised plasma, 46, 69
 - photon spectrum, 26, 45–47, 52, 60, 74
 - plasma density, 67, 70
 - pulsations, 233
 - spectral analysis, 45
 - spectral analysis techniques, 76
 - thermal emission, 35, 43, 44, 48, 84, 87, 88
 - thermal/nonthermal, 47–48, 60
 - thick target model, 45, 65, 67, 68, 70, 77, 88, 95, 96
- heat flux, 199
- hot flow anomalies, 184–188

- impulsive flare, 35, 41, 47, 48, 50, 88, 94, 96
- interplanetary magnetic field, 162
- ion acceleration
 - diffuse ions, 176, 180–183
 - power law energy spectrum, 177, 178
- ion foreshock, 181
- ion-neutral collisions, 244
- ISEE 3, 75

- jet, 17, 58, 127, 209
- Joule dissipation, 244

- kappa function, 195–201
- kink instability, 205
- kink mode, 131, 222, 224, 231, 248, 255
- Knudsen number, 192–194, 198, 201
- Köln Observatory for Submillimeter and Millimeter Astronomy (KOSMA), 90, 91

- Liouville's theorem, 168, 170, 172, 197, 200
- loop, 20, 42, 87, 140, 151, 154, 205, 206, 209–211
 - above looptop X-ray source, 61, 65, 88
 - curvature, 223, 233
 - erupting, 127
 - hard X-rays, 48, 70
 - inductance, 244
 - microwave footpoint, 96
 - microwave looptop, 26, 96
 - oscillations, 130–131
 - oscillations (EUV), 231
 - post flare loop, 270, 274
 - transequatorial, 125, 205
 - UV footpoints, 86
 - waves, 222
 - X-ray footpoints, 26, 41, 43, 44, 46–51, 65, 67–70, 84–90, 95, 209
 - motion, 49, 50, 69, 70, 86, 87
 - X-ray looptop, 41, 46, 65, 68–70, 209
- loop-loop interaction, 255, 256, 271, 272

- loss cone distribution, 271
 loss cone instability, 261, 264
 loss of equilibrium, 94, 205
- Mach number, 111, 158, 164
 Alfvénic, 120, 149, 162
 magnetosonic, 121
- magnetic mirroring, 55, 96, 167–172
 magnetic moment, 168
 magnetic reconnection, 1, 23, 49, 50, 61, 65, 69, 70, 85–88, 94, 95, 108, 140, 206–207, 255, 261, 262, 265, 272, 273
 guide field, 95
 jet, 264
 outflow, 209, 264
 rate, 51, 206, 210
- magnetic shear, 20
 magnetic stress, 24, 28
 magnetosonic speed, 110, 121, 122, 132, 212–214
- Maxwellian distribution, 192, 195–197
 Metsähovi radio telescope, 245
 MHD turbulence, 26, 264
 microcalorimeter arrays, 83
 microflare, 39–40, 71, 72, 83–84
 heating, 71
 mass supply, 71
- Nançay Radio Heliograph (NRH), 83, 88, 253, 262, 264, 267, 268, 273
 nanoflare, 71, 83
 Neupert effect, 72–74
 plasma cooling, 73
- Nobeyama Radio Heliograph (NoRH), 81, 83, 96, 98, 235, 247, 256, 258–260, 273
- Ohmic dissipation, 242
 Ondřejov radio spectrograph, 93, 262
 Owens Valley Radio Observatory (OVRO), 83
- Pannekoek-Rosseland potential, 197
 particle acceleration, 16, 22–26, 46, 58, 65, 82, 88, 90, 94–98, 130, 209–211
 diffusive, 20
 MHD turbulence, 20
 rate, 17
 stochastic, 20, 58, 67
- photoelectric absorption, 77
 pitch angle scattering, 55, 173, 176
 plasma beta, 110, 164
 plasma heating, 26
 plasmoid, 41, 94, 127, 211, 255, 261–263, 274
 positronium, 52, 53
 proton beam, 191
- radar experiments, 214
 radio emission, 26–29, 88–94, 162, 164, 165, 172
 broadband pulsations, 261–262, 267–268, 271
 by positrons, 91
 continuum, 89
 drifting pulsating structure (DPS), 93, 94, 261, 273, 274
 fiber burst, 253, 268–271, 273, 274
 free-free, 91
 gyroresonance, 256–260, 274
 gyrosynchrotron, 89–91, 96–98, 229, 257
 intermediate drift burst (=fiber burst), 253
 lace burst, 264
 microwave pulsations (active regions), 258–260
 microwave pulsations (flares), 229, 233, 235–236, 245, 257–258
 microwaves, 26–27
 noise storm, 29, 82, 253
 plasma diagnostics, 211–214
 pre-flare, 28–29
 pulsations, 233, 247
 quasiperiodic pulsations, 222, 247
 reverse slope, 2
 spikes, 27, 253, 262–266, 273, 274
 synchrotron, 91, 93, 96
 thermal, 91
 transition radiation, 258
 type I, 29
 type II, 5–6, 27–28, 89, 94, 107, 108, 119–120, 122, 124–129, 131–133, 140–146, 162, 172, 210, 212, 213, 253, 254
 and CMEs, 128, 142–146, 208–209
 and flares, 128, 157

- starting frequency, 141
- type III, 2, 27, 89, 97, 130, 204, 211, 214, 253, 268, 272
 - stochastic model, 27
- type IV, 222, 253, 254
- type J, 205
- zebra pattern, 253, 254, 268, 271–273
- Razin suppression, 98
- resistivity, 21, 26
- return current, 74
- RHESSI, 34–39, 41, 42, 44, 45, 49, 50, 52, 55, 66–70, 72, 75, 83, 84, 87–91, 94, 95
- RLC oscillations, 244–247
- RT-22 radio telescope, 260
- sausage mode, 224, 226–228, 236–238, 255, 258
- self-organised criticality, 23–26
- shock drift acceleration, 210
- shock wave, 17, 20, 22, 109–112, 121–124, 141, 161–188, 207–211, 213
 - at reconnection outflow, 95, 210
 - blast wave, 108, 113, 127, 128, 131, 145, 157, 208
 - bow shock, 112, 161–188, 208
 - Earth, 162
 - CME driven, 108, 127–130, 145, 156–157, 188, 208
 - collisionless, 163
 - compression ratio, 177
 - cross-shock potential, 168–170
 - curvature, 171, 175
 - de Hoffman-Teller frame (HTF), 168
 - diffusive particle acceleration, 177
 - diffusive transport, 178, 182–184
 - driven, 111, 128, 214
 - electron acceleration, 164–176
 - fast mode, 122, 140, 210
 - flare related, 108, 127–130, 157, 188, 209, 214
 - foot, 163, 174
 - foreshock, 163–165, 167
 - ion acceleration, 176–184
 - ion reflection, 163
 - non-stationary, 172
 - normal incidence frame (NIF), 168
 - overshoot, 163, 167, 174
 - particle acceleration, 85, 94, 130, 140, 161–188, 210, 211
 - seed particles, 150
 - particle injection, 165, 178, 179, 182, 187, 188
 - piston, 111, 112, 125, 127, 208
 - pulsations, 178–182
 - quasi-parallel, 162, 163, 176–184
 - quasi-perpendicular, 162–176, 186–188
 - ramp, 163, 167, 174
 - stand-off distance, 162
 - thermalization, 163, 178, 179, 181
- Siberian Solar Radio Telescope (SSRT), 83, 260
- SLAMS (short, large amplitude magnetic structure), 179
- soft X-rays
 - bremsstrahlung, 33
 - Fe/Ni lines, 36, 48
- SoHO/LASCO coronagraph, 89
- solar energetic particles (SEP), 130, 140, 211
 - and type II bursts, 146–148
 - electrons, 48, 78–79, 89
 - gradual, 140
 - impulsive, 140
 - intensity, 147, 152–154
 - and active region area, 154
 - and CME interaction, 148–154, 158
 - and flare size, 149
 - interplanetary propagation, 79
- Solar Submillimeter Telescope (SST), 83, 90, 92
- solar wind
 - exospheric model, 192, 199–201
 - fluid model, 191, 196
- solar wind acceleration, 193
- sound speed, 226, 231, 233
- Spitzer conductivity, 244
- Spitzer-Härm theory, 193, 199
- stellar flare, 247
- submillimetre emission, 90–93
 - modulation, 93
 - spectral upturn, 91
- sunspot, 256, 257, 259, 260, 274
- tangential discontinuity (TD), 186–188
- thermal conduction, 124

- thermal plasma, 35–39
- tokamak, 234
- TRACE, 41, 49, 66, 69, 86
- transition region, 256
- Trieste Observatory polarimeter, 254, 266, 267
- two-ribbon flare, 206

- velocity filtration, 196–198
- Very Large Array (VLA), 81, 82, 257, 258
- viscosity, 132, 235

- waves
 - acoustic wave, 231, 256, 257, 260
 - Alfvén wave, 20, 110, 225, 229, 255, 260
 - Bernstein modes, 264, 268
 - coronal waves, 112–134
 - EIT waves, 108, 113–128, 130, 132, 133, 209, 211, 222
 - brow waves, 114
 - S-waves, 114
 - fast mode, 110, 121, 224, 225, 227–229, 255
 - Helium I, 117–118, 123
 - Langmuir wave, 97, 165, 170
 - leaky mode, 227
 - longitudinal wave, 229–233, 248
 - lower hybrid, 173
 - magnetic waves, 177, 185
 - MHD waves, 21, 109–112, 120–124, 126, 221–222, 251, 252, 255, 257, 273
 - damping, 234–236
 - of a plasma cylinder, 223–229
 - Moreton waves, 108, 112–130, 132, 133, 208
 - radial mode, 227, 247
 - radio band, 118–119, 123
 - simple waves, 111, 121, 208
 - slow mode, 110, 224, 231, 255
 - soft X-rays, 116–117, 123
 - surface wave, 174
 - trapped mode, 224, 226, 227
 - ULF waves, 176, 178, 179, 181
 - upper hybrid, 257, 264, 273
 - whistler, 173, 174, 269, 270, 273
- white light flare, 47, 92
- Wigner-Ville transform, 245
- Wind/WAVES experiment, 89

- X-rays, 233

- Yohkoh/SXT, 93

- Zürich radio spectrograph, 89