
References

- [AH96] Adams, D.R., Hedberg, L.I.: *Function Spaces and Potential Theory*. Grundlehren der Mathematischen Wissenschaften, **314**, Springer-Verlag, Berlin, Heidelberg (1996)
- [AE96] Aikawa, H., Essén, M.: *Potential Theory—Selected Topics*. Lecture Notes in Mathematics, **1633**, Springer-Verlag, Berlin (1996)
- [Ale92] Alexopoulos, G.: An application of homogenization theory to harmonic analysis: Harnack inequalities and Riesz transforms on Lie groups of polynomial growth. *Canad. J. Math.*, **44**, 691–727 (1992)
- [Ale02] Alexopoulos, G.: Sub-Laplacians with drift on Lie groups of polynomial volume growth. *Mem. Amer. Math. Soc.*, **155** (2002)
- [Alt99] Altafini, C.: A matrix Lie group of Carnot type for filiform sub-Riemannian structures and its application to control systems in chained form. In: Breda, Azevedo, et al. (eds.), *Proceedings of the Summer School on Differential Geometry*, **1**, Coimbra Portugal (1999)
- [Ama79] Amano, K.: Maximum principles for degenerate elliptic–parabolic operators. *Indiana Univ. Math. J.*, **29**, 545–557 (1979)
- [AM03] Ambrosio, L., Magnani, V.: Weak differentiability of BV functions on stratified groups. *Math. Z.*, **245**, 123–153 (2003)
- [ACC06] Arena, G., Caruso, A., Causa, A.: Taylor formula for Carnot groups and applications. *Matematiche (Catania)*, **60**, 375–383 (2005)
- [AG01] Armitage, D.H., Gardiner, S.J.: *Classical Potential Theory*, Springer-Verlag, London (2001)
- [ABR92] Axler, S., Bourdon, P., Ramey, W.: *Harmonic Function Theory*. Graduate Texts in Mathematics, Springer-Verlag, New York (1992)
- [Bah04] Bahri, A.: Recent results in contact form geometry. *Partial differential equations and applications*. *Discrete Contin. Dyn. Syst.*, **10**, 21–30 (2004)
- [Bah03] Bahri, A.: Recent progress in conformal geometry (with an emphasis on the use of configuration spaces). *Lectures on Partial Differential Equations*. *New Stud. Adv. Math.*, **2**, Int. Press, Somerville, MA, 1–34 (2003)
- [BR02] Balogh, Z.M., Rickly, M.: Regularity of convex functions on Heisenberg groups. *Ann. Sc. Norm. Super. Pisa Cl. Sci. (5)*, **2**, 847–868 (2003)

- [BRSC03] Balogh, Z.M., Rickly, M., Serra Cassano, F.: Comparison of Hausdorff measures with respect to the Euclidean and the Heisenberg metric. *Publ. Mat.*, **47**, 237–259 (2003)
- [BT02] Balogh, Z.M., Tyson, J.T.: Polar coordinates in Carnot group. *Math. Z.*, **241**, 697–730 (2002)
- [BT03] Balogh, Z.M., Tyson, J.T.: Potential theory in Carnot groups. Beckner, William, et al. (ed.), *Harmonic Analysis at Mount Holyoke. Proceedings of Research Conference. Contemp. Math.*, **320**, American Mathematical Society, Providence, RI, 15–27 (2003)
- [BG72] Baouendi, M.S., Goulaouic, C.: Nonanalytic-hypoellipticity for some degenerate elliptic operators. *Bull. Amer. Math. Soc.*, **78**, 483–486 (1972)
- [BD01] Bardi, M., Da Lio, F.: Propagation of maxima and strong maximum principle for viscosity solutions of degenerate elliptic equations. I: convex operators. *Nonlinear Analysis*, **44**, 991–1006 (2001)
- [Bar03] Barletta, E.: Hörmander systems and harmonic morphisms. *Ann. Sc. Norm. Super. Pisa Cl. Sci. (5)*, **2**, 379–394 (2003)
- [BD04] Barletta, E., Dragomir, S.: On the regularity of weak subelliptic F -harmonic maps. *Tsukuba J. Math.*, **28**, 417–436 (2004)
- [BDU01] Barletta, E., Dragomir, S., Urakawa, H.: Pseudoharmonic maps from nondegenerate CR manifolds to Riemannian manifolds. *Indiana Univ. Math. J.*, **50**, 719–746 (2001)
- [Bau66] Bauer, H.: *Harmonische Räume und ihre Potentialtheorie. Lecture Notes in Mathematics*, **22**, Springer-Verlag, Berlin, New York (1966)
- [BGG96] Beals, R., Gaveau, B., Greiner, P.: The Green function of model step two hypoelliptic operators and the analysis of certain tangential Cauchy–Riemann complexes. *Adv. Math.*, **121**, 288–345 (1996)
- [BM95] Bell, D.R., Mohammed, S.A.: An extension of Hörmander’s theorem for infinitely degenerate second-order operators. *Duke Math. J.*, **78**, 453–475 (1995)
- [Bel96] Bellaïche, A.: The tangent space in sub-Riemannian geometry. *Sub-Riemannian Geometry. Progress in Mathematics*, **144**, Birkhäuser Verlag, Basel, 1–78 (1996)
- [BR96] Bellaïche, A., Risler, J.-J. (eds.), *Sub-Riemannian Geometry. Progress in Mathematics*, **144**, Birkhäuser Verlag, Basel (1996)
- [BAKS84] Ben Arous, G., Kusuoka, S., Stroock, D.W.: The Poisson kernel for certain degenerate elliptic operators. *J. Funct. Anal.*, **56**, 171–209 (1984)
- [BCN97] Berestycki, H., Caffarelli, L., Nirenberg, L.: Monotonicity for elliptic equations in unbounded Lipschitz domains. *Comm. Pure Appl. Math.*, **50**, 1089–1111 (1997)
- [BHM00] Berestycki, H., Hamel, F., Monneau, R.: One-dimensional symmetry of bounded entire solutions of some elliptic equations. *Duke Math. J.*, **103**, 375–396 (2000)
- [BN91] Berestycki, H., Nirenberg, L.: On the method of moving planes and the sliding method. *Bol. Soc. Brasileira Mat.*, **22**, 1–37 (1991)
- [BCC97] Birindelli, I., Capuzzo Dolcetta, I., Cutrì, A.: Liouville theorems for semilinear equations on the Heisenberg group. *Ann. Inst. H. Poincaré Anal. Non Linéaire*, **14**, 295–308 (1997)
- [BCC98] Birindelli, I., Capuzzo Dolcetta, I., Cutrì, A.: Indefinite semi-linear equations on the Heisenberg group: a priori bounds and existence. *Comm. Partial Differential Equations*, **23**, 1123–1157 (1998)
- [BC95] Birindelli, I., Cutrì, A.: A semi-linear problem for the Heisenberg Laplacian. *Rend. Sem. Mat. Univ. Padova*, **94**, 137–153 (1995)

- [BL02] Birindelli, I., Lanconelli, E.: A note on one dimensional symmetry in Carnot groups. *Atti Accad. Naz. Lincei Cl. Sci. Fis. Mat. Natur. Rend. Lincei (9) Mat. Appl.*, **13**, 17–22 (2002)
- [BL03] Birindelli, I., Lanconelli, E.: A negative answer to a one-dimensional symmetry problem in the Heisenberg group. *Calc. Var. Partial Differential Equations*, **18**, 357–372 (2003)
- [BP99] Birindelli, I., Prajapat, J.: Nonlinear Liouville theorems in the Heisenberg group via the moving plane method. *Comm. Partial Differential Equations*, **24**, 1875–1890 (1999)
- [BP01] Birindelli, I., Prajapat, J.: One-dimensional symmetry in the Heisenberg group. *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4)*, **30**, 269–284 (2001)
- [BP02] Birindelli, I., Prajapat, J.: Monotonicity and symmetry results for degenerate elliptic equations on nilpotent Lie groups. *Pacific J. Math.*, **204**, 1–17 (2002)
- [Bir95] Birolì, M. (ed.), Potential theory and degenerate partial differential operators. *Proceedings. Potential Anal.*, **4**, 309–467 (1995)
- [BM95] Birolì, M., Mosco, U.: Sobolev inequalities on homogeneous spaces. *Potential Anal.*, **4**, 311–324 (1995)
- [Bon04] Bonfiglioli, A.: Homogeneous Carnot groups related to sets of vector fields. *Boll. Unione Mat. Ital. Sez. B Artic. Ric. Mat. (8)*, **7**, 79–107 (2004)
- [BC04] Bonfiglioli, A., Cinti, C.: A Poisson–Jensen type representation formula for subharmonic functions on stratified Lie groups. *Potential Anal.*, **22**, 151–169 (2005)
- [BC05] Bonfiglioli, A., Cinti, C.: The theory of energy for sub-Laplacians with an application to quasi-continuity. *Manuscripta Math.*, **118**, 283–309 (2005)
- [BL01] Bonfiglioli, A., Lanconelli, E.: Liouville-type theorems for real sub-Laplacians. *Manuscripta Math.*, **105**, 111–124 (2001)
- [BL02] Bonfiglioli, A., Lanconelli, E.: Maximum Principle on unbounded domains for sub-Laplacians: a potential theory approach. *Proc. Amer. Math. Soc.*, **130**, 2295–2304 (2002)
- [BL03] Bonfiglioli, A., Lanconelli, E.: Subharmonic functions on Carnot groups. *Math. Ann.*, **325**, 97–122 (2003)
- [BL07] Bonfiglioli, A., Lanconelli, E.: Gauge functions, Eikonal equations and Bôcher’s theorem on stratified Lie groups. to appear in: *Calc. Var. Partial Differential Equations* (2007)
- [BLU02] Bonfiglioli, A., Lanconelli, E., Uguzzoni, F.: Uniform Gaussian estimates of the fundamental solutions for heat operators on Carnot groups. *Adv. Differential Equations*, **7**, 1153–1192 (2002)
- [BLU03] Bonfiglioli, A., Lanconelli, E., Uguzzoni, F.: Fundamental solutions for non-divergence form operators on stratified groups. *Trans. Amer. Math. Soc.*, **356**, 2709–2737 (2003)
- [BU04a] Bonfiglioli, A., Uguzzoni, F.: Nonlinear Liouville theorems for some critical problems on H-type groups. *J. Funct. Anal.*, **207**, 161–215 (2004)
- [BU04b] Bonfiglioli, A., Uguzzoni, F.: Families of diffeomorphic sub-Laplacians and free Carnot groups. *Forum Math.*, **16**, 403–415 (2004)
- [BU05a] Bonfiglioli, A., Uguzzoni, F.: A note on lifting of Carnot groups. *Rev. Mat. Iberoamericana*, **21**, 1–23 (2005)
- [BU05b] Bonfiglioli, A., Uguzzoni, F.: Harnack inequality for non-divergence form operators on stratified groups. *Trans. Amer. Math. Soc.*, **359**, 2463–2481 (2007)

- [Bon69] Bony, J.-M.: Principe du maximum, inégalité de Harnack et unicité du problème de Cauchy pour les opérateurs elliptiques dégénérés. *Ann. Inst. Fourier (Grenoble)*, **19**, 277–304 (1969)
- [Bon70] Bony, J.-M.: Opérateurs elliptiques dégénérés associés aux axiomatiques de la théorie du potentiel. *Potential Theory (C.I.M.E., I Ciclo, Stresa, 1969)*, Edizioni Cremonese, Rome, 69–119 (1970)
- [Bou89] Bourbaki, N.: *Lie Groups and Lie Algebras. Chapters 1–3, Elements of Mathematics*, Springer-Verlag, Berlin (1989)
- [BRS98] Brandolini, L., Rigoli, M., Setti, A.G.: Positive solutions of Yamabe-type equations on the Heisenberg group. *Duke Math. J.*, **91**, 41–296 (1998)
- [Bra74] Bratzlavsky, F.: Classification des algèbres de Lie nilpotentes de dimension n , de classe $n - 1$, dont l'idéal dérivé est commutatif. *Bull. Cl. Sci., V. Sér., Acad. R. Belg.*, **60**, 858–865 (1974)
- [BR67] Brelot, M.: Recherches sur la topologie fine et ses applications: Théorie du potentiel. *Ann. Inst. Fourier (Grenoble)*, **17**, 395–423 (1967)
- [Bus55] Busemann, H.: *The Geometry of Geodesics*. Academic Press, New York (1955)
- [CC95] Caffarelli, L.A., Cabré, X.: *Fully Nonlinear Elliptic Equations*. Amer. Math. Soc. Colloquium Publications, **43**, Amer. Math. Soc., Providence, RI (1995)
- [Cap99] Capogna, L.: Regularity for quasilinear equations and 1-quasiconformal maps in Carnot groups. *Math. Ann.*, **313**, 263–295 (1999)
- [CC69] Capogna, L., Cowling, M.: Conformality and Q -harmonicity in Carnot groups. *Duke Math. J.*, **135**, 455–479 (2006)
- [CDG96] Capogna, L., Danielli, D., Garofalo, N.: Capacitary estimates and the local behavior of solutions of nonlinear subelliptic equations. *Amer. J. Math.*, **118**, 1153–1196 (1986)
- [CDG97] Capogna, L., Danielli, D., Garofalo, N.: Subelliptic mollifiers and a basic pointwise estimate of Poincaré type. *Math. Z.*, **226**, 147–154 (1997)
- [CG98] Capogna, L., Garofalo, N.: Boundary behavior of nonnegative solutions of subelliptic equations in NTA domains for Carnot–Carathéodory metrics. *J. Fourier Anal. Appl.*, **4**, 403–432 (1998)
- [CG03] Capogna, L., Garofalo, N.: Regularity of minimizers of the calculus of variations in Carnot groups via hypoellipticity of systems of Hörmander type. *J. Eur. Math. Soc.*, **5**, 1–40 (2003)
- [CG06] Capogna, L., Garofalo, N.: Ahlfors type estimates for perimeter measures in Carnot–Carathéodory spaces. *J. Geom. Anal.*, **16**, 455–497 (2006)
- [CGN00] Capogna, L., Garofalo, N., Nhieu, D.-M.: Examples of uniform and NTA domains in Carnot groups. *Proceedings on Analysis and Geometry (Novosibirsk Akademgorodok, 1999)*, Izdat. Ross. Akad. Nauk Sib. Otd. Inst. Mat., Novosibirsk, 103–121 (2000)
- [CGN02] Capogna, L., Garofalo, N., Nhieu, D.-M.: Properties of harmonic measures in the Dirichlet problem for nilpotent Lie groups of Heisenberg type. *Amer. J. Math.*, **124**, 273–306 (2002)
- [CD98] Capuzzo Dolcetta, I.: Liouville theorems and a priori estimates for elliptic semilinear equations. *Rend. Sem. Mat. Fis. Milano*, **68**, 1–18 (1998)
- [Car09] Carathéodory, C.: Untersuchungen über die Grundlagen der Thermodynamik. *Math. Ann.*, **67**, 355–386 (1909)
- [Cart28] Cartan, H.: Sur le systèmes de fonctions holomorphes à variétés linéaires lacunaires et leurs applications. *Ann. Sci. École Norm. Sup.*, **45**, 255–346 (1928)

- [Cart45] Cartan, H.: Théorie du potentiel newtonien, énergie, capacité, suites de potentiels. *Bull. Soc. Math. France*, **73**, 73–106 (1945)
- [Cha43] Chandrasekhar, S.: Stochastic problems in physics and astronomy. *Rev. Modern Phys.*, **15**, 1–89 (1943)
- [Cho39] Chow, W.L.: Über Systeme non linearen partiellen Differentialgleichungen erster Ordnung. *Math. Ann.*, **117**, 98–105 (1939)
- [Chr91] Christ, M.: Certain sums of squares of vector fields fail to be analytic hypoelliptic. *Comm. Partial Differential Equations*, **16**, 1695–1707 (1991)
- [Chr93] Christ, M.: Analytic hypoellipticity, representations of nilpotent groups, and a nonlinear eigenvalue problem. *Duke Math. J.*, **72**, 595–639 (1993)
- [Chr95] Christ, M.: Nonexistence of invariant analytic hypoelliptic differential operators on nilpotent groups of step greater than two. *Essays on Fourier Analysis in Honor of Elias M. Stein* (Princeton, NJ, 1991). *Princeton Math. Ser.*, **42**, Princeton Univ. Press, Princeton, NJ, 127–145 (1995)
- [Cit98] Citti, G.: C^∞ regularity of solutions of the Levi equation. *Ann. Inst. H. Poincaré Anal. Non Linéaire*, **15**, 517–534 (1998)
- [CGL93] Citti, G., Garofalo, N., Lanconelli, E.: Harnack's inequality for sum of squares of vector fields plus a potential. *Amer. J. Math.*, **115**, 699–734 (1993)
- [CLM02] Citti, G., Lanconelli, E., Montanari, A.: Smoothness of Lipschitz continuous graphs with nonvanishing Levi curvature. *Acta Math.*, **188**, 87–128 (2002)
- [CM06] Citti, G., Manfredini, M.: Implicit function theorem in Carnot–Carathéodory spaces. *Commun. Contemp. Math.*, **8**, 657–680 (2006)
- [CMS04] Citti, G., Manfredini, M., Sarti, A.: Neuronal oscillations in the visual cortex: Γ -convergence to the Riemannian Mumford–Shah functional. *SIAM J. Math. Anal.*, **35**, 1394–1419 (2004)
- [CM00] Citti, G., Montanari, A.: Strong solutions for the Levi curvature equation. *Adv. Differential Equations*, **5**, 323–342 (2000)
- [CPP01] Citti, G., Pascucci, A., Polidoro, S.: On the regularity of solutions to a nonlinear ultraparabolic equation arising in mathematical finance. *Differential Integral Equations*, **14**, 701–738 (2001)
- [CS06] Citti, G., Sarti, A.: A cortical based model of perceptual completion in the roto-translation space. *J. Math. Imaging Vision*, **24**, 307–326 (2006)
- [CT04] Citti, G., Tomassini, G.: Levi equation for almost complex structures. *Rev. Mat. Iberoamericana*, **20**, 151–182 (2004)
- [CC72] Constantinescu, C., Cornea, A.: *Potential Theory on Harmonic Spaces*. Springer-Verlag, Berlin, (1972)
- [CG90] Corwin, L.J., Greenleaf, F.P.: *Representations of Nilpotent Lie Groups and their Applications (Part I: Basic Theory and Examples)*. Cambridge Studies in Advanced Mathematics, **18**, Cambridge University Press, Cambridge (1990)
- [CDKR02] Cowling, M., De Mari, F., Korányi, A., Reimann, H.M.: Contact and conformal maps on Iwasawa N groups. Harmonic analysis on complex homogeneous domains and Lie groups. *Atti Accad. Naz. Lincei Cl. Sci. Fis. Mat. Natur. Rend. Lincei (9) Mat. Appl.*, **13**, 219–232 (2002)
- [CDKR91] Cowling, M., Dooley, A.H., Korányi, A., Ricci, F.: H-type groups and Iwasawa decompositions. *Adv. Math.*, **87**, 1–41 (1991)
- [CK84] Cowling, M., Korányi, A.: Harmonic analysis on Heisenberg type groups from a geometric viewpoint. *Lie Group Representation III, Proceedings, University of Maryland, 1982–1983. Lect. Notes in Math.*, **1077**, Springer-Verlag, 60–100 (1984)

- [CR03] Cowling, M., Reimann, H.M.: Quasiconformal mappings on Carnot groups: three examples. *Harmonic Analysis at Mount Holyoke (South Hadley, MA, 2001)*. *Contemp. Math.*, **320**, Amer. Math. Soc., Providence, RI, 111–118 (2003)
- [Cyg81] Cygan, J.: Subadditivity of homogeneous norms on certain nilpotent Lie groups. *Proc. Amer. Math. Soc.*, **83**, 69–70 (1981)
- [Dai00] Dairbekov, N.S.: Mappings with bounded distortion of two-step Carnot groups. *Vodop'yanov, S.K. (ed.), Proceedings on Analysis and Geometry. International Conference, Novosibirsk, Russia, 1999, Izdatel'stvo Instituta Matematiki Im. S. L. Soboleva SO RAN, Novosibirsk*, 122–155 (2000)
- [DG98] Danielli, D., Garofalo, N.: Geometric properties of solutions to subelliptic equations in nilpotent Lie groups. *Reaction–Diffusion Systems (Trieste, 1995)*. *Lecture Notes in Pure and Appl. Math.*, **194**, Dekker, New York, 89–105 (1998)
- [DGN03] Danielli, D., Garofalo, N., Nhieu, D.-M.: Notions of convexity in Carnot groups. *Comm. Anal. Geom.*, **11**, 263–341 (2003)
- [DGNT04] Danielli, D., Garofalo, N., Nhieu, D.-M., Tournier, F.: The theorem of Busemann–Feller–Alexandrov in Carnot groups. *Comm. Anal. Geom.*, **12**, 853–886 (2004)
- [DGS03] Danielli, D., Garofalo, N., Salsa, S.: Variational inequalities with lack of ellipticity. I. Optimal interior regularity and non-degeneracy of the free boundary. *Indiana Univ. Math. J.*, **52**, 361–398 (2003)
- [Den48] Deny, J.: Un théorème sur les ensembles effilés. *Annales Univ. Grenoble, Sect. Sci. Math. Phys.*, **23**, 139–142 (1948)
- [Der71] Derridj, M.: Un problème aux limites pour une classe d'opérateurs du second ordre hypoelliptiques. *Ann. Inst. Fourier (Grenoble)*, **21**, 99–148 (1971)
- [DST91] Day, J., So, W., Thompson, R.C.: Some properties of the Campbell–Baker–Hausdorff series. *Linear Multilinear Algebra*, **29**, 207–224 (1991)
- [DFGL05] Di Fazio, G., Gutiérrez, C.E., Lanconelli, E.: Covering theorems, inequalities on metric spaces and applications to PDE's. Preprint (2006)
- [Djo75] Djoković, D.: An elementary proof of the Baker–Campbell–Hausdorff–Dynkin formula. *Math. Z.*, **143**, 209–211 (1975)
- [Doo01] Doob, J.L.: *Classical Potential Theory and Its Probabilistic Counterpart*. *Classics in Mathematics*, Springer-Verlag, Berlin (2001)
- [Dra01] Dragomir, S. (ed.), *Selected Topics in Cauchy–Riemann Geometry*. *Quaderni di Matematica (Mathematics Series)*, **9**, Department of Mathematics, Seconda Università di Napoli, Caserta (2001)
- [duP70] du Plessis, N.: *An Introduction to Potential Theory*. Oliver and Boyd, Edinburgh (1970)
- [Egg93] Eggert, A.: Extending the Campbell–Hausdorff multiplication. *Geom. Dedicata*, **46**, 35–45 (1993)
- [Eic68] Eichler, M.: A new proof of the Baker–Campbell–Hausdorff formula. *J. Math. Soc. Japan*, **20**, 23–25 (1968)
- [Fed70] Fedii, V.S.: Estimates in $H_{(s)}$ norms and hypoellipticity. *Dokl. Akad. Nauk SSSR*, **193**, 301–303 (1970)
- [Fic56a] Fichera, G.: Sulle equazioni differenziali lineari ellittico–paraboliche del secondo ordine. *Atti Accad. Naz. Lincei. Mem. Cl. Sci. Fis. Mat. Nat. Sez. I. (8)*, **5**, 1–30 (1956)
- [Fic56b] Fichera, G.: Sulle equazioni alle derivate parziali del secondo ordine ellittico–paraboliche. *Univ. e Politec. Torino. Rend. Sem. Mat.*, **15**, 27–47 (1956)
- [Fok14] Fokker, A.D.: *Ann. Phys. (Leipzig)*, **43**, 812 (1914)

- [Fol75] Folland, G.B.: Subelliptic estimates and function spaces on nilpotent Lie groups. *Ark. Mat.*, **13**, 161–207 (1975)
- [Fol77] Folland, G.B.: On the Rothschild–Stein lifting theorem. *Comm. Partial Differential Equations*, **2**, 165–191 (1977)
- [FS74] Folland, G.B., Stein, E.M.: Estimates for the $\overline{\partial}_b$ complex and analysis on the Heisenberg group. *Comm. Pure Appl. Math.*, **27**, 429–522 (1974)
- [FS82] Folland, G.B., Stein, E.M.: *Hardy Spaces on Homogeneous Groups*. *Mathematical Notes*, **28**, Princeton University Press, University of Tokyo Press, Princeton, NJ, Tokyo (1982)
- [FGvN05] Franchi, B., Gutiérrez, C.E., van Nguyen, T.: Homogenization and convergence of correctors in Carnot groups. *Comm. Partial Differential Equations*, **30**, 1817–1841 (2005)
- [FGW94] Franchi, B., Gutiérrez, C.E., Wheeden, R.L.: Weighted Sobolev–Poincaré inequalities for Grushin type operators. *Comm. Partial Differential Equations*, **19**, 523–604 (1994)
- [FL82] Franchi, B., Lanconelli, E.: Une métrique associée à une classe d’opérateurs elliptiques dégénérés. *Conference on Linear Partial and Pseudodifferential Operators (1982)*, *Rend. Sem. Mat. Univ. Politec. Torino* (1983), Special Issue, 105–114 (1984)
- [FL83] Franchi, B., Lanconelli, E.: Hölder regularity theorem for a class of linear nonuniformly elliptic operators with measurable coefficients. *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4)*, **10**, 523–541 (1983)
- [FSS03a] Franchi, B., Serapioni, R., Serra Cassano, F.: Regular hypersurfaces, intrinsic perimeter and implicit function theorem in Carnot groups. *Comm. Anal. Geom.*, **11**, 909–944 (2003)
- [FSS03b] Franchi, B., Serapioni, R., Serra Cassano, F.: On the structure of finite perimeter sets in step 2 Carnot groups. *J. Geom. Anal.*, **13**, 421–466 (2003)
- [FSS01] Franchi, B., Serapioni, R., Serra Cassano, F.: Rectifiability and perimeter in the Heisenberg group. *Math. Ann.*, **321**, 479–531 (2001)
- [FSS97] Franchi, B., Serapioni, R., Serra Cassano, F.: Approximation and imbedding theorems for weighted Sobolev spaces associated with Lipschitz continuous vector fields. *Boll. Unione Mat. Ital. Sez. B Artic. Ric. Mat.*, **11**, 83–117 (1997)
- [Fri58] Friedman, A.: Remarks on the maximum principle for parabolic equations and its applications. *Pacific J. Math.*, **8**, 201–211 (1958)
- [Fri44] Friedrichs, K.: The identity of weak and strong extensions of differential operators. *Trans. Amer. Math. Soc.*, **55**, 132–151 (1944)
- [Gal82] Gallardo, L.: Capacités, mouvement Brownien et problème de l’épine de Lebesgue sur les groupes de Lie nilpotents. *Proc. VII Oberwolfach Conference on Probability Measures on Groups*. *Lectures Notes in Math.*, **928**, Springer-Verlag, Berlin, New York (1982)
- [Gam01] Gamara, N.: The CR Yamabe conjecture: the case $n = 1$. *J. Eur. Math. Soc.*, **3**, 105–137 (2001)
- [GY01] Gamara, N., Yacoub, R., C.R. Yamabe conjecture—the conformally flat case. *Pacific J. Math.*, **201**, 121–175 (2001)
- [GL89] Garofalo, N., Lanconelli, E.: Asymptotic behavior of fundamental solutions and potential theory of parabolic operators with variable coefficients. *Math. Ann.*, **283**, 211–239 (1989)
- [GL92] Garofalo, N., Lanconelli, E.: Existence and nonexistence results for semilinear equations on the Heisenberg group. *Indiana Univ. Math. J.*, **41**, 71–98 (1992)

- [GN98] Garofalo, N., Nhieu, D.-M.: Lipschitz continuity, global smooth approximations and extension theorems for Sobolev functions in Carnot–Carathéodory spaces. *J. Anal. Math.*, **74**, 67–97 (1998)
- [GT06] Garofalo, N., Tourmier, F.: New properties of convex functions in the Heisenberg group. *Trans. Amer. Math. Soc.*, **358**, 2011–2055 (2006)
- [GV00] Garofalo, N., Vassilev, D.: Regularity near the characteristic set in the non-linear Dirichlet problem and conformal geometry of sub-Laplacians on Carnot groups. *Math. Ann.*, **318**, 453–516 (2000)
- [Gav77] Gaveau, L.: Principe de moindre action, propagation de la chaleur et estimées sous elliptiques sur certains groupes nilpotents. *Acta Math.*, **139**, 95–153 (1977)
- [Gel83] Geller, D.: Liouville’s theorem for homogeneous groups. *Comm. Partial Differential Equations*, **8**, 1665–1677 (1983)
- [GT77] Gilbarg, D., Trudinger, N.S.: *Elliptic Partial Differential Equations of Second Order*. Grundlehren der Mathematischen Wissenschaften **224**, Springer-Verlag, New York (1977)
- [GK95] Golé, C., Karidi, R.: A note on Carnot geodesics in nilpotent Lie groups. *J. Dyn. Control Syst.*, **1**, 535–549 (1995)
- [Goo78] Goodman, R.W.: Lifting vector fields to nilpotent Lie groups. *J. Math. Pures Appl.*, **57**, 77–85 (1978)
- [GG90] Grayson, M., Grossman, R.: Models for free nilpotent Lie algebras. *J. Algebra*, **135**, 177–191 (1990)
- [GS85] Grigis, A., Sjöstrand, J.: Front d’onde analytique et sommes des carrés de champs de vecteurs. *Duke Math. J.*, **52**, 35–51 (1985)
- [Gro96] Gromov, M.: Carnot–Carathéodory spaces seen from within. In: Bellaïche, A., Risler, J.-J. (eds.), *Sub-Riemannian Geometry*. Progress in Mathematics, **144**, Birkhäuser, Basel, 79–323 (1996)
- [GL03] Gutiérrez, C.E., Lanconelli, E.: Maximum principle, nonhomogeneous Harnack inequality, and Liouville theorems for X -elliptic operators. *Comm. Partial Differential Equations*, **28**, 1833–1862 (2003)
- [GM04a] Gutiérrez, C.E., Montanari, A.: Maximum and comparison principles for convex functions on the Heisenberg group. *Comm. Partial Differential Equations*, **29**, 1305–1334 (2004)
- [GM04b] Gutiérrez, C.E., Montanari, A.: On the second order derivatives of convex functions on the Heisenberg group. *Ann. Sc. Norm. Super. Pisa Cl. Sci. (5)*, **3**, 349–366 (2004)
- [HK00] Hajlasz, P., Koskela, P.: Sobolev met Poincaré. *Mem. Amer. Math. Soc.*, **145** (2000)
- [Hal50] Hall, M.: A basis for free Lie rings and higher commutators in free groups. *Proc. Amer. Math. Soc.*, **1**, 575–581 (1950)
- [HH91] Hanges, N., Himonas, A.A.: Singular solutions for sums of squares of vector fields. *Comm. Partial Differential Equations*, **16**, 1503–1511 (1991)
- [HH87] Hansen, W., Hueber, H.: The Dirichlet problem for sub-Laplacians on nilpotent Lie groups—geometric criteria for regularity. *Math. Ann.*, **276**, 537–547 (1987)
- [Har82] Hartman, P.: *Ordinary Differential Equations*. 2nd edition, Birkhäuser, Boston, Basel, Stuttgart (1982)
- [HS68] Hausner, M., Schwartz, J.T.: *Lie Groups. Lie Algebras. Notes on Mathematics and Its Applications*, Gordon and Breach, New York, London, Paris (1968)
- [HK76] Hayman, W.K., Kennedy, P.B.: *Sub-Harmonic Functions, Volume I*. Academic Press, London (1976)

- [Hed72] Hedberg, L.I.: On certain convolution inequalities. *Proc. Amer. Math. Soc.*, **36**, 505–510 (1972)
- [Hei95a] Heinonen, J.: Calculus on Carnot groups. Kilpeläinen, T. (ed.), *Fall School in Analysis, Jyväskylä, Finland, October 3–7, 1994*. Univ. Jyväskylä. Bericht, **68**, University of Jyväskylä, Jyväskylä, 1–31 (1995)
- [Hei95b] Heinonen, J.: A capacity estimate on Carnot groups. *Bull. Sci. Math.*, **119**, 475–484 (1995)
- [HH97] Heinonen, J., Holopainen, I.: Quasiregular maps on Carnot groups. *J. Geom. Anal.*, **7**, 109–148 (1997)
- [HKM93] Heinonen, J., Kilpeläinen, T., Martio, O.: *Nonlinear Potential Theory of Degenerate Elliptic Equations*, Oxford Univ. Press (1993)
- [HK98] Heinonen, J., Koskela, P.: Quasiconformal maps in metric spaces with controlled geometry. *Acta Math.*, **181**, 1–61 (1998)
- [Hel82] Helffer, B.: Conditions nécessaires d’hypoanalyticité pour des opérateurs invariants à gauche homogènes sur un groupe nilpotent gradué. *J. Diff. Eq.*, **44**, 460–481 (1982)
- [HN79] Helffer, B., Nourrigat, J.: Caractérisation des opérateurs hypoelliptiques homogènes invariants à gauche sur un groupe de Lie nilpotent gradué. *Comm. Partial Differential Equations*, **4**, 899–958 (1979)
- [Helm69] Helms, L.L.: *Introduction to Potential Theory*. Pure and Applied Mathematics, **22**, Wiley–Interscience (1969)
- [Her68] Herman, R.: *Differential Geometry and the Calculus of Variations*. Academic Press (1968)
- [Hil70] Hill, C.D.: A sharp maximum principle for degenerate elliptic-parabolic equations. *Indiana Univ. Math. J.*, **20**, 213–229 (1970)
- [Him98] Himonas, A.A.: Analytic hypoellipticity for sums of squares of vector fields. *Complex Analysis and Applications (Warsaw, 1997)*. *Ann. Polon. Math.*, **70**, 117–129 (1998)
- [Hoc68] Hochschild, G.: *La Structure de Groupes de Lie*. Monographies universitaires de mathématique, **27**, Dunod, Paris (1968)
- [Hop52] Hopf, E.: A remark on linear elliptic differential equations of second order. *Proc. Amer. Math. Soc.*, **3**, 791–793 (1952)
- [Hor67] Hörmander, L.: Hypoelliptic second order differential equations. *Acta Math.*, **119**, 147–171 (1967)
- [Hor69] Hörmander, L.: *Linear Partial Differential Equations*. Springer-Verlag, Heidelberg, New York (1969)
- [Hor94] Hörmander, L.: *Notions of Convexity*. Progress in Mathematics, **127**, Birkhäuser, Boston (1994)
- [HM78] Hörmander, L., Melin, A.: Free systems of vector fields. *Ark. Mat.*, **16**, 83–88 (1978)
- [How80] Howe, R.: On the role of the Heisenberg group in harmonic analysis. *Bull. Amer. Math. Soc.*, **3**, 821–843 (1980)
- [Hu85] Hueber, H.: Wiener’s criterion in potential theory with applications to nilpotent Lie groups. *Math. Z.*, **190**, 527–542 (1985)
- [HK99] Huiskens, G., Klingenberg, W.: Flow of real hypersurfaces by the trace of the Levi form. *Math. Res. Lett.*, **6**, 645–661 (1999)
- [HJ85] Horn, R.A., Johnson, C.A.: *Matrix Analysis*. Cambridge University Press, Cambridge (1985)

- [Ish03] Ishiwata, S.: A central limit theorem on a covering graph with a transformation group of polynomial growth. *J. Math. Soc. Japan*, **55**, 837–853 (2003)
- [Jac62] Jacobson, N.: *Lie Algebras*. Interscience Tracts in Pure and Applied Mathematics, **10**, Wiley, New York, London (1962)
- [JL87] Jerison, D., Lee, J.M.: The Yamabe problem on CR manifolds. *J. Differential Geom.*, **25**, 167–197 (1987)
- [JL88] Jerison, D., Lee, J.M.: Extremals for the Sobolev inequality on the Heisenberg group and the CR Yamabe problem. *J. Amer. Math. Soc.*, **1**, 1–13 (1988)
- [JL89] Jerison, D., Lee, J.M.: Intrinsic CR normal coordinates and the CR Yamabe problem. *J. Differential Geom.*, **29**, 303–343 (1989)
- [JSC87] Jerison, D., Sanchez-Calle, A.: Subelliptic, second order differential operators. In: *Complex Analysis, III* (College Park, Md., 1985–86). *Lecture Notes in Math.*, **1277**, Springer-Verlag, 46–77 (1987)
- [JLMS07] Juutinen, P., Lu, G., Manfredi, J.J., Stroffolini, B.: Convex functions on Carnot groups, to appear in: *Rev. Mat. Iberoamericana* (2007)
- [Kal92] Kalf, H.: On E.E. Levi's method of constructing a fundamental solution for second-order elliptic equations. *Rend. Circ. Mat. Palermo*, **41**, 251–294 (1992)
- [Kap80] Kaplan A.: Fundamental solutions for a class of hypoelliptic PDE generated by composition of quadratic forms. *Trans. Amer. Math. Soc.*, **258**, 147–153 (1980)
- [KK98] Kawohl, B., Kutev, N.: Strong maximum principle for semicontinuous viscosity solutions of nonlinear partial differential equations. *Arch. Math. (Basel)*, **70**, 470–478 (1998)
- [Kil94] Kilpeläinen, T.: *Nonlinear potential theory and PDEs*. Bertin, Emile, ICPT '91. Proceedings from the International Conference on Potential Theory, Amersfoort, The Netherlands, August 18–24, 1991. Kluwer Academic Publishers, Dordrecht, 107–118 (1994)
- [Koh73] Kohn, J.J.: Pseudo-differential operators and hypoellipticity. *Proc. Sympos. Pure Math.*, **23**, Amer. Math. Soc., 61–70 (1973)
- [Kol34] Kolmogorov, A.N.: Zufällige Bewegungen. *Ann. of Math.*, **35**, 116–117 (1934)
- [Kor82] Korányi, A.: Kelvin transforms and harmonic polynomials on the Heisenberg group. *J. Funct. Anal.*, **49**, 177–185 (1982)
- [KR90] Korányi, A., Reimann, H.M.: Quasiconformal mappings on CR manifolds. *Complex Geometry and Analysis* (Pisa, 1988). *Lecture Notes in Math.*, **1422**, Springer-Verlag, Berlin, 59–75 (1990)
- [KR95] Korányi, A., Reimann, H.M.: Foundations for the theory of quasiconformal mappings on the Heisenberg group. *Adv. Math.*, **111**, 1–87 (1995)
- [KR87] Korányi, A., Reimann, H.M.: Horizontal normal vectors and conformal capacity of spherical rings in the Heisenberg group. *Bull. Sci. Math. (2)*, **111**, 3–21 (1987)
- [KoSt85] Korányi, A., Stanton, N.: Liouville type theorems for some complex hypoelliptic operators. *J. Funct. Anal.*, **60**, 370–377 (1985)
- [KuSt85] Kusuoka, S., Stroock, D.: Applications of the Malliavin calculus II, *J. Fac. Sci. Univ. Tokyo, Sect. IA, Math.*, **32**, 1–76 (1985)
- [Lab02] Labutin, D.: Potential estimates for a class of fully nonlinear elliptic equations. *Duke Math. J.*, **111**, 1–49 (2002)
- [LM97a] Lancia, M.R., Marchi, M.V.: Harnack inequalities for nonsymmetric operators of Hörmander type with discontinuous coefficients. *Adv. Math. Sci. Appl.*, **7**, 833–857 (1997)
- [LM97a] Lancia, M.R., Marchi, M.V.: Liouville theorems for Fuchsian-type operators on the Heisenberg group. *Z. Anal. Anwendungen*, **16**, 653–668 (1997)

- [Lan83] Lanconelli, E.: Stime sub-ellittiche e metriche Riemanniane singolari. In: Seminario di Analisi Matematica. Istituto Matematico dell'Università di Bologna. A.A. 1982–83 (1983)
- [Lan90] Lanconelli, E.: Formule di media per operatori subellittici del secondo ordine. In: Seminario di Analisi Matematica del Dipartimento di Matematica dell'Università di Bologna, A.A. 1988–89, XI.1–XI.22 (1990)
- [Lan03] Lanconelli, E.: Nonlinear equations on Carnot groups and curvature problems for CR manifolds. *Atti Accad. Naz. Lincei, Cl. Sci. Fis. Mat. Nat., IX. Ser., Rend. Lincei, Mat. Appl.*, **14**, 227–238 (2003)
- [LPP02] Lanconelli, E., Pascucci, A., Polidoro, S.: Linear and nonlinear ultraparabolic equations of Kolmogorov type arising in diffusion theory and in finance. *Nonlinear Problems in Mathematical Physics and Related Topics, II. Int. Math. Ser. (N. Y.)*, **2**, Kluwer/Plenum, New York, 243–265 (2002)
- [LK00] Lanconelli, E., Kogoj, A.E.: X -elliptic operators and X -control distances. *Ricerche Mat.*, **49**, 223–243 (2000)
- [LP94] Lanconelli, E., Polidoro, S.: On a class of hypoelliptic evolution operators. *Rend. Sem. Mat. Univ. Politec. Torino*, **52**, 29–63 (1994)
- [LU00] Lanconelli, E., Uguzzoni, F.: Non-existence results for semilinear Kohn-Laplace equations in unbounded domains. *Comm. Partial Differential Equations*, **25**, 1703–1739 (2000)
- [Lan72] Landkof, N.S.: *Foundations of Modern Potential Theory. Grundlehren der Mathematischen Wissenschaften*, **180**, Springer-Verlag, Berlin, Heidelberg, New York (1972)
- [LMS04] Lu, G., Manfredi, J.J., Stroffolini, B.: Convex functions on the Heisenberg group. *Calc. Var. Partial Differential Equations*, **19**, 1–22 (2004)
- [LW97] Lu, G., Wei, J.: On positive entire solutions to the Yamabe-type problem on the Heisenberg and stratified groups. *Electron. Res. Announc. Amer. Math. Soc.*, **3**, 83–89 (1997)
- [Luo97] Luo, X.: Liouville's theorem for homogeneous differential operators. *Comm. Partial Differential Equations*, **22**, 1837–1848 (1997)
- [Mag06] Magnani, V.: Lipschitz continuity, Aleksandrov theorem and characterizations for H -convex functions. *Math. Ann.*, **334**, 199–233 (2006)
- [MU02] Malchiodi, A., Uguzzoni, F.: A perturbation result for the Webster scalar curvature problem on the CR sphere. *J. Math. Pures Appl.*, **81**, 983–997 (2002)
- [MS02] Manfredi, J.J., Stroffolini, B.: A version of the Hopf–Lax formula in the Heisenberg group. *Comm. Partial Differential Equations*, **27**, 1139–1159 (2002)
- [MV97a] Markina, I.G., Vodopyanov, S.K.: Fundamentals of the nonlinear potential theory for subelliptic equations, I. *Siberian Adv. Math.*, **7**, 32–62 (1997)
- [MV97b] Markina, I.G., Vodopyanov, S.K.: Fundamentals of the nonlinear potential theory for subelliptic equations, II. *Siberian Adv. Math.*, **7**, 18–63 (1997)
- [Met80] Métivier, G.: Hypoellipticité analytique sur des groupes nilpotents de rang 2. *Duke Math. J.*, **47**, 195–213 (1980)
- [Met81] Métivier, G.: Analytic hypoellipticity for operators with multiple characteristics. *Comm. Partial Differential Equations*, **6**, 1–90 (1981)
- [Mil88] Miller, K.G.: Microlocal regularity on step two nilpotent Lie groups. *Proc. Edinburgh Math. Soc.*, **31**, 25–39 (1988)
- [Mit85] Mitchell, J.: On Carnot–Carathéodory metrics. *Journal of Differential Geom.*, **21**, 35–45 (1985)

- [Mo01] Montanari, A.: Real hypersurfaces evolving by Levi curvature: smooth regularity of solutions to the parabolic Levi equation. *Comm. Partial Differential Equations*, **26**, 1633–1664 (2001)
- [ML04] Montanari, A., Lanconelli, E.: Pseudoconvex fully nonlinear partial differential operators: strong comparison theorems. *J. Differential Equations*, **202**, 306–331 (2004)
- [ML01] Montanari, A., Lascialfari, F.: The Levi Monge-Ampère equation: smooth regularity of strictly Levi convex solutions. *J. Geom. Anal.*, **14**, 331–353 (2004)
- [Mon02] Montgomery, R.: *A Tour of Subriemannian Geometries, Their Geodesics and Applications*. *Mathematical Surveys and Monographs*, **91**, American Mathematical Society, Providence, RI (2002)
- [MSS97] Montgomery, R., Shapiro, M., Stolin, A.: A nonintegrable sub-Riemannian geodesic flow on a Carnot group. *J. Dyn. Control Syst.*, **3**, 519–530 (1997)
- [MM05] Monti, R., Morbidelli, D.: Regular domains in homogeneous groups. *Trans. Amer. Math. Soc.*, **357**, 2975–3011 (2005)
- [MSC01] Monti, R., Serra Cassano, F.: Surface measures in Carnot–Carathéodory spaces. *Calc. Var. Partial Differential Equations*, **13**, 339–376 (2001)
- [MR05] Monti, R., Rickly, M.: Geodetically convex sets in the Heisenberg group. *J. Convex Anal.*, **12**, 187–196 (2005)
- [Mor00] Morbidelli, D.: Fractional Sobolev norms and structure of Carnot–Carathéodory balls for Hörmander vector fields. *Studia Math.*, **139**, 213–242 (2000)
- [NSW85] Nagel, A., Stein, E.M., Wainger, S.: Balls and metrics defined by vector fields I: basic properties. *Acta Math.*, **155**, 103–147 (1985)
- [Ne88] Negrini, P.: Some remarks on capacity and the Wiener test for degenerate elliptic operators. *Boll. Unione Mat. Ital. Sez. B Artic. Ric. Mat. (7)* **2-B**, 555–570 (1988)
- [NS87] Negrini, P., Scornazzani, V.: Wiener criterion for a class of degenerate elliptic operators. *J. Differential Equations*, **66**, 151–164 (1987)
- [NV94] Netuka, I., Veselý, J.: Mean value property and harmonic functions. In: *Classical and Modern Potential Theory and Applications* (Chateau de Bonas, 1993). *NATO Adv. Sci. Inst. Ser. C Math. Phys. Sci.*, **430**, Kluwer Acad. Publ., Dordrecht, 359–398 (1994)
- [Nir53] Nirenberg, L.: A strong maximum principle for parabolic equations. *Comm. Pure Appl. Math.*, **6**, 167–177 (1953)
- [Oki95] Okikiolu, K.: The Campbell–Hausdorff theorem for elliptic operators and a related trace formula. *Duke Math. J.*, **79**, 687–722 (1995)
- [Ole52] Oleĭnik, O.A.: On properties of solutions of certain boundary problems for equations of elliptic type. *Mat. Sbornik N.S.*, **30**, 695–702 (1952)
- [OR72] Oleĭnik, O.A., Radkevič, E.V.: On the analyticity of solutions of linear differential equations and systems. *Dokl. Akad. Nauk SSSR*, **207**, 1614–1618 (1972)
- [OR73] Oleĭnik, O.A., Radkevič, E.V.: *Second Order Equations with Nonnegative Characteristic Form*. *Amer. Math. Soc. Providence, RI* (1973)
- [OV94] Onishchik, A.L., Vinberg, E.B. (eds.), *Lie Groups and Lie Algebras III (Structure of Lie Groups and Lie algebras)*. *Encyclopaedia of Mathematical Sciences*, **41**, Springer-Verlag, Berlin, Heidelberg (1994)
- [Ote91] Oteo, J.A.: The Baker–Campbell–Hausdorff formula and nested commutator identities. *J. Math. Phys.*, **32**, 419–424 (1991)
- [Pan82] Pansu, P.: Une inégalité isopérimétrique sur le groupe d’Heisenberg. *C. R. Acad. Sci. Paris*, **295**, 127–131 (1982)

- [Pan89] Pansu, P.: Métriques de Carnot–Carathéodory et quasi-isométries des espaces symétriques de rang un. *Ann. of Math.*, **129**, 1–60 (1989)
- [PT99] Petitot, J., Tondut, Y.: Vers une neurogéométrie. Fibrations corticales, structures de contact et contours subjectifs modaux. *Math. Inform. Sci. Humaines*, **145**, 5–101 (1999)
- [PR80] Pham The Lai, Robert, D.: Sur un problème aux valeurs propres non linéaire. *Israel J. Math.*, **36**, 169–186 (1980)
- [Pic13] Picone, M.: Teoremi di unicità nei problemi dei valori al contorno per le equazioni ellittiche e paraboliche. *Born. Acc. L. Rend.*, **22**, 275–282 (1913)
- [Pic27] Picone, M.: Maggiorazione degli integrali delle equazioni lineari ellittico–paraboliche alle derivate parziali del second’ordine. *Rendiconti Accad. d. L. Roma* (6), **5**, 138–143 (1927)
- [Pla17] Planck, M.: Sitzungsber. Preuss. Akad. Wiss. Phys. Math. Kl., **324** (1917)
- [PW67] Protter, M.H., Weinberger, H.F.: *Maximum Principles in Differential Equations*. Prentice-Hall, Englewood Cliffs, NJ (1967)
- [Ras38] Rashevsky, P.K.: Any two points of a totally nonholonomic space may be connected by an admissible line. *Uch. Zap. Ped. Inst. im. Liebknechta, Ser. Phys. Math.*, **2** 83–94 (1938)
- [Red71] Redheffer, R.M.: The sharp maximum principle for nonlinear inequalities. *Indiana Univ. Math. J.*, **21**, 227–248 (1971)
- [Rei01a] Reimann, H.M.: Rigidity of H -type groups. *Math. Z.*, **237**, 697–725 (2001)
- [Rei01b] Reimann, H.M.: H -type groups and Clifford modules. *Adv. Appl. Clifford Algebras*, **11**, 277–287 (2001)
- [Ric06] Rickly, M.: First-order regularity of convex functions on Carnot groups. *J. Geom. Anal.*, **16**, 679–702 (2006)
- [Rot83] Rothschild, L.P.: A remark on hypoellipticity of homogeneous invariant differential operators on nilpotent Lie groups. *Comm. Partial Differential Equations*, **8**, 1679–1682 (1983)
- [Rot84] Rothschild, L.P.: Analyticity of solutions of partial differential equations on nilpotent Lie groups. *Lie Group Representation III, Proceedings (University of Maryland, 1982–1983)*. *Lect. Notes in Math.*, **1077**, Springer-Verlag, 389–395 (1984)
- [RS76] Rothschild, L.P., Stein, E.M.: Hypoelliptic differential operators and nilpotent groups. *Acta Math.*, **137**, 247–320 (1976)
- [Rud87] Rudin, W.: *Real and Complex Analysis*. McGraw–Hill, New York (1987)
- [SaC90] Saloff-Coste, L.: Analyse sur les groupes de Lie à croissance polynômiale. *Ark. Mat.*, **28**, 315–331 (1990)
- [SCS91] Saloff-Coste, L., Stroock, D.W.: Opérateurs uniformément sous-elliptiques sur les groupes de Lie. *J. Funct. Anal.*, **98**, 97–121 (1991)
- [ST91] Slodkowski, Z., Tomassini, G.: Weak solutions for the Levi equation and envelope of holomorphy. *J. Funct. Anal.*, **101**, 392–407 (1991)
- [Spe81] Sperb, R.P.: *Maximum Principles and Their Applications*. *Mathematics in Science and Engineering*, **157**, Academic Press Inc., New York (1981)
- [Ste81] Stein, E.M.: *Harmonic Analysis: Real-variable Methods, Orthogonality, and Oscillatory Integrals*. *Princeton Mathematical Series*, **43**, Princeton University Press, Princeton, NJ (1993)
- [Str87] Strichartz, R.S.: The Campbell–Baker–Hausdorff–Dynkin formula and solutions of differential equations. *J. Funct. Anal.*, **72**, 320–345 (1987)

- [Str92] Strichartz, R.: Self-similarity on nilpotent Lie groups. *Contemp. Math.*, **140**, 123–157 (1992)
- [SV72] Stroock, D.W., Varadhan, S.R.S.: On degenerate elliptic-parabolic operators of second order and their associated diffusions. *Comm. Pure Appl. Math.*, **25**, 651–713 (1972)
- [SY06] Sun, M., Yang, X.: Lipschitz continuity for H -convex functions in Carnot groups. *Commun. Contemp. Math.*, **8**, 1–8 (2006)
- [Tai88] Taira, K.: *Diffusion Processes and Partial Differential Equations*. Academic Press Inc., Boston, MA (1988)
- [Tar80] Tartakoff, D.S.: On the local real analyticity of solutions to \square_b and $\bar{\partial}$ -Neumann problem. *Acta Math.*, **145**, 117–204 (1980)
- [Tha98] Thangavelu, S.: Harmonic Analysis on the Heisenberg Group. *Progress in Mathematics*, **159**, Birkhäuser (1998)
- [Tha94] Thangavelu, S.: A Paley–Wiener theorem for step two nilpotent Lie groups. *Rev. Mat. Iberoamericana*, **10**, 177–187 (1994)
- [Tho82] Thompson, R.C.: Cyclic relations and the Goldberg coefficients in the Campbell–Baker–Hausdorff formula. *Proc. Am. Math. Soc.*, **86**, 12–14 (1982)
- [Tre67] Trèves, F.: *Topological Vector Spaces, Distributions and Kernels*. Academic Press, New York, London (1967)
- [Tre78] Trèves, F.: Analytic hypo-ellipticity of a class of pseudodifferential operators with double characteristics and applications to the $\bar{\partial}$ -Neumann problem. *Comm. Partial Differential Equations*, **3**, 475–642 (1978)
- [TW97] Trudinger, N.S., Wang, X.-J.: Hessian measures. I. *Topol. Methods Nonlinear Anal.*, **10**, 225–239 (1997)
- [TW99] Trudinger, N.S., Wang, X.-J.: Hessian measures. II. *Ann. of Math.*, **150**, 579–604 (1999)
- [TW02a] Trudinger, N.S., Wang, X.-J.: Hessian measures. III. *J. Funct. Anal.*, **193**, 1–23 (2002)
- [TW02b] Trudinger, N.S., Wang, X.-J.: On the weak continuity of elliptic operators and applications to potential theory. *Amer. J. Math.*, **124**, 369–410 (2002)
- [Ugu99] Uguzzoni, F.: A Liouville-type Theorem on halfspaces for the Kohn Laplacian. *Proc. Amer. Math. Soc.*, **127**, 117–123 (1999)
- [Ugu00] Uguzzoni, F.: A note on Yamabe-type equations on the Heisenberg group. *Hiroshima Math. J.*, **30**, 179–189 (2000)
- [UL97] Uguzzoni, F., Lanconelli, E.: On the Poisson kernel for the Kohn Laplacian. *Rend. Mat. Appl.*, **17**, 659–677 (1997)
- [UL02] Uguzzoni, F., Lanconelli, E.: Degree theory for VMO maps on metric spaces and applications to Hörmander operators. *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (V)*, **1**, 569–601 (2002)
- [Var84] Varadarajan, V.S.: *Lie Groups, Lie Algebras and Their Representations*. Graduate Texts in Mathematics, Springer-Verlag, New York, (1984)
- [Varo87] Varopoulos, N.T.: Fonctions harmoniques sur les groupes de Lie. *C. R. Acad. Sci. Paris*, **304**, 519–521 (1987)
- [Varo00] Varopoulos, N.T.: Geometric and potential theoretic results on Lie groups. *Canad. J. Math.*, **52**, 412–437 (2000)
- [VSC92] Varopoulos, N.T., Saloff-Coste, L., Coulhon, T.: *Analysis and Geometry on Groups*. Cambridge Tracts in Mathematics, **100**, Cambridge University Press, Cambridge (1992)

- [VM96] Vodop'yanov, S.K., Markina, I.G.: Foundations of the nonlinear potential theory of subelliptic equations. Reshetnyak, Y.G., et al. (ed.), Sobolev Spaces and Adjacent Problems of Analysis. Tr. Inst. Mat. Im. S. L. Soboleva SO RAN, **31**, Izdatel'stvo Instituta Matematiki SO RAN, Novosibirsk, 100–160 (1996)
- [Wan05] Wang, C.: Viscosity convex functions on Carnot groups. Proc. Amer. Math. Soc., **133**, 1247–1253 (2005)
- [War83] Warner, F.W.: Foundations of Differentiable Manifolds and Lie Groups. Graduate Texts in Mathematics, **94**, Springer-Verlag, New York (1983)
- [Weyl31] Weyl, H.: The Theory of Groups and Quantum Mechanics. Methuen, London (1931)

Index of the Basic Notation¹

$\partial_j, \partial_{x_j}$	3
$X = \sum_{j=1}^N a_j \partial_j$	4
Xf	4
$T(\mathbb{R}^N)$	5
I	5
$X \equiv XI$	5
∇	5
$\gamma_X(t, x), \mathcal{D}(X, x)$	6
$X^{(k)}, X^h$	6
$\exp(tX)(x)$	8
$\exp(X)(x)$	8
$[X, Y]$	10, 103
$[Z_{j_1}, \dots, [Z_{j_{k-1}}, Z_{j_k}] \dots]$	11
Z_J	11
$\text{Lie}\{U\}$	11
$\text{rank}(\text{Lie}\{U\})(x)$	11
$[V, W]$	13
$\mathbb{G} := (\mathbb{R}^N, \circ)$	13
τ_α	13
\mathfrak{g}	14, 107
$\mathcal{J}_{\tau_\alpha}(x)$	14
$\eta \mapsto J(\eta)$	16
\mathbb{H}^1	14
$\{e_1, \dots, e_N\}$	19
$\pi : \mathfrak{g} \rightarrow \mathbb{R}^N$	21
$(Z_1 u, \dots, Z_N u)$	22
$X \diamond Y$	29
$\delta_\lambda : \mathbb{R}^N \rightarrow \mathbb{R}^N$	31

¹ The page number refers to the first time the symbol is introduced within the text. In case of multiple numbering, this means that the symbol is employed in multiple contexts.

$\sigma = (\sigma_1, \dots, \sigma_N)$ 31
 $\mathbb{G} = (\mathbb{R}^N, \circ, \delta_\lambda)$ 31, 56
 $|\alpha|_\sigma, |\alpha|_{\mathbb{G}}, \deg_{\mathbb{G}}(p)$ 33
 X^* 35
 $\operatorname{div}(A \cdot \nabla^T)$ 35
 $\mathcal{J}_{\mathcal{F}_x}(0)$ 42
 $|E| \ (E \subseteq \mathbb{R}^N)$ 43
 $Q = \sum_{j=1}^N \sigma_j$ 44, 126
 $\mathfrak{g} = \mathfrak{g}_1 \oplus \dots \oplus \mathfrak{g}_r$ 45
 $\delta_\lambda : \mathfrak{g} \rightarrow \mathfrak{g}$ 48
 $\xi \cdot Z, E \cdot \xi$ 50, 133
 $\mathbf{C}\text{-H}(\mathbb{G}) := (\mathbb{R}^N, *, \delta_\lambda)$ 54
 $x^{(1)}, \dots, x^{(r)}, x^{(i)} \in \mathbb{R}^{N_i}$ 56
 r and $m = N_1$ 56, 126
 $W^{(k)}$ 59
 $\mathfrak{g} = W^{(1)} \oplus \dots \oplus W^{(r)}$ 59
 $\Delta_{\mathbb{G}}, \mathcal{L}$ 62, 144
 $\nabla_{\mathbb{G}}, \nabla_{\mathcal{L}}$ 62
 $\mathcal{L} = \operatorname{div}(A(x)\nabla^T)$ 64
 $A(x) = \sigma(x)\sigma(x)^T$ 64
 $q_{\mathcal{L}}(x, \xi)$ 65
 $\operatorname{Isotr}(A)$ 65
 $u \mapsto J(u)$ 67
 $X^\beta := X_{i_1} \circ \dots \circ X_{i_k}$ 68
 (X_1, X_2) -connected 70
 $\pi_i : \mathbb{R}^N \rightarrow \mathbb{R}$ 87
 $\varphi : U \rightarrow \mathbb{R}^N$ 87
 $(U_\alpha, \varphi_\alpha)$ 88
 $\mathbf{v}(f), M_m, T(M)$ 91
 M, N, M', N' 88
 $\partial/\partial x_i|_m$ 94
 $d_m \psi : M_m \rightarrow M'_{\psi(m)}$ 95
 $d\psi : T(M) \rightarrow T(M')$ 97
 $X : \Omega \rightarrow T(M)$ 97
 $\pi(m, \mathbf{v}) := \mathbf{v}$ 97
 X, Y, Z 98
 $X_m, X(f)(m)$ 98
 $f \mapsto Xf, Xf : M \rightarrow \mathbb{R}$ 98
 $\mathcal{X}(M)$ 98
 $d\psi : \mathcal{X}(M) \rightarrow \mathcal{X}(M')$ 99
 X and \tilde{X} 100
 $\dot{\mu}(t)$ 101
 $[X, Y] : M \rightarrow T(M)$ 103
 $\mathbb{G}, \mathbb{H}, \mathbb{F}$ 106
 $[\cdot, \cdot] : \mathfrak{g} \times \mathfrak{g}$ 107

$\mathfrak{g}, \mathfrak{h}, \mathfrak{f}$	14, 107
$\circ, *, \bullet$	106
τ_α	106
x^{-1}	106
$\alpha : \mathfrak{g} \rightarrow \mathbb{G}_e$	108
$\varphi : \mathbb{G} \rightarrow \mathbb{H}$	112
$d\varphi : \mathfrak{g} \rightarrow \mathfrak{h}$	113
$\exp_X(t)$	117
$\text{Exp} : \mathfrak{g} \rightarrow \mathbb{G}$	24, 49, 118
$\text{Log} : \mathbb{G} \rightarrow \mathfrak{g}$	26, 49, 120
$\mathfrak{h} = V_1 \oplus \dots \oplus V_r$	122
$\mathcal{B} = (E_1^{(1)}, \dots, E_{N_r}^{(r)})$	125
\diamond	128
$\text{ad } X$	128
$\pi_\mathcal{E} : \mathfrak{h} \rightarrow \mathbb{R}^N$	131, 139
$\Psi := \text{Exp} \circ (\pi_\mathcal{E})^{-1} : \mathbb{R}^N \rightarrow \mathbb{H}$	131, 139
$\Delta_\lambda : \mathfrak{h} \rightarrow \mathfrak{h}$	132
$\delta_\lambda := \pi_\mathcal{E} \circ \Delta_\lambda \circ \pi_\mathcal{E}^{-1}$	132
$\diamond_\mathcal{E}$	132
$\mathbb{H}^* := (\mathbb{R}^N, \diamond_\mathcal{E}, \delta_\lambda)$	132
$\text{Exp}_\mathfrak{h} : \mathfrak{h}^* \rightarrow \mathfrak{h}$	143
$\mathcal{H}_\mathcal{L}(\Omega)$	146
$\text{Im}(z)$	155
\mathbb{H}^n	155
\mathfrak{h}_n	156
$\Delta_{\mathbb{H}^n}$	157
(x, t)	158
$\langle Bx, \xi \rangle, B^{(k)}$	158
$(\mathbb{F}_{m,2}, \star)$	163
$\gamma_{i,j}$	163
$\mathbb{H} = (\mathbb{R}^{m+n}, \circ, \delta_\lambda)$	169, 681
$\rho : \mathbb{N} \rightarrow \mathbb{N}$	173
HM-group	173
B_η, \mathfrak{g}_2^*	173
$\mathbb{E} = (\mathbb{R}^N, +, \delta_\lambda)$	183
(\mathbb{B}, \circ)	185
$\mathbb{B} = (\mathbb{R}^{1+N}, \circ, \delta_\lambda)$	187
\mathbb{B}_n	198
$\mathfrak{h}_1, \dots, \mathfrak{h}_k$	207
$d, x _\mathbb{G}$	229
d_0	230
d_X	232
$\mathcal{S}(X)$	232
$l(\gamma)$	232

X -connected 232

Dirac_0 236

Γ 236

$u_\varepsilon, u *_{\mathbb{G}} J_\varepsilon$ 239

J_ε 239

$B_\rho(x, r)$ 239

$B_d(x, r), \dot{B}_d(x, r)$ 252, 459

$D(x, r)$ 297

ρ - $\text{dist}(x, A)$ 239

ω_ρ 248

ω_d 248

$\mathcal{K}_{\mathcal{L}}, \Psi_{\mathcal{L}}$ 252

$\mathcal{M}_r, \mathcal{N}_r$ 256

$\mathbf{M}_r, \mathbf{N}_r$ 259

Φ_r, Φ_r^* 258

β_d, m_d, n_d 255, 259

a_d, \mathfrak{a}_d 257, 261

f_D 275

I_α 276

$M_{\mathcal{L}}(f)(x)$ 277

F^* 297

$v \perp F$ at y 297

$\mathcal{AL}(u)(x), A\mathcal{L}(u)(x)$ 320

$\liminf_{y \rightarrow x}, \limsup_{y \rightarrow x}$ 338

l.s.c., u.s.c. 338

\hat{u}, \check{u} 339

(E, \mathcal{T}) 338

$\mathcal{F} : V \mapsto \mathcal{F}(V)$ 340

$H_\varphi^V, H_f^V, H_f^\Omega$ 341, 361, 388

μ_x^V, μ_x^Ω 341, 367, 388

$\mathcal{H}^*(\Omega), \mathcal{H}_*(\Omega)$ 341

$\mathcal{F} \uparrow, \mathcal{F} \downarrow$ 342

\mathcal{T}_r 345

(E, \mathcal{H}) 345

$\mathcal{H}(\Omega)$ 346, 388

$\mathcal{B}\text{-}\mathcal{H}^*(\Omega)$ 348

$\mathcal{K} \downarrow$ 349

$\mathcal{B}(x)$ 353

$\underline{\mathcal{S}}(\Omega), \overline{\mathcal{S}}(\Omega)$ 353, 389

u_V 355

$(\mathcal{H}\text{-D})$ 359

$\overline{U}_f^\Omega, \underline{U}_f^\Omega$ 359

$\overline{H}_f^\Omega, \underline{H}_f^\Omega$ 359

$\mathcal{R}(\partial\Omega)$ 361

$\mathcal{R}^\infty(\partial\Omega)$ 361
 $\overline{S}_c^+(E)$ 363
 s_{x_0} 370
 $s_{x_0}^\Omega := H_f^\Omega$ 372
 \widehat{u}_0 375
 $\mathbf{R}_A^f, \widehat{\mathbf{R}}_A^f$ 376
 $\mathcal{L}\mathcal{H}(\Omega)$ 382
 \mathcal{L}_ε 383
 $(\mathbb{G}, \mathcal{H})$ 388
 $\mathcal{X}^2u(x)$ 412
 $\mathbb{V} := \text{Exp}(V_1)$ 414
 $[x \circ h^{-1}, x \circ h]$ 415
 \mathbb{V}_x 415
 $V\text{-Conv}_v(\Omega), V\text{-Conv}_H(\Omega)$ 420
 G_Ω 425, 427
 $\Gamma * \mu, G_\Omega * \mu$ 432
 \mathbf{k}, \mathbf{K} 436
 $m_r[u], M_r[u]$ 436
 $\lambda_{x,r}(y), \Lambda_{x,r}$ 436
 $\mu, \mu[u], \mu_u$ 441
 $\underline{S}_p(\Omega)$ 474
 $\overline{S}^+(\Omega)$ 489
 $I(\mu)$ 497
 $V(E)$ 497
 U_E 498
 \mathbf{R}_E^u 501
 Φ_E^u 501
 $\widehat{\mathbf{R}}_E^u$ 501
 W_K, V_K 502
 μ_K 502
 $\mathcal{C}(K)$ 502, 508
 $\mathcal{C}_*(E), \mathcal{C}^*(E)$ 508
 \overline{G}_Ω 516
 $\overline{g}_\Omega(x, y)$ 516
 $\mathfrak{M}, \mathfrak{M}_0$ 489
 $\mathfrak{M}(E), \mathfrak{M}_0(E)$ 489
 $A \Subset B, \mu|_A$ 489
 ν_E 519
 $\langle \mu, \nu \rangle$ 528
 $\|\mu\|$ 528
 \mathcal{E}^+ 528
 C_n 547
 $M_\phi^{(\rho)}(E)$ 557
 $m_\phi(E)$ 558

$M_{(\alpha)}^{(\rho)}, m_{(\alpha)}$	558
$\alpha(E)$	558
$n(t)$	562
$I(\phi, Q)$	564
$f_{m,r}$	577
$H(m, r)$	579
e^X	599
\mathcal{L}_A	622
$\mathcal{F} = \{F_1, \dots, F_H\}$	650
$\mathfrak{z}, \mathfrak{z}^\perp$	681
J_z	682
\mathfrak{b}	682
$U^{(1)}, \dots, U^{(n)}$	687
$v : \mathbb{G} \rightarrow \mathfrak{b}, z : \mathbb{G} \rightarrow \mathfrak{z}$	696
$\sigma(x, t)$	705
$u^*(x, t)$	705
$\mathcal{P}_k[x_1, \dots, x_q]$	718
$\bigoplus_{k=s}^r \mathcal{P}_k[x_1, \dots, x_q]$	718
$j_q, c(q)$	721
$\mathcal{P}_n = \text{span}\{x^\alpha : \alpha \in \mathcal{I}_n\}$	735
$Z^\alpha := Z_1^{\alpha_1} \cdots Z_N^{\alpha_N}$	737
$P_n(f, 0)$	742
$\pi_n : \mathcal{P} \rightarrow \mathcal{P}_n$	744
$P_n(f, x_0)(x)$	745
$\zeta_1(h), \dots, \zeta_N(h)$	755
$\text{Hess}_{\text{sym}} u$	764

Index

- \mathcal{B} -hyperharmonic function, 348–350, 352
 - minimum principle, 351
- \mathcal{B} -invariant set, 349–351
- δ_λ -degree (of a polynomial), 33
- δ_λ -homogeneous degree (of a polynomial), 33
- \mathbb{G} -cone, 480
- \mathbb{G} -degree (of a polynomial), 33
- \mathbb{G} -polynomial, 734
- \mathfrak{S} -harmonic space, 363, 367
 - positivity axiom (in \mathfrak{a}), 363
- \mathfrak{S}^* -harmonic space, 370
 - on a Carnot group, 382
- \mathcal{L} -maximal function, 277
- q -set, 477

- associative algebra, 600
- asymptotic solid sub-Laplacian, 261
- asymptotic surface sub-Laplacian, 257

- balayage, 376
- balayage (w.r.t. a sub-Laplacian), 501
- barrier function (in a \mathfrak{S}^* -harmonic space), 371
- Bôcher-type theorem, 460, 461
- Bouligand theorem, 371, 391, 544
- bounded above \mathcal{L} -subharmonic functions, 474
- Brelot convergence property, 268

- Caccioppoli–Weyl’s lemma for sub-Laplacians, 408
- Campbell–Hausdorff
 - formula, 128, 129, 194, 585–587, 600, 659
 - formula for formal power series, 600
 - formula for homogeneous vector fields, 194, 593, 594
 - operation, 29, 128, 130, 131, 142, 143, 585, 586, 595, 626, 652
- canonical sub-Laplacian, 621, 622
 - of a Heisenberg-type group, 171, 692
- capacitable set (w.r.t. a sub-Laplacian), 509
- capacitary distribution (w.r.t. a sub-Laplacian), 502, 505
- capacitary potential (w.r.t. a sub-Laplacian), 502, 508
- capacity of a compact set (w.r.t. a sub-Laplacian), 502
 - and polarity, 507
 - characterization of the-, 503, 505
 - monotonicity, 506
 - right continuity, 506
 - strong subadditivity, 506
- capacity (w.r.t. a sub-Laplacian), 509
 - and polarity, 509
 - exterior-, 509
 - interior-, 508
 - of Borel sets, 509
- Carnot group, 56, 122, 131, 198
 - B-groups, 184
 - canonical sub-Laplacian of \mathfrak{a} -, 62
 - classical definition, 122
 - Euclidean group, 183, 280
 - filiform-, 207

- free-, 578, 584, 587, 588, 625, 658, 661, 662
- harmonic space, 381
- Heisenberg–Weyl group, 155
- HM-groups, 174
- homogeneous-, 121
- K-type groups, 186
- of Heisenberg type, 169, 681
- of Iwasawa type, 702
- of step r , 56, 198
- of step two, 158, 163, 661, 666
- of type HM, 174
- stratified change of basis on \mathfrak{a} -, 61, 165
- sum of-, 190
- with homogeneous dimension $Q \leq 3$, 184
- central series (lower-), 149, 207
- characteristic set (of a smooth open set), 710
- Choquet lemma, 339
- commutator, 103
 - nested-, 11
 - of homogeneous fields, 37
 - of length k , 11
- continuity principle for potentials, 489
- convergence axiom, 345, 347
 - in a Carnot group, 382
- convex function
 - equivalence between H- and v -, 417
 - H-, 416
 - horizontally-, 416
 - v -, 411
- Cornea theorem, 344, 347
- covering lemma, 566
- decomposition theorem, 303
- derivatives on \mathbb{G} , 740
- differentiable manifold, 88
- differential, 95
 - of a homomorphism, 113, 114, 121
 - of a smooth map, 95
 - of the exponential map, 119
- dilation, 31, 48, 56, 121, 132, 191, 593, 627, 638, 649, 656, 669
 - invariance of a sub-Laplacian, 63
 - differential operator homogeneous with respect to-, 32, 34
 - function homogeneous with respect to-, 32, 34
 - invariance of the Lebesgue measure with respect to-, 44
 - on the Lie algebra \mathfrak{g} , 46
- Dini–Cartan theorem, 343
- Dirichlet problem (in a harmonic space), 359, 361, 371
- doubling measure, 277
- down directed (family of functions), 342, 343, 349, 356, 357
- down directed (family of sets), 349
- eikonal equation, 466
- energy
 - w.r.t. a sub-Laplacian, 528
- equilibrium distribution (w.r.t. a sub-Laplacian), 497, 505
- equilibrium potential (w.r.t. a sub-Laplacian), 497
 - as barrier function, 514
 - fundamental theorem on-, 498
 - uniqueness of the-, 508
- equilibrium value (w.r.t. a sub-Laplacian), 497
 - characterization of the-, 505
- exponential
 - function generated by a system of vector fields, 194
 - map, 24, 49, 118, 129, 131, 626
 - inverse function of-, 27, 49, 626
 - of a homogeneous group of step 2, 166
 - of a vector field, 8, 23, 117
- extended \mathcal{L} -Green function, 516, 518
- extended maximum principle for \mathcal{L} -subharmonic functions, 493
- extended Poisson–Jensen’s formula, 518
- exterior \mathcal{L} -capacity, 509
- filiform Carnot group, 207, 209, 285
- fine topology (w.r.t. a sub-Laplacian), 537
- fractional integral (in a Carnot group), 277
- free Carnot group, 578
- free homogeneous Carnot group, 584, 586–588, 625, 629, 656, 658, 659, 661, 662
- free nilpotent Lie algebra, 577, 579, 583, 586, 624, 650, 656
 - Hall basis for the-, 579
- fundamental solution, 236, 425, 456, 477, 649, 661–663, 665
 - H-type group, 696
- fundamental theorem on \mathcal{L} -equilibrium potentials, 498

- gauge function (w.r.t. a sub-Laplacian), 247
- generalized solution (in the sense of
 - Perron–Wiener–Brelot), 359, 361, 390
- generators of a homogeneous Carnot group, 56
- geodesics (for a homogeneous Carnot group), 309, 314
- gradient (canonical \mathbb{G} -), 62
- Grayson–Grossman theorem, 582
- Green function
 - extended-, 516, 518
 - of a general domain, 427
 - approximation of the-, 429
 - symmetry of the-, 431
 - of an \mathcal{L} -regular set, 425, 426, 445, 446, 448
 - potential of a measure related to a-, 432
- H-groups (in the sense of Métivier), 174
- H-inversion map, 705
- H-Kelvin transform, 705
- H-type algebra, 681
- H-type group, 681
 - canonical sub-Laplacian, 692
 - fundamental solution, 696
 - H-inversion map, 705
 - H-Kelvin transform, 705
 - Iwasawa group, 702
 - prototype-, 169, 687
- Hall basis, 579, 581, 583, 586, 587
- Hardy–Littlewood–Sobolev theorem, 277
- harmonic function (w.r.t. a harmonic sheaf), 340, 346, 347, 353, 357
- harmonic function (w.r.t. a sub-Laplacian), 146, 381, 388–390, 408, 433, 441–445, 458–461
 - Brelot convergence property for a-, 268
 - decomposition theorem for a-, 303
 - removable (or isolated) singularity, 458
- harmonic majorant (least-), 358
- harmonic measure (w.r.t. a harmonic sheaf), 341, 367
- harmonic measure w.r.t. a sub-Laplacian, 388, 391, 426, 445, 518
 - of a polar set, 515
- harmonic minorant (greatest-), 358, 427
- harmonic sheaf, 340
- harmonic space, 345, 347, 348, 353
 - in a Carnot group, 381
- Harnack inequality, 265–267
 - on rings, 267, 460
- Hausdorff dimension w.r.t. d , 558, 568
- Hausdorff measure w.r.t. d , 557
- height
 - δ_λ -height of a multi-index, 32
 - \mathbb{G} -height of a multi-index, 33
- Heisenberg group
 - polarized, 180
- Heisenberg–Weyl group, 155, 156, 172, 580, 625, 630, 632, 659, 702
- Heisenberg-type algebra, 681
- Heisenberg-type group, 681
 - canonical sub-Laplacian, 692
 - fundamental solution, 696
 - H-inversion map, 705
 - H-Kelvin transform, 705
 - Iwasawa group, 702
 - prototype-, 687
- Hessian (horizontal-), 412
- higher-order derivatives on \mathbb{G} , 738
- HM-groups, 174
- homogeneous Carnot group, 56, 121, 131, 198, 206, 586, 630, 637, 649, 656, 659
 - generators of a-, 56
- homogeneous dimension, 44, 126, 128, 184, 303, 477, 559, 663
- homogeneous Lie group on \mathbb{G}
 - homogeneous dimension of a-, 477
- homogeneous Lie group on \mathbb{R}^N , 31, 196
 - homogeneous dimension of a-, 44
 - of step two, 158, 163
- homogeneous norm, 229
 - pseudo-triangle inequality for a-, 231, 484
- homomorphism, 114, 130
 - of Lie algebras, 112
 - of Lie groups, 112, 121
- Hopf-type lemma, 297
- horizontal Hessian, 412
- horizontal segment, 415
- horizontal Taylor formula, 763
- horizontally convex function, 416
 - equivalence with v -convex function, 417
- Hörmander condition, 12, 69, 185, 193, 202, 210, 281
- hyperharmonic function (w.r.t. a harmonic sheaf), 341, 348, 352, 353, 355, 356

- hypoelliptic-(ity), 188, 193, 280, 434, 441, 633
 analytic, 280
 hypoharmonic function (w.r.t. a harmonic sheaf), 342

 interior \mathcal{L} -capacity, 508
 isolated singularity, 458–461
 Iwasawa-type group, 702

 Jacobi identity, 11, 103, 107
 Jacobian basis, 19–22, 26, 45, 50, 58, 59, 69, 115, 143, 144, 156, 159, 185, 187, 588, 622, 625, 627–629, 638, 639, 643, 649, 653, 656, 658–662, 666
 of a homogeneous Lie group, 42, 43

 Kelvin transformation, 704

 l.s.c. function, 338
 Lagrange mean-value theorem (on a Carnot group), 746
 Laplace operator, 100, 183, 445, 621, 622
 left-translation, 106
 length
 δ_λ -length of a multi-index, 32
 \mathbb{G} -length of a multi-index, 33
 Levi–Cartan theorem, 343, 347, 348
 Lie algebra, 11, 14, 107, 197
 filiform-, 207
 free nilpotent-, 577
 generated by a set, 11
 Jacobian basis, 19
 of a Carnot group, 59
 of a Lie group, 108
 Lie group, 106, 195
 Carnot group, 56
 composition law of a homogeneous-, 39, 41, 50, 58
 homogeneous on \mathbb{R}^N , 31
 on \mathbb{R}^N , 13
 structure on a Lie algebra, 130
 Lie polynomial, 600
 Lifting, 653–656, 659, 661, 665, 666
 Liouville-type theorems, 269, 270, 274, 461, 633
 asymptotic-, 274–276
 lower functions, 359
 lower regularization, 339, 501

 lower solution, 359
 Lusin-type theorem, 495

 Mac Laurin polynomial (on a Carnot group), 742
 Maria–Frostman domination principle, 495, 499, 503
 maximum principle, 474
 -set, 474
 for \mathcal{L} -subharmonic functions, 409
 extended-, 493
 on unbounded open sets, 474
 strong version, 426
 weak version, 388, 389, 474
 mean value formula, 391, 447
 mean value operator, 397, 456
 solid-, 399, 404, 405, 432, 441, 447, 458
 superposition formula, 457, 458
 surface-, 401, 404, 410, 447, 456
 measure function, 557
 minimum principle for \mathcal{B} -hyperharmonic functions, 351, 360
 mollifier, 239, 240, 401, 455
 MP set, 474
 mutual \mathcal{L} -energy, 528

 non-characteristic exterior ball condition, 384, 385, 387

 peaking function at a point, 542
 Perron family, 356–358, 362
 Perron–Wiener–Brelot operator, 359
 Perron–Wiener–Brelot solution (related to a sub-Laplacian), 390
 Perron-regularization, 355
 Poisson–Jensen’s formula, 445, 448
 extended-, 518
 polar set (w.r.t. a sub-Laplacian), 491, 493, 495, 508, 544, 559, 568
 and harmonic measure, 515
 characterization in terms of capacity, 507, 509
 polar* set (w.r.t. a sub-Laplacian), 498, 499, 508
 the \mathcal{L} -irregular points are a-, 514
 polarized Heisenberg group, 180
 polynomial functions on \mathbb{G} , 734
 positivity axiom, 345, 351, 354
 in a \mathbb{S} -harmonic space, 363
 in a Carnot group, 382

- potential of a measure (related to the fundamental solution Γ), 445, 451, 458
 - continuity principle (for the), 489
- potential of a measure (related to the \mathcal{L} -Green function G_Ω), 432, 433, 441, 443, 444
- prototype H-type group, 169, 687
- pseudo-triangle inequality, 231, 400, 484
 - improved-, 306
- PWB function, 361, 428
- quasi-continuity of \mathcal{L} -superharmonic functions, 528
- reduced function, 376
- reduced function (w.r.t. a sub-Laplacian), 501
- regular point, 371
- regular point w.r.t. a sub-Laplacian, 518, 542, 544
 - and \mathcal{L} -polarity*, 514
- regular set (w.r.t. a harmonic sheaf), 341, 345, 346, 348, 353, 355
- regular set w.r.t. a sub-Laplacian, 385, 387, 388, 391
 - approximation by-, 430
 - Green function of a-, 425
- regularity axiom, 345, 346
 - in a Carnot group, 383
- removable singularity, 458–461
- resolutive function, 361
 - characterization of the-, 367
- Riesz measure (of an \mathcal{L} -subharmonic function), 441–443, 445, 447, 451, 502, 518
- Riesz-type representation theorem, 441, 443–445, 451, 458
- Riesz-type representation theorem, 484
- segment (horizontal-), 415
- separation axiom, 345, 352
 - in a Carnot group, 382
- sheaf (of functions), 340, 353
 - harmonic-, 340
- Sobolev–Stein embedding theorem, 279
- Stone–Weierstrass theorem, 366
- stratification, 45, 122, 131, 583
 - of a Carnot group, 60, 309, 314
- stratified change of basis, 61, 165
- stratified group, 122, 131
 - harmonic function, 146
 - sub-Laplacian of a-, 144
- stratified Lagrange mean-value theorem, 746
- stratified Taylor formula, 750
- stratified Taylor inequality, 749
- strong maximum principle, 296
- sub-Laplacian, 62, 66, 198, 623, 625, 637, 641, 650
 - arising in control theory, 205
 - Caccioppoli–Weyl’s lemma (for-), 408
 - canonical-, 62, 198, 625, 637, 641, 650, 663
 - on a Heisenberg-type group, 692
 - characteristic form of a-, 65
 - degenerate-ellipticity of a-, 66
 - harmonic measure related to a-, 388
 - harmonic space related to a-, 381
 - invariance with respect to the dilation, 63
 - of a stratified group, 144
 - of Bony-type, 202, 223, 285
 - of Kolmogorov-type, 204
 - Perron–Wiener–Brelot solution related to a-, 390
 - q -set w.r.t. a-, 477
 - regular set w.r.t. a-, 388
 - Riesz measure of a function subharmonic w.r.t. a-, 441
 - subharmonic function w.r.t. a-, 389
 - superharmonic function w.r.t. a-, 389
 - thin set w.r.t. a-, 474
- sub-mean function, 397–399, 401
- sub-mean properties, 399
- subharmonic function (w.r.t. a harmonic sheaf), 353
 - criterion (for subharmonicity), 354
- subharmonic function (w.r.t. a sub-Laplacian), 389, 401, 402, 404, 405, 411, 441, 442, 445, 447, 451, 456, 494, 516, 518
 - bounded above in \mathbb{G} , 451
 - bounded above-, 474
 - extended maximum principle for-, 493
 - Riesz-type representation theorem for a-, 441, 443
 - subharmonic smoothing for a-, 456
- subharmonic minorant, 356, 358

- superharmonic function (w.r.t. a harmonic sheaf), 353
 - characterization of the-, 353
- superharmonic function (w.r.t. a sub-Laplacian), 389, 410, 432, 457, 458, 491
- superharmonic majorant, 358
- surface mean value theorem, 391, 404
- symmetrized horizontal Hessian, 764
- tangent bundle, 91
- tangent space, 91, 109
- tangent vector, 91
- Taylor formula (on a Carnot group), 750
- Taylor inequality (on a Carnot group), 749
- Taylor polynomial (on a Carnot group), 745
- thin set w.r.t. a sub-Laplacian, 474
- thinness of a set at a point (w.r.t. a sub-Laplacian), 538, 550, 553
- total gradient, 22
- total set in $C_0^+(\mathbb{G})$, 529
- u.s.c. function, 338
- up directed (family of functions), 342–344, 347, 348, 354
- upper functions, 359
- upper regularization, 339
- upper solution, 359
- v-convex function, 411
 - equivalence with H-convex function, 417
- vector field, 4, 97
 - complete-, 102, 116
 - generating a Carnot group, 191
 - integral curve (of a), 6, 101
 - left-invariant, 14, 17, 107, 197
 - completeness of the-, 116
 - Lie-bracket, 10
 - related-, 99, 105, 106, 114
 - smooth-, 98
- weak maximum principle, 295
- Wiener resolutivity theorem, 364, 390
- Wiener's criterion for sub-Laplacians, 547, 550
- Wiener's regularity test for sub-Laplacians, 553
- Zorn's lemma, 350

Springer Monographs in Mathematics

This series publishes advanced monographs giving well-written presentations of the “state-of-the-art” in fields of mathematical research that have acquired the maturity needed for such a treatment. They are sufficiently self-contained to be accessible to more than just the intimate specialists of the subject, and sufficiently comprehensive to remain valuable references for many years. Besides the current state of knowledge in its field, an SMM volume should also describe its relevance to and interaction with neighbouring fields of mathematics, and give pointers to future directions of research.

- Abhyankar, S.S. **Resolution of Singularities of Embedded Algebraic Surfaces** 2nd enlarged ed. 1998
- Alexandrov, A.D. **Convex Polyhedra** 2005
- Andrievskii, V.V.; Blatt, H.-P. **Discrepancy of Signed Measures and Polynomial Approximation** 2002
- Angell, T.S.; Kirsch, A. **Optimization Methods in Electromagnetic Radiation** 2004
- Ara, P.; Mathieu, M. **Local Multipliers of C^* -Algebras** 2003
- Armitage, D.H.; Gardiner, S.J. **Classical Potential Theory** 2001
- Arnold, L. **Random Dynamical Systems** corr. 2nd printing 2003 (1st ed. 1998)
- Arveson, W. **Noncommutative Dynamics and E-Semigroups** 2003
- Aubin, T. **Some Nonlinear Problems in Riemannian Geometry** 1998
- Auslender, A.; Teboulle, M. **Asymptotic Cones and Functions in Optimization and Variational Inequalities** 2003
- Banagl, M. **Topological Invariants of Stratified Spaces** 2006
- Banasiak, J.; Arlotti, L. **Perturbations of Positive Semigroups with Applications** 2006
- Bang-Jensen, J.; Gutin, G. **Digraphs** 2001
- Baues, H.-J. **Combinatorial Foundation of Homology and Homotopy** 1999
- Bonfiglioli, A., Lanconelli, E., Uguzzoni, F. **Stratified Lie Groups and Potential Theory for their Sub-Laplacians** 2007
- Böttcher, A.; Silbermann, B. **Analysis of Toeplitz Operators** 2006
- Brown, K.S. **Buildings** 3rd printing 2000 (1st ed. 1998)
- Chang, K.-C. **Methods in Nonlinear Analysis** 2005
- Cherry, W.; Ye, Z. **Nevanlinna’s Theory of Value Distribution** 2001
- Ching, W.K. **Iterative Methods for Queuing and Manufacturing Systems** 2001
- Chudinovich, I. **Variational and Potential Methods for a Class of Linear Hyperbolic Evolutionary Processes** 2005
- Coates, J.; Sujatha, R. **Cyclotomic Fields and Zeta Values** 2006
- Crabb, M.C.; James, I.M. **Fibrewise Homotopy Theory** 1998
- Dineen, S. **Complex Analysis on Infinite Dimensional Spaces** 1999
- Dugundji, J.; Granas, A. **Fixed Point Theory** 2003
- Ebbinghaus, H.-D.; Flum, J. **Finite Model Theory** 2006
- Edmunds, D.E.; Evans, W.D. **Hardy Operators, Function Spaces and Embeddings** 2004
- Elstrodt, J.; Grunewald, F.; Mennicke, J. **Groups Acting on Hyperbolic Space** 1998
- Engler, A.J.; Prestel, A. **Valued Fields** 2005
- Fadell, E.R.; Husseini, S.Y. **Geometry and Topology of Configuration Spaces** 2001
- Fedorov, Yu. N.; Kozlov, V.V. **A Memoir on Integrable Systems** 2001
- Flenner, H.; O’Carroll, L.; Vogel, W. **Joins and Intersections** 1999
- Gelfand, S.I.; Manin, Y.I. **Methods of Homological Algebra** 2nd ed. 2003 (1st ed. 1996)
- Griess, R.L. Jr. **Twelve Sporadic Groups** 1998
- Gras, G. **Class Field Theory** corr. 2nd printing 2005
- Greuel, G.-M.; Lossen, C.; Shustin, E. **Introduction to Singularities and Deformations** 2007
- Hida, H. **p -Adic Automorphic Forms on Shimura Varieties** 2004
- Ischebeck, E.; Rao, R.A. **Ideals and Reality** 2005
- Ivrii, V. **Microlocal Analysis and Precise Spectral Asymptotics** 1998
- Jakimovski, A.; Sharma, A.; Szabados, J. **Walsh Equiconvergence of Complex Interpolating Polynomials** 2006
- Jech, T. **Set Theory** (3rd revised edition 2002)
- Jorgenson, J.; Lang, S. **Spherical Inversion on $SL_n(\mathbb{R})$** 2001

Kanamori, A. **The Higher Infinite** corr. 2nd printing 2005 (2nd ed. 2003)
 Kanovei, V. **Nonstandard Analysis, Axiomatically** 2005
 Khoshnevisan, D. **Multiparameter Processes** 2002
 Koch, H. **Galois Theory of p -Extensions** 2002
 Komornik, V. **Fourier Series in Control Theory** 2005
 Kozlov, V.; Maz'ya, V. **Differential Equations with Operator Coefficients** 1999
 Lam, T.Y. **Serre's Problem on Projective Modules** 2006
 Landsman, N.P. **Mathematical Topics between Classical & Quantum Mechanics** 1998
 Leach, J.A.; Needham, D.J. **Matched Asymptotic Expansions in Reaction-Diffusion Theory** 2004
 Lebedev, L.P.; Vorovich, I.I. **Functional Analysis in Mechanics** 2002
 Lemmermeyer, F. **Reciprocity Laws: From Euler to Eisenstein** 2000
 Malle, G.; Matzat, B.H. **Inverse Galois Theory** 1999
 Mardesic, S. **Strong Shape and Homology** 2000
 Margulis, G.A. **On Some Aspects of the Theory of Anosov Systems** 2004
 Miyake, T. **Modular Forms** 2006
 Murdock, J. **Normal Forms and Unfoldings for Local Dynamical Systems** 2002
 Narkiewicz, W. **Elementary and Analytic Theory of Algebraic Numbers** 3rd ed. 2004
 Narkiewicz, W. **The Development of Prime Number Theory** 2000
 Neittaanmaki, P.; Sprekels, J.; Tiba, D. **Optimization of Elliptic Systems. Theory and Applications** 2006
 Onishchik, A.L. **Projective and Cayley-Klein Geometries** 2006
 Parker, C.; Rowley, P. **Symplectic Amalgams** 2002
 Peller, V. (Ed.) **Hankel Operators and Their Applications** 2003
 Prestel, A.; Delzell, C.N. **Positive Polynomials** 2001
 Puig, L. **Blocks of Finite Groups** 2002
 Ranicki, A. **High-dimensional Knot Theory** 1998
 Ribenboim, P. **The Theory of Classical Valuations** 1999
 Rowe, E.G.P. **Geometrical Physics in Minkowski Spacetime** 2001
 Rudyak, Y.B. **On Thorn Spectra, Orientability and Cobordism** 1998
 Ryan, R.A. **Introduction to Tensor Products of Banach Spaces** 2002
 Saranen, J.; Vainikko, G. **Periodic Integral and Pseudodifferential Equations with Numerical Approximation** 2002
 Schneider, P. **Nonarchimedean Functional Analysis** 2002
 Serre, J-P. **Complex Semisimple Lie Algebras** 2001 (reprint of first ed. 1987)
 Serre, J-P. **Galois Cohomology** corr. 2nd printing 2002 (1st ed. 1997)
 Serre, J-P. **Local Algebra** 2000
 Serre, J-P. **Trees** corr. 2nd printing 2003 (1st ed. 1980)
 Smirnov, E. **Hausdorff Spectra in Functional Analysis** 2002
 Springer, T.A.; Veldkamp, F.D. **Octonions, Jordan Algebras, and Exceptional Groups** 2000
 Székelyhidi, L. **Discrete Spectral Synthesis and Its Applications** 2006
 Sznitman, A.-S. **Brownian Motion, Obstacles and Random Media** 1998
 Taira, K. **Semigroups, Boundary Value Problems and Markov Processes** 2003
 Talagrand, M. **The Generic Chaining** 2005
 Tauvel, P.; Yu, R.W.T. **Lie Algebras and Algebraic Groups** 2005
 Tits, J.; Weiss, R.M. **Moufang Polygons** 2002
 Uchiyama, A. **Hardy Spaces on the Euclidean Space** 2001
 Üstünel, A.-S.; Zakai, M. **Transformation of Measure on Wiener Space** 2000
 Vasconcelos, W. **Integral Closure. Rees Algebras, Multiplicities, Algorithms** 2005
 Yang, Y. **Solitons in Field Theory and Nonlinear Analysis** 2001
 Zieschang, P.-H. **Theory of Association Schemes** 2005