

---

## Index

- 1,310 nm, 924, 926
- 20 MHz, 1120
- 2D UHR OCT, 993
- 3D UHR OCT, 1000
- A-mode scanning, 4
- A-scan, 57
- A-scan interferogram, 130
- ABCD ray matrix formalism, 75
- Abrasion, 1159, 1160
- Absorption, 697, 723
- Absorption coefficient, 703, 1106
- Absorption cross section  $\sigma_a$ , 702
- Acanthosis, 1115
- Achromatic doublet, 384, 387, 388, 390
- Achromatic lens, 385, 390, 393, 394, 401
- Acoustic wave, 476
- Acousto optic modulators, 475, 526
- Acousto-optic cell, 476
- Acute myocardial infarction, 234
- Adaptive optics (AO), 983, 1028
- age-related macular degeneration, 254, 986, 1002
- Aggregation, 879
- Airway collapse, 1283
- Algorithm, 407
- All Chirped Mirror Oscillator (ACM Oscillator), 317, 327
- Amplitude, 483
- Anatomical OCT, 1270
- Angle closure glaucoma, 974
- Angle-resolved low coherence interferometry (a/LCI)
  - animal tissue studies, 842–844
  - comparison to OCT, 851
  - endoscopic implementation, 845–847
  - signal processing, 836–839
  - system design, 832–836
  - validation studies, 839–842
- Angular compounding, 409
- animal models, 919
- animal models of retinal pathologies, 1006
- ANSI standards, 485
- Anterior chamber biometry, 976
- Anterior segment, 496
- Anti-Stokes, 739
- Antibodies, 719
- AO UHR OCT, 1028
- Aperture synthesis, 421
- apoptotic cells, 602
- Applications, 1294
- Architectural morphology, 12
- Artery, 788
- Aspheric optics, 384
- Astigmatism, 398–400
- Atherosclerotic lesion, 1309, 1311, 1312
- Atherosclerotic plaque, 234, 1088
- Attenuation, 1115
- Attrition, 1159, 1160
- Auto-correlation, 55, 59, 64
- Auto-correlation Terms, 57
- autocalibration technique, 156
- Autocorrelation function, 180
- Autocorrelation Noise, 150
  - Dynamic Range and Digitization Depth, 150

- Autofluorescence
  - Airway, 1197
- Averaging, 407
- Axial, 381–387, 390, 391, 396, 400
- Axial (depth) resolution, 240
- axial and transverse resolutions of OCT, 239
- Axial field of view (FOV<sub>axial</sub>), 49
- Axial imaging range, 401, 403
- Axial resolution, 7, 23, 381–383, 386, 391, 396, 400, 401, 507, 868
- Axicon lens, 511
  
- B-mode scanning, 4
- B-scan
  - A-scan based B-scan, 447
  - T-scan based B-scan, 448
- Back focus, 384, 390, 394
- Back-scattered photons, 856
- Back-scattering properties, 896
- Background refractive index, 861
- Background subtraction, 191
- Backscatter, 715, 864
- Backscattering profile, 860
- Backscattering, K-space geometry of, 122
- bandwidth, 302
- Barrett's esophagus, 20, 232, 534
- Basal cell carcinomas, 1115
- Beam analyzer, 381, 395
- Beam power, 485
- Bench-top, 393
- Bessel function, 50
- biattenuance, 655
- Bile duct, 1320, 1321
- Biocompatible chemical agents, 869
- Biodegradable, 720
- Bioluminescent, 714
- Biomechanical properties, 913
- Biopsy, 1113, 1124, 1126, 1132, 1138, 1212, 1214, 1215, 1222, 1224–1227, 1242, 1253–1255, 1258, 1259, 1266, 1318, 1319
- Bioreactor, 891, 897
- Birefringence, 481, 930–931
- Birthmark, 641
- Bladder, 1241–1244, 1246–1259, 1261, 1262, 1265–1267
- Blood, 737
- Blood vessels, 1113
- Body osmolytes, 877
- Boltzmann probability distribution, 412
- Bone tissue, 890
- Brachydanio rerio (Zebrafish), 942–944
- Bragg reflector principle, 314
- brain, 257
- Brain-hemodynamics, 640
- breast, 270
- Brewster angle, 307, 309
- Bright field, 746
- Broad bandwidth laser, 301
  - group-delay dispersion, 308
  - group-velocity dispersion, 309
  - longitudinal mode phases of, 305
  - solid-state lasers, 306, 307
- Broad bandwidth laser sources
  - femtosecond laser, 323
  - low pump-power, 322
- Broad bandwidth laser, OCT
  - optical properties of, 304
  - supercontinua, 311
- Broadband light sources, 291
- Broadband multilayer optics, 311
- Bruch's membrane, 988, 990
  
- C-mode scanning, 510
- C-scan, 449
- C57BL6 Mouse, 1010
- Calcific nodules, 1088
- Calibration, 1308
- Cancer
  - bronchogenic, 1197
  - endobronchial, 1197
  - in situ, 1126, 1131, 1132, 1134, 1136, 1137, 1221, 1241, 1243, 1248–1252, 1255, 1258
  - invasive, 1131, 1132, 1134, 1136, 1137, 1222, 1224–1226, 1230, 1242, 1249–1252, 1254
  - lung, 1197, 1199
  - margins, 1194, 1196
  - pleural, 1200
- Cancer diagnostics, 533
- Carbon, 718
- Caries
  - diagnosis, 1151, 1155, 1157–1159, 1162
  - prevention, 1160, 1162

- Carrier frequency, 475
- cataract, 1019, 1023
- cataract patients, 1022
- Catheter, 19
- Catheter probe, 397–400
- Catheter, coronary, 1306–1309
- CD-OCT
  - depth resolved flow information, 762
- Cell activity, 907
- Cell growth, 891
- Cell growth dynamics, 907
- Cell growth profiles, 899
- Cell identification, 903
- Cell migration, 909
- Cell proliferation, 909
- Cell–matrix interaction, 910
- Cell-adhesion protein, 905
- Cellular imaging, 505
- central serous chorioretinopathy, 986, 990
- Cervical cancer, 1211
- Cervicitis, 1219, 1220
- Cervix, 791, 1211, 1213, 1215, 1216, 1225, 1226, 1229, 1230
- Charge-coupled device (CCD), 439, 440
- Chemical administration, 871
- Chicken embryo, 946–951
- Chirp, 413
- chirped, 312
- Chirped Mirrors, 314
  - coupled-mode theory, 315
  - custom-tailored multilayer, 314
  - dispersive dielectric multilayer, 314
  - global optimization algorithm, 315
  - high and low frequency components, 314
- Chitosan, 891, 898
- cholesterol crystals, 1089
- choriocapillaris, 1019, 1022, 1024
- choroid, 1019, 1022, 1024
- choroidal neovascular membrane, 1002
- choroidal/scleral interface, 1023
- choroideo-scleral interface, 1024
- Chromatic Aberration, 248
- Chromatic aberration, 380, 381, 386–388, 400
- Chromatic dispersion, 390, 397, 413
- Chromophores, 722
- CIN I, 1213, 1221, 1223, 1226, 1227
- CIN II, 1221, 1222, 1226, 1227
- CIN III, 1213, 1224
- Circularly polarized light, 483
- Classical refractometry, 136
- CLEAN algorithm, 143, 410
- CMOS sensors, 437–440
- Coherence, 431
- Coherence function, *See* inverse fourier transform, 54
- Coherence gate, 476, 478, 517
- Coherence layer, 478
- coherence length, 241
- Coherence noise, 190
  - artifacts, 192
  - optimization, 196
  - origin, 194
  - removal, 192
  - terms, 190
- Coherence volume, 859
- Coherent anti-Stokes Raman scattering (CARS), 739
- Collagen, 557, 743, 891
- Colon, 262, 264, 788, 809
- Color, 417
- Color doppler OCT, 417
- Colposcopy, 1212–1215, 1224–1227, 1236
- Combined coherence, 519
- Combined OCT and OCM, 536
- Complex OCT, 178, 197
  - FdOCT, 197
- Complex refractive index, 704
- Compliance, 1281
- Compounding, 407
- Computer optimization, 314
- Cone mosaic, 485
- cone mosaic of the photoreceptors, 1030
- confocal and coherence, 51
- Confocal fluorescent microscopy, 912
- Confocal gating, 517, 519
- Confocal microscopy, 49, 506, 893, 1120
  - advantages of, 49
  - Bessel function, 50
- Constructs, 890
- Continuous positive airway pressure (CPAP), 1281
- Continuum generation, 28
- Contrast, 1129, 1130, 1136, 1138, 1145, 1148, 1212, 1219–1223, 1228–1232,

- 1236, 1237, 1244, 1247, 1248,  
1251, 1254, 1255, 1260, 1265, 1266
- Contrast agent, 713
- Cornea, 496
- corneal and anterior segment imaging,  
961
- corneal scar, 971
- corneal thickness map, 965
- Coronary artery, 234
- Coronary imaging, 1305–1314
- Correction, 381, 388, 400
- correlation technique, 134
- Corticosteroid therapy, 1119
- Coupling efficiency, 381–387, 390, 391,  
393, 396, 397
- Cr<sup>3+</sup>:LiCAF Laser, 329
  - laser setup, 329
  - second- and third-order dispersion,  
330
  - UHR OCT, 329
- Cr<sup>4+</sup>:Forsterite Laser, 331
  - All-solid-state, 332
  - clinical investigations, uses in, 333
- Cr<sup>4+</sup>:Forsterite Laser Development
  - laser, schematic of, 331
- Cr<sup>4+</sup>:YAG Laser, 334, 336
- Cross polarization OCT, 1118, 1228
- Cross-correlation, 6, 55, 58, 59, 64, 65,  
414
- Cross-correlation Terms, 57
- Crystal Fibers, 341
- Cystitis
  - acute, 1244, 1245
  - chronic, 1245–1248, 1253, 1259
  - follicular, 1246
- Dark field, 746
- dark-adapted rat retina, 1036
- Data acquisition techniques, 127
- Deblurring, 405
- Decay, 1154, 1157, 1160, 1162, 1163,  
1176
- Deconvolution, 405, 409
- Defocusing, 405
- deformable mirrors, 1028
- degree of phase retardation, 677
- degree of polarization, 663
- Delay
  - group, 434
  - phase, 434
- Demodulated, 408
- Denoised, 407
- Density plot, 417
- Dental implants, 1166
- Dentin, 1152–1159
- Dentin–pulp complex, 1154, 1157
- Dentinal tubules, 1154, 1155
- depth, 926
- Depth of field, 25, 240
- Depth of focus, 382, 923
- Depth priority scanning, 509
- Depth-resolved Doppler SDPM, 779
- Dermatological applications of PS-OCT
  - burn depth assessment, 680
  - in animals, 683
  - thermal injury effects, 682
- Dermatology, 1102
- Dermis, 495, 1113, 1114
- Detection sensitivity, 211
- Detector array resolution, 400, 401
- Developing tissue, 897
- developmental biology, 919, 922, 936
- Dextran, 881
- Diagnosis
  - brush cytology, 1169
  - caries, 1157, 1158
  - confocal reflectance microscopy, 1171
  - optical coherence microscopy, 1171
  - optical coherence tomography, 1151,  
1152, 1154–1156, 1158–1168,  
1171–1176
  - oral cancer, 1168, 1169
  - periodontal, 1155, 1162, 1164
  - photosensitizers, 1169, 1170
  - spectroscopy, 1170
  - vital staining, 1169
- Dichroic mirror, 394
- Dichroism, 660
- differential attenuation, 655
- Differential FdOCT, 196, 201
- Differentiation, 903
- Diffraction grating, 367
- Diffuse reflectance, 870
- Diffusion rate, 873
- Digital, 414

- Digital dispersion compensation techniques, 134
- Digital image processing techniques, 142
- digital speckle suppression technique, 143
- Diode array, 437–440
- Disaggregation, 879
- Dispersion, 129, 405
- Dispersion compensation, 158, 527
  - advantages of, 161
  - depth dependent loss, 164
  - depth-dependent sensitivity, 163–165
  - fixed pattern noise removal, 161
  - high-speed spectrometer, 159
  - modulation spectrum, effects of, 161
  - post processing, 163
  - rapid scanning optical delay line, 160
  - techniques of, 161
- Dispersion in OCT, 129
- Dispersion interferometry (DI), 137
- Dispersion management, 309
  - chirped mirrors, 310
  - four prism sequence, 309
  - third order dispersion, 309
- Dispersion matching, 215
- dispersion phase coefficient, 133
- Dispersion relation, 414
- Dispersion, impacts on A-scan, 131
- Dispersive mirrors, 327, 328
- Dispersive tuning, 371
- Distortions, 416
- Diversity mechanism, 408
- DMSO, 871
- Doppler, 223, 926–930, 939, 941, 950–951
  - FdOCT, 187
  - Fourier-domain, 631–633
  - phase difference, 187
  - phase-resolved, 628–630
  - processing, 625, 626
  - resonant, 188
  - spectrogram, 627
  - standard deviation, 630, 632
  - swept-source, 631–633
  - system, 624
  - variance, 630
  - velocity estimation, 188
- Doppler flow, 170
- Doppler frequency, 763
- Doppler OCT, 14, 895, 1113
- Doppler OCT signal analysis, 89
  - mean doppler shift, 90
- Doppler shift, 170, 759, 760, 762, 773
- double-chirped mirrors (DCMs), 330
- Drosophila (fruit fly), 937–939
- Drug carriers, 720
- Drug-screening, 638
- Dual balanced detection, 480
- Dye, 731
- Dynamic cellular processes, 909
- Dynamic environments, 908
- Dynamic focus, 82, 480
- Dysplasia, 535, 1126, 1132, 1136, 1137, 1168, 1169, 1172, 1173, 1221, 1227, 1252, 1254, 1255, 1257, 1260
- e water-filled model eye., 161
- Ectopy, 1213, 1217
- Effective focal length, 390
- Effective optical clearing agents, 875
- Elastic scattering spectroscopy
  - angular analysis, 830
  - spectral analysis, 826
- elastography, 935, 936
- Electric-dipole transitions, 303
- Electro-optic (EO) modulators, 526
- electroretinography, 1032
- Ellipticity, 395, 396
- Embryology, 235
- En face*, 593, 605
- En-face* imaging method, 547
- en face* OCT, 475
- en face* imaging, 512
- en face* sectioning, 912
- Enamel, 1151–1155, 1157–1161
- Endogenous, 730
- Endometrial neoplasia, 1233
- Endometriosis, 1213
- Endoscope, 19, 806
- Endoscopic confocal, 529
- Endoscopic imaging, 1314–1323
- Endoscopic OCT probe, 1228, 1229, 1243, 1259
- Endoscopic OCT system, 1124
- Endoscopic UHR OCT, 262
- Engineered constructs, 890

- Engineered tissues, 895
- Entropy, 414
- Epidermis, 494, 1113
- Epithelial tumors, 1115
- Erosion, 1158–1160
- Esophagus, 788, 1320–1322
- Euler's rule, 55
- exocervical conditions, 1213
- Exocervicitis, 1213, 1237, 1238
- Exogenous, 730
- Extended cavity, 366
- extended cavity, swept semiconductor laser, 1025
- Extended Huygens–Fresnel (EHF), 73, 77
  - paraxial approximation, 79
  - principle, 74, 77
  - wave equation, 77
- External limiting membrane, 498
- Extracellular matrix, 891, 898, 910
- Extraction of optical properties, 102
  - single layer structures, 103
  - true-reflection OCT algorithm, 102
  - two and multi-layered structures, 103, 104, 106
- Fabry Perot tunable filter, 370
- Fall off, 383, 384, 400, 402–404
- FD-OCT
  - complex scattered field data spectrum, 131
  - dispersion compensation technique, 134
  - en-face technique, 126
  - one dimensional techniques, 128
  - SNR analysis of, 69
  - speckle in, 140
  - two dimensional techniques, 126
- FDOCT Signal Processing, 60
- FDOCT systems
  - artifact removal, phase shifting, 63
  - complex conjugate artifact in, 58
  - sampling and finite spectral resolution effects, 62
  - sensitivity falloff and sampling effects, 60
  - SNR analysis of, 68
  - spectral interferogram, 68
  - SSOCT systems, 48
- Felgett multiplex advantage, 593
- Femtosecond laser, 305
- Femtosecond Ti:sapphire laser, 547
- Ferromagnetic, 721
- Ferromagnetism, 721
- Fiber broadening, 338
- Fiber ring laser, 224
- Fiber-based PS-OCT, 670, 676
  - birefringence calculation, 672
  - degree of phase retardation, 674
  - incident polarization state, 671, 672
  - Jones matrix, 675
  - noise effects, 673
  - optic axis orientation, 679
- Fibroblasts, 899, 905
- Fibrous histiocytoma, 1115
- Fibrous plaques, 1093
- Fibrous plaques, 1086
- Fingernail, 1105
- fixed pattern removal algorithm, 162
- Fluorescence confocal endoscopy, 508
- Fluorescent dyes, 714
- Fluorophores, 790, 797
- Focus tracking, 509
- Folding mirror, 389, 394
- Forward and backward scattering, 120
  - scattered field data, 120
- Forward and backward scattering data
  - differences, 123
  - inversion, 119
- Four dimensional imaging, 235
- Four-wave mixing, 740
- Fourier
  - domain, 30, 415, 594, 604, 1324
  - hologram, 596, 597
- Fourier domain low coherence interferometry (FLCI), 56
  - application to cell nuclei, 849, 850
  - system design, 847
  - validation studies, 847, 848
- Fourier domain mode locked (FDML), 35, 372, 1026
- Fourier domain OCT [FDOCT], 49, 56, 177, 687
  - resolution, 180
  - signal, 181
  - signal reconstruction, 181
  - structure function (axial scan), 179

- Fourier domain PCI and OCT, 122, 124
  - A-scan data acquisition, 127
  - backscattered field data, uses of, 122
  - depth-scan data acquisition principle, 123
  - dispersion, impacts of, 129
  - laser speckle vs. speckle, 138
  - phase recovery in, 125
  - scattered field data, 131
  - speckle in, 138
- Fourier OCT, 47
- Fourier projection slice theorem, 422
- Fourier projection theorem, 123
- Fourier shift theorem, 130
- Fourier slice theorem, 123
- Fourier space, 133, 134
- Fourier transform, 422, 429, 700
  - Gaussian-shaped coherence function and light source spectrum, 54
- Fourier-domain holography (FDH), 599, 600
- Fourier-domain low-coherence interferometry, 58
- Fourier-domain modelocking, 514
- Fourier-domain OCI, 599, 600
- Fourier-domain SH-OCT, 558
  - advantages of, 560
  - continuum radiation, 560
  - detection of, 558
  - image processing procedures, 559
- Fourier/spectral domain detection, 30
- Fovea, 485
- Fractal dimension, 838
- free-space pathlength, 759
- Frequency compounding, 408
- Frequency domain OCT, 895
- Frequency resolution, 383
- Frequency shift, 476
- Frequency shifted feedback, 373
- frequency-dependent phase  $\phi(\omega)$ , 130
- Fringe wash-out, 184
- Front focus, 384, 390, 394
- Full well capacity (FWC), 436, 440
- Full width at half maximum (FWHM), 54, 55, 129, 302, 311, 325, 550, 660
- Full width half maximum (FWHM), 166
- Full-field OCT, 902
- Functional OCI
  - binary motility maps, 613
  - definition, 611
  - time autocorrelation functions, 612
  - vs. histology, 614
- Functional OCT, 621
- Gain medium, 364
- Gamma distribution, 412
- ganglioglioma, 258
- ganglion cell, 257
- Gastrointestinal imaging, 1314
- Gastrointestinal tract imaging, 232
- Gaussian coherence functions, 133
- Gaussian function  $S(k)$ , 54
- Gaussian source, 411
- Gaussian source coherence function, 133
- GaussianSchell model, 142
- GFP, 907
- Glaucoma, 498, 1018
  - glaucoma progression, 1009
- Glucose administration, 876
- Glucose sensing, 876
- Glucose-induced changes, 876
- Glycerol, 871, 1117
- Gold, 718
- Gold nanoparticles, 717
- Golgi-apparatus, 272
- Grating, 389, 390, 393, 400, 401, 403
  - phase, 434, 435
  - transmission, 433
- grating equation, 157
- grating-based spectrometers, 62
- Gray level, 417
- green fluorescent protein (GFP), 934, 935
- Ground state recovery, 736
- Group delay, 389–392
- group delay dispersion (GDD), 314
- Group front, 434
- Group refractive index, 859
- Group velocity dispersion, 242
- gsrPPOCT, 736
- Hair, 1111, 1113
- Hair follicles, 1114
- Hamster cheek pouch model, 1172–1174
- Hematocrit, 710
- Hemoglobin, 708

- Henle's fiber layer, 499
- Henry-Greenstein phase function, 603
- Heterodyne
  - interferometry, 604
  - spatial, 596, 597
- Heterodyne (OCT) signal power, 80
  - analytical expression, 82
- Heterodyne FdOCT, 202
- High resolution SH-OCT, 556, 557
- high-definition OCT images, 999
- Hilbert Transform, 483, 765
- Hilbert transformation, 763
- Histology, 532, 892
- Hollow organ, 1270
- Holographic optical coherence imaging (OCI), 593
  - applications of, 594–596
  - dynamic range of, 607
  - functional imaging, 610–614
  - image-domain vs. fourier-domain OCI, 599, 600
  - photorefractive quantum well (PRQW) devices, 597, 598
  - spatial heterodyne detection, 597
  - speckle holography, 596, 597
- Holography
  - dynamic, 607
  - speckle, 596, 598
- Homodyne detection, 527
- HPV, 1213
- HPV test, 1213
- HT-29 cells, 273
- Hydrogel scaffold, 898
- Hyper- and parakeratosis, 1116
- hyperkeratosis, 1220
- Hyperplasia, 1126, 1130, 1131, 1134, 1136, 1142, 1219, 1232, 1247, 1252, 1253, 1257
- Hyperthermic therapy, 722
- I-divergence, 413
- Image contrast, 856, 872
- Image-domain holography (IDH), 600
- Imaginary part of the refractive index, 704
- Imaging depth, 872
- Imaging through blood, 878
- Immersion technique, 879
- in several animal models of retinal pathologies, 983
- Index matching, 1117
- Indocyanine green (ICG), 726
- Inference, 406
- Inflammation, 1126, 1130, 1131, 1134, 1135, 1137, 1141, 1219, 1221, 1223, 1226, 1237, 1244–1247, 1254, 1257, 1259
- Inflammatory process, on cervicitis, 1219
- Inflammatory skin diseases, 1116
- Instrumentation design, 796
- Intacs implantation, 971
- Intensity noise, 362
- interference fringes, 156
- interferometric autocorrelation, 316
- Interferometric phase
  - definition, 758
- interferometric phase, 759
- Interferometry, 758
- Interstitial fluid glucose concentration, 878
- Intracoronary Optical Coherence Tomography (OCT), 1084
- Intraocular lens (IOL) implantation, 976
- Intravascular imaging, 21
- Intravenous bolus injections, 876
- Intravenous clamping technique, 876
- invasive cervical cancer, 1222
- inverse Fourier transform, 54, 57, 64, 66, 68
- Inverse Radon transform, 422
- Inverse scattering and backscattering
  - Forward and backward data, inversion of, 119
- Inverse scattering theory (IST), 119
  - convolution approach, 120
  - Fourier transform approach, 121
- Iris, 497
- Iron oxide, 721
- Iron oxide nanoparticles, 722
- Irritant contact dermatitis, 1116
- IVUS, 1305
- Jones matrices, 657
  - vs. Mueller matrices, 666



- Jones vector
  - circular polarization, 657
  - linear polarization, 656
- karyopyknotic index (KI), 1216
- Kerr effect, 5, 304
- Kerr-lens mode locking, 325, 330
- knockout mouse, 1009
- Kramers Kronig relations, 186, 708
- Kronecker tensor product, 666
- Labeling of intraretinal layers, 991
- Lambert–Beer law, 179, 1108
- Lamina cribrosa, 490, 499
- Lamina propria, 1129, 1134, 1136, 1143
- Laparoscopy, 1212
- Laryngitis
  - atrophic, 1126, 1130, 1136
  - catarrhal, 1130, 1134
  - chronic, 1126, 1130–1132, 1136
  - hyperplastic, 1126, 1130, 1132, 1136
  - hypertrophic, 1132, 1134, 1136
- Larynx, 1124, 1125, 1127, 1149
- Laser cavity, 365
- Laser induced fluorescence, 786, 791
  - diagnostic accuracy, 791
- Laser speckle, 137
  - properties, 137
- Lateral, 380–382, 384, 393, 395, 396
- Lateral coherence length, 81, 111
  - dynamic focusing, diffuse reflectance, 82
  - dynamic focusing, specular reflectance, 84
- Law of Gladstone and Dale, 862
- LCI backscattering, 121
- Least scattered photons, 856, 866
- Least-squares, 413, 731
- Leukoplakia, 1168, 1169, 1213, 1220, 1230, 1231
- LIF sources, 797
- Light microscopy, 892
- Light transmittance, 869
- LightLabs, 19, 1310
- Linewidth, 362
- Local porosity, 908
- Local refractive index, 861
- Localization, 856
- Lock-in amplifier, 483
- Long-Evans rat, 1010, 1012, 1036
- Long-range delay line, 1273
- Longitudinal cavity mode, 366
- longitudinal chromatic aberration, 1029
- Lookup tables, 417
- Low coherence interferometry, 7, 51, 857
  - axial ranging and, 51
- Low coherent light source, 858
- low-coherence refractometric technique, 136
- Luminescence, 714
- Lung, 793, 1322–1324
- Mach–Zehnder interferometer, 478
- Macrophages, 722, 905
- macular hole, 254, 986, 987
- Magnetic field, 721
- Magnetic resonance imaging (MRI), 420
- Magnetically modulated probes, 720
- Magnetomotive OCT, 720, 934
- Magnitude squared functions, 55
- Malignancy, 1168–1170, 1172, 1176
- Malignant melanoma, 1115, 1120
- Materials, 800
- Materials sciences, 490
- Matrigel™, 898
- Matrix, 890
- Maturation Index (MI) 1216
- MC photon packet, 92
- Mechanical stimulation, 907, 908
- Melanin, 718, 733
- Melanin pigment, 1115
- Melanocytic nevi, 1115
- melanoma, 259
- MEMS, 492
- meningioma, 258
- Metaplasia, 1217, 1227, 1248, 1249, 1252, 1254, 1257, 1259, 1260
- Methylene blue, 735
- Michelson, 7
- Michelson interferometer, 47, 51, 147, 155, 477
  - fiber-optic coupler, 47
  - schematic representation of, 52
- Micro-computed tomography, 894
- Micro-porous polymeric scaffold, 912
- Micro-structures, 895
- Microbubbles, 716

- Microchannel, 644–647
- Microelectromechanical systems (MEMS), 530
- Microenvironment, 891
- Microparticle, 716
- Microscopy, 419, 757
  - confocal, 757
  - fluorescence, 757
  - phase contrast, 757
  - quantitative phase, 757
- Microspheres, 716
- Microstructured fibers (MFs), 302, 336
  - applications of, 337
  - dispersion characteristics of, 337
  - input parameters, 340
- Microvasculature, 643
- Mie, 716
- Mie theory, 727, 828
- Minimum entropy, 414
- minimum-phase function (MPF)
  - technique, 131
- Mirror technology for Ti/sapphire lasers, 310
- Mixing
  - optical, 432
- Mode locking
  - active mode locking, 305
  - femtosecond, cavity dispersion in, 307
  - group velocity and frequency, 306
  - Kerr-lens, 317
  - methods and techniques of, 305
  - passive mode locking, 306
- Modulation transfer function (MTF), 438, 439
- molecular contrast, 932–935
- Molecular contrast OCT, 713, 715
- Molecular imaging, 713
- Molecular probes, 714
- monochromatic and chromatic aberrations, 1030
- Monochromatic interferometric techniques
  - drawbacks of, 762
  - in cell biology, 760
  - principle of, 761
- Monochromatic interferometry, 761
- Monte Carlo simulations (MCS), 73, 864
  - detection criterion, 97
  - focusing gaussian beam, 96
  - MCS OCT signal, 96
  - OCT systems, 92
  - shower curtain effect, 101
- morphometry, 1011
- Motility
  - cellular, 610, 611
  - organelle, 611
- Motion artifacts and fringe washout, 166
  - phase stability and doppler, 169, 170
  - pulsed illumination effects, 168
- Mouse, 951–954
- mouse model of retinal degeneration, 1009
- MPM/OCT system, 544
  - advantages of, 548
  - cellular imaging applications, 552, 553
  - co-registration, 548
  - dispersion compensation, 550, 551
  - multimodality image technique, 544
  - principles of, 545
  - signal contrast, 545, 546
  - system configuration, 547
  - Ti:sapphire laser, 545
  - tissue imaging applications, 554
  - transverse resolutions of, 549, 550
- Mucosa
  - cervical, 1215–1217, 1219–1222, 1224, 1225
  - laryngeal, 1123–1126, 1128–1130, 1132, 1134, 1137, 1138, 1140, 1141
  - oral, 1143, 1148
- Mucositis, 1141, 1143, 1145, 1148, 1150
- Mueller matrices, 665, 666
- Mueller matrix, 666
- Multi-modality imaging, 532
- Multi-modality microscope, 912
- Multi-photon microscopy, 720, 904, 907, 912
- Multicellular spheroids, 601
- Multicellular tumor spheroids
  - Fourier domain holography system, 604
  - growth and uses of, 601, 602
  - holographic features of, 608
  - optical coherence imaging of, 604
  - optical properties of, 602, 603

- Poisson distribution, 608
  - principal acquisition mode for, 605
  - speckle contrast ratio, 609, 610
- multifocal ERG, 1032
- Multimodality imaging system, 548
- Multinucleated macrophages, 1089
- Multiphoton microscopy (MPM), 543
- Multiple scattered photons, 73, 866
- Multiple scattering, 74, 519, 856
  - multiple scattering in ODT, 89
- Multiplexed SLD, 251
- Mutual coherence functions, 80
  - sample field mutual coherence function, 108
- Nanocages, 727, 728
- Nanoparticles, 716
- Nanorods, 728
- Nanoshells, 727
- Near-infrared spectroscopic technique, 869
- Needle, 1204
- Neoplasia, 1124, 1130, 1136, 1211, 1213, 1221, 1226, 1234
- Nerve head, 499
- NIR dyes, 724
- NMOS, 439, 440
- Noise, 405
  - dark, 437
  - shot, 435, 437
- noise measurements, 155
- Noise reduction, 414
- nonhuman primate glaucoma model, 1009
- Noninteracting Mie scatterers, 862
- Nonlinear interferometric vibrational imaging (NIVI), 738, 739
- Nonlinear processes, 738
- Nuclear magnetic resonance, 420
- Nucleoli, 272
- Numerical aperture, 25, 382, 507, 1108
- NURD, 1304
- Nyquist
  - criterion, 432
  - frequency, 439
- Nyquist criterion, 62
- Nyquist theorem, 401
- Obstructive sleep apnea, 1270
- Occlusion, 1117
- OCM, 912
- OCM microscope designs, 528
- OCT
  - advantages of, 132
  - applications in gynecology, 1211, 1212
  - consists of, 1084
  - dispersion compensation in, 132
  - doppler, 621, 622
  - elastography, 1113
  - endoscopy, 261
  - Fiber bundle, 1194
  - Fourier domain, 429, 444
  - fourier domain OCT, 147
  - fundus image, 1001
  - giant cells, 1089
  - GRIN lens, 1194, 1205
  - hardware technique, 133
  - in ophthalmology, 543
  - interference fringes, 547, 548
  - light source and its usability for, 301
  - linear, 429–445
  - macropage density, 1091, 1092
  - macrophages, 1087, 1088
  - Needle, 1204
  - optical frequency domain imaging, 1094, 1095
  - optical interference-based technique, 1228
  - plaque characterization, 1085, 1086
  - refractometric, 136
  - sensitivity and dynamic range in, 66
  - sources, 797
  - speckle, 137
  - speckle properties, 137
  - speckle suppression, 141
  - swept source, 429
  - thin-cap fibroatheroma, 1091
  - time domain, 429, 432, 444
  - time-domain intracoronary, 1085
  - time-domain OCT, 147
  - uterine cervix, 1212
  - vs. conventional microscopy, 301
  - vs. intravascular vascular ultrasound (IVUS), 1090, 1091
- OCT-colposcopy, 1213
  - age and hormonal status, 1215
  - benign cervical process, 1217
  - cervical mucosa, 1216

- materials and methods, 1224, 1225, 1227
- metaplastic epithelium, 1219
- patient compliance and follow-up, 1226
- receiver operating characteristic (ROC) curves, 1227
- squamous regeneration process, 1218
- stratified squamous epithelium (SSE), 1215
- uterine cervix protocol, 1213–1215
- visual inspection with acetic acid (VIA), 1224
- vs. histological assessment, 1215
- OCT-hysteroscopy
  - endometrial conditions, 1231
  - endometrial structure, 1233
  - histopathology processing, 1231
- OCT-laparoscopy
  - in pelvic peritoneum, 1237
  - ovaries, 1236
- OCT/SLO, 450
  - OCT/SLO/ICG, 467
- Odontoblasts, 1154, 1155
- ODT
  - en-face and parallel fourier domain, 126
  - phase data acquisition techniques, 126
  - three dimensional, 124–126
  - two dimensional, 126
- OFDI, See SSOCCT, 48
- Oleic acid, 871
- One-dimensional ODT, 127
- Opaque biological tissues, 856
- Ophthalmological applications of PS-OCT
  - Glaucoma causes of, 683
  - retinal nerve fiber layer, 684, 685
- ophthalmologic OCT, 129
- Ophthalmological application of OCT, 683
- Ophthalmology, 10
- Ophthalmoscopy
  - confocal, 449, 450
  - flying spot, 447
  - scanning laser, 447, 449
- Optic axis orientation, 484, 688
- Optic nerve head, 485, 1018
- Optical biopsy, 1, 506, 983, 984, 1227
- Optical clearing, 880
- Optical clearing effect, 869
- Optical coherence elastography (OCE), 913
- Optical coherence microscopy (OCM), 26, 51, 505, 733, 903, 904
- Optical coherence tomography (OCT), 1, 47, 51, 119, 147, 543, 653
  - angiography, 464–469
  - anterior segment, 469–472
  - axial field of view, 49, 51
  - axial field of view (FOVaxial), 50, 51
  - confocal gating and lateral resolution, 50, 51
  - diagnostic accuracy, 788
  - dual modality system, 793
  - en-face, 447–473
  - Gaussian-shaped light source spectrum, 54, 57, 68
  - generic fiber-optic, schematic of, 48
  - lateral field of view, 50, 51
  - lateral field of view (FOVlateral), 50, 51
  - low-coherence interferometry, 51, 53
  - point-spread function, 54
  - reference reflectivity, 53
  - spectral-domain (or spectrometer-based) systems, 48
  - swept-source systems, 48
  - ultrahigh resolution, 456
  - unbalanced power splitting, advantage of, 47
- Optical design, 801
- optical diffraction tomography, 121
- optical Doppler tomography (ODT), 169
- optical frequency domain imaging (OFDI), 1094
- Optical frequency domain interferometry (OFDI), 35
- Optical frequency domain ranging, 212
- optical index, 762
- Optical parametric amplifier (OPA), 740
- Optical parametric oscillation (OPO), 375
- Optical path length (OPL), 531, 772

- Optical power, 360
- optical probes, 933–935
- Optical resolution, 400, 401
- optical sectioning, 49
- optical spectrum analyzer (OSA), 159
- Optical tissue clearing, 855
- optimal reference arm power, 149
- Optophysiology, 1033, 1036
- Oral neoplasia, 533
- Organotypic RAFT tissue model, 548, 554
- Oryzias (Medaka), 944–946
- outer segments of the photoreceptors, 1030
- output-coupling mirror (OC), 317
- Ovary, 811
- Oxygen saturation, 697
  
- pancorrection, 1030
- Pancreas, 788
- Pancreatic duct, 1320, 1321
- Pap smear, 1211, 1213, 1227
- Papillomathosis, 1134, 1136
- Paraffin oil, 1117
- Parakeratosis, 1117
- Parallel FD technique, advantages of, 127
- Partial Coherence Interferometry, (PCI), 119
- Path delay unit, 478
- Pathology
  - corneal, 469–472
  - macular, 456–460, 464, 465
- Pattern
  - recognition, in pathology, 456–460
- PCF, 273
- PDT, 639
- Penetration limit, 518
- Periodontal
  - diagnosis, 1164, 1166, 1176
  - probing, 1162, 1164
  - tissues, 1152, 1162–1165
- Periodontitis, 1162, 1164
- Petrolatum, 1117
- Pharyngeal compliance, 1281
- Phase, 483
- Phase calibration, 227
- Phase contrast coherence-domain imaging, 594
- Phase front, 434
- Phase function, 703
- Phase microscopy, 513
- Phase modulation, 513, 525
- Phase noise, 181
- phase referenced interferometry (PRI)
  - technique, 763
- phase retardation, 655
- Phase sensitive detection, 185
- Phase sensitive spectral domain interferometry, 773
- Phase shifting
  - Carre, 199
  - errors, 181
  - five frame technique, 199
  - N-frames, 199
  - techniques, 199
  - two frame, 200
- Phase Shifting Interferometry
  - Approach, 64
- Phase stability in interferometric OCT
  - signals
    - advantages of, 766
    - phase information types, 766
    - time-domain low coherence interferometry uses, 766
- Phase stability interferometric OCT
  - signals
    - signal-to-noise ratio, 768
    - velocity sensitivity, 769
- phase wrapping, 928, 929
- phase-shifted interferograms, 65
- Phase-shifted spectral interferograms, 63
- Photon transfer function (PFT), 437, 438
- photonic crystal fiber, 1020
- Photoreceptor, 485, 498, 501, 1030
- photoreceptor layer, 986
- Photorefractive
  - PQRW, 598
  - quantum wells, 598
- Photorefractive holography, 595
- Photorefractive Quantum Well Devices, 597, 598
- Phytochrome A, 735
- Pixel response nonuniformity (PRNU), 437
- Plaque disruption, 1091

- Plaque, atherosclerotic, 1309, 1311, 1312
- Poincare sphere, 666  
 birefringence, 670  
 definition, 668  
 polarization effects, 669
- Poincare sphere notation, 668
- Point scatterers, 410
- Point spread function (PSF), 54, 331, 438, 439  
 Gaussian-shaped, 59  
 imaging system, definition of, 58
- Polarization, 248, 930–932, 1124, 1138, 1150, 1228–1231
- Polarization diversity, 408
- Polarization scrambling, 481
- Polarization sensitive optical low coherence reflectometry (PS-OLCR), 765
- Polarization-sensitive optical coherence tomography (PS-OCT), 14, 481, 896, 1113, 1124, 1150, 1228
- Acetowhite epithelium, 1231
- birefringence, 658
- bulk-optic system, 658
- clinical applications of, 680
- dermatological applications, 680–683
- differential attenuation, 655
- functional diagram of, 1228
- Jones matrix theory, 657
- Jones vector, 657, 660
- Jones vector theory, 656
- Mueller matrix determination, 667
- noise analysis, 688
- nondepolarizing polarization properties, 675
- ophthalmological applications, 683–686
- optic axis determination, 679
- Poincare sphere, 668
- polarimetric speckle noise, 690
- polarization state, 659, 660
- squamous cell cervical carcinoma, 1230
- Stokes parameters, 661–665
- vibrational ellipses, 654
- Wiener-Khinchin theorem, 659
- Poly(dimethyl-siloxane) (PDMS)  
 polymer, 907
- Poly(lactide) (PLA), 898
- Polygon scanner, 224
- Polygonal mirror, 369
- Polyolefin foam, 491
- Polysomnography, 1283
- Pore size, 900
- Porosity, 900
- Postprocessing, 414
- prism less laser, 320
- probability density function (PDF), 138
- Probing depth, calculation of maximum, 88
- Product development, 1295
- Profilometry, 443
- Proliferation patterns, 909
- Propylene glycol, 871
- Protein microspheres, 719
- Psoriasis, 1117
- Pullback scans, 1277
- Pulmonary, 1183  
 anatomy, 1184, 1189  
 bronchoscopy, 1188  
 cancer, 1188, 1196  
 gas exchange, 1184, 1199  
 imaging, 1186  
 vascular system, 1186
- Pulmonary imaging, 1322–1324
- Pulp, 1152, 1154, 1155, 1157
- Pump frequency, 739
- Pump-probe optical coherence tomography (PP-OCT), 734
- quadrant photodiode, 141
- Quadrature detection, 483
- Quadrature Projection Phase Correction, 65
- Quantitative phase microscopy, 757
- quantitative measurements of  
 intraretinal layers, 1011
- Quantitative volumetric analysis, 1014
- Quarter-Wave Bragg Mirrors, 313
- Quasi-telecentric, 394, 396
- Quasi-telecentricity, 396
- rabbit retina, 1034
- Radiation, 1246
- Radiative equation of transfer (RTE), 73, 75, 106
- Radius of waist, 382

- Raman scattering, 745
- Rapid scanning optical delay line, 525
- Rayleigh, 716
- Rayleigh length, 1109
- Rayleigh probability distribution, 412
- Rayleigh range, 382
- Rayleigh–Gans approximation, 861, 863
- Rayleigh-distributed OCT speckle, 139
- RBC aggregability, 882
- Reduced scattering, 861
- Reduced scattering coefficient, 602, 603
- reflection-mode scanning, 49
- Reflectivity, 484
- Refraction correction, 415
- Refractive index, 416, 702, 1106, 1113
- Refractive index mismatch, 879
- Refractive surgery
  - Laser in situ keratomileusis (LASIK), 965
  - photorefractive keratectomy (PRK), 965
- Refractometric OCT, 136
- Regenerative medicine, 890
- Regularization, 407
- relative bandwidth, 303
- Relative intensity noise (RIN), 155, 212
- Resampling, 414, 415
- Resolution, 411
  - axial, 923, 926
  - lateral, 923, 926
- Resolution degradation in OCM, 519
- Resolution enhancement, 414
- Resonance mirror, 390, 391
- Retardation, 484
- Retinal nerve fiber layer (RNFL), 498, 683, 1018
- Retinal pigment epithelium, 488, 498, 988
- Rhodamine 6G, 736
- rodent model systems, 255
- rotating kernel technique, 142
- Rotating kernel transformation, 412
- RPE detachment, 499
- RSOD, 387, 388, 390, 391
  
- Safety, 800, 1300, 1310
- Saline infusion, 878
- Sample scanner, 380, 381, 393
- Scaffold, 890, 891, 898
  
- scan geometry, 963
- Scanning
  - transverse, 448, 449, 451
- Scanning angle, 388–391
- Scanning electron microscopy, 912
- Scanning filter, 368
- Scanning laser ophthalmoscope, 480
- Scanning laser polarimetry, 498
- Scar, 1117
- Scattering, 11, 715, 896
- Scattering anisotropy, 702
- Scattering coefficient, 702, 1106
- Scattering cross section, 703
- Scattering phase function, 75, 79
  - gaussian scattering function, 87
  - small-angle approximation, 79
- Scattering probes, 715
- Scattering properties of blood, 879
- Scattering theory, 119
- Sclera, 499
- Scleral ring, 499
- Scleroderma, 1120
- SD-OCT
  - CCDs, noise analysis of, 148–150
  - ophthalmic applications of, 166
  - phase-sensitive image, 169
  - reflectivity in z-space, 152
  - retinal imaging and, 171
  - sensitivity improvement of, 148
  - shot-noise limited SNR expressions of, 70
  - signal sensitivity, 163
  - SNR advantage of, 148, 152
  - spectral interferometry, 150
  - structural artifacts, 162
  - structural information, 155
  - superior sensitivity of, 147
  - vs. TD-OCT system, 152, 153
- Second harmonic generation (SHG), 543, 544, 738
  - collagen matrix, 555
  - energy diagram of, 546
  - nonlinear process, 550
- Second harmonic optical coherence tomography (SH-OCT), 554–556, 742
- Segmentation, 1013

- Semiconductor
  - holographic film, 593, 596, 599
  - optoelectronic device, 597, 598
- Semiconductor optical amplifier (SOA), 364
- Sensitivity, 436, 485, 714, 729, 924, 926, 1138, 1226–1228, 1242, 1249, 1251–1253, 1256, 1257, 1266
- Shack-Hartmann wavefront sensor, 1029
- SHG microscopy, 554, 555
- Shot-Noise-Limited Detection, 154
- Shower curtain effect, 74, 83
  - in MCS, 101
- Sidelobe reduction, 414
- Signal amplitude, 401
- Signal attenuation, 856
- Signal localization, 865
- Signal nonuniformity (DSNU), 437
- Signal processing, 407, 440, 441
- Signal to noise ratio (SNR), 66, 147, 338, 360, 407, 435, 436, 689, 746
  - analysis, 167
- Signal-to-noise calculation, 87
- Single scattering theory, 74, 105, 106
  - glucose monitoring, 106
- Single-pass diattenuation, 678
- Skin, 260, 443, 494, 1103
- Skin atrophy, 1119
- Skin tumors, 1114
- Skin-equivalent, 898
- Sleep, 1283
- Sliding frequency modelocking (SFM), 374
- Slit lamp biomicroscope, 15
- Small angle forward scatter, 864
- small animal imaging, 922, 925
- SNR
  - comparisons of, 153
  - experimental demonstration of, 152
  - SNR analysis
    - SSOCT and SDOCT systems, 71
- Sodium lauryl sulphate, 1116
- software, 926, 927
- Solid-State Laser, 302
  - femtosecond lasers, 304
  - mode locking, 305
  - mode-locking techniques, 305
  - resonator design, 306
  - superluminescent diodes, 302
  - transition-metal ions, 303
  - transition-metal-doped materials, 303
- Soliton frequency shift, 376
- Spatial distribution of refractive index, 861
- Spatial resolution, 1123, 1124, 1138, 1211, 1214, 1241, 1242, 1255
- SPDM cell biology applications, 774
  - cardiomyocyte contractility
    - characterization, 775
  - cytoplasmic flow characterization, 776–779
  - cytoskeleton components of, 780
  - magnetic Tweezers, 780
  - whole-cell imaging, 781
- Specificity, 715, 1212, 1224, 1226, 1227, 1231, 1242, 1249, 1252, 1253, 1256, 1257, 1261, 1266
- Speckle, 405, 408, 596, 597
  - information carrier, 140
  - morphological properties of, 141
  - tissue characterization, 141
- speckle contrast, 609
- Speckle holograms, 597
- Speckle OCT, 137
- Speckle Reduction, 411
- Speckle suppression
  - image postprocessing technique, 143
- speckle-reduction technique, 142
- Spectral absorption, 896
- Spectral densities, 402
- Spectral domain OCT, 48, 49, 147, 687, 912
  - Phase and Doppler sensitivity, 767
  - phase stability of, 772
  - SD-OCT photocurrent, 767
- spectral domain OCT (SDOCT, also called spectrometer-based OCT), 56
- spectral domain optical coherence phase microscopy (SDOCPM), 774
- Spectral domain phase microscopy (SDPM), 769, 770
  - characterization and validation of, 770
  - development of, 775
  - principles of, 769
  - whole-cell imaging, 781



- Spectral Interferogram
  - phase-shifted, 63
- Spectral interferogram, 55
  - FDOCT systems, 68
  - features of, 56
  - interferometry approach, 64
  - phase-shifted, 65
- spectral interferometry (SI), 127
- Spectral OCT, 177
- Spectral radar, 209
- Spectral Radar OCT, 1103
- Spectral resolution, 401, 402
- Spectral response, 381–383, 387, 391, 400
- Spectral shaping, 409
- Spectral triangulation, 731
- Spectral-domain OCM, 904
- Spectral-scattering, 905
- Spectral-source optical coherence tomography, 48
- Spectrally scattered signal, 906
- Spectrometer based FD SH-OCT, 558
- Spectrometer Resolution,, 155
- Spectroscopic, 697, 725
- Spectroscopic OCM, 904
- Spectroscopic OCT, 730, 896, 906
- speed, 924
- Spherical aberration, 385, 386, 394, 395
- Spot profile, 380, 385, 393, 395, 396, 398, 399
- Spot size, 382–384, 395, 396, 401–403
- SPR nanoparticles, 719
- Squamous cell carcinoma, 1115, 1168, 1169, 1171, 1174
- SSOCT
  - detection bandwidth, 69
  - shot-noise limited SNR expressions of, 70
- Standard dielectric quarter-wave Bragg mirrors, 312
- Stargardt's dystrophy, 986
- Static culture, 907, 908
- Statistical optics, 594
- Stem cell transplantation, 889
- Stem cells, 890
- STFT, 700
- Stokes frequency, 739
- Stokes parameters, 667
  - Stokes parameters, in PS-OCT system, 661
    - degree of polarization, 663
    - phase sensitive detection, 663
    - polarization state, 662
    - with spectral component, 665
- Stratum corneum, 494, 1114, 1116
- Stratum spinosum, 494
- StratusOCT, 11
- Stretched pulse, 374
- Stroma, 1131, 1134, 1212, 1215, 1217, 1218, 1221, 1222, 1229, 1262
- Subcutaneous fat, 1120
- Substrate, 898
- Supercontinuum generation, 524
- Supercontinuum light source, 336
  - blue-shifted anti-stokes components, 339
  - broadband all-fiber raman continuum, 351
  - dual-band UHR OCT, 346
  - Faraday isolator, 349
  - fibre broadening, 340
  - generation of, 337, 339, 341
  - in 1,050nm region, 347–349
  - in 1300-1500 region, 349–351
  - mechanisms of, 338
  - microstructured fibres, 336
  - multiple wavelengths, broad bandwidth light source, 344
  - NIR, spectral broadening, 347
  - numerical simulation, 346
  - real-time, UHR OCT, 352
  - semiconductor saturable absorber mirror, 348, 349
  - Spectroscopic OCT advantages, 345
  - UHR OCT, 345
  - visible spectral broadening, 342
  - zero-dispersion wavelength, 339
- Supercontinuum Light Source
  - Development
    - water window, 345
- Superluminescent diodes (SLDs), 26, 251, 281
- Surface plasmon-resonance, 719
- Susceptibility, 422
- Sweat glands, 494
- Sweep repetition rate, 360
- Swept laser, 360, 1025

- Swept source, 360
- Swept source/Fourier domain detection, 30
- Swept-source OCT (SS-OCT), 49, 126, 1103
  - See Optical frequency domain imaging, 1094
- swept-source OCT (SSOCT, also called optical frequency-domain imaging or OFDI), 57
- Synergy, 452
- Synthetic aperture, 419
- Synthetic aperture processing, 422
- Synthetic aperture radar (SAR), 421
- System noise floor, 860
  
- T-scan, 447
- Tape stripping, 1119
- Targeted imaging, 729
- Taylor series, 159, 312
- TD-OCT
  - advantages of, 151
  - clinical and preclinical, acquisition rate of, 148
  - cross-correlation, 130
  - dynamic range, 151
  - vs. SD-OCT system, 152
- TDOCT
  - shot-noise limited SNR expressions of, 70
  - SNR analysis, 66, 67
- TDOCT systems, 60
- Teeth, 1151, 1154, 1156, 1158–1162, 1164–1166
- Telecentric, 384, 385, 387, 390, 392–394, 396, 397
- Temporal coherence function, 180
- texture analysis, 1014
- Therapeutic agents, 720
- thermal light sources, 301
- thin-cap fibroatheroma (TCFA), 1083
- third-order dispersion (TOD), 309
- Three-dimensional, 891
  - imaging, 453
  - topography, 454
- three-dimensional minimal distance mapping, 1018
- Three-dimensional OCT, 1
- Three-dimensional reconstruction, 1287
  
- Three-dimensional rendering, 419, 1002
- three-dimensional, ultrahigh resolution OCT, 983
- thyroid, 264
- Ti:Sapphire
  - mirror-dispersion-controlled oscillators, 311
- Ti:Sapphire laser, 323, 491
  - chirped mirrors, 311
  - conventional superluminescent diode light source vs. femtosecond laser source, 317
  - femtosecond pulse, mirror technology, 312
  - Kerr-lens mode-locked, 326
  - laser development, 311, 315
  - low pump-power broad bandwidth laser sources, 322
  - prismless laser, goals and benefits of, 319
  - prismless, advantages of, 324
  - quarter-wave Bragg mirrors, 312, 313
  - sinusoidal intensity modulation, 156
  - specifications of, 325
  - sub-two-cycle pulses and kerr-lens mode-locked, 315–317
  - ultrabroad bandwidth, 315
  - ultrabroad bandwidth laser sources and modulations, 321
  - ultralow-threshold Kerr-lens mode-locked, 326
- Ti:Sapphire oscillator, 319, 324
- Tilting angle, 389–393, 397
- time autocorrelation function, 612
- Time Domain Low Coherence Interferometry, 59
- Time Domain Optical Coherence Tomography (TDOCT), 47, 48, 687, 895, 1103
- Time-dependent speckle, 140
- time-domain low-coherence interferometry, 60
- Time-domain SH-OCT system, 556
- Time-frequency analysis, 702
- time-invariant electric field vector, 657
- Tissue engineering, 889
- Tissue heterogeneity, 878
- Tissue optical properties, extraction of, 105

- absorption spectra, haemoglobin, 106
- atherosclerotic plaque (*in vitro*), 106
- certical tissue (*in vitro*), 106
- skin hydration (*in vivo*), 107
- Tissue phantoms, 718
- Tissue-discrete particle model, 861
- Titanium:sapphire, 251–253, 262
- Ti:Al<sub>2</sub>O<sub>3</sub>, 28
- Tooth, 1151–1155, 1157–1164
- Topographic map, 17
- Trachea, 1184, 1185, 1189, 1190, 1193
- Transient absorption, 723
- Transition-metal-doped materials
  - solid-state light sources, 304
  - Ti:sapphire, 303
- Transversal scanning, 475
- Transverse priority, 512
- Transverse priority OCT, 509
- Transverse resolution, 24, 240, 507
- Treatment, 1117
- Tubular adenoma, 535
- Tumor
  - benign, 1125, 1126, 1130, 1132, 1133, 1138, 1139
  - malignant, 1123, 1125, 1126, 1136, 1138, 1143
- Tumor Spheroids, 601
- Tumour cells invading, 910
- tunable laser light source, 1024
- Tuning range, 361
- Turkey median filter, 142
- Two-photon excited fluorescence (TPEF)
  - and second harmonic generation (SHM) signals, 544, 546, 547
  - energy diagrams of, 546
- two-photon excited fluorescence (TPEF), 544
- Two-photon microscopy, 893
  
- UHR endoscopy, 263
- Ultrabroad bandwidth laser sources, 322
- Ultrabroad Bandwidth Ti:Sapphire
  - chirped mirror technology, 318
  - compact laser sources, 327, 328
  - femtosecond mode-locked solid-state lasers, 305
  - prismless, schematic of, 320
  - technology of, 327
- Ultrabroad bandwidth Ti:Sapphire laser, 302
- ultrahigh resolution (UHR), 302
- ultrahigh resolution OCT, 239
- Ultrasonic gel, 1117
- Ultrasound, 2, 1119
- Ultrasound, intravascular, 1305
- Uniform coupling efficiency, 382, 383, 390
- Unstable plaque, 12
- Upper airway, 1270
- Urinary bladder, 788
- Uterine cervix OCT protocol
  - technical characteristics, 1214
- UV irradiation, 1117
  
- Velocity
  - three-dimensional, 636, 637
  - transverse, 634, 635
  - variance, 630
- velocity, 928, 929
- Vibrational contrast, 739
- Vibrational modes, 741
- Vinculin, 905
- virtual biopsy, 1006
- virtual surgery, 1006
- Visualization, 418
- Volume rendering, 418
- von Brunn's Nests, 1247, 1248, 1252, 1253, 1260
  
- water-filled model eye, 159
- wavelength, 924, 926
- Wavelength swept laser, 360
- wavelength tuning interferometry (WTI), 127
- Wavelength-dependent, 905
- Wavelet, 413
- Wavelet filter transformation, 413
- Wavenumber, 360, 402
- Weighted refractive indices, 863
- Whole blood, 709
- Wide angle scatter, 864
- Wiener–Khinchin theorem, 180
- Wiener–Khinchine theorem, 660
- Windowed Fourier transform, 705
- Wound healing, 1117

- X-ray computed tomography (CT), 420
- X-ray radiography, 420
- Xenopus laevis, 724
- Xenopus laevis (African Frog), 939–942
- Young's double slit, 441
- Zemax, 390
- Zemax model, 387–390, 396–398, 400
- zero- break adjustment procedure (ZAP), 142
- zero-filling method, 164