

# Index

## A

Acetone-butanol-ethanol (ABE) fermentation process, 400, 401  
Acid detergent fibre, 44, 45  
Acid detergent lignin (ADL), 44–46  
Agrobacterium, 94, 100, 101  
Agro forestry, 172  
Air pollution, 432  
*Alcaligenes*, 77  
Algae, 237–240  
Alkali index, 43  
Alkali metal  
  calcium, 165  
  magnesium, 165  
  potassium, 165  
  silicon oxide, 165  
  sodium, 165  
Alkaline metals, 30, 31  
Amplified fragment length polymorphisms (AFLPs), 99  
Arabidopsis, 68, 74, 77  
Ash, 28–32, 43, 165, 176

## B

*Bacillus thuringiensis*, 73  
Bagasse, 413, 416, 417, 420  
Baling, 348, 351  
Bark, 164, 168, 169, 173  
Barriers to biofuel production, 412  
Biochar, 423  
Biochemical conversion  
  BioEnergy Science Center, 191  
  fermentation, 176–177, 181  
  recalcitrance, 191–193  
  verenium, 178

  Zechem, Inc, 178–179  
Biodegradable plastics, 77  
Biodiesel, 413, 415, 416, 421, 422, 424, 428, 434  
Biodiesel and renewable diesel, 396–400  
Biodiversity, 193, 195, 410, 417, 424, 426, 427, 430–431, 435, 437  
Bioenergy infrastructure, 409–443  
Bioenergy lifecycle, 409–443  
BioEnergy Science Center, Oak Ridge National Laboratory, 191  
Biofuel, 9, 10, 16–18  
Biofuel crops, 263–281  
  Arundo, 268, 278  
  giant reed, 264, 268, 270, 275, 278  
  harvesting, 272, 276, 278  
  miscanthus, 268, 274, 275  
  *Miscanthus x giganteus*, 264, 268, 270  
  perennial rhizomatous grasses, 263, 272  
  processing, 276, 278, 279  
  *Sorghum bicolor*, 274  
  storage, 265, 267, 272, 273, 275, 276, 278, 279, 281  
  switchgrass, 264, 268, 270, 273–275  
  transport, 263, 267, 272, 273, 275–279, 281  
Biofuel lifecycle, bioenergy, 419, 420, 427, 432  
Biofuels Emissions And Cost Connection (BEACCON) model, 419  
Biofuels life-cycle analysis (LCA)  
  corn ethanol pathway, 387  
  GHGenius model, Canada, 391  
  GREET model, Argonne National Laboratory, 389–390  
  issues and uncertainties, 402–406

- Biofuels life-cycle analysis (LCA) (*cont.*)  
 LEM, University of California at Davis, 390–391  
 life-cycle energy and GHG emission, 392–401  
 Ludwig-Bölkow-Systemtechnik E3 database, 386, 387  
 petroleum fuels, 388–389  
 production pathways, 386, 387  
 WTW analyses, 389
- Biofuel supply chain, 267, 268, 276
- Biogas, 414, 416, 417, 420, 436
- Biogenic residues, 416–419
- Biomass, 345–358, 412–423, 425, 427, 432, 434–437, 440, 441  
 cellulosic, 414, 417  
 lignocellulosic, 413, 418
- Biomass conversion  
 bio-oil, 12  
 comparison, 15–16  
 composition, 10  
 diesel, 10  
 to ethanol, 9  
 higher temperature processes, 11–12  
 liquid fuels, 9  
 lower temperature processes, 13–15  
 petroleum-based products, 4
- Biomass Crop Assistance Program, 276
- Biomass Technical Advisory Committee (BTAC), 319, 320
- Bio-oil liquefaction, 11, 12
- “Bio-pact” for a North–South Trade, 434
- Biopower, 158–173  
 co-fire, 159
- Biorefinery, 410–415, 419
- Biosynthesis, 241–247
- Biotechnology, 177, 184, 185, 189, 196
- Blending of ethanol, 415
- Blending wall, 415
- Brazil, 413, 414, 420, 424
- Breeding programs, 69–71
- British thermal unit (BTU), 4
- Brown-midrib, 40, 41
- Butanol  
 Butamax Advanced Biofuels, LLC, 180  
 ButylFuel, LLC, 180  
 Gevo Inc., 180
- C**
- Caffeic acid O-methyltransferase (COMT), 40, 41
- Caffeoyl-CoA O-methyl transferase (CCoAOMT), 40, 41
- Calorific value, 164, 193
- Camelina, 231, 239
- Canola, 212, 213, 215, 217, 219, 220, 226, 227, 231, 232, 237, 239, 246
- Capacity of ethanol plants, 413
- Cap and trade, 420
- Carbon dioxide emission, 3–21
- Carbon intensity, 420–423
- Carbon neutral, 419
- Carbon sequestration, 195, 422
- Carbon stock, 420–423, 435–437
- Carbon storage, 194, 421, 423, 431
- Cartagena Protocol on Biosafety, 431
- Castor, 232, 233, 235–237, 239, 246
- Cellulose, 28–30, 32, 38–39, 41, 43–47, 160, 164, 173, 175–178, 180, 181, 186, 192, 193, 322–329, 331, 334
- Cellulosic biomass, 4, 9–11, 14, 21, 414, 417
- Cellulosic ethanol, 90, 96, 101, 385, 386, 392–396, 403, 405, 406, 412–414, 419, 420, 425
- Cell wall, 96, 97, 101
- Ceres expression & confinement system, 310–311
- Certification of bioenergy, 410, 423, 433–443
- Charcoal, 422, 423
- Chia, 220, 234–235
- Child labor, 433
- China, 424, 428, 429
- Chlorine, 30, 31, 44, 165
- Chloroplast transformation  
 homologous recombination, 303  
 maternally inherited, 303  
 paternal inheritance, 303
- Cinnamyl alcohol dehydrogenase (CAD), 40, 41
- Climate change, 410, 416, 417, 421–423, 426, 427, 429, 434, 443
- Coal, 346, 355–359
- Co-firing, 158–161, 182, 197, 420
- Cogeneration, 157, 175, 416
- Colonization pressure, 266, 272
- Combined heat and power (CHP), 348, 353, 355, 357–359
- Combustion, 420, 421  
 co-combustion, 28
- Commercial validation of the NIT calibration, 119–120
- Computational general equilibrium (CGE) model, 402–403
- Convention on Biological Diversity (CBD), 430, 431, 435
- Coppice, 168–171, 184, 190, 191

- Co-products, by-products, 418
- Corn, 88, 89, 91, 94, 96–98, 100, 101, 111–123, 210–212, 214, 215, 219, 220, 232, 238, 240, 345–359
  - butanol, 387, 400–401
  - ethanol, 386–388, 392–395, 404–406
  - ethanol industry, 111–123
  - grain, 59–60
  - grain fermentation potential, 114, 122–123
  - stover, 412, 413, 416, 418, 420, 430, 431
- Costs, 346–359
  - cost of ethanol production, 413, 414, 420
- Cottonseed, 212, 214, 219, 220, 222, 226–228
- 4-Coumarate: CoA ligase (4CL), 40, 41
- Crambe, 231–232
- Crop improvement methods, 68–69
- Cropland, 423, 426, 430
- Cytoplasmic male sterility (CMS), 78–79
  
- D**
- Deforestation, 424, 426
- Density, 164, 165, 170–172, 183, 184, 186, 190, 191, 193, 195
- Desertification, 427
- Development cooperation, 426, 435
- Direct firing, 161–163
  - boilers, 162
- Discrimination, 433, 440
- Distillation, 176, 179
- Distillers dried grains and solubles (DDGS), 210, 211, 413
- Distillers grains and solubles (DGS), 387, 388, 392, 393, 395, 400, 401, 404
- Distribution, biofuel, 414
- DNA sequences, 64–65
- Domestication, 184–186
- Drought and salt tolerance, 187, 189
  - phospholipase D $\alpha$ , 187
- Drought tolerance, 170, 189
- Dry, 413, 417, 418, 425, 438
- Dry matter composition
  - cellulose, 180–181
  - hemicellulose, 180–181
  - lignin, 180–181
  
- E**
- Early detection and rapid response (EDRR), 279
- Ecological footprint, 410
- Economic sustainability, 195
- Economies of scale, 412–415
- Ecosystems, 421, 423, 427, 430, 431, 441
- Efficiency, 412–415, 418–420, 425, 428, 429, 435, 442, 443
  - energy efficiency, 419–420
- EIA, stakeholder, 437
  - environmental impact assessment, 442
- Electric power, 357
- Emissions
  - carbon dioxide (CO<sub>2</sub>), 161
  - nitrogen oxides, 161
  - sulfur dioxide, 161
- Energy and Resource Groups Biofuel Analysis Meta-Model (EBAMM), 419
- Energy balance, 166, 195, 413, 418–420, 427
- Energy cane, 137, 139–141
- Energy conversion efficiencies, 425, 436
  - energy efficiency, 419–420, 425, 439
- Energy density, 414, 423
- Energy efficiency, 419–420, 439
- Energy Independence and Security Act (EISA), 265, 267
- Energy output, 166–167
- Energy security, 434, 443
- Environmental impact, 410, 412, 413, 419, 423, 430–431, 443
- Environmental impact assessments (EIA), 431, 442
- Enzymatic conversion, 416
- Enzymatic hydrolysis, 414
- Eradication
  - biological, 280
  - chemical, 279, 280
  - cultural, 280
  - mechanical, 279, 280
- Ethanol, 87–91, 96, 97, 99, 101, 111–123, 210, 211, 215, 216, 323–325, 331–334, 339, 345–359
  - E85, 415, 421–422, 425, 432
  - production, 409, 413–415, 419, 420, 428, 429, 434
- Eucalyptus*
  - E. amplifolia*, 171
  - E. globulus*, 171
  - E. grandis*, 171, 189
  - E. grandisx* and *E. urophylla*, 190
  - E. gunni*, 193
  - E. urophylla* (*E. urograndis*), 171, 181
- European Commission, European Union, 436
- Expressed sequence tag (EST), 91, 99
- Extrinsic moisture, 165
  
- F**
- Fatty acid, 219–223, 225, 226, 230, 232, 233, 235, 237–240, 242, 243, 245–247

- Feedstock, 345–347, 351, 353  
 Feedstock crops  
   biomass production, 58, 59  
   corn grain, 59–60  
   sugarcane, 59–60  
   sweet sorghum, 60  
   switchgrass and miscanthus characteristics, 58, 59  
   wood, 60  
 Fermentation, 175–177, 180, 181, 191  
 Fertilizer, 412, 417, 423–425, 428, 430, 431, 437, 438  
 Fischer-Tropsch (FT), 414  
   diesel, 386  
 Flax, 229–231  
 Flex fuel vehicles (FFVs), 415  
 Food and Agricultural Organization (FAO), 424, 426, 427, 429, 432  
 Food crisis, 426, 429  
 Food price, 410, 424, 425  
 Food security, 410, 423–428, 435, 441, 442  
 Forest land, 417, 426  
 Forest management, 194, 195  
 Forest residues, 156, 157, 159, 182, 183  
 Forest Stewardship Council, 434  
 Fossil fuels, 8, 10, 19  
 Fourier transform infrared spectroscopy (FTIR), 42  
 Fragment length polymorphisms (RFLPs), 99  
 Freezing tolerance  
   drought tolerance, 189  
   Freeze Tolerant Eucalyptus, 190, 196, 197  
   salt tolerance, 189  
 1-Fructosyltransferase (1-SST), 95, 101  
 Fuel-cycle analyses. *See* Well-to-wheels (WTW) analyses
- G**
- Gasification, 27, 413, 414, 416, 422  
   biomass, 11, 12, 14, 15  
   fluidized bed gasifiers, 163  
   gasifiers, 163  
   integrated gas turbine, 163  
 GE biofuels and biomass crops  
   biocontainment, 295  
   commercialization, 294  
   regulatory requirements, 295  
   switchgrass, 294  
 GeneFlow, 196, 197  
 Genetically engineered (GE) crops, 285, 286, 289  
   ecological impact issues, 286  
   risk assessments, 286, 289  
 Genetically modified organisms (GMOs), 430, 431  
 Genetically modified trees, 196  
 Genetic diversity, 431  
 Genetic use restriction technologies (GURTs)  
   controversies, 304  
   GeneSafe, 304–309, 312  
   impact on seed viability, 305  
   potential for socio economic impacts, 305  
 Genetic use restriction technology (GURT), 79  
 Genomic estimated breeding value (GEBV), 70, 71  
 Genomics, 66–67, 72, 80  
 German Advisory Council on Global Change (WBGU), 410, 417, 421–427, 429–431, 434, 435, 443  
 GHGenius model, 391  
 Global Bioenergy Partnership (GBEP), 434  
 Global warming potential (GWP), 421  
 Glucose, 322–325, 331–333  
 Glucuronoarabinoxylans (GAX), 29, 30  
 Glufosinate-resistant grasses  
   bar gene, 287, 288  
   creeping bentgrass, 287–294  
   inter-specific hybridization, 288  
   transgenic *Zoysia* grass, 288  
 Grass energy crops, 125–147  
 Grasses, 125, 126, 128–132, 134, 137, 140, 143, 146–147  
 Grassland, 421–423, 426, 431, 437  
 Green biomass fractionation, 334  
 Green biorefinery  
   biomass fractionation and energy aspect, 334  
   fibre-rich PC, 328–329  
   grassland, 339  
   green crop fractionation processes, 337–338  
   mass and energy flows, 334–336  
   multi-product system, 327  
   nutrient-rich GJ, 328–329  
   plant biomass, 338–339  
   *Trifolium pratense*, 339  
   wet-fractionation process, 328  
 Green crop fractionation processes, 337–338  
 Greenhouse gas (GHG) emissions, 7–10, 14, 18, 19, 385, 388, 390–399, 401, 405, 406, 410, 412, 416, 418, 420–423, 427, 436, 442  
 Greenhouse gases, 419  
 Green juice (GJ), 328, 329, 334–338

GREET model, 389–390, 392, 394–396  
 Grinding, 349–351, 353, 354  
 Gulf of Mexico, 429

## H

Hardwoods, 155, 158, 164, 167, 168, 171, 178,  
 180–182, 184, 189, 192  
 Health, 432–433, 439, 440  
 Heating value  
   HHV, 30  
   LHV, 30  
 Hemicellulose, 29, 32, 38, 39, 43–46,  
 322–325, 331  
   arabinoxylan, 29, 30  
   glucuronoarabinoxylans, 29  
 Herbaceous crops, 125, 146  
 Herbicide tolerance, 186  
 Heterosis, 67–68  
 Higher heating value, 30  
 High fermentable corn, 111–123  
 High fermentable corn hybrids, 111–123  
 High heating value, 166  
 Hybridization, 274  
 Hybrid total gene containment system,  
   *FLORICAULA/LEAFY*, 310  
 Hybrid vigor. *See* Heterosis  
 Hydrogen, 414  
 Hydroxycinnamicacids, 43  
   ferulic acid, 30  
   *p*-coumaric acid, 30

## I

Indirect land use, 424  
 Indirect land-use changes (iLUC), 421,  
 422, 427  
 Inductively coupled plasma mass spectrometry  
 (ICP MS), 43  
 Inductively coupled plasma optical emission  
 spectrometry (ICP OES), 43  
 Inhibitory compounds  
   furan derivatives, 181  
   phenolic compounds, 181  
   weak acids, 181  
 Insect resistance, *Bacillus thuringiensis* (Bt)  
   endotoxin genes, 186  
 Integrated assessment, 410  
 Integrated biomass analysis and logistics  
 (IBSAL), 348–350  
 Integrated biorefineries  
   BTAC, 319–320  
   conversions steps, 321–322  
   food–feed–fuel conflict, 321  
   green biorefinery (*see* Green biorefinery)

  LCF biorefinery, 322–324  
   platform chemicals, 330–338  
   research and development, 320  
   two platform concept, 329–330  
   whole crop biorefinery, 324–327  
 Integrated pest management (IPM), 442  
 International Labour Organisation (ILO)  
   standards, 432, 433, 440  
 International Sustainability and Carbon  
 Certification (ISCC), 436, 437, 441, 442  
 International Water Management Institute  
 (IWMI), 427–429  
 Intrinsic moisture, 165  
 Invasive species, 431  
   Baker traits, 266  
   biology, 263–281  
   defines, 265  
   ecology, 263–281  
   Japanese knotweed, 266  
   Johnsongrass, 264, 275  
   *Miscanthus sacchariflorus*, 269  
   *Miscanthus sinensis*, 269  
 Investments, 368–370, 375–382  
 Iowa, 428  
 Irrigation, 426–429, 437  
 Isomaltulose, 93, 95

## J

Jatropha, 237–239, 428  
 Jojoba, 233–234

## K

1-Kestose, 95  
 Klason lignin, 46

## L

Labour conditions, working, 440  
 Lactic-acid fermentation, 337–338  
 Lag phases, 267, 275  
 Landfills, 416, 417, 439  
 Land use, 410, 415–417, 422–427, 430, 431,  
 436, 442  
   change, 421, 422, 427  
   conflicts, 425  
 Land use change (LUC) issue, 402–403  
 LCA issues and uncertainties  
   co-product, 403–405  
   direct and indirect LUC, 402–403  
   environmental sustainability issues,  
   405–406  
 Learning curve, 412  
 Lesquerella, 232–233, 246  
 Lifecycle analysis (LCA), 410, 419

- Lifecycle emission model (LEM), 390–391
- Lifecycle energy and GHG emission
- biodiesel and renewable diesel, soybeans, 396–400
  - corn and cellulosic ethanol, 392–395
  - corn butanol, 400–401
  - sugarcane ethanol, 395–396
- Lignin, 29–32, 39–47, 164, 171, 175–178, 180, 188, 191–193, 322–325, 329–331, 334
- Lignin reduction, 192
- Lignocellulosic biomass, 176, 178
- Lignocellulosic feedstock (LCF) biorefinery, 322–324, 338, 339
- Linear programming model, 337
- Liquefied petroleum gas (LPG), 16
- Liquid biofuels
- C2 biofuels, 174–175
  - cellulosic ethanol, 173–175
  - Flambeau River Biorefinery, 174
  - range fuels, 174, 175
- Location of biorefineries, 411, 415
- Logistics, 348
- Low heating valve (LHV), 30, 400
- Ludwig-Bölkow-Systemtechnik E3 database, 386, 387
- Lysine fermentation, 338
- M**
- Maize, 39–41
- Male sterility
- ablation of tapetal cells, 301
  - anther, 301
  - anther-and tapetum-specific genes, 301
  - barnase, 301, 302
  - cytoplasmic male sterility, 301–304
  - rice rts gene, 301
  - rts gene, 301, 302
  - tapetum, 301, 302
- Marker-assisted selection (MAS), 98, 99, 101
- Methanol, 179
- Mexico, 424, 429
- Microbial biomass-breakdown regime, 332
- Midwest Consortium for Biobased Products, 418
- Millennium Development Goals, 429
- Minnesota, 428
- Miscanthus*, 31–35, 39, 41, 42, 44–47, 126–132, 413, 416, 419, 420, 422, 425
- advanced breeding, 127, 130–131
  - cold temperature adaptation, 129
  - conventional breeding, 128–131
  - drought and water use efficiency, 129
  - genetic improvement, 126–128
  - growth, 127
  - M. sacchariflorus*, 32, 45
  - M. sinensis*, 32, 42, 45
  - M. x giganteus*, 32–37, 44–47, 77
  - pest and disease resistance, 129–130
  - phylogeny, 127
  - trait targets, 128–130
  - yield and flowering time, 128, 131
- Mississippi River, 428
- Moisture content, 163, 165–166, 170, 180, 191
- N**
- National Renewable Energy Laboratory, 413
- National Willows Collection, 36
- Natural gas, 345, 346, 355–359
- Near infrared spectroscopy (NIRS), 42, 45, 116
- Nebraska, 428
- Neutral detergent fibre, 44, 45
- New crops, 229
- Niche modeling
- BIOCLIM, 271
  - bioclimatic envelope, 271
  - climate-match modeling, 271
  - CLIMEX, 271, 272
  - GARP, 271
  - Maxent, 271
- NIT calibration, 116–120, 123
- Nitrogen, 28, 30, 31, 33, 38, 43, 421, 428, 430, 431, 437, 438
- Nutrient and water availability, 187
- O**
- OECD, 420, 421, 424, 425
- Oilseeds, 217, 218, 239, 241, 242, 245–247
- Öko-Institut, 422
- Organization of petroleum exporting countries (OPEC), 7, 20
- P**
- Palm, 212–217, 219, 220, 222, 228, 229, 239
- Palm oil, 424, 430, 434, 435
- Panicum virgatum*, 77
- Peanuts, 226, 228, 229, 242
- Pectin, 29, 30, 39
- Pelletization, 347, 349–356, 359
- Pennycress, 232
- Perennial crops, 421, 425, 431
- Perennial grasses, 412, 416, 418–420, 425
- Perilla, 220, 234
- Petroleum
- carbon dioxide accumulation, 7
  - economic consequence, 18–19

- GHG emissions, 19
- Hubbert's peak, 6
- LPG, 16
- OPEC, 7
- transportation, 4
- US production, 4–6
- Phosphate, 92, 95
- Phosphorus, 430
- Phosphotransferase (PFP), 95
- Photosynthesis, 92, 93, 95
  - C4, 88, 92, 100
- Physical containment
  - greenhouses, 301
  - growth rooms, 301
  - human management, 301
  - underground facilities, 301
- Pine
  - loblolly, 155, 167, 172, 183, 184, 187–188, 190, 194
  - Pinus echinata*, 172
  - Pinus elliotii*, 172
  - Pinus glabra*, 172
  - Pinus palustris*, 172
  - Pinus serotina*, 172
  - Pinus taeda*, 155, 167, 172, 183
  - sweetgum, 167, 184
- Plant cell wall structure, 75–76
- Plant designing
  - feedstock crops, 58–61
  - genomics, 66–67
  - heterosis, 67–68
  - molecular markers, 64–66
  - molecular plant breeding, 68–71
  - trait improvement, 61–64
  - transgenic traits (*see* transgenic traits)
- Plant genetic engineering
  - biofuels-specific traits, 300
  - cellulosic feedstock crops, 300
  - impacts of gene flow, 300
  - produced, 300
- Plant improvement
  - biomass composition, 62–63
  - biomass yield, 61
  - breeders, 61–62
  - corn and wheat production, 63–64
  - molecular plant breeding, 68–71
- Plant protection product (PPP), 442
- Platform chemicals
  - biobased product flowchart, 330–332
  - biotechnology, 332–333
  - green biomass fractionation and energy aspects, 334
  - green crop fractionation processes, 337–338
  - mass and energy flows, 334–336
- Plenish, 223, 228
- Pollen-mediated gene flow
  - CP4 *EPSPS* positive seedlings, 291
  - CP4 *EPSPS* gene, 291
  - F1 hybrids, 290
- Polyhydroxyalkanoates, 77
- Poplar, 32, 36–37, 41, 159, 165–169, 177, 179, 181, 183, 194
- Populus*
  - ArborGen, LLC, 185, 188
  - aspen, 168
  - cotton wood, 195
  - GreenWood Resources, Inc., 169, 185
  - International Paper, 185
  - MeadWestvaco, 185
  - P. alba*, 168
  - P. deltoide*, 168, 184, 188
  - P. grandidentata*, 168
  - P. maximowiczii*, 168
  - P. nigra*, 168
  - poplar, 168
  - P. tomentosa*, 187
  - P. tremula*, 168, 187
  - P. tremuloides*, 168
  - P. tricho-carpa*, 185
- Potential, waste, 417
- Press cake (PC), 328, 329, 334–337
- Pretreatment
  - alkali, 177, 178
  - ammonia fiber explosion, 178
  - biological, 177
  - chemical, 178
  - dilute acid, 176–178
  - electrical, 177
  - organosolv, 178
  - physical, 177
  - steam explosion, 177–178
- Process heat, 345–347, 355–357
- Process optimization, 419
- Producer gas, 11
- Promoters, 94
- Propagule pressure
  - perennial rhizomatous grasses, 272
  - rhizome fragments, 272, 273
  - seeds, 272, 273
  - stem nodes, 272, 273
- Protected areas, 427, 431, 442
- Pulp and paper industry, 156, 159, 189
- Purpose grown trees, 155–198

- Pyrolysis, 11–14, 26, 27, 43, 413, 423  
 Pyrophosphate fructose, 95
- Q**  
 Qualisoy, 223, 224, 228  
 Quantitative trait loci (QTL), 68–71, 98, 99  
 Quick Germ-Quick-Fiber process, 418
- R**  
 Rainforest, 430  
*Ralsonia*, 77  
 Recycling, 417, 439  
 Reduced Emissions from Deforestation and Degradation (REDD), 434  
 Reed canary grass, 32, 38  
 Regenerative agriculture, 365–383  
 Regulated Emissions and Energy use in Transportation (GREET) model, 419  
 Regulation, 428, 429, 431, 432, 435, 438–442  
 Regulatory, 434, 435, 443  
   regulation of bioenergy, 429  
 Release of GE plants  
   deregulation, 311  
   USDA APHIS, 311  
   zero tolerance expectation, 312  
 Removal of transgenic cassettes  
   CRE/loxP, 309  
   FLP/FRT, 309, 310  
   loxP-FRT fusion sequences, 309  
 Renewable Energy Directive, 436  
 Renewable Fuel Standard (RFS), 173, 174, 190, 191  
 Residues, 416–419, 423, 426, 430, 431, 435  
   biogenic residues, 416–419, 431, 443  
 Resin, 164  
 Restriction, 99  
 Risk assessments, 263–281  
 Rotation cycles, 169, 188  
 Round Table on Responsible Soy, 434  
 Roundtable on Sustainable Biofuels, 434  
 Roundtable on Sustainable Palm Oil, 434  
 Round Up Ready bentgrass  
   EPSPS (5-enolpyruvylshikimate-3-phosphate synthase) gene, 289  
   genetically engineered line (ASR368), 288  
   RoundUp resistant weeds, 290  
   Willamette Valley, 288
- S**  
 Saccharification, 176, 192  
*Saccharum*  
   *S. barberi*, 91  
   *S. officinarum*, 91, 95, 98  
   *S. robustum*, 91  
   *S. sinense*, 91  
   *S. spontaneum*, 91, 92, 95, 98  
 Safety, 432–433, 439, 440  
 Safflower, 212, 219–222, 228, 243  
*Salix*  
   *S. caprea*, 170  
   *S. daphnoides*, 170  
   *S. dasyclados*, 170  
   *S. eriocephala*, 170  
   *S. purpurea*, 170  
   *S. schwerinii*, 170  
   *S. triandra*, 170  
   *S. viminalis*, 170  
   willow, 170, 184  
 Seed scatter  
   gene flow, 293  
   natural dispersal vectors, 293  
 Short rotation woody crops (SRWC), 165, 167–170, 183, 184, 186, 195  
 Silica, 165  
 Silvicultural management, 169, 170  
 Simple sequence repeats (SSRs), 99  
 Single nucleotide polymorphisms (SNPs), 99  
 Sink-source, 91–93, 95  
 Size reduction, 177, 183  
 Social Accountability in Sustainable Agriculture (SASA), 432  
 Social criteria, 432–433  
   social standards, 432  
 Softwoods, 164, 172–173, 181  
 Soil conservation, 417  
 Soil fertility, 423  
 Soil microbial diversity, 430  
 Soil organic matter, 422, 424, 425, 430, 431, 437  
 Soil quality, 423, 430  
 Somatic embryogenesis, 188  
 Sorghum, 91, 92, 98–100, 102  
   genetic improvement, 144–146  
   growth, 142–144  
   phylogeny, 142–144  
 Source-sink, 91–93, 95  
 Soy, 421, 422, 424, 430  
 Soybean, 210–215, 217, 219–226, 228–229, 232, 239, 242–247  
 Stakeholders, 433, 434, 437, 443  
 Starch, 87, 88, 97  
 Stover, 345–359  
 Stress tolerance, deoxyhypusine synthase, 187  
 Subsidies, 413, 425, 432, 434, 443  
 Sucrose, 87, 88, 90–95, 97, 98, 100–102  
 Sucrose isomerase (SI), 93, 95



- Sucrose::sucrose, 95  
 Sugar and syngas platform, 330  
 Sugar beet, 99–102  
 Sugarcane, 59–60, 87–102, 413, 416, 417, 420–422, 424, 427, 430  
   genetic improvement, 139–141  
   genetic improvement strategies, 141–142  
   growth, 136–139  
   phylogeny, 136–139  
 Sugarcane ethanol, 386, 387, 395–398, 403  
 Sugarcane sucrose, 91, 95, 97, 102  
 Sulphur, 28, 30  
 Sunflower, 212–215, 217, 219, 220, 222, 227, 229, 239, 243  
 SuperCetane<sup>TM</sup> process, 397  
 Supply chain, 411–412, 415  
 Supply systems, 126, 146–147  
 Sustainability, 213, 216–223, 410, 412, 417, 419, 420, 426, 430, 431, 434–437  
 Sustainability standards, 433–443  
 Sustainable Agriculture Practice Standard, 434  
 Sustainable Biofuel Meta-Standard, 435  
 Sustainable production, 158, 173, 193–197  
 Sweetgum, 167, 184  
 Sweet sorghum, 60, 100, 102, 428  
 Switchgrass, 32, 35–38, 46, 159, 174, 178, 181, 387, 393–395, 406, 413, 420, 422, 425, 428, 430  
   advanced breeding, 136  
   biomass yield, 135  
   conventional breeding, 134–136  
   genetic improvement, 133–134  
   growth, 132–133  
   pest and disease resistance, 135–136  
   phylogeny, 132–133  
   stand establishment, 134–135  
   trait targets, 134–136  
 Switzerland, 435  
 Syngas, 11, 12  
 Syringyl lignin to guaiacyl lignin (S/G) ratio, 192
- T**  
 Thermal Conversion  
   *Clostridium ljungdahlii*, 175  
   partial oxidation, 175  
   pyrolytic gasification, 175  
   syngas, 175, 176  
   two-stage thermal conversion, 175  
 Torrefaction  
   briquettes, 166  
   char, 166  
 Trade, biofuel, 412, 434
- Transesterification process, 396–397  
 Trans Fatty, 222  
 Transgene, 94, 97  
 Transgene insertion, 186  
 Transgenic herbicide tolerance, 72–73  
 Transgenic traits  
   co-products, 76–77  
   endogenous traits, 74–76  
   first generation, 72–73  
   genetic confinement and prevention, 77–79  
   non-endogenous traits, 76  
   US yield graph, 72  
 Transportation, 409–412, 414–417, 419, 420  
 Transportation mode, 411, 415  
   barge, 415  
   pipelines, 415  
   rail, 415  
   truck, 415  
 Transportation network, 411, 415  
 Transport costs, 164, 183
- U**  
 UK Renewable Fuels Agency, 425  
 UK Renewable Transport Fuel Obligation (RTFO), 435  
 UN Commission on Sustainable Development (CSD), 429  
 United Nations Convention to Combat Desertification (UNCCD), 427  
 United Nations Framework Convention on Climate Change (UNFCCC), 435  
 US Energy Independence and Security Act, 410  
 US Midwest, 413, 420  
 US Sustainable Biodiesel Alliance, 434
- V**  
 Verification of compliance, 442  
 Vistive, 223, 228
- W**  
 Waste, 412, 413, 416–420, 423, 426, 432, 435, 439, 443  
 Waste management, 417, 418, 439  
 Wastewater, 428  
 Water crisis, 427–430  
 Water insecurity, 427  
 Water quality, 423, 425, 427–431  
 Water use, 412, 425, 427–429  
 Water use efficiency, 170

- Weed Risk Assessment (WRA), 268, 271, 273, 277
  - Well-to-wheels (WTW) analyses, 389, 392
  - Wet distillers grains with solubles (WDGS), 418
  - Wet-fractionation, green biomass, 328, 334
  - Wet milling, 326–327
  - Wet mills, 413
  - Whole crop biorefinery, 322, 324–327, 329, 337
  - Wildlife, 430–431
  - Willow, 32, 36–37
  - Willow for Wales, 36, 37
  - Wood
    - forest residues, 156, 157, 159, 182, 183
    - pellet, 157, 162, 182
    - residuals, 156, 157
  - Woody biomass, 155–198
    - wood residuals, 156, 157
  - Working conditions, 433, 435, 439, 440
  - World Conservation Union (IUCN), 431
  - World energy resources
    - biomass conversion (*see* Biomass conversion)
    - commercial applications, 18–19
    - energy crises, 7
    - GHG emissions, 7–8
    - oil and global climate change, 7
    - petroleum (*see* petroleum)
    - transportation, 8–10
  - World Water Council, 429
- X**
- X-ray fluorescence (XRF), 44
  - Xylans, 76
- Y**
- Yield
    - $\beta$ -1,4-endoglucanase, 187
    - biomass, 165, 166, 185, 186, 189, 194
    - energy, 166, 167, 193
    - gene, GA2-oxidase, 187
    - glutamate synthase, 187
    - glutamine synthetase, 186
    - mean annual increment, 172–173