

Index

- Abalone shell 226
- Alkyltrimethylammonium bromide 9
- 3-Aminopropylmethyldiethoxysilane (APMDES) 172
- Aminopropyltriethoxysilane 270
- Antireflective films 230
- Aragonitic nacreous layers 226

- Banded state 37
- Biphenyltetracarboxylic dianhydride (BPDA) 144
- Block copolymers 136
- Bones 226
- Brittle materials, transitions 206
- Brittle–ductile transition 208
- Bulk heterojunction (BHJ) layers 234

- Cadmium arachnidate (CdA) 262
- Carbon nanotubes (CNTs) 160, 246, 248
- Carbon-based nanomaterials 246
- CdS quantum dots 245
- CdSe 265
 - ZnS quantum dots 245
- Cetylpyridinium salicylate 7, 21
- Chemical vapor deposition (CVD) 241
- Chlorobenzoate 9
- Complex polymer systems 73
- Condensation–vaporization densation (CVD) 249
- Conduction band (CB) 231
- Conjugated polymer 221
- Controlled structural heterogeneities 199
- Cooperatively rearranging region (CRR) 105
- Copper arachnidate (P3OT-CuA) 262
- Creep, static magnetic field, diamagnetic glassy polymers 205
- Creep activation parameters, relaxation transitions 181

- Creep rate spectroscopy/spectra 78, 86, 94
 - variability 194

- Deformation, intermolecular
 - interactions/potential barriers 186
 - kinetics 73, 176, 177
- DGEBA-DDM/95BAN 118
- 4,4'-Diaminodiphenylmethane (DDM) 117
- Diamond 165
- Dicyanate ester of bisphenol A (DCEBA) 160
- Dielectric relaxation spectrometry (DRS) 110, 114
- Diffusive Johnson Segalman (DJS) model 29, 47
- Diglycidylether of bisphenol A (DGEBA) 117
- Diphenylene propane–carbonate 89
- Discontinuous creep, amorphous polymers 190
- Discotic nematic phase 48
- Dislocation-disclination models 189
- Disordered regions, semicrystalline polymers 147
- Dodecylbenzenesulfonate (DBSNa) 271
- Doppler beats, low-frequency 81
- Dynamic heterogeneity 73
- Dynamic mechanical analysis (DMA) 89
- Dynamic/compositional heterogeneity 94

- Elastic properties, function of temperature 209
- Electroluminescence (EL) 231
- Epoxy networks 199
- Epoxy-amine 91
 - networks 114

- Face-centered cubic (FCC) PCs 254
- Fermi level 231
- Flexible-chain polymers 148

- Flow birefringence (FB) 15, 37
 Flow field, velocimetry 30
 Flow reversals 50
 Flow velocimetry 17
 Fullerenes 221, 247
- Glass transition anomalies 73, 94, 111
 dynamic heterogeneity 95
 Glass transition dynamics
 cooperative/noncooperative 98
- HDPE 149
 Heterodyne dynamic light scattering 32
 Heterojunction organic–inorganic PV 272
 Hexadecyltrimethylammonium bromide
 (C16TAB) 4, 49
 Hexadecyltrimethylammonium
 p-toluenesulfonate 10, 28
 Hexamethylenediamine (HMDA) 117
 Hybridization 119
 Hydrotopes 9
- Indium tin oxide (ITO) 232
 Interferogram/creep rate 85
 Interfibrillar slippage, oriented polymers 194
 Intermolecular interactions 186
 Interpenetrating polymer networks (IPNs) 121
 ITO/PVK/CPDHPV/LiF/Al 266
- Jump-like creep 189
- Kinetic parameters, changeability,
 deformation 176
- Laser interferometry (LI) 73, 79
 Laser-interferometric creep rate meter
 (LICRM) 78, 80
 Layer-by-layer assembled polyelectrolytes 228
 Lenses 230
 Leslie viscosities ratio 57
 Leslie–Ericksen continuum theory 57
 Light-emitting diodes (LEDs) 225
 Liquid crystalline polymers (LCP) 51
 Lyotropic mesophases 1
- Magnetic field 205
 3-Mercaptopropionic acid (MPA) 241
- Methacryloxypropyltrimethoxysilane
 (MPTMS) 172, 251
 Micelles, giant, semidilute/concentrated 20
 wormlike 1, 4
 Microdeformation 189
 Microplasticity 206
 jumps 199
 Microplasticity vs morphology 73
 Mode coupling theory (MCT) 100
 Molecular beam epitaxy (MBE) 240
 Molecular composites 140
 Montmorillonite (MMT) silicate
 nanolayers 160
 Multiphase composites 226
 Multiwall carbon nanotubes (MWCNTs)
 249, 266
- Nanocomposites 221, 229
 application 272
 electrical properties 231
 fabrication 227
 non-conducting 258
 optical/electronic characteristics 229
 transparent 230
 Nanocrystals 221
 Nanodiamonds (NDs) 166, 209
 Nanofiller–polymer interface 229
 Nanofillers 226
 Nanomaterials, carbon-based 246
 Nanoparticles 226
 inorganic, nonconjugated polymer
 matrices 249
 Nanorod–polymer composites 261
 Nanotubes 221, 248
 Naphthalenes 4
 Nematic calamitic phase 48
 Nonconjugated polymers 221
 Nuclear magnetic resonance (NMR)
 velocimetry 30
- Optical filters 230
 Organic light-emitting diodes (OLEDs) 232
 4,4'-Oxydianiline (ODA) 144
- P3HT/fullerene 237
 P3HT/TiO₂ 260
 PANI/SAM-TiO₂ 270
 Particle image velocimetry (PIV) 17, 30
 Particle tracking velocimetry (PTV) 30
 PCBM 272
 PCN–MMT 160

- Penta(ethylene glycol) monododecyl ether 49
 PHEMA 121, 134, 209
 Phenyl-C₆₁-butyric acid methyl ester (PCBM) 234, 247
 1,4-Phenylenediamine (PPD) 144
 Photoconductivity 226
 Photodiodes 225
 Photoluminescence 231
 Photon correlation spectroscopy (DLS) 30
 Photovoltaics (PV) 225
 PIA-poly(ethylene adipate) (PIA-PEA) 120
 PIA-poly(ethylene glycol) (PIA-PEG) 120, 122
 PMMA 101, 107, 230
 PMMA-dibutyl phthalate 109
 Poly(acrylic acid) (PAA) 242
 Poly(amic acid) (PAA) 122
 Poly(benzyl-L-glutamate solutions) (PBLG) 51
 Poly(dimethylsiloxane) (PDMS) 136
 Poly(ether-imide) 120
 Poly(3,4-ethylenedioxythiophene):polystyrene sulfonic acid (PEDOT:PSS) 232
 Poly(ethylene oxide) (PEO) 98
 Poly(ethylene terephthalate) (PET) 147
 Poly(3-hexylthiophene) (P3HT) 234, 237
 Poly(hydroxyethylmethacrylate) (HEMA) 121, 134
 Poly(imide-amide)-poly(ethylene adipate) 122
 Poly(methyl methacrylate) (PMMA) 179, 230, 250
 Poly(methylphenylsiloxane) (PMPS) 110
 Poly(α -methylstyrene) (PMS) 104
 Poly(3-octylthiophene) (P3OT) 262
 Poly(oxymethylene) (POM) 90
 Poly(oxymethylene-*co*-oxyethylene) (95POM/5POE) 199
 Poly(oxypropylene glycol) (PPG) 114
 Poly(paraphenylene terephthalamide) (PPTA) 196
 Poly(*m*-phenylenevinylene-*co*-2,5-dioctoxy-*p*-phenylene) (PmPV) 249
 Poly(*p*-phenylene vinylene) (PPV) 232, 267
 Poly(phenylsilsesquioxane) (PPSSO) 136
 Poly(styrene-*co*-methacrylic acid) (PS-*co*-MAA) 184
 Poly(tetrafluoroethylene) (PTFE) 92
 Poly(tetramethylene glycol) (PTMG) 120
 Poly(urethane-methacrylate macromer) (PUMM) 258
 Poly(vinyl butyral) (PVB) 206
 Poly(*N*-vinylcarbazole) (PVK) 232
 nanocomposites 263
 Poly(vinylidene fluoride) (PVDF) 249, 256
 Poly(vinyl chloride) (PVC) 101, 179
 Poly(vinyl pyrrolidone) (PVP) 112
 Polyaniline (PANI) 232, 269
 Polycarbonate, β -relaxation 89
 Polycyanurate (PCN) 119
 Polycyanurate-poly(tetramethylene glycol) 126
 Polyimides 155
 Polymer blends 140
 Polymer creep 73
 Polymer networks 114
 Polymer semiconductor 221
 Polymer-diamond nanocomposites 165
 Polymer-layered silicate nanocomposites 159
 Polymer-polymer hybrid networks 119
 Polymer-silica nanocomposites 171
 Polystyrene (PS) 104, 187, 253
 Polystyrene-polybutadiene (PS-PB) 109, 136
 Polythiophenes (PTs) 232, 259
 Polythiourethane (PTU) 231
 Polyurethane, tensile stresses 90
 Polyurethane-poly(2-hydroxyethylmethacrylate) (PU-PHEMA) 120, 134
 Polyurethanes (PUR) 120
 POM 147, 149
 Potassium bromide 4
 Potential barriers 186
 PS/PVME 141
 PU/BMA copolymer IPNs 114
 PU-PHEMA 166
 PVK-C60 266
 Pyromellitic dianhydride-oxydianiline (PMDA-ODA) 155

 Quantum dots (QDs) 229
 Quasi-elastic neutron scattering (QENS) 89

 Rayleigh scattering 230
 Reflectors 230
 Refractive index 230
 β -Relaxation, activation energy 104
 Relaxation dynamics 73
 changes 203
 Reptation-reaction kinetics model 5
 Rheochaos 28
 Rheology 10, 49
 nonlinear 21
 Rheometry, strain-controlled 10
 stress-controlled 11
 transient 12
 Rigid amorphous fraction (RAF) 147

- Salicylate 9
- Scaling laws 50
- Scattering 37
- Schlieren textures 53
- Semiconductor lasers 79
- Semiconductor nanocrystals (NCs) 226, 227, 237
- Semiconductor-based composites 221, 227
- Shear, director orientations 53
 - instabilities 1
 - structure/orientation 14
- Shear banding transition 20
- Shear flow 6
- Shear-banding 1
- Shear-induced transitions 5
- Shear-thickening 1
 - dilute micellar solutions 7
- Shear-thickening surfactants 8
- Shock waves 79
- Silica core-poly(vinyl pyrrolidone) 112
- Silicate glasses 206
- Silicone nitride 206
- Single-wall carbon nanotubes (SWCNTs) 249, 263
- Size quantization 239
- Small-angle neutron scattering (SANS) 14
- Sodium bis(2-ethylhexyl)sulfosuccinate (NaAOT) 242
- Sodium decylsulfate/decanol/water 48
- Sodium dodecylsulfate/decanol (SDS/Dec) 49
- Steel 208
- Stress plateau 23
- Stress relaxation 4
- Stress-wave propagation 79
- Superconducting ceramics 208
- Surfactant 1
- Surfactant solution, light scattering 3

- Temperature anomalies, prediction, nondestructive 206
- Temperature dependence 13

- Tetradecyltrimethylammonium bromide (TTAB) 8, 271
- Thermally stimulated depolarization currents (TSDC) 89
- TiO₂ nanocrystals 244
- p*-Toluenesulfonate 9
- Toluylene diisocyanate (TDI) 114
- Tooth enamel (hydroxyapatite/proteins) 226
- TPD:PMMA 233
- Triazine ring-aryl junction 121
- Trimethylolpropane (TMP) 114

- Ultrahigh-molecular-weight polyethylene (UHMWPE) 194
- Ultrasonic velocimetry (USV) 30
- Urethane-methacrylate macromer (UMM) 258

- Valence band (VB) edge 231
- Velocimetry 30
- Velocity 6
 - gradient 6
- Viscoelasticity 1
- Vorticity axes 6
 - banding 29, 37, 45

- Waveguides, optical 230
- Wormlike micelles 1, 4
 - nematic phases 48
- Wurtzite 239

- Yttrium oxide 232

- Zinc arachnidate (P3OT-ZnA) 262
- ZnO nanocrystals 242
- ZnS:Mn 240
- ZnS nanocrystals 239
- ZnS/poly(urethane-methacrylate macromer) (PUMM) 258