

Index

A

Absorption spectra, 289
Accumulation response, 190
Acetone rinsing, 284–288, 290, 294–299
Acetyl-CoA carboxylase, 83
ACP. *See* Acyl carrier protein
Actin
 baskets, 195
 cytoskeleton, 194–197
 filaments, 194
 polymerization, 197
Actomyosin system, 194
Acyl carrier protein (ACP), 83
 reductase, 85
 thioesterases (TEs), 84
Acyl-CoA synthetase, 84, 85
Acyltransferases, 83
Ageing, 25
AGPAT, 83–84
Aldehyde decarboxylase, 85
Alkanes, 81–83, 85–87
Allelopathic functions, 284
Anabaena cylindrica, 87
Antioxidant
 ascorbate (ASA), 142
 ascorbate peroxidase (APX), 142
 catalase (CAT), 142, 143
 glutathione reductase (GR), 142, 143
 guaiacol peroxidase (GPX), 142
 metabolism, 118, 123, 124
 superoxide dismutase (SOD), 142, 143
Apoplast, 133–135, 137, 140, 144
Arabidopsis thaliana, 190, 211–213
Ascorbic acid, 68
Asymmetric division, 71
Asymmetry index, 27–30

ATP-binding cassette (ABC) family
 AtATM3, 138
 AtMRP3, 138
 AtPDR8, 138
Auxin, 63
Avoidance response, 190

B

Beech, 166, 168, 169, 175, 177, 178
Biomass production, 111, 118, 124
Blue light, 190
Boric acid, boron, B, 22
Bulk flow, 165

C

CA. *See* Carbonic anhydrase
Ca²⁺ ions, 199, 223–224
CAM. *See* Crassulacean acid metabolism
Carbon dioxide (CO₂), 163, 165, 166, 179
Carbonic anhydrase (CA), 137, 146, 148, 150
Carotenoids, 82, 87
Cation diffusion facilitator (CDF) family, 140
 microsomal triglyceride transfer protein (MTP), 138
Cation/H⁺ exchangers (CAXs), 140
 AtCAX, 139
 ion homeostasis, 139
Cd accumulation in shoots
 cell walls, 140–141
 epidermal cells, 135, 140
 trichomes, 137, 140
 vascular tissue, 140
Cell division, 60
Cell proliferation, 57

- Chlorophyceae
 phylogenetic analyses, 269
 rDNA analysis, 268
- Chlorophyll fluorescence
 Fv/Fm, 290
 PSII efficiency, 290
- Chloroplast
 functions, electron transfer, 224
 high chlorophyll fluorescence (HCF), 217
 movements, 192–193
 nonrandom distribution, 209
 organization, 208
 photosynthetic apparatus
 ATP synthesis, 209
 evolutionary pathways, 209
 nucleotide metabolism, 210
 proteases, repair cycle, 211
 reactive oxygen species (ROS), 210
 photosynthetic plastid, 208
 phylogenomics, 261, 262
 positioning, 190
 relocation, 191
 thylakoid lumen
 plant cell signaling
 Ca²⁺, 223–224
 GTP, 222–223
 protein phosphorylation, 224
 redox, 222
 proteins, photosynthetic regulation
Arabidopsis thaliana, 211–213
 high chlorophyll fluorescence (HCF), 217
 immunophilins, 218–219
 nucleoside diphosphate kinase (NDK),
 220–221
 OEC, 214–216
 peroxiredoxins (Prx), 221
 plastocyanin (PC), 214
 proteases, 219–220
 PsbP-like proteins, 216
 PsbQ-like proteins, 216–217
 unclassified, 221
 violaxanthin de-epoxidase (VED), 217
- Chloroplast unusual positioning 1 (CHUP1), 196
- CLE peptides, 66
- Climate change, 98
- Compartment analysis, 20, 22
- Complexation, 138, 141–142, 144, 149, 150
- Conifers, 166, 167, 169, 175
- Constitutive defense, 296–297
- Cortical compounds, 286–292, 300
- Cortical pigments, 286
- cp-actin, 196
- Crassulacean acid metabolism (CAM)
 carbohydrate, 233, 235
 cycling, 234
 decarboxylation, 233
 idling, 234, 236
 induction, 234–236, 238, 242–244, 247
 obligate, 234
 organic acids, 233
- Cryptogams, 194
- Cyanolichens, 294, 296
- CYCA, 61
- CYCB1;1, 61
- CYCBs, 61
- CYCD, 61
- CYCD2;1, 65
- CYCD3, 61
- CYCD4;1, 65, 71
- Cyclin-dependent kinase, 60
- Cytokinin, 63
- Cytoplasmic streaming, 202
- D**
- Decarbonylation, 85
- Deciduous trees, 166, 167, 169, 174, 175, 178
- Dehydration (DH), 99, 102, 110, 123
- Demand-driven control, 162
- Depsidones, 291, 295
- DH. *See* Dehydration
- 3-(3,4-Dichlorophenyl)-1,1-dimethylurea
 (DCMU), 194
- Dynamic structures, 39–40
- E**
- EGTA, 195
- Elevated CO₂, 97–124
- Endoreduplication, 60
- Environmental signaling in the root apex via
 redox homeostasis, 68–71
- Environmental stresses, 57
- Enzymes
 allosteric enzyme, allosteric protein,
 9–10, 13–14, 18, 35
 apparent kinetic parameters, 14, 15, 18,
 24, 35
 equilibrium constant, 12–13
 immobilised in a gel slab, 8
 kinetics, 9–11, 34–35
 Michaelis–Menten (M–M), 9, 10, 13, 14
 in organic solvents, 10
 rate constant, 12, 13
 real kinetic parameters/real enzymatic
 parameters, 10, 11, 14, 15, 24, 35

Evolution, 134–136, 144–150
 defense, 144, 145
 elemental allelopathy, 144
 Excess energy, 201

F

FA-ACPs, 84, 85, 87
Fagus sylvatica, 166
 Farnesene, 81–82, 87
 α -Farnesene synthase, 87
 Farnesyl pyrophosphate (FPP), 87
 Far-red light, 194
 FASII, 83, 84
 Fatty acids (FAs), 82–87
 Fatty acyl-CoA, 85
 FDS. *See* Functioning-dependent structure
 Filamentous, 91
 Flow, flux, 15–25
 efflux, outflow, outflux, 15
 inflow, influx, 15
 net flow, net flux, 6, 16, 18, 21
 Foliar disc, 25, 33, 36
 Formate, 85
 Formative division, 67
 FPP. *See* Farnesyl pyrophosphate
 Functioning-dependent structure (FDS),
 5, 11–14, 35, 36, 38–40

G

GATA23, 71
 Geosmine, 87
 Geranyl pyrophosphate (GPP), 87
 GFP-mouse talin, 195–196
 Glucosinolates, 164
 Glutathione (GSH), 68, 138, 141–143
 Glycerol-3-phosphate *O*-acyltransferase
 (GPAT), 83–84
 GPP. *See* Geranyl pyrophosphate
 Green algae
 Chlorophyceae, 268–269
 chloroplast phylogenomics, 261, 262
 monophyletic lineage, archaeplastida, 260
 phylogenetic structures, 261
 prasinophyte
 cell organization, 264
 genome analyses, 263, 264
 single marker gene, 272
 streptophyte, 270–271
 transcriptome analyses, 272
 Trebouxioophyceae
 freshwater phytoplankton, 266
 polyphasic approach, 265

Prasiola and Rosenvingiella, 264
 rDNA phylogenies, 264
 sexual reproduction, 267
 Ulvophyceae, 269–270
 Viridiplantae, 261
 Guanosine-5'-triphosphate (GTP),
 222–223

H

Halophilic, 82, 90
 HCF. *See* Chloroplast high chlorophyll
 fluorescence
 Herbivores, 283–300
 defense, 294–296
 gastropods, 294, 299–300
 snails, 294, 295
 Hormesis, 146, 149
 Hormone signaling, 57
 Hydrogen peroxide (H₂O₂), 244–245
 Hydrogen sulfide (H₂S), 165, 167, 174
 Hyperaccumulator, 127–150
 Arabidopsis halleri, 131, 135, 137, 138,
 140, 143–147
 Arabis paniculata, 130, 131, 141, 143,
 147–149
 Sedum alfredii, 130, 132, 133, 135, 141,
 142, 146–150
 Thlaspi caerulescens, 130, 131, 133–135,
 137–150

I

ICK/KRP, 62
 Immunophilins
 FKBP13 protein characterization, 219
 signal transduction, 218
 thylakoid membrane, 218
 Induced defense, 296–297
 Internal rhythm, 37
 Ion, 7, 15, 16, 37
 ionic condensation, 7, 9
 Isoprene, 87
 Isoprene synthase (IspS), 87
 Isoprenoids, 81–83, 87–89
 Isotope, 6, 8
 isotopic tracer, 5, 20
 radioactive isotope, radioisotope, 5–6, 9,
 23, 33, 37
 radioactive tracer, 5–6, 9, 23
 stable, 6, 8, 9, 22, 33, 37
 stable tracer, 5–6
 IspS. *See* Isoprene synthase

J

JAC1, 198

K

KAC1, 198

KAC2, 198

Kinesin-like proteins, 198

L

Latent life, 39, 40

Lateral root founder cells, 71

Legumes, 171

Lichen

compounds

atranorin, 286, 295, 297

melanin, 287, 291

m-scrobiculin, 295, 297, 298

parietin, 285–287, 290, 300

usnic acid, 284, 286–288,
295, 297*Hypogymnia physodes*, 284, 294–297*Lobaria pulmonaria*, 291, 292,
295, 299*Lobaria scrobiculata*, 295, 298, 299*Pseudocyphellaria crocata*, 298, 299*Xanthoria parietina*, 285, 287, 290,
294, 296

Ligands, 141–142, 149

Light transmittance, 190–191

Lithium, 8, 16, 17, 22–26, 30, 34, 36, 38

induced oscillations, 16–17

sensitive responses, 36

M

Marine diatom, 133, 145, 146

Thalassiosira weissflogii, 145

Medullary compounds, 291, 299

Memorisation (in plants), 27, 31

plant memory, 27, 36–38

recall of stored information (RCL), 26–29,
31–33, 36–38storage of information (STO),
26–33, 36

Metabolic flux, 179

Mg²⁺ ions, 199*Microcoleus vaginatus*, 87

Monsoon rainforest, 172

MP/ARF5, 66

Mycorrhiza, 168, 177

roots, 170, 171, 176, 178

Myosin, 197–198

NNatural resistance-associated macrophage
protein (NRAMP)

AtNRAMP, 139

Cd²⁺ efflux, 139

Fe homeostasis, 139

NDK. *See* Nucleoside diphosphate kinase 3Neutron-capture radiography (NCR), 5–9, 22,
33

Nitrogen

deficiency, 162, 179

limitation, 162

N₂ fixing plants, 171NO₂, NH₃, 178

Nitrophytic lichens, 284, 294

Non cell, 65

Non-equilibrium thermodynamics, 5, 18

production of entropy, 40

Nonmycorrhizal roots, 177

Nucleoside diphosphate kinase 3 (NDK),
220–221**O**OA. *See* Osmotic adjustment

Oak, 166, 175

OEC. *See* Oxygen-evolving complex

Oligopeptide transporters, 170

Optimal defense theory, 284, 298–299

Organelle motility, 202

Osmotic adjustment (OA), 99, 102, 110, 123

β-Oxidation, 84, 85

Oxygen-evolving complex (OEC)

auxiliary functions, 214

photoautotrophic growth, 216

PSII repair cycle, 215

PPA. *See* Phosphatidic acidP_{1B}-ATPase family

AhHMA4, 137

AtHMA4, 137

TcHMA4, 137

PC. *See* PlastocyaninPC2. *See* Phytochelatin 2PCS1. *See* Phytochelatin synthetase

Pericycle, 71

cell priming, 60

Peroxiredoxins (Prx), 221

PHB. *See* Polyhydroxybutyrate

Phloem

loading, 164, 166, 167, 169

unloading, 165

Phosphatidic acid (PA), 83–84
 Phosphoinositide kinases, 199
 PHOT1. *See* Phototropin 1
 PHOT2. *See* Phototropin 2
 Photoreceptor, 191
 Photosynthesis, 194
 Photosynthetic rate, 98, 111, 112, 118, 123, 124
 Phototropin 1 (PHOT1), 191, 193
 Phototropin 2 (PHOT2), 191, 193
 Phototropism, 191
 Phytochelatin 2 (PC2), 164
 Phytochelatine synthetase (PCS1), 164
 Phytochelatin (PCs), 138, 141, 142, 144, 164
 Phytochrome B, 193–194
 Pinene, 81–82, 87
 α -Pinene synthase, 87
 Plant hormones
 abscisic acid, 237
 ABA, 238–243, 246, 248
 auxin, 239
 IAA, 248
 cytokinin, 237
 Cks, 238, 239, 242–244
 ethylene, 239, 244
 gibberellins, 247
 methyl jasmonate, 239
 polyamine, 244
 Plant myosin, 197
 Plastin, 195
 Plastocyanin (PC), 214
 PMI1, 198
 PMI2, 198
 Polyamines (PA), 143
 putrescine (Put), 143
 spermidine (Spd), 143
 spermine (Spm), 143
 Polyhydroxybutyrate (PHB), 86
 Poplars, 164–166, 170, 175, 176, 179
Populus deltoides, 165
 Post-embryonic formative divisions in the RAM, 67
 Profilin, 197
 Prx. *See* Peroxiredoxins

Q
 QC. *See* Quiescent center
Quercus
 Q. ilex, 165
 Q. robur, 166, 170, 176
 Q. rubra, 166
 Quiescent center (QC), 58–59

R

Raceway ponds, 90, 91
 Radical oxygen species (ROS), 118, 123
 Reactive nitrogen species (RNS), 68
 Reactive oxygen species (ROS), 68, 141–143, 148, 149
 photodamage, PSII proteins, 210
 sequence homology, 221
 synthesis, PSII proteins, 211
 VDE, 217
 Red light, 194
 Redox
 homeostasis, 68
 signaling, 200
 status, 57
 Reductionism, reductionist, 5, 24, 34, 38
 Reflectance, 289, 290
 Regulatory loops, 57
 Reindeer, 291, 297
 Retinoblastoma-related (RBR) protein, 67
Rhizobia, 171
 Rhizospheric mobilization, 130
 acidification, 133
 exudates, 133
 Ribitol, 288
Ricinus communis, 169, 171, 179
 RNS. *See* Reactive nitrogen species
 Root
 apoplastic binding, 133
 development, 57
 foraging, 133, 136, 149, 150
 symplastic, 133
 uptake, 130–134, 136
 ROS. *See* Radical oxygen species; Reactive oxygen species

S

Salt stress, 99, 110, 111, 118, 123, 124
 Salt-tolerance mechanisms, 99, 110, 118–124
 Screening, 284, 285
 efficiency, 287–290, 292
 Seasonal, 162–163, 169, 172, 174–176, 179, 180
 Secondary ion mass spectrometry (SIMS), 5–6, 8, 9, 22, 32, 33
 Second messengers
 calcium, 239
 Ca²⁺, 240
 hydrogen peroxide (H₂O₂), 244–245
 nitric oxide (NO), 241–242
 protein phosphatases, 241
 reactive oxygen species, 244
 Secretion, 91

- Self-flocculating, 91
 Senescence, 168
 Shoot-derived signals, 162
 Shoot-to-root signaling, 168
 Short actin filaments, 195–196
 SIMS. *See* Secondary ion mass spectrometry
 Size of the root apical meristem, 63
 Solar radiation screening, 285–291
 Spruce, 167, 169, 173–175, 177, 178
 Stem cell population, 65–66
 Stimulus, 26, 27, 30, 31
 abiotic, 27, 31–33, 36
 asymmetrical, 28, 29
 gas shock, 26
 manipulation, 31, 32
 symmetrical, 28–30
 Stomatal
 aperture, 193
 conductance, 108, 111, 123, 124
 Streptophyte, 270–271
 Sugar effect, 200
 Sulfur deficiency, 162, 164
 Sulphur dioxide (SO₂), 167, 174
 Suspension cultures, 17, 18, 25–26, 33
Synechocystis, 86
- T**
 TAGs. *See* Triacylglycerols
 Terpenes, 83
 Terpene synthases (TS), 87
 Thioesterases (TEs), 85, 87
 Thioredoxin, 68
 THRUMIN1, 199
 Tissues, 58
 Tobacco, 170, 171, 176, 179
 Transmittance, 289–290
 Transpiration, 98, 99, 107, 108, 110–111, 123, 124
 stream, 163, 168, 170, 174, 178
 Transport, cell transport, transmembrane
 transport, 13, 15–27, 30, 33–40
 active flux, pumping, transport, 15–17, 19–24
 Arrhenius plot, 19, 22–24, 26
 artificial transport systems, 34–35
 conductance, 19, 22–25, 34, 38
 cross coefficients, 21, 34
 flow/force formulation and reinterpretation, 18–25
 flux-ratio equation, 15–16, 19–21
 passive flux and transport, 15, 17, 19–21
 symmetry criterion, 21, 23, 24
 uphill transport, 15, 24
 Transporter, 130, 134–140, 144–145, 149
 Ca channel, 134, 139, 144–145, 150
 Fe, 134, 139, 144–145, 150
 Zn, 134, 138, 139, 144–145, 150
 Trebouxioophyceae
 Prasiola and *Rosenvingiella*, 264
 Triacylglycerols (TAGs), 82, 84, 90
 Trifluoperazine, 199
- U**
 Ubiquitin ligases, 62
 Ulvophyceae, 269–270
 UV-B, 287–292
- V**
 Vacuolar sequestration, 138, 143, 144
Vallisneria gigantea, 194
 Vascular land plants, 190
 Violaxanthin de-epoxidase (VED), 217
 Viridiplantae, 261
- W**
 Water angiosperms, 195
 Water potential, 99, 100, 123, 124
 Water use efficiency, 116, 124
 Wortmannin, 199
 WOX, 66
 WOX4, 66
 WOX5, 66
 WUSCHEL, 66
- X**
 Xylem loading, 170, 172, 176
 energy-consuming, 135
 transpiration, 135
- Z**
 ZRT1/IRT1-like protein (ZIP) family
 AtIRT1, 138–139
 TcZNT1, 138, 139