

# Index

- Aberrations, 27, 197  
Absorption, 131, 133, 141, 333, 335  
    coefficient, 128–130, 135, 245, 285, 287, 336  
    edge, 130  
Acoustic, 91  
Acoustic phonons, 89  
Acousto-optic modulators, 244  
Activation energies, 362  
Airy disc, 198, 201  
AlGaIn, 121, 275  
Alloy fluctuations, 138  
Alloys, 46, 48, 51, 52, 54, 57, 154  
Amorphization, 269  
Antimonides, 36  
Anvil cells, 175, 191  
Aperture-less probe, 208  
Aperture-less SNOM, 206, 207  
Arrhenius plot, 357  
Aspnes, 107  
Atomic columns, 28, 30, 32, 34  
Atomic interdiffusion, 136  
Auger, 189  
    process, 187  
    recombination, 186  
Autocorrelation, 238  
Avalanche photodiodes, 190
- Band alignment, 176  
Band anticrossing (BAC) model, 113, 178, 287, 323  
Band bending, 103  
Band dispersion, 299  
Band-gap bowing, 324  
Band gap energy, 145  
Band structure, 116, 172, 173, 175, 178, 302
- Band-structure engineering, 44  
Band-to-band transition, 131  
Bitter magnet, 289, 290  
Bose–Einstein formulas, 112  
Bridgman anvil system, 178  
Bright configuration, 99, 101  
Built-in electric field, 97, 120  
Bulk, 110
- Calibration, 238  
Capacitance/capacitive transient, 360  
Capture rates, 351  
Carrier capture cross-section, 363  
Carrier dynamics, 303  
Carrier screening, 144  
Carrier temperatures, 68, 70  
Carrier traps, 361  
Cathodoluminescence, 199, 212  
Clustering, 46, 56  
Complexes, 47  
Compositional fluctuations, 137  
Compressor, 184  
Conduction, 117  
    band, 324  
    band offset, 116  
Conductivity tensor, 284  
Confocal microscopes, 200–203, 267  
Confocal microscopy, 199  
Contactless electro-reflectance, 98, 109  
Converted luminescence, 237  
Coulomb  
    energy, 159  
    force, 147  
    interaction, 142, 146, 149, 154  
    potential, 327  
Crystalline disorder, 136

- Crystalline films, 19
- Crystalline interfaces, 18
- Crystal momentum, 129
- Crystal structure, 24
- Cubic lattices, 172
- Cyclotron
  - energy, 321
  - frequency, 283, 285
  - resonance, 283, 285, 287, 288, 291, 299, 301, 309, 320, 329
  - resonance spectroscopy, 297
  
- Dark configuration, 98
- Deep level, 359
- Deep-level transient spectroscopy, 335
- Defects, 179, 334, 349, 350
- Deformation potential, 90, 266
- Degenerate electron gas, 89
- Degenerate  $n$ -type semiconductor, 142
- Degenerate semiconductors, 143
- Density of states, 150
- Diamagnetic shift, 153, 164
- Dichroism, 247, 248
- Dielectric function, 105–107
- Differential photoconductivity, 355
- Differential transmission, 246
- Diffusion, 215, 216
- Diffusion length, 216
- Dilute nitride, 15, 46, 182, 273, 297, 298, 311
- Dingle temperature, 87
- Dipole approximation, 129
- Dirac point, 313
- Dislocations, 50, 54
- Disorder, 141
- Dispersion curves, 324
- Displacement field, 34
- Donor wave function, 327
- Double photon, 253
- Drift velocity, 64, 80, 83, 339
- Drude conductivity, 285
- Drude scattering time, 288
- Drude's model, 276, 312, 315
- DX center, 179
  
- EELS. *See* Electron energy loss spectroscopy
- Effective mass, 66, 87, 147, 283, 297, 300, 301, 325
- Effective mass approximation, 119
- Elastic, 216
  - constants, 52, 58
  - relaxation, 40
  - response, 57
  
- Electro-modulation, 97, 102, 104
  - spectroscopy, 97
- Electron
  - beam, 213
  - effective mass, 153, 159
  - energy-loss rates, 84
  - energy relaxation, 84
  - temperature, 72, 90
  - trap, 352
  - tunneling, 327
- Electron–electron interactions, 143
- Electron energy loss spectroscopy (EELS), 27, 37
- Electronic wave function, 325
- Electron–phonon, 90
- Electroreflectance, 97, 102
- Electrostatic force, 146
- Emission, 351
  - rate, 353, 361
- Energy
  - dispersive X-ray spectroscopy, 27
  - and momentum balance method, 81
  - relaxation times, 64, 71
  - resolution, 128
- Energy-loss rate, 90
- Energy–wavevector dispersion, 323, 325
- Exciton, 136, 146, 160, 164, 166
  - binding energy, 154
  - gyromagnetic ratio, 148
  - localization, 137
- Excitonic level, 134
- Excitonic transitions, 111
- Extrinsic photoconductivity, 339
  
- Faraday, 248
- Faraday rotation, 249
- Far-infrared, 294
- Fast excitation sources, 224
- Fast photomultipliers/avalanche photodiodes, 226
- Fast response times, 252
- Fermi
  - liquid, 144
  - wave vector, 144
- Fermi's Golden Rule, 286, 287
- Filling factor, 151
- Filtering, 34
- Finite element method, 36
- First-order Raman, 262
- Forbidden transitions, 117
- Fourier transform, 33
- Four-wave mixing, 251
- Fractional quantum Hall effect, 318

- Franz–Keldysh oscillation, 120  
 Free-carrier, 154  
 Free electrons laser, 292  
 Free excitons, 131  
 Frenkel defect, 350  
 Frequency modulation, 243  
 Fröhlich interaction, 266
- GaAs, 9, 13, 179  
 GaAsN, 46, 48, 113, 161, 230, 278  
 GaInAsSb, 279  
 GaInNAs, 15, 44, 75, 79, 87, 119, 348, 356  
 GaInNAsSb, 116, 117  
 GaN, 51, 55, 110, 214, 272  
 GaP, 272  
 Gap mode, 272  
 Gaussian, 105, 106  
 Generation rate, 336, 337  
 Generation–recombination, 350  
 Geometric phase analysis, 36  
 Graphene, 313  
 Group velocity dispersion, 236  
 Growth, 15  
 Growth rate, 16  
 Gunn effect, 173, 174
- HAADF images, 29, 30  
 HAADF-STEM, 31, 32, 37, 38  
 Hall effect, 88, 178, 309, 310, 312  
 Hall field, 310  
 Hanbury Brown–Twiss scheme, 256  
 Heterojunction band offsets, 115  
 Heterostructures, 12, 23, 37, 39, 49, 126  
 Heterosystems, 52  
 High angle annular dark field, 28  
 High magnetic fields, 289, 293  
 Holes, 110  
 Hot carriers, 63, 69, 91  
   population, 76  
 Hot electron momentum relaxation, 79  
 Hot electron photoluminescence, 65  
 Hot phonons, 72, 79, 82, 83  
 HRTEM, 24, 25, 32, 33, 35  
 Hybrid magnet, 290  
 Hydrogen, 160–162  
 Hydrogenic impurity, 288
- III–N, 52, 55  
 III–V, 23, 24, 173, 177  
   crystals, 174  
   surfaces, 8
- Impact ionization, 174, 191  
 Impurity concentrations, 271  
 InAlGaN, 55  
 InAs, 8, 40, 41, 43, 118, 122, 161, 312  
 InAs<sub>x</sub>P<sub>1-x</sub>, 32  
 InAs<sub>x</sub>P<sub>1-x</sub> alloy, 30  
 InAs<sub>x</sub>P<sub>1-x</sub>/InP interface, 29  
 Inelastic scattering, 216  
 InGaAs, 76, 270, 301  
 InGaN, 112, 204, 207, 208, 213, 239, 274, 275  
 InN, 48–50, 143, 159, 239, 271  
 InP, 179, 269, 275, 278  
 InSb, 8  
 Interface-roughness scattering, 85  
 Interfaces, 12  
 Interferogram, 103  
 Interstitials, 349  
 Intrinsic photoconductivity, 339  
 Intrinsic semiconductors, 312  
 Ionised impurity scattering, 85  
 Ionization energy, 212  
 Isoelectronic-impurity, 160
- Joint density of states, 130
- Kerr, 249  
   rotation, 248  
   signal, 250  
 Kramers–Kronig, 109  
   relations, 104, 108, 242  
   transformation, 108
- Lambert relation, 129  
 Landau levels, 149–151, 158, 165, 284, 286–288, 303, 310, 312–314, 316–319  
 Landé *g*-factor, 249, 250  
 Larmor precession, 250  
 Lasers, 185, 186, 233  
 Lattice damage, 269  
 Lattice parameters, 56  
 LEED, 1, 2, 4, 6, 8, 10, 11, 18  
 Light polarization, 128  
 Lindhard–Mermin model, 278  
 Lindhard–Mermin susceptibility, 277  
 Linear microscopy, 199  
 Lineshape, 108, 138  
 Linewidth, 288  
 Localization, 154  
 Longitudinal optical (LO) phonon, 68  
 Lorentz force, 310

- Lorentzian, 105, 106  
 Luminescence, 200, 202, 208, 211, 215  
 Luminescence spectroscopy, 197
- Magnetic fields, 87, 146, 149, 153, 158, 163, 166, 167, 284, 286, 288, 291, 292, 294, 295, 299, 304, 309, 315, 324, 327, 328  
 Magneto-oscillations, 317, 318  
 Magneto-phonon resonance, 293, 319  
 Magneto-photoluminescence, 167  
 Magnetoresistance, 295, 314, 315, 319, 329  
 Magnetoresistivity, 316  
 Magnetoresistivity tensor, 315  
 Magnetospectroscopy, 291  
 Magneto-transmission, 298, 299, 303  
 Magneto-tunneling, 329  
 Maxwell–Boltzmann distribution, 66  
 Micro-photoluminescence, 126, 199  
 Micro-Raman, 268  
 Microscope objective, 126  
 Microseconds, 304  
 Mid-infrared, 184  
 Miscibility and phase segregation, 274  
 Mismatched alloys, 132, 154  
 Mobility, 69, 311, 321  
 Modulated photoconductivity, 342  
 Momentum, 64  
   relaxation rate, 81  
   relaxation time, 70  
 Monochromator, 127  
 Moss–Burstein shift, 143
- Nanoscale materials, 183  
 Nanostructures, 49  
 Nanowires, 41–43  
 Near field, 205, 206  
 Negative magnetoresistance, 322  
 Neutral-acceptor, 151  
 Nitride  
   alloys, 275  
   layers, 53  
 Nitrogen, 77, 79, 180, 297, 300, 301  
 Non-contact electromodulation, 97  
 Non-degenerate semiconductor, 352  
 Non-equilibrium phonon population, 73  
 Non-equilibrium phonons, 73  
 Nonlinear crystal, 234  
 Nonlinear optical process, 241  
 Non-parabolicity effects, 158, 273, 287, 299, 302  
 Non-radiative process, 351  
 Non-radiative recombination, 213
- Nucleation sites, 42, 43  
 Numerical aperture, 128
- Optical distortions, 199  
 Optical heating, 74  
 Optical modulation spectroscopy, 95  
 Optical parametric oscillator, 235  
 Optical phonons, 91  
   replica, 133  
   scattering, 81  
 Optical photodiode bridge, 244  
 Optical properties, 126  
 Optical transitions, 119, 122  
 Optoelectronic devices, 183  
 Oscillations, 87, 108, 135, 293
- Peak pairs analysis, 36  
 Penetration depth of nonequilibrium carriers, 217  
 Phase boundaries, 180  
 Phase-locking, 227  
 Phase-matching, 234  
 Phase-matching condition, 237  
 Phase stability, 183  
 Phase transition, 180, 182  
 Phonon, 80, 130, 262, 265  
   energy, 75, 83  
   occupation, 82  
   quanta, 320  
   scattering, 83  
   scattering time, 75  
   wind, 217  
 Phonon–plasmon, 275  
 Phonon–plasmon interaction, 277  
 Photocathodes, 229  
 Photocells, 334  
 Photoconductivity, 333–338, 341, 344  
   decay, 348, 356  
   transient decay, 353  
 Photocurrent, 336–338, 340, 343, 353  
 Photodetectors, 294  
 Photo-induced transient spectroscopy, 335  
 Photoluminescence, 65, 126, 132, 166, 211, 345  
 Photoluminescence dynamics, 232  
 Photon-counting, 228  
 Photorefectance, 96, 97, 101, 103  
 Photovoltaic effect, 100  
 Picosecond, 231  
 Piezoelectric  
   interactions, 90  
   sample stage, 201

- Pinhole, 200
- Plasma frequency, 276
- Point defects, 44
- Poisson distribution, 255
- Polar interactions, 64
- Polarization, 244, 248, 249, 262
- Positive linear magnetoresistance, 320
- Positive magnetoresistance, 321
- Power loss, 89, 90
- Pressures, 171, 173, 176, 178, 180, 182, 183, 185, 187–189
  - equipment, 191
- Probe beam, 243
- Probe technique, 240
- Pulsed magnetic fields, 292, 293
- Pulsed magnets, 290, 295
- Pulse duration, 290
- Pump, 240
  - and probe beams, 243
  - and probe experiments, 242, 244
  - and probe technique, 248
- Pump–probe interaction, 241
  
- Quantum cascade lasers, 189, 292
- Quantum dash, 122
- Quantum dots, 37, 49, 117, 217, 218, 255, 326
- Quantum efficiency, 336
- Quantum Hall effect, 312, 318
- Quantum well, 115, 136, 230, 313, 345, 348
- Quantum well transitions, 347
- Quantum wires, 40
- Quaternary alloy, 17
  
- Radiation damage, 28
- Radiative
  - lifetime, 139
  - recombination, 131, 212
- Raman-active modes, 263, 268
- Raman effect, 259
- Raman experiment, 261
- Raman intensity, 262
- Raman scattering, 263, 266, 269, 270, 273
- Raman signal, 266
- Raman spectra, 269, 271, 275
- Raman spectroscopy, 259, 262, 269, 271, 274
- Raman tensor, 263
- Rate window, 357
- Rayleigh criterion, 198
- Rayleigh radiation, 267
- Recombination, 154
  - processes, 66
  - rates, 337
- Reconstructions, 5, 9, 12–14, 19
- Reflectance, 96, 102, 103
- Reflectivity coefficient, 104
- Relaxation, 131, 134
  - coefficient, 52
  - times, 245, 304
- Resonance, 109
- Resonant tunneling, 323, 324
- RHEED, 1–4, 6, 7, 11, 13, 15–18
- Roth–Argyres formula, 315
- Rutherford-scattering, 27, 48
  
- Scanning, 199
- Scanning near-field optical microscopy (SNOM), 199, 204, 207, 208, 210, 211
  - probes, 206
  - resolution, 206
- Scanning tunneling microscopy, 326
- Scattering time, 71
- Schottky
  - contact, 358
  - defect, 350
  - diode, 358
- Segregation, 38
- Selection rules, 120, 262
- SEM, 213
- Semiconductor lasers, 185
- Semiconductor physics, 172
- Seraphin coefficients, 104
- Shear-force, 209
- Shubnikov–de Haas effect, 310, 312, 316, 317
- Single photon, 252
- SNOM. *See* Scanning near-field optical microscopy
- Spatial resolution, 198, 200, 202, 203, 205
- Spectral photoconductivity, 344
- Spin, 162
  - dynamics, 246
  - grating, 251
  - relaxation, 246
- Split interstitial, 48
- Stark effect, 148
- Steady photocurrent, 343
- Steady-state, 341
- Steady-state photoconductivity, 355
- STEM, 25, 26, 35, 213
- Stokes and anti-stokes components, 261
- Stokes shift, 140
- Strain mapping, 32
- Strains, 33–36, 40–42, 57, 270
- Stranski—Krastanov quantum dots, 240
- Streak cameras, 76, 226, 228, 230, 238, 239
- Streak oscillator, 227

- Structural disorder, 138
- Subband, 117
- Sub-diffraction resolution, 218
- Sub-picosecond resolution, 225
- Substitutional, 349
- Sub-wavelength microscopy, 205
- Superconductor, 289
- Superresolution, 202
- Surfaces, 1–5, 19
  - accumulation layer, 312
  - electric field, 101
  - plasmons, 207
  - reconstructions, 11
  - roughness, 16
  - steps, 41
- Susceptibility, 242, 263
- Synchronization, 235
  
- Tapered fibers, 206
- Tapered single-mode optical fibers, 206
- Tapered waveguide, 210
- Tapping mode feedbacks, 209, 210
- TEM. *See* Transmission electron microscopy
- Temporal resolutions, 225, 229, 252
- Temporal window, 253
- Ternary alloy, 17
- Thermalization, 140, 141, 239
- Threshold current, 185
- Time resolution, 224, 228, 254
- Time-resolved luminescence, 230
- Time-resolved optical spectroscopy, 223, 256
- Time-resolved photoluminescence, 224
- Time-resolved photoluminescence spectroscopy, 230
- Time-to-amplitude converter, 253
- Transient
  - decay, 360
  - dynamics, 247
  - photoconductivity, 341, 347
  - spectroscopy, 334, 335, 350, 353
- Transient absorption phenomena, 243
- Transistor heterostructures, 120
  
- Transition, 117
- Transit time spread, 254
- Transmission, 133, 285, 292
- Transmission electron microscopy (TEM), 23, 24
- Traps, 339, 341, 357, 358
  - concentration, 361
  - density, 351, 363
  - parameters, 356
- Triple spectrometers, 267
- Tunneling, 322
- Two-dimensional electron gas, 313
- Two-photon excitation, 207
- Type-II band, 37
  
- Ultra-fast lasers, 224
- Ultra-fast spectroscopic techniques, 240
- Ultra-short pulses, 223
- Up-conversion, 230, 231, 234, 236, 238, 239
  
- Vacancies, 349
- Valence band offset, 176
- Varshni, 112
- V-defects, 56
- Vegard's law, 52, 57
- Virtual crystal approximation, 138
  
- Wannier functions, 147
- Wannier–Mott excitons, 215
- Wave function, 328
- Weak localization, 322
- Wetting layer, 118
  
- Z-contrast, 31, 32
- Z-contrast imaging, 28
- Zeeman effect, 151
- Zeeman splitting, 162
- Zincblende compound, 130, 172
- ZnO, 272