

Index

30 nm fiber, 168
3' regulatory region (3'RR), 44
3C, 44
5'DFL, 44

A

Accessibility hypothesis, 42
Accessibility, 127
Akt, 17
Allelic exclusion, 52
Alternative modes of repression, 134
Antisense, 71
AP4, 173

B

β selection, 167
BCR, 17, 29
Beads-on-a-string, 168
Bromodomains, 169

C

C/EBP family factors, 127
CD19, 29
CD4, 166–168, 171, 176–177, 181–182
CD79a, 18, 20, 25, 30, 33
CD8, 165–168, 176, 178–179, 181–182
Cebpa, 27
Chip-on-chip, 28
ChIP-Seq, 2, 29
Chromatin, 42, 91, 93, 95, 97–99, 101–110
Chromodomains, 169
Chromosome looping, 55

Cis regulatory elements, 2
Cistromes, 2
CLP, 23, 25, 34
Combinatorial gene control, 120
Cooperative DNA binding, 4
CpG, 33
CpG methylation, 131
C/EBP family factors, 127
CTCF, 43

D

DFL16.1, 40
Distal, 48
DNA demethylation, 33
DNA hypomethylation, 178
DNA methylation, 19, 31, 169, 175, 180–181
DNase hypersensitivity, 123
Dnmt1, 180–181
DQ52, 40
DSP, 40

E

E2A, 18–19, 23, 29–31, 33–34, 126, 173
EBF1, 17–20, 24–25, 28–30, 33–34, 127
EBF3, 20
E μ , 43
Enhancer, 9, 42
Epigenetic marks, 170
Epigenetic regulation, 30, 170–171
Epigenetic remodeling, 19
Epigenetic, 42

E (cont.)

Euchromatin, 168
Ezh2, 54

F

Feed back loop, 25
FOXO1, 19, 25

G

GATA-3, 123, 167
Gfi-1, 23
Groucho/TLE, 176

H

H2A.Z, 178
H3 acetylation, 33
H3.3, 178
H3Ac, 169
H3K27, 168, 170, 176
H3K27me3, 128
H3K4me1, 30
H3K4me1⁺, 11
H3K4me1^{hi}, 9
H3K4me2, 30
H3K4me3^{lo}, 9
H3K7, 168
H3K79, 169
H3S10, 169
H4Ac, 169
H4K20, 169
Haploinsufficiency, 27
HEB, 173
Hes1, 29
Heterochromatic silencing, 181
Heterochromatin, 43, 168, 175
Histone acetyl transferase, 33, 169
Histone deacetyl transferase, 169
Histone variants, 178
Hit-and-Run Gene Regulation, 121
HLHLH domain, 19, 33
HP1, 169, 175
HSC, 24

I

Id2, 27
Id3, 27
Ifng, 122, 123
Ikars, 23, 54
Il2, 122
Il4, 122, 123

IL-4, 123
IL7, 25
Immunoglobulin heavy chain, 65
Instructive, 167
Intergenic, 71

L

Lineage choice, 167
Lineage priming, 23–24
Lineage restriction, 132
Lineage-specific gene expression, 119
LMPP, 23
Locus compaction, 55
Lternative modes of repression, 134

M

MAZR, 168, 179
Methylation, 168
Methylation of H3K4, 125
MHCI, 167
MHCII, 167
Mi-2/NuRD, 31, 33–34
Mi-2 β , 33
MLL, 10
mTOR, 17
Multilineage priming, 130
Myb, 168

N

NK cell development, 28
Non-coding RNA transcription, 65
Notch, 130
Nuclear bodies, 170
Nuclear organization, 65
Nucleosome density, 33
NuRD, 173

P

Pax5, 18, 24–25, 29, 32–33, 53
Peri-centromeric heterochromatin, 181
PHD fingers, 169
Phosphorylation, 168
PI3K, 17, 29–30
Pioneer Factors, 6, 31
PML, 170
Polycomb Repression Complex, 128
Positive feedback, 122
Pou2af1, 25
PQ52, 43
PRC2 methyltransferase, 170

Pre-BCR, 17
Promoters, 42
Proximal, 47
pTEFb, 173
PU.1, 23, 126

R

RAG, 44
Recombination center, 44
Recombination, 40
Redundant enhancers, 179
Regulation, 121
Repertoire, 52
Repression, 129, 131
RSSs, 41
Runx, 19, 25, 31, 33, 129
Runx1, 173, 176
Runx3, 167, 173, 182

S

Sequential epigenetic analysis, 134
Silencing, 132
Site selectivity, 127
STAT signaling, 25
Stat4, 123
STAT5, 53, 168
Stat6, 123
Stem and progenitor cell, 132
Stem/progenitor regulatory genes, 132
Sterile transcripts, 44
Stochastic, 167
Sumoylation, 168
SUV39H1 H3K9 methyltransferase, 176
SWI/SNF, 19, 33, 170, 173, 175, 179

T

T cell receptor genes, 92
T lineage commitment, 131

T-bet (Tbx21), 123
TCR $\gamma\delta$, 166
TCR $\alpha\beta$, 166
Ternary Complex, 3, 4, 33
Tet proteins, 169
Th1, 181
Th2, 122, 181
ThPOK, 167
Thymocytes, 93–95, 97, 99, 101–104,
107–110
TIG/IPT, 22, 33
Tox, 168
Transcription Factor Concentrations, 7
Transcription factories, 170
Transcription factors, 120
Transcription, 96–102, 104, 105, 109, 110
Transcriptional network, 167

U

Ubiquitination, 168

V

V(D)J recombination, 65, 92–95, 106, 108
Variegated expression, 175, 180

W

WD40 repeats, 169

Y

YY1, 53

Z

Zinc knuckle, 20, 22, 33