

## Literaturverzeichnis

[AAA<sup>+</sup>07] Alexandre Alves, Assaf Arkin, Sid Askary, Ben Bloch, Francisco Curbera, Mark Ford, Yaron Goland, Alejandro Gu'izar, Neelakantan Kartha, Canyang Kevin Liu, Rania Khalaf, Dieter König, Mike Marin, Vinkesh Mehta, Satish Thatte, Danny van der Rijn, Prasad Yendluri, and Alex Yiu. Web services business process execution language, version 2.0. OASIS, 2007.

[ACKM04] Gustavo Alonso, Fabio Casati, Harumi Kuno, and Vijay Machiraju. *Web Services: Concepts, Architectures and Applications*. Springer - Berlin, Heidelberg, 2004.

[AG97] Robert Allen and David Garlan. A formal basis for architectural connection. *ACM Trans. Softw. Eng. Methodol.*, 6(3):213–249, 1997.

[And01] Ross Anderson. *Security Engineering. A Guide to Building Dependable Distributed Systems.: A Guide to Building Dependable Distributed Systems*. Wiley & Sons, 2001.

[And04] Andreas Andresen. *Komponentenbasierte Softwareentwicklung mit MDA, UML 2 und XML*. Hanser Fachbuchverlag, 2. auflage (broschiert) edition, 2004.

[Bau97] Bernd Baumgarten. *Petri-Netze - Grundlagen und Anwendungen*. Spektrum Akademischer Verlag, 2. auflage edition, 1997.

[BB95a] Ajay Bakre and B. R. Badrinath. I-tcp: indirect tcp for mobile hosts. Proceedings - International Conference on Distributed Computing Systems, page 136, Vancouver, Can, 1995. IEEE, Piscataway, NJ, USA.

[BB95b] Ajay V. Bakre and B. R. Badrinath. M-RPC: A remote procedure call service for mobile clients. In *Mobile Computing and Networking*, pages 97–110, 1995.

[BBB<sup>+</sup>05a] Diego Ballve, Ivan Bedini, Kathryn Breininger, Joseph Chiusano Booz, Peter Kacandes, Paul Macias, Carl Mattocks, Matthew MacKenzie, Monica Martin, Richard Martell, and Duane Nickull. ebxml registry information model, version 3.0. OASIS, 2005.

[BBB<sup>+</sup>05b] Diego Ballve, Ivan Bedini, Kathryn Breininger, Joseph Chiusano Booz, Peter Kacandes, Paul Macias, Carl Mattocks, Matthew MacKenzie, Monica Martin, Richard Martell, Duane Nickull, and Goran Zugic. ebxml registry services and protocols, version 3.0. OASIS, 2005.

[BBF<sup>+</sup>08] Mark Bartel, John Boyer, Barb Fox, Brian LaMacchia, and Ed Simon. Xml signature syntax and processing (second edition). W3C, 2008.

[BBIM93] B. R. Badrinath, Ajay V. Bakre, Tomasz Imielinski, and R. Maramtz. Handling mobile clients: A case for indirect interaction. In *Workshop on Workstation Operating Systems*, pages 91 – 97, 1993.

- [BBM<sup>+</sup>01] Keith Ballinger, Peter Brittenham, Ashok Malhotra, William A. Nagy, and Stefan Pharies. Web services inspection language (ws-inspection), version 1.0. IBM, Microsoft, 2001.
- [BGMP01] Orkut Buyukkokten, Hector Garcia-Molina, and Andreas Paepcke. Seeing the whole in parts: text summarization for web browsing on handheld devices. In *WWW '01: Proceedings of the 10th international conference on World Wide Web*, pages 652–662, New York, NY, USA, 2001. ACM Press.
- [BGS99] Timothy Bickmore, Andreas Girgensohn, and Joseph W. Sullivan. Web page filtering and re-authoring for mobile users. *The Computer Journal*, 42:534 – 546, 1999.
- [BK98] Hari Balakrishnan and Randy Katz. Explicit Loss Notification and Wireless Web Performance. In *IEEE GLOBECOM Global Internet*, Sydney, Australia, November 1998.
- [BKNT11] Christian Baun, Marcel Kunze, Jens Nimis, and Stefan Tai. *Cloud Computing: Web-basierte dynamische IT-Services*. Springer-Verlag Berlin Heidelberg, 2011.
- [BL73] D. Bell and L. LaPadula. Secure computer systems: Mathematical foundations and model. Technical Report M74-244, MITRE Corporation, Bedford, MA, USA, 1973.
- [BMH06] Bill Burke and Richard Monson-Haefel. *Enterprise JavaBeans 3.0*. Number 978-0596009786. O'Reilly Media, 5. auflage edition, 2006.
- [BPSK97] H. Balakrishnan, V. N. Padmanabhan, S. Seshan, and R.H. Katz. A comparison of mechanisms for improving tcp performance over wireless links. *IEEE/ACM Transactions on Networking*, 5(6):756 – 769, 1997.
- [BSK95] Hari Balakrishnan, Srinivasan Seshan, and Randy H. Katz. Improving reliable transport and handoff performance in cellular wireless networks. *ACM Wireless Networks*, 1(4), 1995.
- [BW98] A. W. Brown and K. C. Wallnau. The current state of cbse. *IEEE Software*, 15(5):37 – 46, 1998.
- [CD00] J. Cheesman and J. Daniels. *UML Components A Simple Process for Specifying Component-Based Software*. Addison-Wesley Verlag, 2000.
- [CDK02] George Coulouris, Jean Dollimore, and Tim Kindberg. *Verteilte Systeme Konzepte und Design*. Pearson Studium, 2002.
- [CFJ04] Harry Chen, Tim Finin, and Anupam Joshi. *The SOUPA Ontology for Pervasive Computing*. Birkhauser Publishing Ltd., April 2004.
- [Cha81] David Chaum. Untraceable electronic mail, return addresses, and digital pseudonyms. *Communications of the ACM*, 24(2):84 – 88, 1981.

- [CKPM05] Scott Cantor, John Kemp, Rob Philpott, and Eve Maler. Assertions and protocols for the oasis security assertion markup language (saml) v2.0. OASIS, 2005.
- [Dad96] Peter Dadam. *Verteilte Datenbanken und Client/Server-Systeme. Grundlagen, Konzepte und Realisierungsformen*. 978-3540613992. Springer, Berlin, 1996.
- [Dey01] Anind K. Dey. Understanding and using context. *Personal Ubiquitous Comput.*, 5(1):4–7, 2001.
- [DJM05] Wolfgang Dostal, Mario Jeckle, and Ingo Melzer. *Service-orientierte Architekturen mit Web Services. Konzepte - Standards - Praxis*. Spektrum Akademischer Verlag, 2005.
- [Eck06] Claudia Eckert. *IT-Sicherheit*. Oldenburg Wissenschaftsverlag GmbH, München, 2006.
- [ESG] Earth system grid. [www.earthsystemgrid.org](http://www.earthsystemgrid.org).
- [FB96] Armando Fox and Eric A. Brewer. Reducing www latency and bandwidth requirements by real-time distillation. *Comput. Netw. ISDN Syst.*, 28:1445–1456, May 1996.
- [FG94] M. E. Fiuczynski and D. Grove. A programming methodology for disconnected operation. Technical report, Universität Washington, 1994.
- [FGCB98] Armando Fox, Steven D. Gribble, Yatin Chawathe, and Eric A. Brewer. Adapting to network and client variation using active proxies: Lessons and perspectives. *IEEE Personal Communications*, 5:10–19, 1998.
- [FHBF<sup>+</sup>01] Warwick Ford, Phillip Hallam-Baker, Barbara Fox, Blair Dillaway, Brian LaMacchia, Jeremy Epstein, and Joe Lapp. Xml key management specification (xkms). W3C, 2001.
- [FJ09] Max Feingold and Ram Jeyaraman. Oasis web services coordination, version 1.2. OASIS, 2009.
- [FJP97] Elke Franz, Anja Jerichow, and Andreas Pfitzmann. Systematisierung und modellierung von mixen. In *Verlässliche IT-Systeme, GI-Fachtagung VIS '97, DuD Fachbeiträge*, pages 172 – 190. Vieweg, Braunschweig, 1997.
- [FL09] Tom Freund and Mark Little. Web services business activity version 1.2. OASIS, 2009.
- [Fos02a] Ian Foster. The grid: A new infrastructure for 21st century science. *Physics Today*, 55:42 – 47, 2002.
- [Fos02b] Ian Foster. What is the grid? - a three point checklist. *GRIDtoday*, 1(6), July 2002.

- [FPV98] A. Fuggetta, G.P. Picco, and G. Vigna. Understanding code mobility. *IEEE Transactions on Software Engineering*, 24(5):342 – 361, 1998.
- [GA03] M. Goulao and F. B. Abreu. Bridging the gap between acme and uml 2.0 for cbd. In *Workshop on Specification and Verification of Component-Based Systems (SAVCBS'03)*, 2003.
- [GLO02] GLOBUS. The globus2002 project. [www.globus2002project.org](http://www.globus2002project.org), 2002.
- [GMW00] David Garlan, Robert T. Monroe, and David Wile. Acme: Architectural description of component-based systems. In Gary T. Leavens and Murali Sitaraman, editors, *Foundations of Component-Based Systems*, page 4768. Cambridge University Press, 2000.
- [Ham05] Ulrike Hammerschall. *Verteilte Systeme und Anwendungen*. Pearson Studium, 2005.
- [HH95] P. Honeyman and L.B. Huston. Communications and consistency in mobile file systems. *Personal Communications, IEEE [see also IEEE Wireless Communications]*, 2(6):44–48, Dec. 1995.
- [HHW<sup>+</sup>04] Arnaud Le Hors, Philippe Le Hégarret, Lauren Wood, Gavin Nicol, Jonathan Robie, Mike Champion, and Steve Byrne. Document object model (dom) level 3 core specification, version 1.0. W3C, 2004.
- [IDS02] Takeshi Imamura, Blair Dillaway, and Ed Simon. Xml encryption syntax and processing. W3C, 2002.
- [iVD06] iVDGL. international virtual data grid laboratory. [www.ivdgl.org](http://www.ivdgl.org), 2006.
- [JdT<sup>+</sup>95] A. D. Joseph, A. deLespinasse, J. A. Tauber, D. Gifford, and M. F. Kaashoek. Rover: A toolkit for mobile information access. pages 156 – 171. ACM, 1995.
- [JK96] A. D. Joseph and M. F. Kaashoek. Building reliable mobileaware applications using the rover toolkit. ACM, 1996.
- [JTK97] A. D. Joseph, J. A. Tauber, and M. F. Kaashoek. Mobile computing with the rover toolkit. 46(3):337 – 352, 1997.
- [KB98] W. Kozaczynski and G. Booch. Component-based software engineering. *IEEE Software*, 15(5):34 – 36, 1998.
- [KM97] Srinivasan Keshav and Samuel P. Morgan. SMART retransmission: Performance with overload and random losses. In *INFOCOM (3)*, pages 1131–1138, 1997.
- [KMSD92] J. Kramer, J. Magee, M. Sloman, and N. Dulay. Configuring object-based distributed programs in rex. *IEEE Software Engineering Journal*, 7(2):139 – 149, 1992.

- [Küp05] Axel Küpper. *Location-based Services: Fundamentals and Operation*. John Wiley & Sons Ltd., 1. Auflage, 2005.
- [KS93] Puneet Kumar and Mahadev Satyanarayanan. Supporting application-specific resolution in an optimistically replicated file system. In *Workshop on Workstation Operating Systems*, pages 66–70, 1993.
- [KS95] Puneet Kumar and Mahadev Satyanarayanan. Flexible and safe resolution of file conflicts. In *USENIX Winter*, pages 95–106, 1995.
- [KWB03] Anneke Kleppe, Jos Warmer, and Wim Bast. *MDA Explained. The Model Driven Architecture: Practice and Promise.: The Model Driven Architecture: Practice and Promise*. Addison-Wesley Longman, 2003.
- [LHC] Worldwide large hadron collider computing grid. [lcg.web.cern.ch/LCG/](http://lcg.web.cern.ch/LCG/).
- [LS88] B. Liskov and L. Shrira. Promises: linguistic support for efficient asynchronous procedure calls in distributed systems. pages 260–267, 1988.
- [LS00] H. Lieberman and T. Selker. Out of context: Computer systems that adapt to, and learn from, context. *IBM Systems Journal*, 39(3&4):617, 2000.
- [LV95] David C. Luckham and James Vera. An event-based architecture definition language. *IEEE Trans. Softw. Eng.*, 21(9):717–734, 1995.
- [LW09] Mark Little and Andrew Wilkinson. Web services atomic transaction, version 1.2. OASIS, 2009.
- [MBH<sup>+</sup>04] David Martin, Mark Burstein, Jerry Hobbs, Ora Lassila, Drew McDermott, Sheila McIlraith, Srini Narayanan, Massimo Paolucci, Bijan Parsia, Terry Payne, Evren Sirin, Naveen Srinivasan, and Katia Sycara. OWL-S: Semantic Markup for Web Services. W3C Standard, 2004.
- [MDEK95] J. Magee, N. Dulay, S. Eisenbach, and J. Kramer. Specifying distributed soft-ware architectures. In *Proc. of the fifth European Software Engineering Conference (ESEC)*, pages 137 – 153. Springer-Verlag, 1995.
- [MG11] Peter Mell and Timothy Grance. The NIST definition of cloud computing (draft). National Institute of Standards and Technology (NIST), Special Publication 800-145 (Draft), 2011.
- [MH10] Mario Meir-Huber. *Cloud Computing: Praxisratgeber und Einstiegsstrategien*. Entwickler.Press, 2010.
- [MK09] Vipul Modi and Devon Kemp. Web services dynamic discovery (ws-discovery), version 1.1. OASIS, 2009.
- [MKL<sup>+</sup>03] Dejan S. Milojicic, Vana Kalogeraki, Rajan Lukose, Kiran Nagaraja, Jim Pruyne, Bruno Richard, Sami Rollins, and Zhichen Xu. Peer-to-peer computing. Technical Report HPL-2002-57, HP Lab, 2003.

- [MKS89] J. Magee, J. Kramer, and M. Sloman. Constructing distributed systems in conic. 15(6), 1989.
- [MLM<sup>+</sup>06] C. Matthew MacKenzie, Ken Laskey, Francis McCabe, Peter F Brown, and Rebekah Metz. Reference model for service oriented architecture 1.0. OASIS, October 2006.
- [MMFR96] M. Mathis, J. Mahdavi, S. Floyd, and A. Romanow. TCP Selective Acknowledgement Options. RFC 2018 (Proposed Standard), October 1996.
- [MORT96] Nenad Medvidovic, Peyman Oreizy, Jason E. Robbins, and Richard N. Taylor. Using object-oriented typing to support architectural design in the c2 style. In *SIGSOFT '96: Proceedings of the 4th ACM SIGSOFT symposium on Foundations of software engineering*, pages 24–32, New York, NY, USA, 1996. ACM Press.
- [Mos05] Tim Moses. extensible access control markup language 2 (xacml), version 2.0. OASIS, 2005.
- [MP97] Günter Müller and Andreas Pfitzmann, editors. *Mehrseitige Sicherheit in der Kommunikationstechnik*. Addison-Wesley-Longman, 1997.
- [MRRR02] Nenad Medvidovic, David S. Rosenblum, David F. Redmiles, and Jason E. Robbins. Modeling software architectures in the unified modeling language. *ACM Trans. Softw. Eng. Methodol.*, 11(1):2–57, 2002.
- [NKMHB06] Anthony Nadalin, Chris Kaler, Ronald Monzillo, and Phillip Hallam-Baker. Web services security: Soap message security, version 1.1. OASIS, 2006.
- [NL05] Eric Newcomer and Greg Lomow. *Understanding Service-Oriented Architecture (SOA) with Web Services*. Addison-Wesley Longman, Amsterdam, 2005.
- [NSN<sup>+</sup>97] Brian D. Noble, M. Satyanarayanan, Dushyanth Narayanan, James Eric Tilton, Jason Flinn, and Kevin R. Walker. Agile application-aware adaptation for mobility. In *SOSP '97: Proceedings of the sixteenth ACM symposium on Operating systems principles*, pages 276–287, New York, NY, USA, 1997. ACM Press.
- [Oes04] Bernd Oestereich. *Objektorientierte Softwareentwicklung. Analyse und Design mit UML 2.0*. Oldenbourg, 2004.
- [OLM00] R. Ommering, F. Linden, and J. Kramer J. Magee. The koala component model for consumer electronics software. *IEEE Computer*, 33(3):33 – 85, 2000.
- [PASa02] Andreas Pfitzmann and Andreas Westfeld Alexander Schill and. *Mehrseitige Sicherheit in offenen Netzen*. Vieweg Verlagsgesellschaft, 2002.

- [RFB01] K. Ramakrishnan, S. Floyd, and D. Black. The Addition of Explicit Congestion Notification (ECN) to IP. RFC 3168 (Proposed Standard), September 2001.
- [Rot05] Jörg Roth. *Mobile Computing: Grundlagen, Technik, Konzepte*. dpunkt.verlag, 2. aktualisierte Auflage, 2005.
- [RSL02] Stephan Rupp, Gerd Siegmund, and Wolfgang Lautenschlager. *SIP - Multimediale Dienste im Internet. Grundlagen, Architektur, Anwendungen*. Dpunkt.Verlag, 2002.
- [Sat96] M. Satyanarayanan. Mobile information access. *IEEE Personal Communications*, 10(2):26 – 33, 1996.
- [Sch03] Jochen Schiller. *Mobilkommunikation*. Pearson Studium, 2. auflage edition, 2003.
- [Sch06] Klaus-Dieter Schmatz. *Java Micro Edition*. dpunkt.verlag, 2006.
- [SDA99] D. Salber, A. K. Dey, and G. D. Abowd. The context toolkit: Aiding the development of context-enabled applications. In *CHI*, pages 434–441, 1999.
- [SDK<sup>+</sup>95] Mary Shaw, Robert DeLine, Daniel V. Klein, Theodore L. Ross, David M. Young, and Gregory Zelesnik. Abstractions for software architecture and tools to support them. *IEEE Trans. Softw. Eng.*, 21(4):314–335, 1995.
- [Ser06] J. Sermersheim. Lightweight Directory Access Protocol (LDAP): The Protocol. RFC 4511 (Proposed Standard), June 2006.
- [SGM02] Clemens Szyperski, Dominik Gruntz, and Stephan Murer. *Component Software - Beyond Object-Oriented Programming*. Addison-Wesley Longman, Amsterdam, 2. auflage edition, 2002.
- [SM99] Inc. Sun Microsystems. Java naming and directory interface application programming interface (jndi api). 1999.
- [Spe11] OMG Specification. Business Process Model and Notation, version 2.0. OMG, 2011.
- [SS00] Thomas Springer and Alexander Schill. Agent based mechanisms for automated adaptation. in: (eds.) trends in distributed systems: Towards a universal service market. lect. notes comput. sci., vol. 1890, s.. münchen: Springer 2000. In C. Linnhoff-Popin and H.G. Hegering, editors, *Trends in Distributed Systems: Towards a universal Service Market*, volume Lect. Notes Comput. Sci. 1890, pages 284 – 289. Springer, 2000.
- [ST08] Nathalie Steinmetz and Ioan Toma. WSML Language Reference. ESSI WSML working group, 2008.
- [Ste99] Ralf Steinmetz. *Multimedia-Technologie, Grundlagen, Komponenten und Systeme*. Springer-Verlag Berlin Heidelberg, 1999.

- [STHK01] Bill N. Schilit, Jonathan Trevor, David M. Hilbert, and Tzu Khiau Koh. m-links: An infrastructure for very small internet devices. In *MOBICOM*, pages 122–131, 2001.
- [SV05] Thomas Stahl and Markus Völter. *Modellgetriebene Softwareentwicklung. Techniken, Engineering, Management*. Dpunkt.Verlag, 2005.
- [SW05] Ralf Steinmetz and Klaus Wehrle. *Peer-to-Peer Systems and Applications*. Springer, Berlin, 2005.
- [Tan03a] Andrew. S. Tanenbaum. *Computernetzwerke*. Pearson Studium, 4. überarbeitete auflage edition, 2003.
- [Tan03b] Andrew S. Tanenbaum. *Verteilte Systeme. Grundlagen und Paradigmen*. Pearson Studium, 1. auflage edition, 2003.
- [vK10] Anne van Kesteren. Xmlhttprequest. W3C, 2010. W3C Candidate Recommendation, 3 August 2010.
- [Wah97] M. Wahl. A Summary of the X.500(96) User Schema for use with LDAPv3. RFC 2256 (Proposed Standard), December 1997. Obsoleted by RFCs 4517, 4519, 4523, 4512, 4510, updated by RFC 3377.
- [WFN90a] E. F. Walker, R. Floyd, and P. Neves. Asynchronous remote operation execution in distributed systems. 1990.
- [WFN90b] E.F. Walker, R. Floyd, and P. Neves. Asynchronous remote operation execution in distributed systems. In *Distributed Computing Systems, 1990. Proceedings., 10th International Conference on*, pages 253–259, 28 May-1 June 1990.
- [WHK97] M. Wahl, T. Howes, and S. Kille. Lightweight Directory Access Protocol (v3). RFC 2251 (Proposed Standard), December 1997. Obsoleted by RFCs 4510, 4511, 4513, 4512, updated by RFCs 3377, 3771.
- [Win01] Terry Winograd. Architectures for context. *Human-Computer Interaction*, 16:401–419, 2001.
- [XPMS01] G. Xylomenos, G. Polyzos, P. Mahonen, and M. Saaranen. TCP performance issues over wireless links. *IEEE Communications Magazine*, 39(4):52–58, 2001.
- [Zen97] Bruce Zenel. A general purpose proxy filtering mechanism applied to the mobile environment., s. 248259, 1999. In *In: Proc. of the 3th ACM/IEEE International Conference on Mobile Computing and Networking (MobiCom97)*, 1997.



- Übergangsfunktion, 313
- 2-Phasen-Commit-Protokoll, 253
  
- abgekoppelte Operation, 312
- Abkopplung, 312
- Access Control List, 147
- Access Point, 299
- ACL, 147
- ADL, 271
- Advanced Network Systems
  - Architecture, 9
- Advise, 286
- AJAX, 64, 66
- AJAX-Engine, 66
- Amazon Web Services, 34
- Ambient Intelligence, 364
- AmI, 364
- Angulation, 351
- anisochron, 93
- Anonymität, 135, 153
- ANSA, 9
- Anwendungsschicht, 29
- AOP, 271, 283
- Application Server, 13, 181, 211
- Arbeitsphase, 119
- Architecture Description Language, 271
- Architekturbeschreibungssprache, 271
  - Komponente, 272
  - Konfiguration, 273
  - Konnektor, 273
  - Port, 272
  - Property, 274
  - Repräsentation, 273
  - Repräsentationsabbildung, 273
  - Template, 274
- Architekturstil, 274
- aspect, 284
- Aspect Weaver, 283
- Aspect-Oriented Programming, 283
- AspectJ, 284
- Aspektorientierte Programmierung, 283
- aspektorientierte Programmierung, 271
- Assembly, 210
- Assembly Descriptor, 201
- Asymmetrische Kryptoverfahren, 137
  
- asynchroner RPC, 55
- at-least-once, 54
- at-most-once, 55
- Aufrufabwicklung, 85
- Ausfallsicherheit, 6, 25
- Authentisierung, 140, 143
- Authentizität, 134
- Autorisierung, 144
- autoritativer Namensserver, 170
- Azure Service Platform, 35
  
- Bean Managed Persistence, 197
- Betriebssystemprozess, 52
- Bindevorgang, 49, 60
- Black List, 147
- Blockchiffre, 137
- Bluetooth, 348
- BMP, 197
- BPEL, 242
  - abstrakter Prozess, 242
  - atomare Aktivität, 243
  - ausführbarer Prozess, 242
  - BPEL engine, 242
  - strukturierte Aktivität, 243
- BPMN, 235, 239
  - Lane, 240
  - Pool, 240
- Business Process Execution Language, 242
- Business Process Model and Notation, 235, 239
  
- Caching, 161, 166
- call-by-move, 89
- call-by-reference, 52
- call-by-value, 51
- call-by-visit, 89
- Capabilities, 148
- Care-of-Address, 306
- Cascading Style Sheets, 67
- CC/PP, 361
- CDMA, 296
- Chaining, 165
- Choreographie, 21
- Class Loader, 58

- Client-Stellvertreter, 313
- Client/Server-Modell, 13, 14
- Cloud Computing, 31
- CLR, 209
- Cluster, 24
- CMP, 197
- Co-located-COA, 306
- Code Division Multiple Access, 296
- Code on demand, 84
- Codemobilität, 85
- Common Language Runtime, 209
- Common Object Request Broker
  - Architecture, 17, 212
- Community Cloud, 34
- Compact Virtual Machine, 345
- Composite Capabilities/Preferences
  - Profiles, 361
- Composite Namespace, 176
- Conferencing, 95
- Configuration Language, 276
- Container Managed Persistence, 197
- context-aware, 349
- CORBA, 17, 212
- Correspondent Node, 305
- Crosscutting Concern, 283
- CSS, 67
- CVM, 345
  
- Datensatztyp, 171
- DCE, 49
- Debugging, 217, 372
- DECT, 298
- Deployment Descriptor, 190, 200
- Deploymentphase, 182
- DHCP, 50, 304
  - automatisch, 304
  - dynamisch, 304
  - manuell, 304
- Diensterbringer, 14
- Dienstgüte, 94
- Dienstnutzer, 14
- dienstorientierte Architektur, 230
- dienstorientiertes Modell, 13, 20
- Differentiated Services, 98
- DiffServ, 98
  
- Digital Enhanced Cordless Telephony, 298
- Digitale Signaturen, 139
- Directory Entry, 172
- Directory Information Tree, 174
- Directory Schema, 173
- Directory Server, 163
- Directory Service, 50, 159, 172
- Distinguished Name, 173
- Distributed Computing Environment, 49
- DIT, 174
- DNS, 169
- Document Object Model, 67
- DOM, 67
- Domain Name System, 169
- Domainnamen, 169
- Dynamic Host Configuration Protocol, 50, 304
- Dynamic Invocation Interface, 212
  
- EAI, 24, 215
- EDGE, 298
- EJB, 127, 185, 195
- Elastic Compute Cloud, 34
- Enhanced Data Rates for GSM
  - Evolution, 298
- Enterprise Application Integration, 24, 215
- Enterprise JavaBeans, 127, 185, 195
  - Stateful Session Beans, 197
  - Stateless Session Beans, 196
- Enterprise Service Bus, 260
- Entity Bean, 197
- ereignisbasierte Kommunikation, 45
- Ereigniskanal, 45
- Erzeugerrechner, 88
- ESB, 260
  - Message Broker, 260
- Event Channel, 45
- exactly-once, 55
  
- Fabrikschicht, 29
- FCL, 210
- FDMA, 296

- Fehlersemantik, 53
- Fehlersemantikklassen, 54
- Fehlertoleranz, 6, 25
- Fehlertransparenz, 8
- Firewall, 150
  - Applikationsfilter, 151
  - Paketfilter, 150
  - Proxy-Filter, 151
- Foreign Agent, 306
- Foreign-Agent-COA, 306
- Foundation Profile, 346
- Framework Class Library, 210
- Frequency Division Multiple Access, 296
- Futures, 56
  
- General Packet Radio Service, 297
- Generic Connection Framework, 347
- Geschäftsprozess, 20, 230, 233
- Global Positioning System, 302
- Global System for Mobile
  - Communication, 297
- Google App Engine, 35
- GPRS, 297
- GPS, 302
- Grid, 26, 373
- Grid Computing, 26, 373
- GSM, 297
  
- High Speed Circuit Switched Data, 297
- High-speed Packet Access, 298
- Home Address, 305
- Home Agent, 306
- HSCSD, 297
- HSPA, 298
- HTTP, 64, 69
  - HTTP-Request, 64
  - HTTP-Response, 64
- Hybrid Cloud, 34
  
- idempotent, 49
- IDL, 47
- IIOP, 212
- Integrated Services, 98
- Integration, 5
  
- Inter-type Declarations, 286
- Interface Definition Language, 47
- Internet Inter-Object Request Broker
  - Protocol, 212
- IntServ, 98
- isochron, 93
  
- Java Applet, 83
- Java Business Integration, 262
- Java Database Connectivity, 22
- Java EE, 195
- Java ME, 344
- Java Messaging Service, 81
- Java Micro Edition, 344
- Java Naming and Directory Interface, 176
- Java Platform, Enterprise Edition, 195
- Java Remote Method Invocation, 45, 57
- Java RMI, 45
- Java Virtual Machine, 58, 345
- Jave RMI, 348
- JBI, 262
  - Binding Component, 263
  - Normalized Message, 262
  - Normalized Message Router, 262
  - Service Engine, 263
- JDBC, 22, 348
- Jitter, 93
- JNDI, 176
- Join Point, 283
- Junction, 163
- JVM, 58, 345
  
- Key Information Service Specification, 255
- Key Registration Service Specification, 255
- Kilo Virtual Machine, 345
- Kommunikation
  - asynchron, 45, 78
  - indirekt, 311
  - nachrichtenorientiert, 45
- Kommunikationsdiagramm, 193
- Kommunikationsschicht, 29
- Kommunikationstechniken, 45

- Kompensationstransaktionen, 116
- komponentenbasierter Ansatz, 182
- komponentenbasiertes Modell, 13, 18
- Komposition, 20
- Konfigurationsmanager, 280
- Konfigurationsprogrammierung, 276
- Konfigurationssprache, 276
- Kontext, 349
- kontextabhängig, 349
- Kontextmodell, 360
- Kooperation, 5
- Koordinator, 113, 313
- Kryptoverfahren, 372
- KVM, 345
  
- Lampport-Verfahren, 220
- Lastverteilung, 25
- Lateration, 351
- LDAP, 174
- Legacy-Software, 24
- leichtgewichtige Prozesse, 52
- Leistungstransparenz, 9
- Lightweight Directory Access Protocol, 174
- Location Server, 96
- location-aware, 349
- lokationsabhängig, 349
- lokationsabhängige Dienste, 291
- Long Term Evolution, 299
- LTE, 299
  
- Marshalling, 47
- maybe, 54
- MDA, 281
- Mehrpunktkonferenzen, 95
- Message, 78
- Message Channel, 45, 80
- Message Digest, 139
- Message Oriented Middleware, 45, 78
- Message Passing, 45, 78
- Message Queue, 78
- Message-Driven Bean, 197
- Microsoft .NET, 185, 195
- Microsoft Intermediate Language, 209
- Middleware, 8, 211
- Middleware-Plattformen, 84
- MIDlet, 347
- Migration, 83
- mobile Codesysteme, 83
- Mobile Computing, 291, 373
- Mobile Internet Protocol, 305
- Mobile IP, 305
- Mobile Node, 305
- mobile Objekte, 45, 83, 85
- Mobile RPC, 308
- Mobile TCP, 306
- mobiler Code, 83, 84
- mobiles Verteiltes System, 291
- Mobilitätstransparenz, 8
- Modacom, 299
- Model Driven Architecture, 271, 281
- MOM, 45
- MQ Series, 80
  - MQGET, 80
  - MQPUT, 80
- MSIL, 209
- Multimedia-Streaming, 94
- Multiplexverfahren, 295
  - Codemultiplex, 296
  - Frequenzmultiplex, 296
  - Raummultiplex, 296
  - Zeitmultiplex, 296
  
- Nachrichtenkanal, 80
- Nachrichtenkanal, 80
- nachrichtenorientiertes System, 79
- Namensdienst, 159, 169
- Namensinterpretation, 159, 161, 162
- Namensraum
  - zusammengesetzt, 176
- Naming Service, 159, 169
- Nebenläufigkeitstransparenz, 8
  
- OASIS, 69
- Object Management Architecture, 212
- Object Management Group, 212
- Objektklasse, 173
- Objektlokalisierung, 85, 87
- Objektmigration, 85
- objektorientiertes Modell, 13, 15

- ODBC, 22
- OMA, 212
- OMG, 212
- Open Database Connectivity, 22
- Open Distributed Processing, 9
- Orchestrierung, 20
- Ortstransparenz, 8
- Ortungsverfahren
  - clientbasiert, 350
  - infrastrukturbasiert, 350
- OSGi, 195, 203
  - Bundle, 204
- OWL-based Web Service Ontology, 249
- OWL-S, 249
  
- Parallele Verarbeitung, 26
- Parallelisierung, 5
- Parameterübergabe, 51
- Peer-to-Peer, 373
  - Architektur, 36
  - hybrid, 37
  - Peer, 36
  - pur, 37
  - Superpeer, 38
  - zentralisiert, 37
- Persistenzschicht, 23
- Personal Basis Profile, 346
- Personal Profile, 346
- Pervasive Computing, 373
- Petri-Netz, 236
  - bedingte Ausführung, 236
  - Kante, 236
  - Marke, 237
  - parallele Ausführung, 236
  - Schaltregel, 237
  - Stelle, 236
  - Transition, 236
- POA, 212
- Point Cut, 285
- Portable Object Adapter, 212
- Präsentationsschicht, 23
- Private Cloud, 34
- Programmierung-im-Großen, 271
- Programmierung-im-Kleinen, 271
- Promises, 56
  
- Prozeduraufruf, 46
- Prozessverwaltung, 52
- Pseudonyme, 135
- Public Cloud, 33
- Publish-Subscribe-Modell, 80
- Publish-Subscribe, 45
- Punkt-zu-Punkt-Konversation, 95
  
- Quality of Service, 27, 45
  
- RDF, 360
- RDP, 309
- Read-Set, 119
- Real-Time Control Protocol, 97
- Real-Time Transport Protocol, 96, 97
- Record Store, 347
- Redirect-Server, 96
- Reexecution, 222
- Referenzparameter, 51, 58
- Referenzparameter-Semantik, 15, 17, 57
- Referral, 165
- Registry, 60
- Relative Distinguished Name, 173
- Reliable Data Protocol, 309
- Remote Component Management, 208
- Remote evaluation, 84
- Remote Method Invocation, 57
- Remote Procedure Call, 45, 46, 371
- Replay, 222
- Replikation, 25, 167
- Replikationstransparenz, 8
- Representational State Transfer, 266
- Request-Response, 45
- Resource Description Framework, 360
- Resource Reservation Protocol, 98
- Ressourcendatensatz, 171
- Ressourcenschicht, 29
- REST, 266
- RM-ODP, 9
- RMI, 57
- RPC, 45, 46
- RSVP, 98
- RTCP, 97
- RTP, 96, 97

- SAML, 257
  - Assertion, 257
  - AttributeStatement, 257
  - AuthenticationStatement, 257
  - AuthorizationDecisionStatement, 257
  - Binding, 257
  - eXtensible Access Control Markup Language, 257
  - Profile, 257
  - Protocol, 257
  - XACML, 257
- Satelliten
  - geostationär, 301
  - Low-Earth-Orbit, 301
  - Medium-Earth-Orbit, 301
- SCA, 260, 263
- Schlüsselverteilung, 137
- Schnittstellenbeschreibung, 47, 49
- Schutzziele, 134
- schwache Mobilität, 85
- SDMA, 296
- SDP, 97
- Security Assertion Markup Language, 257
- Semaphoren, 91
- Sequenzdiagramm, 193
- Server-Stellvertreter, 313
- Service Component Architecture, 260, 263
- Service Oriented Architecture, 20
- Service Registry, 249
- Service Repository, 250
- Service-oriented Architecture, 231
- Session Bean, 196
- Session Description Protocol, 97
- Session Initiation Protocol, 96, 348
- Sicherheit, 7
- Sicherheitsmechanismen, 134
- Single Sign On, 257
- SIP, 96, 348
- SIP-Proxy, 96
- Skalierbarkeit, 6
- Skalierungstransparenz, 9
- Skeleton, 47
- SOA, 20, 231
  - Interaktion, 232
  - Referenzmodell, 231
  - Sichtbarkeit, 232
  - Wirkung, 232
- SOAP, 21, 69, 73
- SOAP-Nachricht, 73
  - Body, 74
  - Envelope, 73
  - Header, 74
- Softwaretechnik, 372
- Space Division Multiple Access, 296
- SSO, 257
- starke Mobilität, 85
- Stellvertreteransatz, 311
- Stellvertreterinstallation, 86
- Stellvertreterkomponente, 311, 313
- Stellvertreterobjekt, 86
- Stromchiffre, 137
- Stub, 47
- Symmetrische Kryptoverfahren, 136
- synchrone Kommunikation, 45, 49
- TDMA, 296
- TDoA, 351
- Terrestrial Trunked Radio, 299
- TETRA, 299
- Thread, 52
- Thread-Pool, 53
- Time Difference of Arrival, 351
- Time Division Multiple Access, 296
- Time of Arrival, 351
- ToA, 351
- Top-Level-Domain, 170
- Transaktionsmonitore, 122
- Triangulation, 351
- Trilateration, 351
- TX-Schnittstelle, 125
- UAC, 96
- UAS, 96
- Ubiquitous Computing, 373
- UDDI, 69, 70, 75
  - Green Pages, 75

- White Pages, 75
- Yellow Pages, 75
- UML, 181, 192, 235
- UMTS, 298
- unidirektionale Übertragung, 94
- Unified Modeling Language, 181, 192
- Universal Description, Discovery and Integration, 69, 70, 75
- Universal Mobile Telecommunication System, 298
- Unmarshalling, 47
- User Agent Client, 96
- User Agent Server, 96
  
- Validierungsphase, 119
- Verarbeitungsschicht, 23
- Verbundschicht, 29
- Verfügbarkeit, 6, 25
- Verschlüsselung, 135
- verteilte Objektkommunikation, 57
- verteilte Transaktionen, 7, 55
- Verteiltes System, 3, 4
- Verteilungsdiagramm, 193
- Verzeichnisdienst, 50, 159, 172
- Verzeichniseintrag, 172
- Viewpoints, 281
- Vorwärtsadressierung, 87
  
- WAP, 330
- Web Service, 45, 348
- Web Service Definition Language, 22
- Web Service Modeling Language, 249
- Web Services, 20, 69, 371
- Web Services Description Language, 70
- Wertparameter, 51, 58
- Wertparameter-Semantik, 57
- White List, 147
- Wiederverwendung, 18
- WiMAX, 301
- Windows Communication Foundation, 211
- Windows Presentation Foundation, 211
- Wireless Application Protocol, 330
- Wireless Markup Language, 331
- Wireless Profile, 332
- Wireless Session Protocol, 331
  
- Wireless Transaction Protocol, 331
- Wireless Transport Layer Security, 330
- WML, 331
- Workflow, 234
- Worldwide Interoperability for Microwave Access, 301
- WP, 332
- Write-Set, 119
- WS-AtomicTransaction, 253
  - Volatile 2PC, 253
  - Completion, 253
  - Durable 2PC, 253
- WS-Coordination, 252
- WS-Security, 254
- WSDL, 22, 69, 70, 232
- WSML, 249
- WSP, 331
- WTLS, 330
- WTP, 331
  
- X.500 Directory Service, 172
- X.500-Verzeichnisdatenbank, 173
- XA-Schnittstelle, 125
- XKISS, 255
- XKMS, 255
- XKRSS, 255
- XMI, 194
- XML, 17, 21, 69
- XML Key Management Specification, 255
- XML Metadata Interchange, 194
- XMLHttpRequest, 67
  
- YAWL, 235
- Yet Another Workflow Language, 235
  
- Zone, 170
- Zugriffskontrolllisten, 147
- Zugriffsmatrix, 144
- Zugriffsschutz, 134
- Zugriffstransparenz, 8
- Zurechenbarkeit, 135
- Zustandsdiagramm, 193
- Zwei-Phasen-Commit-Protokoll, 114, 372
  - optimistisch, 116