

Index

A

- Acetyl tributyl citrate (ATC) ester
 - plasticizer, 185
- Acidic degradation, 186
- Additives, 1, 39, 41
 - in polymer matrix, 90
- Alditol glycoside, 111
- Aldohexoses, 121
- Ambient desorption ionization MS, 14
- Aminodeoxyalditol, 115
- Aminoethyl crown ethers, 116
- 2-Aminonaphthalene-trisulfonic acid (ANTS), 116
- 1-Amino-pyrene-trisulfonic acid (APTS), 116
- 2-Amino-pyridine (AP), 116
- Anilines, *N*-substituted, 90
- Antioxidants, 8, 41, 91, 178, 196
- Arabinogalactans, 141
- Arabinoxylans, 141
- Arabinoxyloligosaccharides, 141
- Atmospheric pressure chemical ionization (APCI), 14, 44, 47, 73
- Atmospheric pressure photoionization (APPI), 15, 44, 48
- Atmospheric solid analysis probe (ASAP) MS, 62, 92

B

- Baby bottles, BPA, 194
- Benzofluorenylpyrene, 13
- Benzophenone, 195
- Benzotriazole light stabilizers, 46
- Benzoxazines, 88
- Benzyl butyl phthalate, 19
- Biodegradation, 188
- Bis-(4-chlorophenylsulfonyl) biphenyl, 84

- Bisphenol A, 4, 190, 194
- Bis-(3-triethoxysilylpropyl) tetrasulfide, 47
- Blending, hydrolytic degradation, 183
- BPA diglycidyl methacrylate (BisGMA), 190
- Brominated flame retardants (BFRs), 4, 26

C

- Capillary electrophoresis, 39
- Capillary zone electrophoresis (CZE), 52
- Carbohydrate analysis, tandem MS, 146
- Carbohydrate derivatives, 114
- Carbohydrates, 105
 - fragmentation, tandem MS, 122
 - ion formation, 109
 - labeling, 114
 - permethylated, sequencing, 134
 - quantitative analysis, MS, 144
 - structural analysis, 140
- Carbon nanotubes (CNTs), 13
- Carboxymethylcellulose (CMC), enzymatic digestion, 159
- Cellulose, hydrazone, 115
- Cellulose derivatives, 156
- Chewing gums (polybutadiene/polyvinylacetate), 20
- Chimassorb, 16, 18, 42
- Chlorohydrins, 195
- Cluster SIMS, 29
- Coatings, 190
- Collision-induced dissociation (CID), 22, 108, 112
- Coordination ion spray (CIS), 47
- Copoly(arylene ether sulfone)s, 84
- Copolyesters, 179
- Crosslinking, hydrolytic degradation, 181
- Crown ethers, 110

Cyclodextrins (CDs), 77, 94, 108
Cyclohexanecarboxamide, 20

D

Decanedioic acid bis-(2-thiophen-3-yl-ethyl) ester (DATE), 87
Degradation, 1, 175
Dental composites, 190
DESI, surfaces, 17
Desorption electrospray ionization (DESI) MS, 1, 15, 59, 72, 198
Desorption ionization, silicon, 5
 on porous silicon (DIOS), 4, 5
Dextran, SEC-MS/MALDI, 118
Dibutyl phthalate (DBP), 19
Dichlorodiphenylsulfone, 84
Dichlorohydrins, 195
Di-2-ethylhexyl adipate, 18
Di-2-ethylhexyl phthalate (DEHP), 18
2,5-Dihydroxybenzoic acid (DHB), 7
Dihydroxydiphenylsulfone, 84
Diisodecyl phthalate (DIDP), 19
Diisononyl phthalate (DINP), 19
Di-*n*-octyl phthalate (DNOP), 19
DIP-MS, 69
Direct analysis in real time (DART) MS, 1, 17, 61
Direct insertion probe, 69
Direct pyrolysis MS (DP-MS), 70
Dodecanedioic acid, 179

E

Electrolyte membranes, 199
Electron-capture dissociation (ECD), 22
Electrospray-ionization MS, 45, 105, 175
Electrospun polymer nanofibers, 93
Epoxidized soybean oil (ESBO), 195
ESI IT-MS, 105
ESI-MS, 45, 105, 175
Ethoxylated alkyl amines, 46
Ethylene glycol, 190
2-Ethylhexyl-(4-dimethylamino)benzoate (EHA), 195

F

Flame retardants, 74, 196
Food packaging, migration, 192
Formaldehyde, 191
4-Formylbenzoic acid, 199
Fourier transform ion cyclotron resonance, 4

Fragmentation, 105
Fructooligosaccharides, 121
FTICR-MS, 4, 21
FTIR, 198

G

GC-MS, 4, 18, 58, 178
Gentiobiose, lithiated, 111
Girard's T/P reagents, 115
Glucose, reductive amination, 116
Glycerol monostearates, 46
Glycoconjugates, 108
Glycodendrimers, 108
Glycolide/caprolactone, 180
Glycosaminoglycans, 151
Graphite polymer film (PGS), 13

H

HABA [2-(4-hydroxyphenylazo)-benzoic acid], 145
Heavy metals, 27
Hemicelluloses, 141, 142
Heptakis[2,3,6-tri-*O*-methyl] cyclomaltoheptaose, 162
High density polyethylene (HDPE), 18
Hindered amine light stabilizers (HALS), 41, 196
HPLC/MS, 44
Hydrazone, 115
4-Hydrobenzaldehyde, 199
Hydrolytic degradation, 181
Hydroxyalkyl methyl ethers, 156
4-Hydroxybenzoic acid, 199
4-Hydroxy-2-chlorobiphenyl, 13
Hydroxyethyl methyl cellulose (HEMC), 156
Hydroxypropyl methyl cellulose (HPMC), 156

I

Inclusion compounds (ICs), 77, 93, 108
Inductive coupled plasma-mass spectrometry (ICP-MS), 4, 26
Ink photoinitiator residues, 195
Ion mobility spectrometry (IMS), 1, 30
Irgafos, 18, 42, 58
Irganox, 18, 42, 48
Irradiation, polyether urethanes, 198
Isomaltose, fragmentation, 129
Isophthalic acid, 199
Isopropylthioxanthone (ITX), 195

L

- Labeling, 105
- Lactic acids, cyclic, 185
- Laser ablation–inductive coupled plasma–MS (LA-ICP-MS), 28
- Laser desorption ionization MS (LDI-MS), 1, 5
- LC-ESI-MS, 194
- LC-ESI-TOF-MS, 195
- LC-MS, 4, 18, 58, 178
- Light stabilizers, 196
- Limits of detection (LOD), 10
- Liquid chromatography (LC), 39, 58
- Long-term properties, 175

M

- MALDI, 105, 178
 - solvent-free, 1, 14
 - ToF-MS, 105
- Maltopentaose, 109
- Mass spectrometry, 1, 39
 - DART, 1, 4, 17, 61
 - DESI, 1, 4, 15, 59, 72, 198
 - DIP, 69
 - DP, 70
 - ESI, 105, 175
 - Fourier transform, 21
 - ICP, 4, 26
 - IMS, 1, 4, 30
 - MALDI, 178
 - MALDI ToF, 105
 - SALDI, 1, 4, 7
 - SIMS, 1, 28, 63
- Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry, 105
- Membrane degradation, 199
- Methyl ethers, 153
- Methyl glucans, 153
- Methyl glycosides, 132
- Micellar electrokinetic chromatography (MEKC), 52
- Microemulsion electrokinetic chromatography (MEEKC), 52

N

- Naifion, 14
- Nanofibers, 93
- N*-Ethyl-5-methyl-2-(1-methylethyl) (WS-3), 20
- N*-Nitrosamines, 190
- Nuclear industry, PVC, polyurethanes, polyethers, 196

O

- Oligosaccharides, 105
 - adducts with metal cations, 125
 - non-reducing, 132
 - protonated, 125
- O*-/*N*-Glycans, 108
- Organophosphites, 46
- Organophosphorus flame retardants, 196
- 2-Oxo-propanoic acid, 191

P

- Paints, 190
- Pectins, 144
- Pentachlorophenol, 13
- Pentaerythritol/calcium-zinc stearate, 196
- Perfluorinated acids, 13
- Perfluorooctanesulfonic acid, 13
- Perfluorooctanoic acids, 13, 46
- Phenolic antioxidants, 46, 48
- Phenolphthalein, 96
- Photooxidation, 41
- Phthalic acid esters (PAE), 19
- Plasticizers, 20, 196
- Plastisols, 20
- PLLA/PDLA, 184
- PMMA/ β -CD, entrapment of organic waste vapors, 97
- Polyacrylamide (PAM), 16
- Polyacrylates (PA), 191
- Poly(acyl sulfide), 83
- Polyadipates (PADs), 20, 195
- Poly(adipoyl sulfide), 83
- Polyaniline (PANI), 85
- Polybenzoxazine, 90
- Poly(benzylmethacrylate-co-ethylene dimethacrylate), 13
- Poly[1,4-bis(hydroxyethyl)terephthalate-*alt*-ethyloxyphosphate], 22
- Poly(bisphenyl acryloxyethyl phosphate) (BPAEP), 74
- Polybrominated biphenyls (PBBs), 27
- Polybrominated diphenyl ethers (PBDEs), 27
- Poly(butylene adipate-co-butylene terephthalate), 180
- Poly(butylene succinate-co-butylene adipate), 188
- Poly(butylene succinate-co-butylene sebacate), 188
- Poly(1,4-butylene terephthalate)-*co*-(1,4-butylene adipate) (PBTA), 188
- Poly(butyl methacrylate-co-ethylene dimethacrylate), 13

- Polycaprolactones (PCLs), 12, 75, 181
 polystyrene (PS), 75
- Polycarbonate (PC), 78
- Poly(dimethyl siloxane) (PDMS), 16
- Poly(1,5-dioxepan-2-one) (PDXO), 179, 181
- Polyester amides, enzymatic degradation, 189
- Polyesters, 22, 178
- Polyester urethane acrylates, 199
- Polyether–poly(tetramethylene glycol) (PTMG), 198
- Polyether urethanes, radiation effects, 196
- Poly(ethylene glycol) (PEG), 5, 16, 73, 109, 179
- Poly(ethylene oxide) (PEO), 93
- Poly(ethylene terephthalate) (PET), 5, 18, 74
- Poly(glycolic acid) (PGA), 28
- Polyhydroxyalkanoates (PHA)s, 179
- Poly- β -(hydroxybutyrate) (PHB), 29
 atactic (a-PHB), 188
- Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate) (PHBV), 188
- Poly(2-hydroxyethyl methacrylate), 199
- Poly(lactide) (PLA), 9, 179, 184
 cyclic (CPLA), 179
- Poly(lactide-*co*-glycolic acid) (PLGA), 28
- Poly(L-lactide acid) (PLLA), 28
- Poly(L-lactide-*co*-glycolide)diol, 199
- Polymer additives, 15, 18
- Polymer analysis, MS, 1, 25, 39
- Polymer-assisted laser desorption ionization–MS (PALDI-MS), 13
- Polymer electrolyte membranes, 199
- Polymer packaging, migration, 192
- Polymers, coalesced, 77
 conducting, 85
 degradable, 178
 direct insertion probe MS, 69
 ESI-MS, 175
- Poly[2-methylbutyl-2-(3-thienyl)acetate]-coated anode, 87
- Poly(methyl methacrylate) (PMMA), 7, 16, 78, 95, 191
- Poly(α -methyl styrene) (PMS), 16
- Poly(3-methylthiophene) (PMTh), 85
- Polynaphthoxazine, 89
- Poly[1-(phenoxy)ethylene disulfide], 85
- Poly[1-(phenoxy)ethylene polysulfide] (PPEP), 85
- Poly[1-(phenoxy)ethylene tetrasulfide], 85
- Poly[1-(phenoxyethyl)ethylene disulfide], 85
- Poly[1-(phenoxyethyl)ethylene polysulfide] (PPMEP), 85
- Poly[1-(phenoxyethyl)ethylene tetrasulfide], 85
- Poly(phenylene vinylene)s (PPVs), 76
- Polyphenylenes, 75
- Polyphosphoesters (PPEs), 22
- Poly(*p*-phenylene) (PPP), 75
- Polypropylene, 52, 59
 copolymer, random (PP-R), 192
- Poly(propylene glycol) (PPG), 5, 16
- Polypyrrole, 86
- Polysaccharides, 105
 derivatives, 151
- Poly(styrene-*co*-divinyl benzene), 13
- Poly(terephthaloyl sulfide), 83
- Polytetrafluoroethylenes, 46
- Poly(tetrahydrofuran), amino-telechelic, 183
- Poly(tetramethylene glycol) (PTMG), 16
- Polythiophene (PTh), 87
- Poly(vinyl acetate) (PVAc), 78
- Poly(vinyl chloride) (PVC), 18, 195
- Polyvinylidene chloride (PVDC), 18
- Poly(2-vinylpyridine) (P2VP), 83
- Poly(4-vinylpyridine) (P4VP), 83
- Porosity, hydrolytic degradation, 186
- POTE, 87
- Proteinase K, 189
- PS/CD, 96
- Pullulans, 2,5-dihydroxybenzoic acid/butylamine (DHBB), 120
 trihydroxy-acetophenone, 120
- Pyrolysis, 69
- Pyrolysis-GC/MS, 58
- Pyrolyzates, 71
- R**
- Recycling, 199
- RP-HPLC, 45
- S**
- SALDI surfaces, 7
- Sample preparation, 43
- Sebacic acid, 179
- Secondary ion mass spectrometry (SIMS), 1, 28, 63
 cluster SIMS, 29
 gentle-SIMS (G-SIMS), 28
- Serine proteases, 189
- Solid–liquid extraction, 44
- Solvent-free MALDI, 14
- Sorbitan fatty acid esters, 46

Stabilizers, 41
 degradation products, HPLC/MS, 51
Supercritical fluid chromatography (SFC), 45
Surface-assisted laser desorption ionization
 (SALDI), 1, 7

T

Tandem mass spectrometry, 146
Telechelic epoxidized liquid natural rubber
 (TELNR), 199
Terephthalic acid, 179, 199
Terephthalic acid bis-(2-thiophen-3-yl-ethyl)
 ester (TATE), 87
Tetraglyme (di-*O*-methyl-PEG-4), 110
Tetrakis[2,3,6-tri-*O*-methyl]-cellotetraose, 155
Thermal degradation, 69
Thermosets, 88
Thiophenes, 86

Tinuvins, 15, 18, 42, 50, 59, 197
Toluene, dopant, 50

U

Ultrahigh-performance liquid chromatography
 (UHPLC), 45

V

Volatile organic compounds (VOCs), 26

X

Xyloglucans, 142

Z

Zinc oxide (ZnO), 8