

Index

- Aberration, 133
- Absorption, 2, 55, 176, 353
 - contrasts, 55
 - spectra, 354
 - spectroscopy, 2
- Acceptance angle, 6, 328
- Acceptor absorption spectrum, 86
- Accuracy, 39
- Acoustic focus, 70
- Acoustic grating, 12
- Acousto-optic, 223
 - scanning, 221
 - tunable filters, 221
- Acousto-optical deflector, 333
- Acousto-optical tunable filter (AOTF), 11, 126
- Actinic keratosis, 35
- Airy's disc, 60
- Amplified spontaneous emission, 178
- Amplitude attenuation, 93
- Analyzer, 316
- Anamorphism, 133
- Anatomical structure, 313
- Angular effect, 324
- Angular frequency, 166
- AOTF. *See* Acousto-optical tunable filter (AOTF)
- APD. *See* Avalanche photodiode (APD)
- Apodization, 140
- Astigmatism, 133, 329
- Atypical nevus, 35
- Autocorrelation function, 172
- Autocorrelator, 247
- Autofluorescence, 21, 26, 280, 299, 320, 324
- Autofluorescence imaging, 256
- Avalanche photodiode (APD), 14
- Average passband transmission, 321
- Axial resolution, 172, 173, 226, 228, 311
- Back illuminated CCD, 14
- Back illuminated deep depletion CCD, 14
- Backscattered signal, 311
- Backscattering spectroscopy, 301
- Band pass filters, 10
- Bandwidth, 130, 172, 175, 321
- Basal cell carcinoma (BCC), 35, 304
- Beam deviation, 328
- Beer-Lambert law, 152
- Binning, 24, 114
- Birefringence, 12, 329, 330
- Blackman-Harris window, 141
- Blue shift, 321
- Bragg condition, 135
- Brightness, 322, 323
- Brillouin scattering, 236
- Broadband pass filters, 11
- Calculus, 345
- Carcinoma *in situ*, 37
- Caries, 334
- CCD. *See* Charge-coupled device (CCD)
- Center wavelength, 57, 321
- Central wavelength, 130, 169
- Charge-coupled device (CCD), 10
- Chemiluminescence, 117
- Chromatic aberrations, 277
- Chromoendoscopy, 283
- Circular-variable filter, 126
- Close-coupled, 224, 333
- Coherence length, 168, 172, 176, 192
- Coherence time, 168
- Coherent anti-Stokes Raman scattering, 289
- Coherent anti-Stokes Raman spectroscopy, 234
- Coherent Raman scattering, 289
- Coma, 329

- Complementary metal-oxide semiconductor, 113
- Compound nevus, 35
- Compressed sensing, 144
- Computed tomography, 312, 357
- Computed tomography imaging spectrometer, 143
- Confocal microscopy, 55
- Confocal slit, 225
- Conjugate plane, 333
- Contrast, 322
 - mechanisms, 303
 - ratio, 328
- Correlation function, 167
- Critical detection, 219
- Critical illumination, 219
- Cross talk, 34
- Cut-off wavelengths, 321
- Cut-on wavelength, 339
- Czerny-Turner, 134

- Dark current, 325
- Dark-noise, 25
- Deoxyhemoglobin, 63
- Depth of field, 256
- Depth-resolved capability, 314
- Diattenuation, 331
- Dichroic beamsplitter, 321
- Dichroic filter array, 124
- Dichroic mirror, 33, 71, 95, 304, 305, 338
- Differential phase contrast, 227
- Diffraction, 12
 - angle, 131
 - gratings, 10
 - order, 132
- Diffuse optical imaging, 351
- Diffuse optical tomography, 351, 361
- Diffuse reflectance spectroscopy, 301
- Digital holographic microscopy, 216
- Digital micromirror device, 3, 146
- Dispersion, 122, 131, 221
- Dispersive grating, 3
- Dispersive spectrograph, 10
- Distortion, 133, 226
- DOCT. *See* Doppler OCT (DOCT)
- Donor emission spectrum, 86
- Doppler effect, 64
- Doppler frequency, 185
- Doppler OCT (DOCT), 197
- Doppler photoacoustics, 64
- Double-cladding fiber, 307
- Duty cycle, 333
- Dynamic range, 113, 164, 165, 174, 325, 326

- Edge sharpness, 321
- Elastic scattering, 2
- Elastic scattering spectroscopy (ESS), 301
- Electric susceptibility, 236
- Electron charge, 175
- Electron collector, 14
- Electron multiplier, 14
- Electron multiplying charge coupled devices, 325
- Emission filter, 316, 321, 340
- Emission spectrum, 318
- Enamel, 337
- Endocytoscopy, 282
- Endomicroscopy, 257
- Energy transfer efficiency, 93
- Entrance pupil, 320, 333
- Entrance slit, 29
- ESS. *See* Elastic scattering spectroscopy (ESS)
- Evanescent wave, 89
- Excitation filter, 321
- Excitation wavelength, 318
- Exposure time range, 113
- Extinction coefficient, 86, 152

- Ferroelectric liquid crystal, 11
- Fiber bundle, 23, 287
- Fiber Fabry-Perot, 182
- Field curvature, 133
- Field lens, 332, 338
- Field of view, 70, 113, 221
- Fluorescein isothiocyanate, 81
- Fluorescence, 299, 353
 - correlation spectroscopy, 82
 - cross-correlation spectroscopy, 90
 - emission, 2
 - excitation, 3
 - fluctuation spectroscopy, 90
 - lifetime, 91
 - lifetime imaging microscopy, 79
 - recovery after photobleaching, 82, 89
 - spectroscopy, 20
- Fluorescent dye, 79
- Fluorescent protein, 79
- Fluorophore, 86, 93, 98, 318
- Förster distance, 86
- Förster (or fluorescence) resonance energy transfer, 82
- Fourier domain mode locking, 182
- Fourier spectroscopy, 137
- Fourier transformation, 140, 190
- Fourier transform spectrometer, 10
- Fourier transform spectroscopy, 137
- Four-wave mixing, 181, 241

- Frequency domain, 91, 355, 356
Fringe intensity, 168
Front illuminated CCD, 14
F-theta lens, 332
Full width at half maximum (FWHM), 96
- Gain factor, 114
Galvanometer scanner, 333
Galvanometric scanning, 222
Gaussian spectral distribution, 172
Geometric lengths, 167
Gouy phase shift, 242
Gradient refractive index, 272
Green fluorescent protein, 79
- Hadamard transform, 141
Hilbert transform, 195
Histogram, 96
Hollow-core PCFs, 8
Holographic phase plate, 143
Hyperpolarizability coefficients, 181
- Illumination depth, 89
Image correlation spectroscopy, 82, 90
Image cross-correlation spectroscopy, 90
Image intensifier, 16
Indocyanine green, 354
Induced polarization, 236
Inelastic scattering, 2
Instrument autofluorescence, 322
Intensified CCD, 16, 325
Intensity noise, 175
Interference filters, 11
Interferogram, 137
Interferometer, 137
Internal gain, 326
Internal transmittance, 320
Intradermal nevus, 35
Inverse problem, 362
Inverse scattering, 189
Inverted microscope, 96
- Jitter, 186
Junctional nevus, 35
- Köhler detection, 219
Köhler illumination, 320
- Laser damage threshold, 328
Laser-induced fluorescence, 307
- Lateral resolution, 172, 173, 261, 311
LCTF. *See* Liquid crystal tunable filter (LCTF)
Least-square, 151
Lenslet array, 338
Lifetime detector, 96
Light emitting diodes, 3, 319
Light scattering spectroscopy, 301
Linear decomposition, 149
Linear discriminant analysis, 37
Line scan, 305
Liquid crystal tunable filter (LCTF), 11
Littrow condition, 132
Longitudinal resolution, 170
Long pass filters, 10
Low-coherence interferometry, 164
Lowest detectable signal, 113, 118
Luminescence, 117
Lyot filter, 11
- Mach-Zehnder interferometer, 341
Magnification, 264
Malignant melanoma, 35
Maximum amplitude projection, 59
Maximum intensity projection, 214
Maximum permissible exposure, 23, 360
Michelson interferometer, 137, 194
Microangiography, 171
Microelectromechanical system, 333
Microendoscope, 285
Mode locking, 245
Molar density, 152
Molar extinction coefficient, 63, 80–81
Molecular signatures, 308
Molecules concentration, 152
Monochromator, 10
Morphological information, 306
Muller matrix, 197
Multifocal multiphoton microscope, 223
Multimodal spectroscopy, 309
Multimode fiber, 8
Multiphoton excitation, 234
Multiphoton imaging, 301
Multiphoton microscopy, 55
Multiple quantum well, 178
Multiplying CCD, 16
Mutual coherence function, 167
- Narrowband imaging, 256
Narrow band pass filter, 11, 33
Natural birefringence, 330
Nematic liquid crystal, 11
Nematic liquid crystal material, 129

- Neutral density filters, 10
- Nipkow disk, 220
- Normalized correction function, 168
- Notch filters, 10
- Numerical aperture, 6, 173, 258

- Optical biopsy, 257
- Optical bistability, 242
- Optical coherence tomography, 163, 289
- Optical-coupled, 333
- Optical delay line, 331
- Optical Doppler tomography, 197
- Optical fluence, 63
- Optical frequency-domain imaging, 290
- Optical parametric amplifier, 245
- Optical parametric oscillator, 245
- Optical path difference, 137
- Optical phase conjugation, 236
- Optical sectioning, 226, 259, 282, 287
- Optical throughput, 23, 226
- Optical time domain reflectometry, 166
- Oxyhemoglobin, 63

- Parallel imaging, 304
- PCA. *See* Principle component analysis (PCA)
- PCFs. *See* Photonic crystal fibers (PCFs)
- Penetration depth, 176
- Permanent dipole moment, 181
- Phase conjugation, 242
- Phase correction, 140
- Phase retardation, 127
- Phase shift, 93, 140
- Phase shifting interferometry, 189
- Phosphor, 313
- Photoacoustic computed tomography, 56
- Photoacoustic effect, 55
- Photoacoustic microscopy, 55, 314
- Photoacoustic tomography, 55
- Photoacoustic wave, 56
- Photoactivated localization microscopy, 82
- Photobiology, 2
- Photobleaching, 89, 235, 239, 301
- Photochemical effects, 68
- Photocurrent, 174
- Photodamage, 301
- Photoluminescence, 117
- Photomultiplier tube (PMT), 10
- Photonic bandgap fibers, 268
- Photonic crystal fibers (PCFs), 8, 181, 268
- Photothermal damage, 360
- Photothermal radiometry, 335
- Phototoxicity, 121
- Pinholes, 220, 321
- PIN photodiode, 14
- Pivot point, 333
- Planck constant, 116
- PMT. *See* Photomultiplier tube (PMT)
- Pockels effect, 240
- Poincare sphere, 197
- Poisson distribution, 115
- Polarization aberration, 331
- Polarization effect, 331
- Polarization-gated, 299
- Polarization maintaining fiber, 9
- Polarization-sensitive OCT, 196
- Polarizer, 328
- Polygonal mirror scanning, 221
- Polygonal scanning mirror, 222
- Polygon scanner, 333
- Power spectral density, 169, 175
- Power spectrum, 169
- Poynting vector, 167
- Pre-chirp, 311
- Prechirping compensation, 268
- Principle component analysis (PCA), 153
- Prism-grating-prism, 134
- Probability, 152
- Propagation vector, 166
- Proximal scanning, 269
- Pulse duration, 66, 311
- Pulse energy, 66
- Pulse width, 94
- Pupil plane, 333

- Quantitative accuracy, 359, 363
- Quantum dots, 82, 117
- Quantum efficiency, 113, 175, 325
- Quantum yields, 318
- Quenched lifetime, 93

- Radiative transport equation, 361
- Raman scattering, 236
- Raman spectra, 27, 29, 37, 39, 40
- Raman spectral calibration, 16, 20, 38
- Raman spectroscopy, 1, 20, 301, 308, 335
- Raman standard, 20
- Raster image correlation spectroscopy, 90
- Rayleigh range, 174, 243
- Rayleigh scattering, 353
- Readout rate, 114
- Reference beam, 166
- Reflectance, 298

- Reflectance spectroscopy, 20
- Refractive index, 6, 86, 167
- Relative concentration, 63
- Relay lens, 332
- Relay system, 224
- Repetition rate, 94
- Resonant scanner, 222
- Response speed, 325
- Retardance, 331
- Root mean square, 175
- Rytov approximation, 362

- Sagnac interferometer, 142
- Sample beam, 166
- Scan rotation, 333
- Scattering, 353
- Scattering spectroscopy, 301
- Scratches and digs, 321
- Seborrheic keratosis, 35
- Second harmonic generation, 97, 181, 201, 234, 240, 288
- Second harmonic OCT, 201
- Second-order polarization, 240
- Self phase modulation, 181, 266
- Sensitivity, 33, 35, 39, 40, 43, 302
- Short pass filters, 10
- Shot noise, 175
- Signal-to-noise ratio, 115
- Similarity mapping, 151
- Single mode fiber, 7, 264
- Single-photon excitation, 82, 85
- Slow scan CCD, 325
- Solid-core PCFs, 8
- Spatial filtering, 58
- Spatial light modulator, 141
- Spatial resolution, 113, 218, 264, 284, 325
- Specificity, 33, 35, 39, 40, 42, 43, 302
- Spectral bleedthrough, 88
- Spectral-domain OCT, 71
- Spectral FRET, 88
- Spectrally encoded confocal microscopy, 286
- Spectrally encoded endoscopy, 146
- Spectral power density, 190
- Spectral radar, 171
- Spectral range, 118
- Spectral resolution, 118
- Spectral response, 19, 119
- Spectral sensitivity, 325
- Spectral-spatial projection, 144
- Spectral un-mixing, 151
- Spectral width, 169
- Spectrograph, 133, 134

- Spectroscopy, 1
- Specular reflection, 304
- Spherical aberration, 229
- Spinning-disk, 84
- Spot size, 174
- Squamous cell carcinoma, 35, 37, 283
- Stain, 345
- Step-index fiber, 266
- Stimulated emission depletion, 82
- Stimulated Raman scattering, 181, 289
- Stochastic optical reconstruction microscopy, 82
- Stokes shift, 80, 224, 227
- Stokes vector, 197
- Streak camera, 93
- Stress, 330
- Stress birefringence, 330
- Supercontinuum light source, 4
- Superluminescent diode, 172
- Superresolution, 90
- Surface flatness, 321
- Surface plasmonic resonators, 129
- Surface quality, 328
- Susceptibility, 240
- Swept source, 182
- Switching time, 13

- Tandem scanning microscope, 220
- Telecentric error, 333
- Telecentricity, 332
- Temporal point spread function, 357
- Temporal resolution, 81
- Tetramethylrhodamine isothiocyanate, 81
- Thermal noise, 175
- Thin film filters, 321
- Third harmonic generation, 234
- Throughput, 330
- Time-correlated single-photon counting, 358
- Time-delayed integration, 122
- Time-domain, 91, 184
- Time-domain FLIM, 96
- Time-of-flight, 165
- Total internal reflection fluorescence, 82, 89
- Transducer, 58, 59
- Transillumination, 298, 334
- Transmission, 3
- Transmittance, 320
- Transmitted wavefront distortion, 321
- Tube length, 223
- Tunability, 12
- Two-photon absorption, 84
- Two-photon excitation, 82
- Two-photon excitation fluorescence, 234

Ultrasonic detector, 57
Ultrasonic penetration, 58
Ultrasound, 366
Uniformity, 338
Unquenched lifetime, 93

Variable filters, 126
Visibility of fringe, 168
Volumetric imaging, 56

Water immersion objective, 30
Wavefront quality, 328

Wavenumber, 138, 190
Wedge, 321
Wedge angle, 124
White light interferometry, 165
Wide field of view, 298
Wiener-Khintchine theorem, 169, 189, 190
Wire-grid polarizer, 329

Yokogawa system, 220
Young's modulus, 270

Zero filling, 140